


5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 5_4TX

CSE [PK]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.441G	-57.30	-21.20	-36.10	2.36	0.00	-59.66	-65.94	-64.66	-67.90	-64.90
8G	40G	1M	PK	39.784G	-48.41	-21.20	-27.21	2.36	0.00	-50.77	-57.23	-54.88	-56.71	-59.62

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 5_4TX

CSE [AV]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.468G	-63.65	-41.20	-22.45	2.36	0.00	-66.01	-72.20	-72.20	-71.76	-71.98
8G	40G	1M	AV	39.192G	-54.69	-41.20	-13.49	2.36	0.00	-57.05	-63.49	-64.32	-62.59	-62.18

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 6_4TX

CSE [PK]

6105MHz

04/11/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 6_4TX

CSE [AV]

6105MHz

04/11/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 7_4TX

CSE [PK]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.467G	-57.49	-21.20	-36.29	2.36	0.00	-59.85	-68.71	-66.05	-63.72	-66.44
8G	40G	1M	PK	39.093G	-48.71	-21.20	-27.51	2.36	0.00	-51.07	-57.92	-55.39	-58.35	-57.31

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 7_4TX

CSE [AV]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.453G	-63.61	-41.20	-22.41	2.36	0.00	-65.97	-71.83	-71.62	-72.27	-72.27
8G	40G	1M	AV	39.878G	-54.73	-41.20	-13.53	2.36	0.00	-57.09	-62.95	-63.75	-63.92	-62.08

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 8_4TX

CSE [PK]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.165G	-57.46	-21.20	-36.26	2.36	0.00	-59.82	-63.72	-68.93	-66.70	-65.58
8G	40G	1M	PK	39.135G	-48.65	-21.20	-27.45	2.36	0.00	-51.01	-56.36	-57.79	-57.93	-56.30

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 8_4TX

CSE [AV]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.498G	-63.65	-41.20	-22.45	2.36	0.00	-66.01	-72.75	-71.20	-72.05	-72.28
8G	40G	1M	AV	39.825G	-54.76	-41.20	-13.56	2.36	0.00	-57.12	-63.26	-62.94	-63.26	-63.10

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 9_4TX

CSE [PK]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.002G	-58.16	-21.20	-36.96	2.36	0.00	-60.52	-66.52	-64.99	-69.37	-66.34
8G	40G	1M	PK	40G	-48.37	-21.20	-27.17	2.36	0.00	-50.73	-60.02	-59.65	-57.40	-53.41

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 9_4TX

CSE [AV]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.487G	-63.50	-41.20	-22.30	2.36	0.00	-65.86	-71.67	-71.89	-71.67	-72.33
8G	40G	1M	AV	39.833G	-54.39	-41.20	-13.19	2.36	0.00	-56.75	-62.20	-62.94	-62.34	-63.76

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 10_4TX

CSE [PK]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.498G	-57.72	-21.20	-36.52	2.36	0.00	-60.08	-67.13	-64.74	-65.00	-68.69
8G	40G	1M	PK	39.813G	-48.80	-21.20	-27.60	2.36	0.00	-51.16	-57.45	-55.94	-58.85	-56.97

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 10_4TX

CSE [AV]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.492G	-63.48	-41.20	-22.28	2.36	0.00	-65.84	-71.86	-71.65	-71.65	-72.31
8G	40G	1M	AV	39.828G	-54.64	-41.20	-13.44	2.36	0.00	-57.00	-63.42	-62.79	-63.10	-62.79

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 11_4TX

CSE [PK]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.053G	-57.99	-21.20	-36.79	2.36	0.00	-60.35	-64.61	-66.04	-68.94	-67.01
8G	40G	1M	PK	39.102G	-48.64	-21.20	-27.44	2.36	0.00	-51.00	-54.15	-58.71	-58.48	-58.78

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 11_4TX

CSE [AV]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.48G	-63.63	-41.20	-22.43	2.36	0.00	-65.99	-71.70	-71.50	-71.92	-73.08
8G	40G	1M	AV	39.836G	-54.75	-41.20	-13.55	2.36	0.00	-57.11	-63.42	-63.59	-62.64	-62.94

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 12_4TX

CSE [PK]

6105MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.457G	-57.43	-21.20	-36.23	2.36	0.00	-59.79	-63.99	-64.61	-69.43	-67.22
8G	40G	1M	PK	39.899G	-48.64	-21.20	-27.44	2.36	0.00	-51.00	-56.05	-59.31	-56.60	-56.79

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 12_4TX

CSE [AV]

6105MHz

04/11/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.491G	-63.47	-41.20	-22.27	2.36	0.00	-65.83	-72.31	-72.31	-71.24	-71.65
8G	40G	1M	AV	39.814G	-54.60	-41.20	-13.40	2.36	0.00	-56.96	-63.25	-64.10	-62.78	-62.05




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
bn320_320MHz_Nss1,(MCS0)_4TX	Pass	AV	19.26702G	38.63	54.00	-15.37	3	Vertical	360	1.63	-

5.925-6.425GHz_bn320_320MHz_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
Setting 14.5
05-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85006G	47.01	88.20	-41.19	58.98	3	Vertical	66	1.01	-	39.90	13.22	65.09			
RMS	12.84994G	38.38	68.20	-29.82	50.35	3	Vertical	66	1.01	-	39.90	13.22	65.09			

5.925-6.425GHz_bn320_320MHz_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Z_4TX
Setting 14.5
05-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83554G	46.61	88.20	-41.59	58.67	3	Horizontal	352	1.80	-	39.84	13.21	65.11			
RMS	12.84052G	33.76	68.20	-34.44	45.79	3	Horizontal	352	1.80	-	39.86	13.21	65.10			

5.925-6.425GHz_bn320_320MHz_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
Setting 14.5
05-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.26138G	51.02	74.00	-22.98	41.20	3	Vertical	360	1.63	-	37.83	20.79	48.80			
AV	19.26702G	38.63	54.00	-15.37	28.84	3	Vertical	360	1.63	-	37.80	20.79	48.80			

5.925-6.425GHz_bn320_320MHz_Nss1,(MCS0)_4TX

6425MHz_TX



EUT_Z_4TX
Setting 14.5
05-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.26783G	50.85	74.00	-23.15	41.07	3	Horizontal	190	1.80	-	37.79	20.79	48.80			
AV	19.26036G	38.42	54.00	-15.58	28.59	3	Horizontal	190	1.80	-	37.84	20.79	48.80			

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_4TX	Pass	5.885G	7.165G	AV	5.92148G	8.38	-67.32	-67.22	-66.49	-66.83	-60.93	-52.55	-27.00	-25.55
802.11bn UHR20_Nss1.(MCS0)_4TX	Pass	5.885G	7.165G	AV	5.91316G	8.38	-61.63	-61.67	-61.21	-61.47	-55.47	-47.09	-27.00	-20.09
802.11bn UHR40_Nss1.(MCS0)_4TX	Pass	5.845G	7.205G	AV	5.9232G	8.38	-60.30	-60.93	-60.43	-61.31	-54.70	-46.32	-27.00	-19.32
802.11bn UHR80_Nss1.(MCS0)_4TX	Pass	5.765G	7.285G	AV	7.2622G	8.38	-66.56	-66.40	-66.48	-66.72	-60.52	-52.14	-41.20	-10.94
802.11bn UHR160_Nss1.(MCS0)_4TX	Pass	5.605G	7.445G	AV	7.26836G	8.38	-66.36	-66.46	-66.93	-66.35	-60.50	-52.12	-41.20	-10.92
802.11bn UHR320_Nss1.(MCS0)_4TX	Pass	5.285G	7.765G	AV	5.92484G	8.38	-48.18	-48.95	-47.93	-49.09	-42.49	-34.11	-27.00	-7.11

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92148G	8.38	-67.32	-67.22	-66.49	-66.83	-60.93	-52.55	-27.00	-25.55
5955MHz	Pass	5.885G	7.165G	AV	7.13172G	8.38	-69.20	-69.28	-69.48	-69.93	-63.44	-55.06	-27.00	-28.06
802.11bn UHR20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.91316G	8.38	-61.63	-61.67	-61.21	-61.47	-55.47	-47.09	-27.00	-20.09
5955MHz	Pass	5.885G	7.165G	AV	7.12788G	8.38	-66.35	-66.35	-66.80	-66.67	-60.52	-52.14	-27.00	-25.14
802.11bn UHR40_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.9232G	8.38	-60.30	-60.93	-60.43	-61.31	-54.70	-46.32	-27.00	-19.32
5965MHz	Pass	5.845G	7.205G	AV	7.137G	8.38	-66.58	-66.49	-66.74	-66.19	-60.47	-52.09	-27.00	-25.09
802.11bn UHR80_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	8.38	-57.16	-57.16	-57.30	-57.91	-51.35	-42.97	-27.00	-15.97
5985MHz	Pass	5.765G	7.285G	AV	7.2622G	8.38	-66.56	-66.40	-66.48	-66.72	-60.52	-52.14	-41.20	-10.94
802.11bn UHR160_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-52.92	-53.86	-52.52	-54.35	-47.33	-38.95	-27.00	-11.95
6025MHz	Pass	5.605G	7.445G	AV	7.26836G	8.38	-66.36	-66.46	-66.93	-66.35	-60.50	-52.12	-41.20	-10.92
802.11bn UHR320_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-48.18	-48.95	-47.93	-49.09	-42.49	-34.11	-27.00	-7.11
6105MHz	Pass	5.285G	7.765G	AV	7.25784G	8.38	-68.63	-68.90	-68.61	-68.94	-62.75	-54.37	-41.20	-13.17


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [RMS]

5955MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.92148G	-52.55	-27.00	-25.55	8.38	0.00	-60.93	-67.32	-67.22	-66.49	-66.83
5.885G	7.165G	1M	AV	7.13172G	-55.06	-27.00	-28.06	8.38	0.00	-63.44	-69.20	-69.28	-69.48	-69.93

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS0)_4TX

CSE Bandedge [RMS]

5955MHz

29/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.91316G	-47.09	-27.00	-20.09	8.38	0.00	-55.47	-61.63	-61.67	-61.21	-61.47
5.885G	7.165G	1M	AV	7.12788G	-52.14	-27.00	-25.14	8.38	0.00	-60.52	-66.35	-66.35	-66.80	-66.67

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS0)_4TX

CSE Bandedge [RMS]

5965MHz

29/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	AV	5.9232G	-46.32	-27.00	-19.32	8.38	0.00	-54.70	-60.30	-60.93	-60.43	-61.31
5.845G	7.205G	1M	AV	7.137G	-52.09	-27.00	-25.09	8.38	0.00	-60.47	-66.58	-66.49	-66.74	-66.19

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0)_4TX

CSE Bandedge [RMS]

5985MHz

29/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.9246G	-42.97	-27.00	-15.97	8.38	0.00	-51.35	-57.16	-57.16	-57.30	-57.91
5.765G	7.285G	1M	AV	7.2622G	-52.14	-41.20	-10.94	8.38	0.00	-60.52	-66.56	-66.40	-66.48	-66.72

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50)_4TX

CSE Bandedge [RMS]

6025MHz

29/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50)_4TX

CSE Bandedge [RMS]

6105MHz

29/10/2025



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_4TX	Pass	5.885G	7.165G	PK	5.92468G	8.38	-57.32	-54.56	-52.46	-57.05	-48.86	-40.48	-7.00	-33.48
802.11bn UHR20_Nss1.(MCS0)_4TX	Pass	5.885G	7.165G	PK	5.90548G	8.38	-53.44	-54.93	-53.62	-58.50	-48.70	-40.32	-7.00	-33.32
802.11bn UHR40_Nss1.(MCS0)_4TX	Pass	5.845G	7.205G	PK	5.90824G	8.38	-56.69	-51.58	-55.68	-54.26	-48.08	-39.70	-7.00	-32.70
802.11bn UHR80_Nss1.(MCS0)_4TX	Pass	5.765G	7.285G	PK	7.25992G	8.38	-58.92	-58.61	-58.30	-60.97	-53.06	-44.68	-21.20	-23.48
802.11bn UHR160_Nss1.(MCS0)_4TX	Pass	5.605G	7.445G	PK	5.92056G	8.38	-44.50	-45.59	-44.60	-40.39	-37.23	-28.85	-7.00	-21.85
802.11bn UHR320_Nss1.(MCS0)_4TX	Pass	5.285G	7.765G	PK	5.37552G	8.38	-54.85	-54.66	-56.10	-54.29	-48.90	-40.52	-21.20	-19.32

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	PK	5.92468G	8.38	-57.32	-54.56	-52.46	-57.05	-48.86	-40.48	-7.00	-33.48
5955MHz	Pass	5.885G	7.165G	PK	7.1522G	8.38	-56.83	-61.57	-58.83	-61.16	-53.15	-44.77	-7.00	-37.77
802.11bn UHR20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	PK	5.90548G	8.38	-53.44	-54.93	-53.62	-58.50	-48.70	-40.32	-7.00	-33.32
5955MHz	Pass	5.885G	7.165G	PK	7.13236G	8.38	-57.86	-61.53	-61.10	-58.67	-53.49	-45.11	-7.00	-38.11
802.11bn UHR40_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	PK	5.90824G	8.38	-56.69	-51.58	-55.68	-54.26	-48.08	-39.70	-7.00	-32.70
5965MHz	Pass	5.845G	7.205G	PK	7.18596G	8.38	-58.38	-60.17	-58.48	-61.36	-53.41	-45.03	-7.00	-38.03
802.11bn UHR80_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	PK	5.91624G	8.38	-53.76	-52.35	-47.64	-47.64	-43.52	-35.14	-7.00	-28.14
5985MHz	Pass	5.765G	7.285G	PK	7.25992G	8.38	-58.92	-58.61	-58.30	-60.97	-53.06	-44.68	-21.20	-23.48
802.11bn UHR160_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92056G	8.38	-44.50	-45.59	-44.60	-40.39	-37.23	-28.85	-7.00	-21.85
6025MHz	Pass	5.605G	7.445G	PK	7.4036G	8.38	-56.75	-59.05	-61.16	-59.74	-52.85	-44.47	-21.20	-23.27
802.11bn UHR320_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.37552G	8.38	-54.85	-54.66	-56.10	-54.29	-48.90	-40.52	-21.20	-19.32
6105MHz	Pass	5.285G	7.765G	PK	7.61124G	8.38	-59.08	-59.74	-56.29	-59.74	-52.43	-44.05	-21.20	-22.85


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

5955MHz

04/11/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.92468G	-40.48	-7.00	-33.48	8.38	0.00	-48.86	-57.32	-54.56	-52.46	-57.05
5.885G	7.165G	1M	PK	7.1522G	-44.77	-7.00	-37.77	8.38	0.00	-53.15	-56.83	-61.57	-58.83	-61.16

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5955MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.90548G	-40.32	-7.00	-33.32	8.38	0.00	-48.70	-53.44	-54.93	-53.62	-58.50
5.885G	7.165G	1M	PK	7.13236G	-45.11	-7.00	-38.11	8.38	0.00	-53.49	-57.86	-61.53	-61.10	-58.67

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5965MHz

23/10/2025




5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5985MHz

23/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6025MHz

23/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.92056G	-28.85	-7.00	-21.85	8.38	0.00	-37.23	-44.50	-45.59	-44.60	-40.39
5.605G	7.445G	1M	PK	7.4036G	-44.47	-21.20	-23.27	8.38	0.00	-52.85	-56.75	-59.05	-61.16	-59.74

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6105MHz

23/10/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.37552G	-40.52	-21.20	-19.32	8.38	0.00	-48.90	-54.85	-54.66	-56.10	-54.29
5.285G	7.765G	1M	PK	7.61124G	-44.05	-21.20	-22.85	8.38	0.00	-52.43	-59.08	-59.74	-56.29	-59.74



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR20_Nss1,(MCS0)_dRU_4TX	Pass	5.885G	7.165G	AV	5.92468G	8.38	-68.28	-66.91	-66.68	-67.16	-61.20	-52.82	-27.00	-25.82
802.11bn UHR40_Nss1,(MCS0)_dRU_4TX	Pass	5.845G	7.205G	AV	5.92388G	8.38	-65.87	-66.49	-66.12	-65.87	-60.06	-51.68	-27.00	-24.68
802.11bn UHR80_Nss1,(MCS0)_dRU_4TX	Pass	5.765G	7.285G	AV	7.25536G	8.38	-69.73	-69.88	-69.89	-69.95	-63.84	-55.46	-41.20	-14.26

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR20_Nss1,(MCS0)_dRU_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	8.38	-68.28	-66.91	-66.68	-67.16	-61.20	-52.82	-27.00	-25.82
5955MHz	Pass	5.885G	7.165G	AV	7.15604G	8.38	-70.17	-70.34	-69.82	-69.85	-64.02	-55.64	-27.00	-28.64
802.11bn UHR40_Nss1,(MCS0)_dRU_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92388G	8.38	-65.87	-66.49	-66.12	-65.87	-60.06	-51.68	-27.00	-24.68
5965MHz	Pass	5.845G	7.205G	AV	7.15468G	8.38	-70.12	-69.50	-70.66	-69.80	-63.98	-55.60	-27.00	-28.60
802.11bn UHR80_Nss1,(MCS0)_dRU_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92384G	8.38	-63.22	-63.32	-62.45	-62.62	-56.87	-48.49	-27.00	-21.49
5985MHz	Pass	5.765G	7.285G	AV	7.25536G	8.38	-69.73	-69.88	-69.89	-69.95	-63.84	-55.46	-41.20	-14.26


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS0)_dRU_4TX

CSE Bandedge [RMS]

5955MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.92468G	-52.82	-27.00	-25.82	8.38	0.00	-61.20	-68.28	-66.91	-66.68	-67.16
5.885G	7.165G	1M	AV	7.15604G	-55.64	-27.00	-28.64	8.38	0.00	-64.02	-70.17	-70.34	-69.82	-69.85

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS0)_dRU_4TX

CSE Bandedge [RMS]

5965MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	AV	5.92388G	-51.68	-27.00	-24.68	8.38	0.00	-60.06	-65.87	-66.49	-66.12	-65.87
5.845G	7.205G	1M	AV	7.15468G	-55.60	-27.00	-28.60	8.38	0.00	-63.98	-70.12	-69.50	-70.66	-69.80

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0)_dRU_4TX

CSE Bandedge [RMS]

5985MHz

28/10/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.92384G	-48.49	-27.00	-21.49	8.38	0.00	-56.87	-63.22	-63.32	-62.45	-62.62
5.765G	7.285G	1M	AV	7.25536G	-55.46	-41.20	-14.26	8.38	0.00	-63.84	-69.73	-69.88	-69.89	-69.95



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR20_Nss1,(MCS0)_dRU_4TX	Pass	5.885G	7.165G	PK	5.9106G	8.38	-55.59	-53.20	-56.89	-54.56	-48.83	-40.45	-7.00	-33.45
802.11bn UHR40_Nss1,(MCS0)_dRU_4TX	Pass	5.845G	7.205G	PK	5.92048G	8.38	-54.95	-54.65	-55.37	-54.07	-48.71	-40.33	-7.00	-33.33
802.11bn UHR80_Nss1,(MCS0)_dRU_4TX	Pass	5.765G	7.285G	PK	7.2584G	8.38	-59.85	-60.19	-61.04	-58.32	-53.71	-45.33	-21.20	-24.13

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR20_Nss1,(MCS0)_dRU_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	PK	5.9106G	8.38	-55.59	-53.20	-56.89	-54.56	-48.83	-40.45	-7.00	-33.45
5955MHz	Pass	5.885G	7.165G	PK	7.12724G	8.38	-59.91	-59.57	-61.54	-60.02	-54.18	-45.80	-7.00	-38.80
802.11bn UHR40_Nss1,(MCS0)_dRU_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	PK	5.92048G	8.38	-54.95	-54.65	-55.37	-54.07	-48.71	-40.33	-7.00	-33.33
5965MHz	Pass	5.845G	7.205G	PK	7.19412G	8.38	-58.24	-63.72	-59.75	-58.24	-53.48	-45.10	-7.00	-38.10
802.11bn UHR80_Nss1,(MCS0)_dRU_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	PK	5.92004G	8.38	-53.36	-54.07	-50.19	-56.88	-46.96	-38.58	-7.00	-31.58
5985MHz	Pass	5.765G	7.285G	PK	7.2584G	8.38	-59.85	-60.19	-61.04	-58.32	-53.71	-45.33	-21.20	-24.13


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS0)_dRU_4TX

CSE Bandedge [PK]

5955MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.9106G	-40.45	-7.00	-33.45	8.38	0.00	-48.83	-55.59	-53.20	-56.89	-54.56
5.885G	7.165G	1M	PK	7.12724G	-45.80	-7.00	-38.80	8.38	0.00	-54.18	-59.91	-59.57	-61.54	-60.02

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS0)_dRU_4TX

CSE Bandedge [PK]

5965MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	PK	5.92048G	-40.33	-7.00	-33.33	8.38	0.00	-48.71	-54.95	-54.65	-55.37	-54.07
5.845G	7.205G	1M	PK	7.19412G	-45.10	-7.00	-38.10	8.38	0.00	-53.48	-58.24	-63.72	-59.75	-58.24

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0)_dRU_4TX

CSE Bandedge [PK]

5985MHz

28/10/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.92004G	-38.58	-7.00	-31.58	8.38	0.00	-46.96	-53.36	-54.07	-50.19	-56.88
5.765G	7.285G	1M	PK	7.2584G	-45.33	-21.20	-24.13	8.38	0.00	-53.71	-59.85	-60.19	-61.04	-58.32

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	Pass	5.765G	7.285G	AV	7.26144G	8.38	-69.20	-70.02	-70.08	-70.08	-63.81	-55.43	-41.20	-14.23
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	Pass	5.605G	7.445G	AV	5.92424G	8.38	-53.19	-54.21	-52.98	-53.53	-47.43	-39.05	-27.00	-12.05
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	Pass	5.285G	7.765G	AV	5.92484G	8.38	-48.59	-49.56	-48.58	-49.94	-43.11	-34.73	-27.00	-7.73

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	8.38	-65.62	-65.56	-64.06	-64.83	-58.95	-50.57	-27.00	-23.57
5985MHz	Pass	5.765G	7.285G	AV	7.26144G	8.38	-69.90	-69.93	-70.17	-69.46	-63.84	-55.46	-41.20	-14.26
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	8.38	-62.51	-63.01	-62.40	-63.02	-56.71	-48.33	-27.00	-21.33
5985MHz	Pass	5.765G	7.285G	AV	7.27208G	8.38	-69.99	-69.81	-69.82	-70.08	-63.90	-55.52	-41.20	-14.32
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	8.38	-62.26	-61.65	-61.12	-62.11	-55.74	-47.36	-27.00	-20.36
5985MHz	Pass	5.765G	7.285G	AV	7.25916G	8.38	-69.56	-70.19	-69.88	-70.05	-63.89	-55.51	-41.20	-14.31
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92384G	8.38	-61.54	-62.68	-61.78	-62.10	-55.98	-47.60	-27.00	-20.60
5985MHz	Pass	5.765G	7.285G	AV	7.26144G	8.38	-69.20	-70.02	-70.08	-70.08	-63.81	-55.43	-41.20	-14.23
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-56.46	-57.56	-56.23	-56.88	-50.73	-42.35	-27.00	-15.35
6025MHz	Pass	5.605G	7.445G	AV	7.26376G	8.38	-69.81	-69.82	-69.94	-69.79	-63.82	-55.44	-41.20	-14.24
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-56.61	-56.29	-56.06	-57.28	-50.52	-42.14	-27.00	-15.14
6025MHz	Pass	5.605G	7.445G	AV	7.26376G	8.38	-69.59	-69.86	-69.83	-69.97	-63.79	-55.41	-41.20	-14.21
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92332G	8.38	-55.76	-55.91	-55.49	-57.24	-50.03	-41.65	-27.00	-14.65
6025MHz	Pass	5.605G	7.445G	AV	7.27848G	8.38	-69.95	-69.89	-69.97	-69.56	-63.82	-55.44	-41.20	-14.24
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-56.60	-57.00	-56.24	-57.60	-50.81	-42.43	-27.00	-15.43
6025MHz	Pass	5.605G	7.445G	AV	7.26376G	8.38	-69.52	-69.79	-69.85	-70.19	-63.81	-55.43	-41.20	-14.23
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-55.12	-56.53	-55.06	-57.28	-49.88	-41.50	-27.00	-14.50
6025MHz	Pass	5.605G	7.445G	AV	7.25456G	8.38	-69.81	-69.64	-70.02	-69.86	-63.81	-55.43	-41.20	-14.23
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-55.97	-56.40	-55.42	-57.00	-50.14	-41.76	-27.00	-14.76
6025MHz	Pass	5.605G	7.445G	AV	7.26744G	8.38	-69.69	-69.75	-69.72	-69.90	-63.74	-55.36	-41.20	-14.16
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-53.96	-54.75	-54.17	-55.31	-48.50	-40.12	-27.00	-13.12
6025MHz	Pass	5.605G	7.445G	AV	7.25916G	8.38	-69.75	-69.92	-69.63	-69.85	-63.77	-55.39	-41.20	-14.19
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-53.19	-54.21	-52.98	-53.53	-47.43	-39.05	-27.00	-12.05
6025MHz	Pass	5.605G	7.445G	AV	7.26008G	8.38	-69.87	-69.84	-69.68	-69.92	-63.81	-55.43	-41.20	-14.23
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92332G	8.38	-59.34	-59.27	-58.82	-60.33	-53.39	-45.01	-27.00	-18.01
6025MHz	Pass	5.605G	7.445G	AV	7.25732G	8.38	-69.90	-69.85	-70.07	-69.71	-63.86	-55.48	-41.20	-14.28
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-58.28	-59.06	-58.94	-58.85	-52.75	-44.37	-27.00	-17.37
6025MHz	Pass	5.605G	7.445G	AV	7.25456G	8.38	-69.54	-69.76	-69.97	-69.73	-63.73	-55.35	-41.20	-14.15
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-56.80	-57.20	-56.59	-58.34	-51.16	-42.78	-27.00	-15.78
6025MHz	Pass	5.605G	7.445G	AV	7.26192G	8.38	-69.49	-69.95	-70.29	-69.69	-63.82	-55.44	-41.20	-14.24
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92332G	8.38	-56.31	-56.96	-54.90	-57.64	-50.31	-41.93	-27.00	-14.93
6025MHz	Pass	5.605G	7.445G	AV	7.26836G	8.38	-69.87	-69.88	-69.89	-69.88	-63.86	-55.48	-41.20	-14.28
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-51.62	-51.46	-51.44	-52.29	-45.67	-37.29	-27.00	-10.29
6105MHz	Pass	5.285G	7.765G	AV	7.25412G	8.38	-70.02	-69.68	-69.85	-69.38	-63.71	-55.33	-41.20	-14.13
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.91864G	8.38	-50.69	-50.55	-49.31	-50.45	-44.19	-35.81	-27.00	-8.81
6105MHz	Pass	5.285G	7.765G	AV	7.25536G	8.38	-69.31	-69.90	-70.18	-69.45	-63.68	-55.30	-41.20	-14.10
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-50.04	-50.30	-49.00	-50.61	-43.92	-35.54	-27.00	-8.54
6105MHz	Pass	5.285G	7.765G	AV	7.25908G	8.38	-69.43	-69.76	-70.01	-69.45	-63.64	-55.26	-41.20	-14.06
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-49.69	-49.84	-48.87	-49.93	-43.54	-35.16	-27.00	-8.16
6105MHz	Pass	5.285G	7.765G	AV	7.25536G	8.38	-69.67	-69.65	-70.00	-69.56	-63.70	-55.32	-41.20	-14.12
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-49.68	-50.00	-48.57	-50.65	-43.64	-35.26	-27.00	-8.26
6105MHz	Pass	5.285G	7.765G	AV	7.25288G	8.38	-69.41	-69.51	-70.16	-69.68	-63.66	-55.28	-41.20	-14.08
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.9236G	8.38	-49.86	-49.34	-49.59	-49.92	-43.65	-35.27	-27.00	-8.27
6105MHz	Pass	5.285G	7.765G	AV	7.25164G	8.38	-69.42	-69.68	-69.81	-69.65	-63.62	-55.24	-41.20	-14.04
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 7_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.9236G	8.38	-48.63	-49.71	-48.75	-49.76	-43.16	-34.78	-27.00	-7.78
6105MHz	Pass	5.285G	7.765G	AV	7.25784G	8.38	-69.48	-69.53	-70.13	-69.80	-63.71	-55.33	-41.20	-14.13



CSE Bandedge_Conducted Test_Mode 3

Appendix E.13

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-48.59	-49.56	-48.58	-49.94	-43.11	-34.73	-27.00	-7.73
6105MHz	Pass	5.285G	7.765G	AV	7.26404G	8.38	-69.60	-69.73	-69.84	-69.83	-63.73	-55.35	-41.20	-14.15
802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.91988G	8.38	-53.98	-53.04	-53.92	-53.95	-47.68	-39.30	-27.00	-12.30
6105MHz	Pass	5.285G	7.765G	AV	7.25288G	8.38	-69.70	-69.74	-69.98	-69.73	-63.77	-55.39	-41.20	-14.19
802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92236G	8.38	-50.83	-50.46	-50.26	-51.83	-44.78	-36.40	-27.00	-9.40
6105MHz	Pass	5.285G	7.765G	AV	7.269G	8.38	-69.65	-69.95	-69.65	-69.67	-63.71	-55.33	-41.20	-14.13
802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-51.23	-51.63	-50.10	-51.83	-45.12	-36.74	-27.00	-9.74
6105MHz	Pass	5.285G	7.765G	AV	7.25784G	8.38	-69.84	-69.92	-69.75	-69.61	-63.76	-55.38	-41.20	-14.18
802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-50.33	-50.41	-50.41	-50.55	-44.40	-36.02	-27.00	-9.02
6105MHz	Pass	5.285G	7.765G	AV	7.269G	8.38	-69.70	-70.13	-69.83	-69.78	-63.84	-55.46	-41.20	-14.26
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92112G	8.38	-54.68	-54.55	-53.83	-54.61	-48.38	-40.00	-27.00	-13.00
6105MHz	Pass	5.285G	7.765G	AV	7.26032G	8.38	-69.75	-69.86	-70.11	-69.70	-63.83	-55.45	-41.20	-14.25
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-53.45	-53.22	-53.57	-54.33	-47.60	-39.22	-27.00	-12.22
6105MHz	Pass	5.285G	7.765G	AV	7.2566G	8.38	-69.98	-69.70	-70.16	-69.76	-63.88	-55.50	-41.20	-14.30
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.9236G	8.38	-52.68	-52.92	-51.68	-53.83	-46.69	-38.31	-27.00	-11.31
6105MHz	Pass	5.285G	7.765G	AV	7.2553G	8.38	-69.67	-69.63	-70.02	-70.03	-63.81	-55.43	-41.20	-14.23
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-52.30	-52.59	-51.56	-53.02	-46.31	-37.93	-27.00	-10.93
6105MHz	Pass	5.285G	7.765G	AV	7.25784G	8.38	-70.01	-69.79	-69.72	-69.76	-63.80	-55.42	-41.20	-14.22
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-51.42	-51.70	-50.28	-51.19	-45.09	-36.71	-27.00	-9.71
6105MHz	Pass	5.285G	7.765G	AV	7.26776G	8.38	-69.76	-69.84	-70.22	-69.65	-63.84	-55.46	-41.20	-14.26
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-51.55	-51.28	-51.02	-51.50	-45.31	-36.93	-27.00	-9.93
6105MHz	Pass	5.285G	7.765G	AV	7.26032G	8.38	-69.68	-69.90	-70.26	-69.86	-63.90	-55.52	-41.20	-14.32
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 7_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.37428G	8.38	-69.32	-69.47	-69.46	-69.19	-63.34	-54.96	-41.20	-13.76
6105MHz	Pass	5.285G	7.765G	AV	7.25908G	8.38	-69.66	-69.83	-69.94	-69.86	-63.80	-55.42	-41.20	-14.22
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.35568G	8.38	-69.34	-69.51	-69.11	-69.57	-63.36	-54.98	-41.20	-13.78
6105MHz	Pass	5.285G	7.765G	AV	7.25164G	8.38	-69.76	-69.99	-69.93	-69.74	-63.83	-55.45	-41.20	-14.25
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.35444G	8.38	-69.04	-69.29	-69.28	-69.36	-63.22	-54.84	-41.20	-13.64
6105MHz	Pass	5.285G	7.765G	AV	7.2566G	8.38	-69.82	-70.03	-69.75	-69.95	-63.87	-55.49	-41.20	-14.29
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 10_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.39164G	8.38	-72.22	-72.46	-72.46	-72.30	-66.34	-57.96	-41.20	-16.76
6105MHz	Pass	5.285G	7.765G	AV	7.4984G	8.38	-69.28	-69.20	-69.24	-69.22	-63.21	-54.83	-41.20	-13.63
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 11_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.36064G	8.38	-69.00	-69.32	-69.51	-69.43	-63.29	-54.91	-41.20	-13.71
6105MHz	Pass	5.285G	7.765G	AV	7.26776G	8.38	-69.73	-70.34	-69.66	-69.58	-63.80	-55.42	-41.20	-14.22
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 12_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.35816G	8.38	-69.26	-69.27	-69.36	-69.40	-63.30	-54.92	-41.20	-13.72
6105MHz	Pass	5.285G	7.765G	AV	7.26156G	8.38	-69.85	-69.90	-70.26	-69.52	-63.85	-55.47	-41.20	-14.27


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [RMS]

5985MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.9246G	-50.57	-27.00	-23.57	8.38	0.00	-58.95	-65.62	-65.56	-64.06	-64.83
5.765G	7.285G	1M	AV	7.26144G	-55.46	-41.20	-14.26	8.38	0.00	-63.84	-69.90	-69.93	-70.17	-69.46

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

CSE Bandedge [RMS]

5985MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.9246G	-48.33	-27.00	-21.33	8.38	0.00	-56.71	-62.51	-63.01	-62.40	-63.02
5.765G	7.285G	1M	AV	7.27208G	-55.52	-41.20	-14.32	8.38	0.00	-63.90	-69.99	-69.81	-69.82	-70.08

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [RMS]

5985MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

CSE Bandedge [RMS]

5985MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 1_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92424G	-42.35	-27.00	-15.35	8.38	0.00	-50.73	-56.46	-57.56	-56.23	-56.88
5.605G	7.445G	1M	AV	7.26376G	-55.44	-41.20	-14.24	8.38	0.00	-63.82	-69.81	-69.82	-69.94	-69.79

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 2_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92424G	-42.14	-27.00	-15.14	8.38	0.00	-50.52	-56.61	-56.29	-56.06	-57.28
5.605G	7.445G	1M	AV	7.26376G	-55.41	-41.20	-14.21	8.38	0.00	-63.79	-69.59	-69.86	-69.83	-69.97

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 3_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92332G	-41.65	-27.00	-14.65	8.38	0.00	-50.03	-55.76	-55.91	-55.49	-57.24
5.605G	7.445G	1M	AV	7.27848G	-55.44	-41.20	-14.24	8.38	0.00	-63.82	-69.95	-69.89	-69.97	-69.56

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 4_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92424G	-42.43	-27.00	-15.43	8.38	0.00	-50.81	-56.60	-57.00	-56.24	-57.60
5.605G	7.445G	1M	AV	7.26376G	-55.43	-41.20	-14.23	8.38	0.00	-63.81	-69.52	-69.79	-69.85	-70.19

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 5_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92424G	-41.50	-27.00	-14.50	8.38	0.00	-49.88	-55.12	-56.53	-55.06	-57.28
5.605G	7.445G	1M	AV	7.25456G	-55.43	-41.20	-14.23	8.38	0.00	-63.81	-69.81	-69.64	-70.02	-69.86

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 6_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92424G	-41.76	-27.00	-14.76	8.38	0.00	-50.14	-55.97	-56.40	-55.42	-57.00
5.605G	7.445G	1M	AV	7.26744G	-55.36	-41.20	-14.16	8.38	0.00	-63.74	-69.69	-69.75	-69.72	-69.90

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 7_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 8_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484 MRU 1_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92332G	-45.01	-27.00	-18.01	8.38	0.00	-53.39	-59.34	-59.27	-58.82	-60.33
5.605G	7.445G	1M	AV	7.25732G	-55.48	-41.20	-14.28	8.38	0.00	-63.86	-69.90	-69.85	-70.07	-69.71

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484 MRU 2_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92424G	-44.37	-27.00	-17.37	8.38	0.00	-52.75	-58.28	-59.06	-58.94	-58.85
5.605G	7.445G	1M	AV	7.25456G	-55.35	-41.20	-14.15	8.38	0.00	-63.73	-69.54	-69.76	-69.97	-69.73

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484 MRU 3_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484 MRU 4_4TX

CSE Bandedge [RMS]

6025MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 1_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-37.29	-27.00	-10.29	8.38	0.00	-45.67	-51.62	-51.46	-51.44	-52.29
5.285G	7.765G	1M	AV	7.25412G	-55.33	-41.20	-14.13	8.38	0.00	-63.71	-70.02	-69.68	-69.85	-69.38

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 2_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.91864G	-35.81	-27.00	-8.81	8.38	0.00	-44.19	-50.69	-50.55	-49.31	-50.45
5.285G	7.765G	1M	AV	7.25536G	-55.30	-41.20	-14.10	8.38	0.00	-63.68	-69.31	-69.90	-70.18	-69.45

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 3_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-35.54	-27.00	-8.54	8.38	0.00	-43.92	-50.04	-50.30	-49.00	-50.61
5.285G	7.765G	1M	AV	7.25908G	-55.26	-41.20	-14.06	8.38	0.00	-63.64	-69.43	-69.76	-70.01	-69.45

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 4_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-35.16	-27.00	-8.16	8.38	0.00	-43.54	-49.69	-49.84	-48.87	-49.93
5.285G	7.765G	1M	AV	7.25536G	-55.32	-41.20	-14.12	8.38	0.00	-63.70	-69.67	-69.65	-70.00	-69.56

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 5_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-35.26	-27.00	-8.26	8.38	0.00	-43.64	-49.68	-50.00	-48.57	-50.65
5.285G	7.765G	1M	AV	7.25288G	-55.28	-41.20	-14.08	8.38	0.00	-63.66	-69.41	-69.51	-70.16	-69.68

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 6_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.9236G	-35.27	-27.00	-8.27	8.38	0.00	-43.65	-49.86	-49.34	-49.59	-49.92
5.285G	7.765G	1M	AV	7.25164G	-55.24	-41.20	-14.04	8.38	0.00	-63.62	-69.42	-69.68	-69.81	-69.65

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 7_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.9236G	-34.78	-27.00	-7.78	8.38	0.00	-43.16	-48.63	-49.71	-48.75	-49.76
5.285G	7.765G	1M	AV	7.25784G	-55.33	-41.20	-14.13	8.38	0.00	-63.71	-69.48	-69.53	-70.13	-69.80

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 8_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-34.73	-27.00	-7.73	8.38	0.00	-43.11	-48.59	-49.56	-48.58	-49.94
5.285G	7.765G	1M	AV	7.26404G	-55.35	-41.20	-14.15	8.38	0.00	-63.73	-69.60	-69.73	-69.84	-69.83

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996 MRU 1_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996 MRU 2_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996 MRU 3_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-36.74	-27.00	-9.74	8.38	0.00	-45.12	-51.23	-51.63	-50.10	-51.83
5.285G	7.765G	1M	AV	7.25784G	-55.38	-41.20	-14.18	8.38	0.00	-63.76	-69.84	-69.92	-69.75	-69.61

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996 MRU 4_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-36.02	-27.00	-9.02	8.38	0.00	-44.40	-50.33	-50.41	-50.41	-50.55
5.285G	7.765G	1M	AV	7.269G	-55.46	-41.20	-14.26	8.38	0.00	-63.84	-69.70	-70.13	-69.83	-69.78

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 1_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 2_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 3_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.9236G	-38.31	-27.00	-11.31	8.38	0.00	-46.69	-52.68	-52.92	-51.68	-53.83
5.285G	7.765G	1M	AV	7.25536G	-55.43	-41.20	-14.23	8.38	0.00	-63.81	-69.67	-69.63	-70.02	-70.03

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 4_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-37.93	-27.00	-10.93	8.38	0.00	-46.31	-52.30	-52.59	-51.56	-53.02
5.285G	7.765G	1M	AV	7.25704G	-55.42	-41.20	-14.22	8.38	0.00	-63.80	-70.01	-69.79	-69.72	-69.76

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 5_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-36.71	-27.00	-9.71	8.38	0.00	-45.09	-51.42	-51.70	-50.28	-51.19
5.285G	7.765G	1M	AV	7.26776G	-55.46	-41.20	-14.26	8.38	0.00	-63.84	-69.76	-69.84	-70.22	-69.65

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 6_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-36.93	-27.00	-9.93	8.38	0.00	-45.31	-51.55	-51.28	-51.02	-51.50
5.285G	7.765G	1M	AV	7.26032G	-55.52	-41.20	-14.32	8.38	0.00	-63.90	-69.68	-69.90	-70.26	-69.86

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 7_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 8_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 9_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 10_4TX

CSE Bandedge [RMS]

6105MHz

03/11/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 11_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 12_4TX

CSE Bandedge [RMS]

6105MHz

28/10/2025



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	Pass	5.765G	7.285G	PK	7.25004G	8.38	-59.99	-57.05	-57.68	-62.82	-52.84	-44.46	-21.20	-23.26
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	Pass	5.605G	7.445G	PK	7.40728G	8.38	-57.53	-59.00	-58.45	-55.11	-51.23	-42.85	-21.20	-21.65
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 6_4TX	Pass	5.285G	7.765G	PK	5.91988G	8.38	-38.73	-38.56	-40.86	-43.93	-34.03	-25.65	-7.00	-18.65

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	PK	5.91092G	8.38	-52.98	-54.29	-54.70	-53.33	-47.75	-39.37	-7.00	-32.37
5985MHz	Pass	5.765G	7.285G	PK	7.25308G	8.38	-61.86	-63.33	-57.22	-58.34	-53.49	-45.11	-21.20	-23.91
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	PK	5.92004G	8.38	-54.90	-49.92	-49.21	-55.24	-45.47	-37.09	-7.00	-30.09
5985MHz	Pass	5.765G	7.285G	PK	7.27664G	8.38	-62.94	-56.92	-61.24	-60.06	-53.69	-45.31	-21.20	-24.11
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	PK	5.9208G	8.38	-54.91	-50.76	-50.96	-50.30	-45.38	-37.00	-7.00	-30.00
5985MHz	Pass	5.765G	7.285G	PK	7.26828G	8.38	-59.72	-57.46	-59.60	-62.14	-53.40	-45.02	-21.20	-23.82
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	PK	5.91928G	8.38	-51.82	-48.35	-53.50	-54.79	-45.38	-37.00	-7.00	-30.00
5985MHz	Pass	5.765G	7.285G	PK	7.25004G	8.38	-59.99	-57.05	-57.68	-62.82	-52.84	-44.46	-21.20	-23.26
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.91964G	8.38	-48.25	-48.99	-43.16	-49.27	-40.57	-32.19	-7.00	-25.19
6025MHz	Pass	5.605G	7.445G	PK	7.39256G	8.38	-57.90	-59.57	-58.59	-59.81	-52.88	-44.50	-21.20	-23.30
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92424G	8.38	-44.30	-47.76	-46.72	-51.37	-40.84	-32.46	-7.00	-25.46
6025MHz	Pass	5.605G	7.445G	PK	7.29044G	8.38	-57.79	-58.89	-58.37	-58.89	-52.44	-44.06	-21.20	-22.86
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.91504G	8.38	-46.12	-42.84	-41.77	-44.64	-37.51	-29.13	-7.00	-22.13
6025MHz	Pass	5.605G	7.445G	PK	7.42568G	8.38	-56.32	-57.16	-59.01	-58.58	-51.61	-43.23	-21.20	-22.03
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92056G	8.38	-45.22	-47.62	-48.88	-47.53	-41.08	-32.70	-7.00	-25.70
6025MHz	Pass	5.605G	7.445G	PK	7.28492G	8.38	-57.70	-58.90	-57.52	-60.05	-52.41	-44.03	-21.20	-22.83
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.91688G	8.38	-45.77	-47.08	-44.08	-49.98	-40.21	-31.83	-7.00	-24.83
6025MHz	Pass	5.605G	7.445G	PK	7.25548G	8.38	-58.96	-59.07	-57.85	-59.07	-52.69	-44.31	-21.20	-23.11
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92332G	8.38	-46.36	-42.70	-47.53	-43.34	-38.51	-30.13	-7.00	-23.13
6025MHz	Pass	5.605G	7.445G	PK	7.38152G	8.38	-58.77	-58.06	-59.31	-58.26	-52.55	-44.17	-21.20	-22.97
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.91964G	8.38	-47.24	-42.04	-47.58	-46.97	-39.25	-30.87	-7.00	-23.87
6025MHz	Pass	5.605G	7.445G	PK	7.26652G	8.38	-60.56	-55.86	-58.62	-58.41	-52.01	-43.63	-21.20	-22.43
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92424G	8.38	-44.86	-43.02	-44.68	-45.77	-38.44	-30.06	-7.00	-23.06
6025MHz	Pass	5.605G	7.445G	PK	7.28952G	8.38	-59.14	-58.69	-55.89	-59.62	-52.05	-43.67	-21.20	-22.47
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92424G	8.38	-48.08	-51.95	-49.31	-50.74	-43.76	-35.38	-7.00	-28.38
6025MHz	Pass	5.605G	7.445G	PK	7.2656G	8.38	-58.52	-58.73	-57.22	-60.30	-52.54	-44.16	-21.20	-22.96
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.91964G	8.38	-50.40	-45.01	-48.73	-45.16	-40.73	-32.35	-7.00	-25.35
6025MHz	Pass	5.605G	7.445G	PK	7.29964G	8.38	-57.16	-59.60	-58.89	-56.98	-52.00	-43.62	-21.20	-22.42
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92332G	8.38	-49.81	-49.81	-46.88	-43.57	-40.69	-32.31	-7.00	-25.31
6025MHz	Pass	5.605G	7.445G	PK	7.40728G	8.38	-57.53	-59.00	-58.45	-55.11	-51.23	-42.85	-21.20	-21.65
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92424G	8.38	-46.91	-48.19	-48.79	-47.43	-41.75	-33.37	-7.00	-26.37
6025MHz	Pass	5.605G	7.445G	PK	7.2656G	8.38	-59.54	-56.60	-58.52	-58.52	-52.14	-43.76	-21.20	-22.56
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.4462G	8.38	-56.77	-54.32	-57.21	-52.16	-48.61	-40.23	-21.20	-19.03
6105MHz	Pass	5.285G	7.765G	PK	7.29008G	8.38	-59.79	-60.73	-58.26	-58.17	-53.09	-44.71	-21.20	-23.51
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.35816G	8.38	-53.97	-56.75	-54.31	-55.99	-49.08	-40.70	-21.20	-19.50
6105MHz	Pass	5.285G	7.765G	PK	7.30868G	8.38	-60.05	-58.02	-58.12	-58.68	-52.63	-44.25	-21.20	-23.05
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.40652G	8.38	-53.89	-56.24	-57.82	-54.22	-49.25	-40.87	-21.20	-19.67
6105MHz	Pass	5.285G	7.765G	PK	7.27148G	8.38	-57.75	-57.41	-62.25	-58.11	-52.49	-44.11	-21.20	-22.91
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.43008G	8.38	-53.30	-57.79	-55.17	-53.68	-48.64	-40.26	-21.20	-19.06
6105MHz	Pass	5.285G	7.765G	PK	7.2938G	8.38	-56.96	-60.36	-62.06	-58.64	-53.08	-44.70	-21.20	-23.50
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.38544G	8.38	-54.84	-53.44	-56.30	-55.11	-48.78	-40.40	-21.20	-19.20
6105MHz	Pass	5.285G	7.765G	PK	7.29504G	8.38	-58.64	-60.01	-58.93	-58.73	-53.02	-44.64	-21.20	-23.44
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.91988G	8.38	-38.73	-38.56	-40.86	-43.93	-34.03	-25.65	-7.00	-18.65
6105MHz	Pass	5.285G	7.765G	PK	7.52196G	8.38	-55.69	-59.69	-61.71	-59.69	-52.58	-44.20	-21.20	-23.00
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 7_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.35196G	8.38	-55.21	-55.90	-55.21	-53.66	-48.89	-40.51	-21.20	-19.31
6105MHz	Pass	5.285G	7.765G	PK	7.49468G	8.38	-56.48	-57.84	-60.16	-59.57	-52.25	-43.87	-21.20	-22.67



CSE Bandedge_Conducted Test_Mode 3

Appendix E.14

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.45488G	8.38	-52.90	-55.01	-56.67	-55.19	-48.71	-40.33	-21.20	-19.13
6105MHz	Pass	5.285G	7.765G	PK	7.44632G	8.38	-61.02	-57.76	-59.83	-57.33	-52.71	-44.33	-21.20	-23.13
802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.378G	8.38	-54.21	-56.49	-55.66	-54.63	-49.14	-40.76	-21.20	-19.56
6105MHz	Pass	5.285G	7.765G	PK	7.28636G	8.38	-61.12	-60.25	-59.69	-57.05	-53.22	-44.84	-21.20	-23.64
802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.37552G	8.38	-54.45	-55.45	-54.12	-56.26	-48.97	-40.59	-21.20	-19.39
6105MHz	Pass	5.285G	7.765G	PK	7.27024G	8.38	-57.93	-59.18	-59.83	-58.21	-52.70	-44.32	-21.20	-23.12
802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.35444G	8.38	-55.59	-55.49	-54.48	-56.00	-49.33	-40.95	-21.20	-19.75
6105MHz	Pass	5.285G	7.765G	PK	7.25536G	8.38	-57.27	-60.80	-59.32	-60.08	-53.14	-44.76	-21.20	-23.56
802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.38296G	8.38	-55.29	-53.89	-54.48	-56.95	-48.99	-40.61	-21.20	-19.41
6105MHz	Pass	5.285G	7.765G	PK	7.41036G	8.38	-60.47	-57.44	-60.00	-60.47	-53.37	-44.99	-21.20	-23.79
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.37552G	8.38	-54.89	-55.36	-55.36	-56.37	-49.44	-41.06	-21.20	-19.86
6105MHz	Pass	5.285G	7.765G	PK	7.42772G	8.38	-59.36	-61.65	-58.09	-58.27	-53.11	-44.73	-21.20	-23.53
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.42512G	8.38	-56.31	-54.97	-55.62	-55.06	-49.44	-41.06	-21.20	-19.86
6105MHz	Pass	5.285G	7.765G	PK	7.54552G	8.38	-61.46	-60.20	-56.52	-59.86	-53.07	-44.69	-21.20	-23.49
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.39784G	8.38	-57.28	-54.16	-57.28	-52.80	-48.92	-40.54	-21.20	-19.34
6105MHz	Pass	5.285G	7.765G	PK	7.4488G	8.38	-58.30	-59.72	-57.85	-60.41	-52.93	-44.55	-21.20	-23.35
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.42636G	8.38	-56.74	-55.25	-55.25	-55.16	-49.53	-41.15	-21.20	-19.95
6105MHz	Pass	5.285G	7.765G	PK	7.27892G	8.38	-57.48	-59.59	-58.38	-59.17	-52.56	-44.18	-21.20	-22.98
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.37676G	8.38	-54.54	-54.29	-55.65	-55.96	-49.03	-40.65	-21.20	-19.45
6105MHz	Pass	5.285G	7.765G	PK	7.26156G	8.38	-59.30	-58.04	-57.95	-58.32	-52.35	-43.97	-21.20	-22.77
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.3656G	8.38	-56.22	-55.81	-55.51	-54.41	-49.41	-41.03	-21.20	-19.83
6105MHz	Pass	5.285G	7.765G	PK	7.3496G	8.38	-59.33	-56.94	-57.58	-60.78	-52.39	-44.01	-21.20	-22.81
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 7_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.36932G	8.38	-57.01	-54.42	-55.52	-53.92	-49.04	-40.66	-21.20	-19.46
6105MHz	Pass	5.285G	7.765G	PK	7.53684G	8.38	-56.31	-59.04	-60.14	-60.50	-52.64	-44.26	-21.20	-23.06
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.39164G	8.38	-55.94	-53.88	-55.35	-55.64	-49.11	-40.73	-21.20	-19.53
6105MHz	Pass	5.285G	7.765G	PK	7.26032G	8.38	-59.74	-60.19	-60.42	-56.63	-52.92	-44.54	-21.20	-23.34
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.40404G	8.38	-55.82	-53.80	-56.65	-54.54	-49.04	-40.66	-21.20	-19.46
6105MHz	Pass	5.285G	7.765G	PK	7.26652G	8.38	-57.94	-59.40	-61.69	-56.93	-52.63	-44.25	-21.20	-23.05
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 10_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.36188G	8.38	-61.93	-62.70	-62.19	-61.38	-56.00	-47.62	-21.20	-26.42
6105MHz	Pass	5.285G	7.765G	PK	7.49468G	8.38	-59.85	-57.93	-60.74	-60.65	-53.61	-45.23	-21.20	-24.03
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 11_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.40404G	8.38	-54.89	-54.54	-55.72	-56.87	-49.40	-41.02	-21.20	-19.82
6105MHz	Pass	5.285G	7.765G	PK	7.50708G	8.38	-60.79	-57.85	-57.14	-61.05	-52.85	-44.47	-21.20	-23.27
802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 12_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.43504G	8.38	-56.25	-56.78	-54.33	-55.28	-49.54	-41.16	-21.20	-19.96
6105MHz	Pass	5.285G	7.765G	PK	7.2628G	8.38	-58.79	-60.07	-56.55	-60.42	-52.66	-44.28	-21.20	-23.08


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

CSE Bandedge [PK]

5985MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.91092G	-39.37	-7.00	-32.37	8.38	0.00	-47.75	-52.98	-54.29	-54.70	-53.33
5.765G	7.285G	1M	PK	7.25308G	-45.11	-21.20	-23.91	8.38	0.00	-53.49	-61.86	-63.33	-57.22	-58.34

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

CSE Bandedge [PK]

5985MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.92004G	-37.09	-7.00	-30.09	8.38	0.00	-45.47	-54.90	-49.92	-49.21	-55.24
5.765G	7.285G	1M	PK	7.27664G	-45.31	-21.20	-24.11	8.38	0.00	-53.69	-62.94	-56.92	-61.24	-60.06

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

CSE Bandedge [PK]

5985MHz

25/10/2025




5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

CSE Bandedge [PK]

5985MHz

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 1_4TX

CSE Bandedge [PK]

6025MHz

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 2_4TX

CSE Bandedge [PK]

6025MHz

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 3_4TX

CSE Bandedge [PK]

6025MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.91504G	-29.13	-7.00	-22.13	8.38	0.00	-37.51	-46.12	-42.84	-41.77	-44.54
5.605G	7.445G	1M	PK	7.42568G	-43.23	-21.20	-22.03	8.38	0.00	-51.61	-56.32	-57.16	-59.01	-58.58

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 4_4TX

CSE Bandedge [PK]

6025MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.92056G	-32.70	-7.00	-25.70	8.38	0.00	-41.08	-45.22	-47.62	-48.88	-47.53
5.605G	7.445G	1M	PK	7.28492G	-44.03	-21.20	-22.83	8.38	0.00	-52.41	-57.70	-58.90	-57.52	-60.05

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 5_4TX

CSE Bandedge [PK]

6025MHz

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 6_4TX

CSE Bandedge [PK]

6025MHz

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 7_4TX

CSE Bandedge [PK]

6025MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.91964G	-30.87	-7.00	-23.87	8.38	0.00	-39.25	-47.24	-42.04	-47.58	-46.97
5.605G	7.445G	1M	PK	7.26652G	-43.63	-21.20	-22.43	8.38	0.00	-52.01	-60.56	-55.86	-58.62	-58.41

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484+RU242 MRU 8_4TX

CSE Bandedge [PK]

6025MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.92424G	-30.06	-7.00	-23.06	8.38	0.00	-38.44	-44.86	-43.02	-44.68	-45.77
5.605G	7.445G	1M	PK	7.28952G	-43.67	-21.20	-22.47	8.38	0.00	-52.05	-59.14	-58.69	-55.89	-59.62

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484 MRU 1_4TX

CSE Bandedge [PK]

6025MHz

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

6025MHz

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484 MRU 3_4TX

CSE Bandedge [PK]

6025MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.92332G	-32.31	-7.00	-25.31	8.38	0.00	-40.69	-49.81	-49.81	-46.88	-43.57
5.605G	7.445G	1M	PK	7.40728G	-42.85	-21.20	-21.65	8.38	0.00	-51.23	-57.53	-59.00	-58.45	-55.11

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MC50),RU996+RU484 MRU 4_4TX

CSE Bandedge [PK]

6025MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.92424G	-33.37	-7.00	-26.37	8.38	0.00	-41.75	-46.91	-48.19	-48.79	-47.43
5.605G	7.445G	1M	PK	7.2656G	-43.76	-21.20	-22.56	8.38	0.00	-52.14	-59.54	-56.60	-58.52	-58.52

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 1_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 3_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 4_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 5_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 6_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 7_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996+RU484 MRU 8_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996 MRU 1_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996 MRU 2_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996 MRU 3_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),3xRU996 MRU 4_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 1_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.37552G	-41.06	-21.20	-19.86	8.38	0.00	-49.44	-54.89	-55.36	-55.36	-56.37
5.285G	7.765G	1M	PK	7.42772G	-44.73	-21.20	-23.53	8.38	0.00	-53.11	-59.36	-61.65	-58.09	-58.27

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 2_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.42512G	-41.06	-21.20	-19.86	8.38	0.00	-49.44	-56.31	-54.97	-55.62	-55.06
5.285G	7.765G	1M	PK	7.54552G	-44.69	-21.20	-23.49	8.38	0.00	-53.07	-61.46	-60.20	-56.52	-59.86

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 3_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 4_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 5_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 6_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 7_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.36932G	-40.66	-21.20	-19.46	8.38	0.00	-49.04	-57.01	-54.42	-55.52	-53.92
5.285G	7.765G	1M	PK	7.53684G	-44.26	-21.20	-23.06	8.38	0.00	-52.64	-56.31	-59.04	-60.14	-60.50

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 8_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.39164G	-40.73	-21.20	-19.53	8.38	0.00	-49.11	-55.94	-53.88	-55.35	-55.64
5.285G	7.765G	1M	PK	7.26032G	-44.54	-21.20	-23.34	8.38	0.00	-52.92	-59.74	-60.19	-60.42	-56.63

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 9_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 10_4TX

CSE Bandedge [PK]

6105MHz

03/11/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 11_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MC50),2xRU996+RU484 MRU 12_4TX

CSE Bandedge [PK]

6105MHz

28/10/2025



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR20_Nss1,(MCS17)_4TX	Pass	5.885G	7.165G	AV	5.92148G	8.38	-61.75	-61.73	-61.01	-61.35	-55.43	-47.05	-27.00	-20.05
802.11bn UHR40_Nss1,(MCS17)_4TX	Pass	5.845G	7.205G	AV	5.9232G	8.38	-61.13	-61.46	-60.51	-60.99	-54.99	-46.61	-27.00	-19.61
802.11bn UHR80_Nss1,(MCS17)_4TX	Pass	5.765G	7.285G	AV	7.26372G	8.38	-66.57	-66.38	-66.29	-66.54	-60.42	-52.04	-41.20	-10.84
802.11bn UHR160_Nss1,(MCS17)_4TX	Pass	5.605G	7.445G	AV	7.25088G	8.38	-66.49	-66.60	-66.22	-66.47	-60.42	-52.04	-41.20	-10.84
802.11bn UHR320_Nss1,(MCS17)_4TX	Pass	5.285G	7.765G	AV	5.92484G	8.38	-48.38	-49.32	-48.78	-50.63	-43.18	-34.80	-27.00	-7.80

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR20_Nss1,(MCS17)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92148G	8.38	-61.75	-61.73	-61.01	-61.35	-55.43	-47.05	-27.00	-20.05
5955MHz	Pass	5.885G	7.165G	AV	7.12596G	8.38	-66.60	-66.82	-66.46	-66.15	-60.48	-52.10	-27.00	-25.10
802.11bn UHR40_Nss1,(MCS17)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.9232G	8.38	-61.13	-61.46	-60.51	-60.99	-54.99	-46.61	-27.00	-19.61
5965MHz	Pass	5.845G	7.205G	AV	7.1268G	8.38	-66.31	-66.86	-66.61	-66.53	-60.55	-52.17	-27.00	-25.17
802.11bn UHR80_Nss1,(MCS17)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	8.38	-58.36	-58.06	-58.12	-58.96	-52.34	-43.96	-27.00	-16.96
5985MHz	Pass	5.765G	7.285G	AV	7.26372G	8.38	-66.57	-66.38	-66.29	-66.54	-60.42	-52.04	-41.20	-10.84
802.11bn UHR160_Nss1,(MCS17)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-54.47	-54.29	-53.44	-55.33	-48.31	-39.93	-27.00	-12.93
6025MHz	Pass	5.605G	7.445G	AV	7.25088G	8.38	-66.49	-66.60	-66.22	-66.47	-60.42	-52.04	-41.20	-10.84
802.11bn UHR320_Nss1,(MCS17)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-48.38	-49.32	-48.78	-50.63	-43.18	-34.80	-27.00	-7.80
6105MHz	Pass	5.285G	7.765G	AV	7.2504G	8.38	-68.66	-68.90	-68.76	-68.65	-62.72	-54.34	-41.20	-13.14


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS17)_4TX

CSE Bandedge [RMS]

5955MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.92148G	-47.05	-27.00	-20.05	8.38	0.00	-55.43	-61.75	-61.73	-61.01	-61.35
5.885G	7.165G	1M	AV	7.12596G	-52.10	-27.00	-25.10	8.38	0.00	-60.48	-66.60	-66.82	-66.46	-66.15

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS17)_4TX

CSE Bandedge [RMS]

5965MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	AV	5.9232G	-46.61	-27.00	-19.61	8.38	0.00	-54.99	-61.13	-61.46	-60.51	-60.99
5.845G	7.205G	1M	AV	7.1268G	-52.17	-27.00	-25.17	8.38	0.00	-60.55	-66.31	-66.86	-66.61	-66.53

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS17)_4TX

CSE Bandedge [RMS]

5985MHz

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS17)_4TX

CSE Bandedge [RMS]

6025MHz

27/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS17)_4TX

CSE Bandedge [RMS]

6105MHz

27/10/2025



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR20_Nss1,(MCS17)_4TX	Pass	5.885G	7.165G	PK	5.9138G	8.38	-53.78	-55.70	-53.50	-56.84	-48.72	-40.34	-7.00	-33.34
802.11bn UHR40_Nss1,(MCS17)_4TX	Pass	5.845G	7.205G	PK	5.86744G	8.38	-55.01	-54.10	-53.63	-54.10	-48.16	-39.78	-7.00	-32.78
802.11bn UHR80_Nss1,(MCS17)_4TX	Pass	5.765G	7.285G	PK	7.25992G	8.38	-60.22	-58.13	-58.13	-59.50	-52.88	-44.50	-21.20	-23.30
802.11bn UHR160_Nss1,(MCS17)_4TX	Pass	5.605G	7.445G	PK	7.30056G	8.38	-58.99	-57.23	-60.15	-59.55	-52.82	-44.44	-21.20	-23.24
802.11bn UHR320_Nss1,(MCS17)_4TX	Pass	5.285G	7.765G	PK	5.38668G	8.38	-54.28	-54.55	-55.13	-55.23	-48.76	-40.38	-21.20	-19.18

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR20_Nss1,(MCS17)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	PK	5.9138G	8.38	-53.78	-55.70	-53.50	-56.84	-48.72	-40.34	-7.00	-33.34
5955MHz	Pass	5.885G	7.165G	PK	7.14452G	8.38	-57.75	-60.28	-62.28	-59.20	-53.56	-45.18	-7.00	-38.18
802.11bn UHR40_Nss1,(MCS17)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	PK	5.86744G	8.38	-55.01	-54.10	-53.63	-54.10	-48.16	-39.78	-7.00	-32.78
5965MHz	Pass	5.845G	7.205G	PK	7.19616G	8.38	-60.75	-56.97	-62.03	-58.98	-53.24	-44.86	-7.00	-37.86
802.11bn UHR80_Nss1,(MCS17)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	PK	5.92232G	8.38	-50.68	-48.56	-55.12	-53.97	-45.29	-36.91	-7.00	-29.91
5985MHz	Pass	5.765G	7.285G	PK	7.25992G	8.38	-60.22	-58.13	-58.13	-59.50	-52.88	-44.50	-21.20	-23.30
802.11bn UHR160_Nss1,(MCS17)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.91136G	8.38	-43.96	-48.62	-47.12	-46.73	-40.24	-31.86	-7.00	-24.86
6025MHz	Pass	5.605G	7.445G	PK	7.30056G	8.38	-58.99	-57.23	-60.15	-59.55	-52.82	-44.44	-21.20	-23.24
802.11bn UHR320_Nss1,(MCS17)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.38668G	8.38	-54.28	-54.55	-55.13	-55.23	-48.76	-40.38	-21.20	-19.18
6105MHz	Pass	5.285G	7.765G	PK	7.40292G	8.38	-59.19	-59.19	-59.19	-58.65	-53.03	-44.65	-21.20	-23.45


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS17)_4TX

CSE Bandedge [PK]

5955MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.9138G	-40.34	-7.00	-33.34	8.38	0.00	-48.72	-53.78	-55.70	-53.50	-56.84
5.885G	7.165G	1M	PK	7.14452G	-45.18	-7.00	-38.18	8.38	0.00	-53.56	-57.75	-60.28	-62.28	-59.20

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS17)_4TX

CSE Bandedge [PK]

5965MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	PK	5.86744G	-39.78	-7.00	-32.78	8.38	0.00	-48.16	-55.01	-54.10	-53.63	-54.10
5.845G	7.205G	1M	PK	7.19616G	-44.86	-7.00	-37.86	8.38	0.00	-53.24	-60.75	-56.97	-62.03	-58.98

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS17)_4TX

CSE Bandedge [PK]

5985MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.92232G	-36.91	-7.00	-29.91	8.38	0.00	-45.29	-50.68	-48.56	-55.12	-53.97
5.765G	7.285G	1M	PK	7.25992G	-44.50	-21.20	-23.30	8.38	0.00	-52.88	-60.22	-58.13	-58.13	-59.50

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS17)_4TX

CSE Bandedge [PK]

6025MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.91136G	-31.86	-7.00	-24.86	8.38	0.00	-40.24	-43.96	-48.62	-47.12	-46.73
5.605G	7.445G	1M	PK	7.30056G	-44.44	-21.20	-23.24	8.38	0.00	-52.82	-58.99	-57.23	-60.15	-59.55

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS17)_4TX

CSE Bandedge [PK]

6105MHz

25/10/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.38668G	-40.38	-21.20	-19.18	8.38	0.00	-48.76	-54.28	-54.55	-55.13	-55.23
5.285G	7.765G	1M	PK	7.40292G	-44.65	-21.20	-23.45	8.38	0.00	-53.03	-59.19	-59.19	-59.19	-58.65

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR20_Nss1,(MCS19)_4TX	Pass	5.885G	7.165G	AV	5.92404G	8.38	-61.42	-61.50	-61.36	-61.54	-55.43	-47.05	-27.00	-20.05
802.11bn UHR40_Nss1,(MCS19)_4TX	Pass	5.845G	7.205G	AV	5.92388G	8.38	-61.04	-60.64	-60.87	-61.15	-54.90	-46.52	-27.00	-19.52
802.11bn UHR80_Nss1,(MCS19)_4TX	Pass	5.765G	7.285G	AV	7.28348G	8.38	-66.43	-66.52	-66.22	-66.70	-60.44	-52.06	-41.20	-10.86
802.11bn UHR160_Nss1,(MCS19)_4TX	Pass	5.605G	7.445G	AV	7.27296G	8.38	-66.46	-66.46	-66.49	-66.42	-60.44	-52.06	-41.20	-10.86
802.11bn UHR320_Nss1,(MCS19)_4TX	Pass	5.285G	7.765G	AV	5.92484G	8.38	-48.85	-49.01	-48.49	-49.29	-42.88	-34.50	-27.00	-7.50

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR20_Nss1,(MCS19)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92404G	8.38	-61.42	-61.50	-61.36	-61.54	-55.43	-47.05	-27.00	-20.05
5955MHz	Pass	5.885G	7.165G	AV	7.12852G	8.38	-66.75	-66.32	-66.72	-66.48	-60.54	-52.16	-27.00	-25.16
802.11bn UHR40_Nss1,(MCS19)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92388G	8.38	-61.04	-60.64	-60.87	-61.15	-54.90	-46.52	-27.00	-19.52
5965MHz	Pass	5.845G	7.205G	AV	7.2016G	8.38	-66.25	-66.51	-66.70	-66.81	-60.54	-52.16	-27.00	-25.16
802.11bn UHR80_Nss1,(MCS19)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92232G	8.38	-59.07	-58.58	-57.91	-59.04	-52.60	-44.22	-27.00	-17.22
5985MHz	Pass	5.765G	7.285G	AV	7.28348G	8.38	-66.43	-66.52	-66.22	-66.70	-60.44	-52.06	-41.20	-10.86
802.11bn UHR160_Nss1,(MCS19)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-53.97	-54.12	-53.65	-54.56	-48.04	-39.66	-27.00	-12.66
6025MHz	Pass	5.605G	7.445G	AV	7.27296G	8.38	-66.46	-66.46	-66.49	-66.42	-60.44	-52.06	-41.20	-10.86
802.11bn UHR320_Nss1,(MCS19)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-48.85	-49.01	-48.49	-49.29	-42.88	-34.50	-27.00	-7.50
6105MHz	Pass	5.285G	7.765G	AV	7.25536G	8.38	-68.83	-68.95	-68.95	-68.81	-62.86	-54.48	-41.20	-13.28


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS19)_4TX

CSE Bandedge [RMS]

5955MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.92404G	-47.05	-27.00	-20.05	8.38	0.00	-55.43	-61.42	-61.50	-61.36	-61.54
5.885G	7.165G	1M	AV	7.12852G	-52.16	-27.00	-25.16	8.38	0.00	-60.54	-66.75	-66.32	-66.72	-66.48

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS19)_4TX

CSE Bandedge [RMS]

5965MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	AV	5.92388G	-46.52	-27.00	-19.52	8.38	0.00	-54.90	-61.04	-60.64	-60.87	-61.15
5.845G	7.205G	1M	AV	7.2016G	-52.16	-27.00	-25.16	8.38	0.00	-60.54	-66.25	-66.51	-66.70	-66.81

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS19)_4TX

CSE Bandedge [RMS]

5985MHz

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS19)_4TX

CSE Bandedge [RMS]

6025MHz

27/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS19)_4TX

CSE Bandedge [RMS]

6105MHz

27/10/2025



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR20_Nss1,(MCS19)_4TX	Pass	5.885G	7.165G	PK	5.91188G	8.38	-54.69	-53.41	-55.35	-56.85	-48.88	-40.50	-7.00	-33.50
802.11bn UHR40_Nss1,(MCS19)_4TX	Pass	5.845G	7.205G	PK	5.91844G	8.38	-57.41	-55.24	-52.88	-52.30	-48.00	-39.62	-7.00	-32.62
802.11bn UHR80_Nss1,(MCS19)_4TX	Pass	5.765G	7.285G	PK	7.26448G	8.38	-60.46	-59.16	-58.52	-58.03	-52.93	-44.55	-21.20	-23.35
802.11bn UHR160_Nss1,(MCS19)_4TX	Pass	5.605G	7.445G	PK	5.92332G	8.38	-45.92	-39.27	-45.47	-43.84	-36.70	-28.32	-7.00	-21.32
802.11bn UHR320_Nss1,(MCS19)_4TX	Pass	5.285G	7.765G	PK	5.38916G	8.38	-54.49	-54.49	-56.90	-56.43	-49.42	-41.04	-21.20	-19.84

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR20_Nss1,(MCS19)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	PK	5.91188G	8.38	-54.69	-53.41	-55.35	-56.85	-48.88	-40.50	-7.00	-33.50
5955MHz	Pass	5.885G	7.165G	PK	7.14004G	8.38	-56.68	-60.04	-60.42	-63.31	-53.46	-45.08	-7.00	-38.08
802.11bn UHR40_Nss1,(MCS19)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	PK	5.91844G	8.38	-57.41	-55.24	-52.88	-52.30	-48.00	-39.62	-7.00	-32.62
5965MHz	Pass	5.845G	7.205G	PK	7.1778G	8.38	-58.27	-61.35	-58.47	-61.07	-53.54	-45.16	-7.00	-38.16
802.11bn UHR80_Nss1,(MCS19)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	PK	5.92308G	8.38	-51.38	-48.41	-50.10	-53.14	-44.40	-36.02	-7.00	-29.02
5985MHz	Pass	5.765G	7.285G	PK	7.26448G	8.38	-60.46	-59.16	-58.52	-58.03	-52.93	-44.55	-21.20	-23.35
802.11bn UHR160_Nss1,(MCS19)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92332G	8.38	-45.92	-39.27	-45.47	-43.84	-36.70	-28.32	-7.00	-21.32
6025MHz	Pass	5.605G	7.445G	PK	7.25732G	8.38	-56.95	-60.47	-59.17	-60.60	-53.01	-44.63	-21.20	-23.43
802.11bn UHR320_Nss1,(MCS19)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.38916G	8.38	-54.49	-54.49	-56.90	-56.43	-49.42	-41.04	-21.20	-19.84
6105MHz	Pass	5.285G	7.765G	PK	7.30124G	8.38	-59.91	-57.69	-58.17	-58.99	-52.59	-44.21	-21.20	-23.01


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS19)_4TX

CSE Bandedge [PK]

5955MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.91188G	-40.50	-7.00	-33.50	8.38	0.00	-48.88	-54.69	-53.41	-55.35	-56.85
5.885G	7.165G	1M	PK	7.14004G	-45.08	-7.00	-38.08	8.38	0.00	-53.46	-56.68	-60.04	-60.42	-63.31

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS19)_4TX

CSE Bandedge [PK]

5965MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	PK	5.91844G	-39.62	-7.00	-32.62	8.38	0.00	-48.00	-57.41	-55.24	-52.88	-52.30
5.845G	7.205G	1M	PK	7.1778G	-45.16	-7.00	-38.16	8.38	0.00	-53.54	-58.27	-61.35	-58.47	-61.07

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS19)_4TX

CSE Bandedge [PK]

5985MHz

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS19)_4TX

CSE Bandedge [PK]

6025MHz

25/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS19)_4TX

CSE Bandedge [PK]

6105MHz

25/10/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.38916G	-41.04	-21.20	-19.84	8.38	0.00	-49.42	-54.49	-54.49	-56.90	-56.43
5.285G	7.765G	1M	PK	7.30124G	-44.21	-21.20	-23.01	8.38	0.00	-52.59	-59.91	-57.69	-58.17	-58.99

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR20_Nss1,(MCS20)_4TX	Pass	5.885G	7.165G	AV	5.91444G	8.38	-61.50	-61.15	-61.71	-61.34	-55.40	-47.02	-27.00	-20.02
802.11bn UHR40_Nss1,(MCS20)_4TX	Pass	5.845G	7.205G	AV	5.92456G	8.38	-61.01	-61.19	-60.92	-60.79	-54.95	-46.57	-27.00	-19.57
802.11bn UHR80_Nss1,(MCS20)_4TX	Pass	5.765G	7.285G	AV	7.25536G	8.38	-66.85	-66.28	-66.36	-66.71	-60.52	-52.14	-41.20	-10.94
802.11bn UHR160_Nss1,(MCS20)_4TX	Pass	5.605G	7.445G	AV	7.27112G	8.38	-66.22	-66.82	-66.46	-66.48	-60.47	-52.09	-41.20	-10.89
802.11bn UHR320_Nss1,(MCS20)_4TX	Pass	5.285G	7.765G	AV	5.92484G	8.38	-47.28	-47.42	-47.35	-49.86	-41.83	-33.45	-27.00	-6.45

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR20_Nss1,(MCS20)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.91444G	8.38	-61.50	-61.15	-61.71	-61.34	-55.40	-47.02	-27.00	-20.02
5955MHz	Pass	5.885G	7.165G	AV	7.15092G	8.38	-66.46	-66.61	-66.63	-66.64	-60.56	-52.18	-27.00	-25.18
802.11bn UHR40_Nss1,(MCS20)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	8.38	-61.01	-61.19	-60.92	-60.79	-54.95	-46.57	-27.00	-19.57
5965MHz	Pass	5.845G	7.205G	AV	7.16012G	8.38	-66.67	-66.45	-66.42	-66.62	-60.52	-52.14	-27.00	-25.14
802.11bn UHR80_Nss1,(MCS20)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92384G	8.38	-58.09	-58.01	-57.86	-58.27	-52.03	-43.65	-27.00	-16.65
5985MHz	Pass	5.765G	7.285G	AV	7.25536G	8.38	-66.85	-66.28	-66.36	-66.71	-60.52	-52.14	-41.20	-10.94
802.11bn UHR160_Nss1,(MCS20)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-55.25	-54.33	-54.27	-55.73	-48.83	-40.45	-27.00	-13.45
6025MHz	Pass	5.605G	7.445G	AV	7.27112G	8.38	-66.22	-66.82	-66.46	-66.48	-60.47	-52.09	-41.20	-10.89
802.11bn UHR320_Nss1,(MCS20)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-47.28	-47.42	-47.35	-49.86	-41.83	-33.45	-27.00	-6.45
6105MHz	Pass	5.285G	7.765G	AV	7.25288G	8.38	-68.53	-68.68	-68.58	-68.97	-62.67	-54.29	-41.20	-13.09


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS20)_4TX

CSE Bandedge [RMS]

5955MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.91444G	-47.02	-27.00	-20.02	8.38	0.00	-55.40	-61.50	-61.15	-61.71	-61.34
5.885G	7.165G	1M	AV	7.15092G	-52.18	-27.00	-25.18	8.38	0.00	-60.56	-66.46	-66.61	-66.63	-66.64

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS20)_4TX

CSE Bandedge [RMS]

5965MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	AV	5.92456G	-46.57	-27.00	-19.57	8.38	0.00	-54.95	-61.01	-61.19	-60.92	-60.79
5.845G	7.205G	1M	AV	7.16012G	-52.14	-27.00	-25.14	8.38	0.00	-60.52	-66.67	-66.45	-66.42	-66.62

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS20)_4TX

CSE Bandedge [RMS]

5985MHz

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS20)_4TX

CSE Bandedge [RMS]

6025MHz

27/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS20)_4TX

CSE Bandedge [RMS]

6105MHz

27/10/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-33.45	-27.00	-6.45	8.38	0.00	-41.83	-47.28	-47.42	-47.35	-49.86
5.285G	7.765G	1M	AV	7.25288G	-54.29	-41.20	-13.09	8.38	0.00	-62.67	-68.53	-68.68	-68.58	-68.97

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR20_Nss1,(MCS20)_4TX	Pass	5.885G	7.165G	PK	5.90164G	8.38	-52.02	-57.58	-57.01	-53.82	-48.49	-40.11	-7.00	-33.11
802.11bn UHR40_Nss1,(MCS20)_4TX	Pass	5.845G	7.205G	PK	5.92116G	8.38	-52.71	-52.14	-54.69	-54.48	-47.35	-38.97	-7.00	-31.97
802.11bn UHR80_Nss1,(MCS20)_4TX	Pass	5.765G	7.285G	PK	7.2774G	8.38	-60.06	-57.18	-60.96	-59.36	-53.13	-44.75	-21.20	-23.55
802.11bn UHR160_Nss1,(MCS20)_4TX	Pass	5.605G	7.445G	PK	7.2748G	8.38	-59.14	-58.50	-57.54	-58.50	-52.36	-43.98	-21.20	-22.78
802.11bn UHR320_Nss1,(MCS20)_4TX	Pass	5.285G	7.765G	PK	5.35816G	8.38	-51.90	-57.01	-55.42	-54.45	-48.27	-39.89	-21.20	-18.69

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR20_Nss1,(MCS20)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	PK	5.90164G	8.38	-52.02	-57.58	-57.01	-53.82	-48.49	-40.11	-7.00	-33.11
5955MHz	Pass	5.885G	7.165G	PK	7.14836G	8.38	-59.90	-61.51	-62.44	-57.28	-53.80	-45.42	-7.00	-38.42
802.11bn UHR40_Nss1,(MCS20)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	PK	5.92116G	8.38	-52.71	-52.14	-54.69	-54.48	-47.35	-38.97	-7.00	-31.97
5965MHz	Pass	5.845G	7.205G	PK	7.13224G	8.38	-58.06	-60.69	-59.11	-58.16	-52.86	-44.48	-7.00	-37.48
802.11bn UHR80_Nss1,(MCS20)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	PK	5.9208G	8.38	-52.46	-49.27	-49.22	-48.16	-43.49	-35.11	-7.00	-28.11
5985MHz	Pass	5.765G	7.285G	PK	7.2774G	8.38	-60.06	-57.18	-60.96	-59.36	-53.13	-44.75	-21.20	-23.55
802.11bn UHR160_Nss1,(MCS20)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92056G	8.38	-44.67	-41.91	-43.66	-49.68	-38.17	-29.79	-7.00	-22.79
6025MHz	Pass	5.605G	7.445G	PK	7.2748G	8.38	-59.14	-58.50	-57.54	-58.50	-52.36	-43.98	-21.20	-22.78
802.11bn UHR320_Nss1,(MCS20)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.35816G	8.38	-51.90	-57.01	-55.42	-54.45	-48.27	-39.89	-21.20	-18.69
6105MHz	Pass	5.285G	7.765G	PK	7.27272G	8.38	-58.71	-57.63	-57.54	-60.32	-52.39	-44.01	-21.20	-22.81


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS20)_4TX

CSE Bandedge [PK]

5955MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.90164G	-40.11	-7.00	-33.11	8.38	0.00	-48.49	-52.02	-57.58	-57.01	-53.82
5.885G	7.165G	1M	PK	7.14836G	-45.42	-7.00	-38.42	8.38	0.00	-53.80	-59.90	-61.51	-62.44	-57.28

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS20)_4TX

CSE Bandedge [PK]

5965MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	PK	5.92116G	-38.97	-7.00	-31.97	8.38	0.00	-47.35	-52.71	-52.14	-54.69	-54.48
5.845G	7.205G	1M	PK	7.13224G	-44.48	-7.00	-37.48	8.38	0.00	-52.86	-58.06	-60.69	-59.11	-58.16

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS20)_4TX

CSE Bandedge [PK]

5985MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.9208G	-35.11	-7.00	-28.11	8.38	0.00	-43.49	-52.46	-49.27	-49.22	-48.16
5.765G	7.285G	1M	PK	7.2774G	-44.75	-21.20	-23.55	8.38	0.00	-53.13	-60.06	-57.18	-60.96	-59.36

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS20)_4TX

CSE Bandedge [PK]

6025MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.92056G	-29.79	-7.00	-22.79	8.38	0.00	-38.17	-44.67	-41.91	-43.66	-49.68
5.605G	7.445G	1M	PK	7.2748G	-43.98	-21.20	-22.78	8.38	0.00	-52.36	-59.14	-56.50	-57.54	-58.50

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS20)_4TX

CSE Bandedge [PK]

6105MHz

25/10/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.35816G	-39.89	-21.20	-18.69	8.38	0.00	-48.27	-51.90	-57.01	-55.42	-54.45
5.285G	7.765G	1M	PK	7.27272G	-44.01	-21.20	-22.81	8.38	0.00	-52.39	-58.71	-57.63	-57.54	-60.32

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR20_Nss1,(MCS23)_4TX	Pass	5.885G	7.165G	AV	5.92084G	8.38	-61.53	-61.64	-61.05	-61.94	-55.51	-47.13	-27.00	-20.13
802.11bn UHR40_Nss1,(MCS23)_4TX	Pass	5.845G	7.205G	AV	5.92388G	8.38	-60.95	-60.88	-61.14	-61.05	-54.98	-46.60	-27.00	-19.60
802.11bn UHR80_Nss1,(MCS23)_4TX	Pass	5.765G	7.285G	AV	7.25612G	8.38	-66.76	-66.52	-66.24	-66.41	-60.46	-52.08	-41.20	-10.88
802.11bn UHR160_Nss1,(MCS23)_4TX	Pass	5.605G	7.445G	AV	7.26652G	8.38	-66.56	-66.46	-66.60	-66.58	-60.53	-52.15	-41.20	-10.95
802.11bn UHR320_Nss1,(MCS23)_4TX	Pass	5.285G	7.765G	AV	5.92484G	8.38	-50.97	-50.31	-50.23	-50.81	-44.55	-36.17	-27.00	-9.17

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR20_Nss1,(MCS23)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92084G	8.38	-61.53	-61.64	-61.05	-61.94	-55.51	-47.13	-27.00	-20.13
5955MHz	Pass	5.885G	7.165G	AV	7.13684G	8.38	-66.25	-66.88	-66.78	-66.35	-60.54	-52.16	-27.00	-25.16
802.11bn UHR40_Nss1,(MCS23)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92388G	8.38	-60.95	-60.88	-61.14	-61.05	-54.98	-46.60	-27.00	-19.60
5965MHz	Pass	5.845G	7.205G	AV	7.16556G	8.38	-66.15	-66.52	-66.56	-66.79	-60.48	-52.10	-27.00	-25.10
802.11bn UHR80_Nss1,(MCS23)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9208G	8.38	-61.39	-61.52	-61.28	-61.14	-55.31	-46.93	-27.00	-19.93
5985MHz	Pass	5.765G	7.285G	AV	7.25612G	8.38	-66.76	-66.52	-66.24	-66.41	-60.46	-52.08	-41.20	-10.88
802.11bn UHR160_Nss1,(MCS23)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	8.38	-58.84	-58.74	-58.21	-58.50	-52.55	-44.17	-27.00	-17.17
6025MHz	Pass	5.605G	7.445G	AV	7.26652G	8.38	-66.56	-66.46	-66.60	-66.58	-60.53	-52.15	-41.20	-10.95
802.11bn UHR320_Nss1,(MCS23)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	AV	5.92484G	8.38	-50.97	-50.31	-50.23	-50.81	-44.55	-36.17	-27.00	-9.17
6105MHz	Pass	5.285G	7.765G	AV	7.2628G	8.38	-68.81	-68.79	-69.13	-69.10	-62.93	-54.55	-41.20	-13.35


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS23)_4TX

CSE Bandedge [RMS]

5955MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.92084G	-47.13	-27.00	-20.13	8.38	0.00	-55.51	-61.53	-61.64	-61.05	-61.94
5.885G	7.165G	1M	AV	7.13684G	-52.16	-27.00	-25.16	8.38	0.00	-60.54	-66.25	-66.88	-66.78	-66.35

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS23)_4TX

CSE Bandedge [RMS]

5965MHz

27/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	AV	5.92388G	-46.60	-27.00	-19.60	8.38	0.00	-54.98	-60.95	-60.88	-61.14	-61.05
5.845G	7.205G	1M	AV	7.16556G	-52.10	-27.00	-25.10	8.38	0.00	-60.48	-66.15	-66.52	-66.58	-66.79

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS23)_4TX

CSE Bandedge [RMS]

5985MHz

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS23)_4TX

CSE Bandedge [RMS]

6025MHz

27/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS23)_4TX

CSE Bandedge [RMS]

6105MHz

27/10/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.92484G	-36.17	-27.00	-9.17	8.38	0.00	-44.55	-50.97	-50.31	-50.23	-50.81
5.285G	7.765G	1M	AV	7.2628G	-54.55	-41.20	-13.35	8.38	0.00	-62.93	-68.81	-68.79	-69.13	-69.10

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR20_Nss1,(MCS23)_4TX	Pass	5.885G	7.165G	PK	5.91892G	8.38	-54.48	-55.46	-52.79	-54.17	-48.10	-39.72	-7.00	-32.72
802.11bn UHR40_Nss1,(MCS23)_4TX	Pass	5.845G	7.205G	PK	5.90212G	8.38	-52.25	-55.73	-54.21	-53.63	-47.76	-39.38	-7.00	-32.38
802.11bn UHR80_Nss1,(MCS23)_4TX	Pass	5.765G	7.285G	PK	7.28348G	8.38	-58.09	-60.43	-59.23	-58.59	-52.98	-44.60	-21.20	-23.40
802.11bn UHR160_Nss1,(MCS23)_4TX	Pass	5.605G	7.445G	PK	5.92332G	8.38	-47.86	-42.67	-43.39	-45.11	-38.32	-29.94	-7.00	-22.94
802.11bn UHR320_Nss1,(MCS23)_4TX	Pass	5.285G	7.765G	PK	5.91368G	8.38	-39.68	-41.50	-40.57	-40.81	-34.57	-26.19	-7.00	-19.19

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11bn UHR20_Nss1,(MCS23)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	PK	5.91892G	8.38	-54.48	-55.46	-52.79	-54.17	-48.10	-39.72	-7.00	-32.72
5955MHz	Pass	5.885G	7.165G	PK	7.13876G	8.38	-58.35	-57.85	-60.68	-60.42	-53.13	-44.75	-7.00	-37.75
802.11bn UHR40_Nss1,(MCS23)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	PK	5.90212G	8.38	-52.25	-55.73	-54.21	-53.63	-47.76	-39.38	-7.00	-32.38
5965MHz	Pass	5.845G	7.205G	PK	7.14448G	8.38	-59.91	-58.76	-59.91	-56.59	-52.55	-44.17	-7.00	-37.17
802.11bn UHR80_Nss1,(MCS23)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	PK	5.92156G	8.38	-50.29	-50.29	-50.48	-50.55	-44.38	-36.00	-7.00	-29.00
5985MHz	Pass	5.765G	7.285G	PK	7.28348G	8.38	-58.09	-60.43	-59.23	-58.59	-52.98	-44.60	-21.20	-23.40
802.11bn UHR160_Nss1,(MCS23)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	PK	5.92332G	8.38	-47.86	-42.67	-43.39	-45.11	-38.32	-29.94	-7.00	-22.94
6025MHz	Pass	5.605G	7.445G	PK	7.40728G	8.38	-60.78	-56.29	-59.89	-61.33	-53.06	-44.68	-21.20	-23.48
802.11bn UHR320_Nss1,(MCS23)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.285G	7.765G	PK	5.91368G	8.38	-39.68	-41.50	-40.57	-40.81	-34.57	-26.19	-7.00	-19.19
6105MHz	Pass	5.285G	7.765G	PK	7.58768G	8.38	-58.88	-58.57	-58.18	-58.47	-52.50	-44.12	-21.20	-22.92


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS23)_4TX

CSE Bandedge [PK]

5955MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.91892G	-39.72	-7.00	-32.72	8.38	0.00	-48.10	-54.48	-55.46	-52.79	-54.17
5.885G	7.165G	1M	PK	7.13876G	-44.75	-7.00	-37.75	8.38	0.00	-53.13	-58.35	-57.85	-60.68	-60.42

5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS23)_4TX

CSE Bandedge [PK]

5965MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	PK	5.90212G	-39.38	-7.00	-32.38	8.38	0.00	-47.76	-52.25	-55.73	-54.21	-53.63
5.845G	7.205G	1M	PK	7.14448G	-44.17	-7.00	-37.17	8.38	0.00	-52.55	-59.91	-58.76	-59.91	-56.59

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS23)_4TX

CSE Bandedge [PK]

5985MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.92156G	-36.00	-7.00	-29.00	8.38	0.00	-44.38	-50.29	-50.29	-50.48	-50.55
5.765G	7.285G	1M	PK	7.28348G	-44.60	-21.20	-23.40	8.38	0.00	-52.98	-58.09	-60.43	-59.23	-58.59

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS23)_4TX

CSE Bandedge [PK]

6025MHz

25/10/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.92332G	-29.94	-7.00	-22.94	8.38	0.00	-38.32	-47.86	-42.67	-43.39	-45.11
5.605G	7.445G	1M	PK	7.40728G	-44.68	-21.20	-23.48	8.38	0.00	-53.06	-60.78	-56.29	-59.89	-61.33

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS23)_4TX

CSE Bandedge [PK]

6105MHz

25/10/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.91368G	-26.19	-7.00	-19.19	8.38	0.00	-34.57	-39.68	-41.50	-40.57	-40.61
5.285G	7.765G	1M	PK	7.58768G	-44.12	-21.20	-22.92	8.38	0.00	-52.50	-58.88	-58.57	-58.18	-58.47


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

5955MHz_TX

04/11/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.952501G	-14.35	5.999025G	-65.98	-54.35	-11.63	1
5.957549G	-15.05	5.99855G	-66.20	-55.05	-11.15	2
5.961223G	-14.22	5.984175G	-66.31	-54.22	-12.09	3
5.956325G	-14.19	5.990525G	-66.38	-54.19	-12.19	4


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6195MHz_TX

04/11/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188752G	-14.27	6.229G	-65.02	-54.27	-10.75	1
6.197499G	-14.70	6.23295G	-64.98	-54.70	-10.28	2
6.198774G	-13.74	6.23175G	-65.27	-53.74	-11.53	3
6.200024G	-13.98	6.2338G	-65.36	-53.98	-11.38	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6415MHz_TX

04/11/2025




5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

25/10/2025




5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

23/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

28/10/2025




5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS0)_dRU_4TX

MASK

5955MHz_TX

28/10/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963223G	-10.56	5.988875G	-66.16	-50.56	-15.60	1
5.963223G	-10.92	5.985925G	-65.94	-50.92	-15.02	2
5.958274G	-10.85	5.991825G	-66.37	-50.85	-15.52	3
5.962498G	-10.12	5.989G	-66.15	-50.12	-16.03	4


5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS0)_dRU_4TX

MASK

6195MHz_TX

28/10/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202523G	-10.94	6.164425G	-64.90	-50.94	-13.96	1
6.200399G	-10.97	6.231625G	-64.96	-50.97	-13.99	2
6.198299G	-11.05	6.2339G	-65.18	-51.05	-14.13	3
6.187052G	-10.27	6.238775G	-65.01	-50.27	-14.74	4

5.925-6.425GHz_802.11bn_UHR20_Nss1,(MCS0)_dRU_4TX

MASK

6415MHz_TX

28/10/2025




5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS0)_dRU_4TX

MASK

5965MHz_TX

28/10/2025




5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS0)_dRU_4TX

MASK

6205MHz_TX

28/10/2025




5.925-6.425GHz_802.11bn_UHR40_Nss1,(MCS0)_dRU_4TX

MASK

6405MHz_TX

28/10/2025




5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0)_dRU_4TX

MASK

5985MHz_TX

28/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9933G	-9.44	6.1796G	-58.10	-49.44	-8.66	1
5.9976G	-9.94	6.1669G	-58.16	-49.94	-8.22	2
6.0033G	-9.72	6.1752G	-58.56	-49.72	-8.84	3
5.9933G	-9.17	6.1775G	-58.34	-49.17	-9.17	4

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0)_dRU_4TX

MASK

6225MHz_TX

28/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25169G	-9.64	6.3726G	-57.49	-49.64	-7.85	1
6.24889G	-9.39	6.4003G	-57.46	-49.39	-8.07	2
6.25859G	-9.13	6.391G	-57.80	-49.13	-8.67	3
6.19981G	-8.81	6.3955G	-57.78	-48.81	-8.97	4

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0)_dRU_4TX

MASK

6385MHz_TX

28/10/2025




5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

MASK

5985MHz_TX

25/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9799G	-7.41	6.1816G	-57.11	-47.41	-9.70	1
6.00999G	-7.85	6.1791G	-57.07	-47.85	-9.22	2
5.9887G	-7.77	6.1804G	-57.69	-47.77	-9.92	3
5.9789G	-7.34	6.111G	-57.35	-47.34	-10.01	4

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

MASK

5985MHz_TX

25/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9922G	-7.64	6.1754G	-57.21	-47.64	-9.57	1
6.00989G	-8.28	6.1832G	-57.15	-48.28	-8.87	2
5.9953G	-7.78	6.1645G	-57.78	-47.78	-10.00	3
5.9987G	-7.75	6.1332G	-57.67	-47.75	-9.92	4

5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

25/10/2025




5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

MASK

5985MHz_TX

25/10/2025



5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_4TX

MASK

6025MHz_TX

25/10/2025

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09798G	-4.82	6.2764G	-53.98	-44.82	-9.16	1
6.10178G	-5.31	6.3058G	-53.96	-45.31	-8.65	2
6.06179G	-4.87	6.32G	-54.34	-44.87	-9.47	3
6.07039G	-4.95	6.3842G	-54.16	-44.95	-9.21	4

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX

MASK

6025MHz_TX

25/10/2025

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05999G	-4.81	6.3246G	-53.95	-44.81	-9.14	1
6.07139G	-5.31	6.2794G	-54.06	-45.31	-8.75	2
6.07159G	-4.81	6.2852G	-54.25	-44.81	-9.44	3
6.08099G	-4.98	6.3484G	-54.14	-44.98	-9.16	4

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

MASK

6025MHz_TX

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

MASK

6025MHz_TX

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

MASK

6025MHz_TX

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

MASK

6025MHz_TX

25/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

MASK

6025MHz_TX

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

MASK

6025MHz_TX

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

MASK

6025MHz_TX

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6025MHz_TX

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484_MRU_3_4TX

MASK

6025MHz_TX

27/10/2025




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484_MRU_4_4TX

MASK

6025MHz_TX

27/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 1_4TX

MASK

6105MHz_TX

28/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.117G	-3.84	6.2678G	-28.36	-21.44	-6.92	1
6.25176G	-3.82	6.8034G	-53.38	-43.82	-9.56	2
6.0986G	-3.55	6.801G	-53.70	-43.55	-10.15	3
6.23737G	-3.71	6.8342G	-53.45	-43.71	-9.74	4

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

MASK

6105MHz_TX

28/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1002G	-3.52	6.2678G	-28.71	-21.12	-7.59	1
6.26096G	-3.91	6.8154G	-53.31	-43.91	-9.40	2
6.06021G	-3.45	6.5922G	-53.64	-43.45	-10.19	3
6.07981G	-3.16	6.5926G	-53.58	-43.16	-10.42	4

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 3_4TX

MASK

6105MHz_TX

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

MASK

6105MHz_TX

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

MASK

6105MHz_TX

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 6_4TX

MASK

6105MHz_TX

28/10/2025




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 7_4TX

MASK

6105MHz_TX

28/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1122G	-3.49	6.2678G	-27.97	-21.09	-6.88	1
6.1166G	-3.67	6.8226G	-53.35	-43.67	-9.68	2
6.05021G	-3.29	6.5302G	-49.04	-38.72	-10.32	3
6.121G	-3.12	6.5942G	-53.62	-43.12	-10.50	4

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

MASK

6105MHz_TX

28/10/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1182G	-3.38	6.8122G	-53.00	-43.38	-9.62	1
6.1162G	-3.68	6.8146G	-53.32	-43.68	-9.64	2
5.97823G	-3.55	6.8014G	-53.68	-43.55	-10.13	3
6.08181G	-3.67	6.8142G	-53.47	-43.67	-9.80	4