

Antenna Gain Measurement Report

Report No.: OPBEIH-WTW-P25030743-7

Model No.: UTR-251

Received Date: 2025.4.2

Test Date: 2025.4.2 ~ 2025.4.10

Issued Date: 2025.5.29

Applicant: Arcadyan Technology Corporation

Address: No.8, Sec.2, Guangfu Rd., Hsinchu City 30071, Taiwan, R.O.C.

Manufacturer: Arcadyan Technology Corporation

Address: No.8, Sec.2, Guangfu Rd., Hsinchu City 30071, Taiwan, R.O.C.

Issued By: Bureau Veritas Consumer Products Services (Hong Kong) Limited, Taoyuan Branch Mobile Communications Laboratory

Lab Address: No.19, Hwa Ya 2nd Rd., Kwei shan Dist., Taoyuan City, Taiwan (R.O.C)

TAF Number: 2770 (OTA3-HY)

Prepared by : Johnny Liu, **Date:** 2025.5.29
Johnny Liu / Supervisor

Approved by : Ken Chan, **Date:** 2025.5.29
Ken Chan / Manager

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Table of Contents

Release Control Record	3
1 EUT Antenna System Description	4
1.1 Antenna Information	4
1.2 Antenna Location (Configuration and RF Chains)	4
2 Antenna Measurement	5
2.1 Antenna Measurement Chamber	5
2.2 Reference Standard	5
2.3 Block diagram of antenna test set-up	5
2.4 Block diagram of calibration	6
2.5 Measurement Setup	6
2.6 EUT Operation mode	7
2.7 Test Setup Diagram for EUT	8
2.8 Test Instruments	8
2.9 Test Procedure	8
2.10 Summary Test Result	9
APPENDIX A – Detail Test Data Information	10
A.1 Radiated Directional Gain	10
A.2 Antenna Pattern Test Plots	35
APPENDIX B –Test Setup and EUT antenna port photo	38
B.1 Antenna Location (Configuration and RF Chains)	39
B.2 Test Setup Diagram for EUT	39
APPENDIX C - Information of the Testing Laboratories	40



Release Control Record

Issue No.	Description	Date Issued
ORBCKS-WTW-P2502007	Original release	2025.5.xx

1 EUT Antenna System Description

1.1 Antenna Information

Frequency range	Brand	Model	Antenna Type	Connector Type	Antenna NO.	RF Chain NO.
2.4~2.4835GHz	ARC	120800157500J	Dipole	MHF1	D_1	0
5.15~5.25GHz			Dipole	MHF1		
5.25~5.35GHz			Dipole	MHF1		
5.47~5.725GHz			Dipole	MHF1		
5.725~5.85GHz			Dipole	MHF1		
2.4~2.4835GHz	ARC	120800157600J	Dipole	MHF1	D_2	1
5.15~5.25GHz			Dipole	MHF1		
5.25~5.35GHz			Dipole	MHF1		
5.47~5.725GHz			Dipole	MHF1		
5.725~5.85GHz			Dipole	MHF1		
2.4~2.4835GHz	ARC	120800157700J	Dipole	MHF1	D_3	2
5.15~5.25GHz			Dipole	MHF1		
5.25~5.35GHz			Dipole	MHF1		
5.47~5.725GHz			Dipole	MHF1		
5.725~5.85GHz			Dipole	MHF1		
2.4~2.4835GHz	ARC	120800157800J	Dipole	MHF1	D_4	3
5.15~5.25GHz			Dipole	MHF1		
5.25~5.35GHz			Dipole	MHF1		
5.47~5.725GHz			Dipole	MHF1		
5.725~5.85GHz			Dipole	MHF1		
5.15~5.25GHz	ARC	120800158300J	Dipole	MHF1	ZWDFS Rx	0
5.25~5.35GHz			Dipole	MHF1		
5.47~5.725GHz			Dipole	MHF1		
5.725~5.85GHz			Dipole	MHF1		
5.925GHz~6.425GHz	ARC	120800158000J	Dipole	MHF1	6G1	0
6.425GHz~6.525GHz			Dipole	MHF1		
6.525GHz~6.875GHz			Dipole	MHF1		
6.875Hz~7.125GHz			Dipole	MHF1		
5.925GHz~6.425GHz	ARC	120800157900J	Dipole	MHF1	6G2	1
6.425GHz~6.525GHz			Dipole	MHF1		
6.525GHz~6.875Hz			Dipole	MHF1		
6.875Hz~7.125GHz			Dipole	MHF1		
5.925GHz~6.425GHz	ARC	120800158100J	Dipole	MHF1	6G3	2
6.425GHz~6.525GHz			Dipole	MHF1		
6.525GHz~6.875GHz			Dipole	MHF1		
6.875Hz~7.125GHz			Dipole	MHF1		
5.925GHz~6.425GHz	ARC	120800158200J	Dipole	MHF1	6G4	3
6.425GHz~6.525GHz			Dipole	MHF1		
6.525GHz~6.875GHz			Dipole	MHF1		
6.875Hz~7.125GHz			Dipole	MHF1		
5.925GHz~6.425GHz	ARC	120800158400J	Dipole	MHF1	6G5 Rx	0
6.425GHz~6.525GHz			Dipole	MHF1		
6.525GHz~6.875GHz			Dipole	MHF1		
6.875Hz~7.125GHz			Dipole	MHF1		

1.2 Antenna Location (Configuration and RF Chains)

Please refer to Test Setup and EUT antenna port photo. (Appendix B.)

2 Antenna Measurement

2.1 Antenna Measurement Chamber

Chamber Type	Chamber Size
Fully Anechoic Chamber	Length: 7.32 m Width: 3.66 m Height: 3.51 m

Type of Equipment	Model Number	Serial Number
ETS Anechoic Chamber (OTA3-HY)	AMS-8500	CT0000411-1132
Multi-Axis Positioning System	ETS 2090-OPTI	00086248

Note: The test was performed in CITA OTA distributed-axes system.

2.2 Reference Standard

ANSI 63.10-2013 clause 13

IEEE std. 149-2021

KDB 662911 D01

2.3 Block diagram of antenna test set-up

In far field chamber, rotation around theta axis corresponds to the elevation angle θ and around the phi axis corresponds to the azimuth angle ϕ . When measuring a 3D radiation pattern, the rotation table rotates around the theta from 0° to 180° and the rotation arm revolves around the phi axis between 0° and 360° . The vertical E field actually corresponds to the horizontal polarization and vice versa..




Figure 1. Antenna Pattern Test System.

2.4 Block diagram of calibration





Figure 2. Calibration configuration.

2.5 Measurement Setup

Chamber Placement
To minimize the physical volume occupied by the EUT during testing, the center of rotation shall be the three-dimensional geometric center of the EUT and not the antenna
Positioning an Integrated Device Relative to the Chamber Coordinate System
The reference plane for the EUT is defined as the plane on which the base of the EUT sits. This plane will be normal to the phi axis of the chamber.
Before placing the EUT in the chamber, place the integrated device on a level surface and measure the height, width and depth (H, W, D) of the device to determine the center of each (mark with tape if need).
The center of the height, width and depth of the device shall be located at the origin of the chamber coordinate system.


2.6 EUT Operation mode

2.4 GHz Band		
Modulation Mode	TX & RX Configuration	
802.11b	4TX	4RX
802.11g	4TX	4RX
802.11n (HT20)	4TX	4RX
802.11n (HT40)	4TX	4RX
VHT20	4TX	4RX
VHT40	4TX	4RX
802.11ax (HE20)	4TX	4RX
802.11ax (HE40)	4TX	4RX
802.11be (EHT20)	4TX	4RX
802.11be (EHT40)	4TX	4RX

5 GHz Band		
Modulation Mode	TX & RX Configuration	
802.11a	4TX	4RX
802.11n (HT20)	4TX	4RX
802.11n (HT40)	4TX	4RX
802.11ac (VHT20)	4TX	4RX
802.11ac (VHT40)	4TX	4RX
802.11ac (VHT80)	4TX	4RX
802.11ac (VHT160)	4TX	4RX
802.11ax (HE20)	4TX	4RX
802.11ax (HE40)	4TX	4RX
802.11ax (HE80)	4TX	4RX
802.11ax (HE160)	4TX	4RX
802.11be (EHT20)	4TX	4RX
802.11be (EHT40)	4TX	4RX
802.11be (EHT80)	4TX	4RX
802.11be (EHT160)	4TX	4RX

6 GHz Band		
Modulation Mode	TX & RX Configuration	
802.11a	4TX	5RX
802.11ax (HE20)	4TX	5RX
802.11ax (HE40)	4TX	4RX
802.11ax (HE80)	4TX	4RX
802.11ax (HE160)	4TX	4RX
802.11be (EHT20)	4TX	4RX
802.11be (EHT40)	4TX	4RX
802.11be (EHT80)	4TX	4RX
802.11be (EHT160)	4TX	4RX
802.11be (EHT320)	4TX	4RX

2.7 Test Setup Diagram for EUT

Please refer to another document - Test Setup and EUT antenna port photo. (Appendix B.)

2.8 Test Instruments

TYPE OF EQUIPMENT	MODEL NUMBER	SERIAL NUMBER	DATE OF CALIBRATION	DUE DATE OF CALIBRATION	CALIBRATION CYCLE
(OTA3-HY) ETS Anechoic Chamber	AMS-8500	CT0000411-1132	N/A	N/A	N/A
Multi-Axis Positioning System	ETS 2090-OPTI	00086248	N/A	N/A	N/A
Horn Antenna	ETS 3164-08	00157567	N/A	N/A	N/A
Switch Control	Agilent 3499A	MY42005285	N/A	N/A	N/A
Network Analyzer	E5071C	MY46104190	2024/5/30	2025/5/29	12 months
Test Software	ETS-Lindgren EMQuest V1.14 build 31654	1281	N/A	N/A	N/A

Note 1: The test was performed in CITA OTA distributed-axes system.

Note 2: The calibration interval of the above test instruments is 12 months and the calibrations are traceable to NML/ROC and NIST/USA.

2.9 Test Procedure

1. The Antenna Gain Test is performed according to The ANSI/IEEE Std 149 12.3.1 Antenna Gain
2. (Small size (< 42cm) Linear Polarization Antennas), using a two-axis support device and one fixed measurement antenna. The EUT is positioned along the required MAPS centerline fixture holder. The EUT is then stepped between 0 and 180 degrees along the theta axis in 15-degree increments. At each theta position, the phi axis is stepped from 0-360 degrees in 15-degree increments. Data is recorded using the Network analyzer for both theta and phi polarizations at each position. Depending on the protocol, an appropriate filter is used in the EMQuest software to process the data. Upon completion of the test, test results (angular dependent EIRP) is calculated at each measurement point and the required value is automatically calculated. This test procedure is repeated for frequency and configuration as required.
3. Repeat step 1 and measures all of antenna gain for each Phi and Theta polarization for all antenna angles.
4. Considering each combination of phi and theta for all angles of each antenna, Directional Gain are calculated according to the FCC KDB662911 D01 d) (i) or e) (ii) formula.
5. Investigate composite antenna gain at all angles by program and determine maximum gain and Phi/Theta position (Direction gain is calculated for each angle then maximum gain is selected.).

2.10 Summary Test Result

Tested By	Leo Chen
-----------	----------

Individual Antenna Maximum Peak Gain:

Frequency Band (MHz)	2450	5200	5300	5600	5785	-	-	-	-
Ant. 1 (Blue) (dBi)	1.86	3.11	2.92	4.30	4.33	-	-	-	-
Polarization	Phi	Theta	Theta	Theta	Theta	-	-	-	-
Axis: Theta(°)	45	150	180	180	180	-	-	-	-
Axis: Phi(°)	90	210	180	180	180	-	-	-	-
Ant. 2 (Orange) (dBi)	5.16	5.61	5.36	5.42	4.73	-	-	-	-
Polarization	Theta	Theta	Theta	Theta	Theta	-	-	-	-
Axis: Theta(°)	90	90	90	90	105	-	-	-	-
Axis: Phi(°)	345	240	255	255	240	-	-	-	-
Ant. 3 (dBi)	2.61	5.87	5.23	5.69	5.09	-	-	-	-
Polarization	Theta	Theta	Theta	Theta	Theta	-	-	-	-
Axis: Theta(°)	105	75	90	90	90	-	-	-	-
Axis: Phi(°)	300	300	300	285	285	-	-	-	-
Ant. 4 (dBi)	3.88	4.28	3.85	5.18	5.09	-	-	-	-
Polarization	Theta	Theta	Phi	Phi	Theta	-	-	-	-
Axis: Theta(°)	150	150	165	165	180	-	-	-	-
Axis: Phi(°)	345	195	300	285	0	-	-	-	-

Maximum Directional Gain (Maximum Direction Angle and Value):

Frequency Band (MHz)	2450	5200	5300	5600	5785	-	-	-	-
Ant. 1 (dBi)	-1.4	0.09	-8.01	1.85	4.33	-	-	-	-
Ant. 2 (dBi)	-5.57	5.07	3.66	-1.65	-6.5	-	-	-	-
Ant. 3 (dBi)	0.4	-1.69	2.46	-6.02	-8.92	-	-	-	-
Ant. 4 (dBi)	3.88	-11.6	-4.45	3.39	4.91	-	-	-	-
Polarization	Theta	Theta	Theta	Theta	Theta	-	-	-	-
Axis: Theta(°)	150	90	105	150	180	-	-	-	-
Axis: Phi(°)	345	255	90	195	180	-	-	-	-
Correlated Signals DG Calculation $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / N_{ANT}]$									
DG (dBi) [1SS]	5.99	5.78	5.68	6.11	6.52	-	-	-	-

Note:

- ◆ The individual antenna gain and directional gain are by measurement as indicated in above table. For devices transmitter supports MIMO and use same antenna at multiple antenna ports. The direction gain values are follow FCC KDB 662911 D01 into calculation.
- ◆ The applicable limit is subjected to FCC Part 15 regulation and devices transmitter design/specification (i.e., SISO or MIMO etc.). Detail of conformity limit to be described in EUT FCC test reports.
- ◆ For single antenna peak gain, the values are used only to calculate the directional gain reference. For the worst-case antenna gain values as noted in the test report, please refer to the antenna datasheet.
- ◆ The NSS1, NSS2, NSS3, and NSS4 of spatial streams are supported, with NSS1 being evaluated in the test report as the worst-case.

APPENDIX A – Detail Test Data Information

A.1 Radiated Directional Gain

Ant.	No.1																								
Freq. (MHz)	2450																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-0.95	-1.59	-3.05	-5.4	-9.56	-19.1	-18.24	-9.61	-5.58	-3.09	-1.79	-1.33	-1.6	-2.15	-3.29	-5.52	-9.57	-18.56	-20.04	-10.77	-6.5	-3.72	-1.91	-1.11	-0.95
θ (15°)	-2.27	-2.22	-2.5	-3.08	-4.44	-7.59	-14.49	-13.69	-6.52	-2.8	-1.16	-1.16	-2.38	-4.11	-5.07	-5.48	-6.74	-10.17	-17.13	-16.34	-10.93	-7.3	-4.74	-3.23	-2.27
θ (30°)	-3.99	-4.18	-4.56	-4.49	-4.84	-6.93	-11.3	-15.86	-12.71	-7.7	-3.92	-2.44	-3.4	-4.27	-2.58	-2.28	-4.99	-13.41	-16.92	-7.57	-4.48	-3.43	-3.53	-3.97	-3.99
θ (45°)	-3.06	-4.54	-5.96	-6.47	-8.09	-12.88	-17.45	-9.93	-7.06	-8.79	-8.61	-3.86	-4.01	-5.2	-3.28	-4.37	-9.46	-14.4	-10.57	-7.52	-5.21	-3.49	-2.37	-2.22	-3.06
θ (60°)	-2.79	-4.49	-4.54	-3.79	-5.41	-9.02	-11.98	-9.19	-5.5	-5.31	-14.03	-9.45	-6.5	-15.48	-5.63	-5.72	-14.42	-15.61	-9.98	-8.96	-8.68	-9.92	-8.4	-3.54	-2.79
θ (75°)	-1.96	-2.82	-4.04	-3.4	-4.62	-7.24	-9.84	-13.45	-15.48	-13.02	-17.95	-16.26	-20.32	-9.36	-5	-8.12	-20.53	-19.53	-14.15	-9.31	-5.61	-5.91	-15.53	-8.58	-1.96
θ (90°)	-8.9	-5.5	-4.5	-3.83	-3.9	-5.98	-9.97	-13.71	-13.86	-15.47	-10.29	-10.1	-30.79	-13.36	-18.74	-11.92	-8.94	-8.62	-9.84	-11.34	-9.02	-5.92	-5.74	-11.35	-8.9
θ (105°)	-8.23	-7.49	-10.16	-33.81	-10.48	-7.72	-8.35	-10.27	-11.23	-10.85	-9.32	-9.46	-9.85	-8.27	-8.98	-13.63	-11.83	-6.89	-6.15	-7.32	-9.81	-14.51	-14.82	-9.79	-8.23
θ (120°)	-5.72	-2.72	[-0.69]	-1.48	-7.06	-24.54	-9.08	-6.07	-6.03	-8.55	-7.1	-3.88	-4.18	-3.44	-2.66	-5.85	-13.84	-12.9	-12.89	-14.97	-13.72	-9.93	-10.31	-32.8	-5.72
θ (135°)	-20.69	-6.9	-3.85	-4.28	-8.72	-33.7	-10.08	-5.91	-4.46	-3.09	-2.11	-2.62	-3.63	-4.63	-7.38	-14.07	-20.51	-14.33	-10.37	-8.59	-9.37	-9.68	-7.46	-8.27	-20.69
θ (150°)	-1.02	-3.26	-8.19	-15.19	-29.94	-22.21	-14.82	-11.12	-9.43	-7.74	-4.46	-1.73	-0.99	-2.7	-6.67	-10.46	-13.95	-13.79	-7.68	-4.7	-4.73	-7.05	-5.05	-1.4	-1.02
θ (165°)	-8.56	-10.26	-9.83	-9.49	-11.37	-15.29	-12.24	-7.1	-4.09	-2.71	-2.78	-4.39	-8.43	-17.03	-11.69	-7.92	-8.51	-13.71	-16.08	-8.24	-5.07	-4.34	-4.96	-6.1	-8.56
θ (180°)	-7.69	-6.94	-6.53	-6.79	-7.85	-10.18	-14.81	-21.21	-15.75	-10.69	-7.72	-6.2	-5.69	-5.94	-6.59	-7.52	-8.95	-11.31	-14.48	-16.98	-16.33	-14.01	-11.73	-9.72	-7.69
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-11.98	-7.46	-4.44	-2.64	-1.47	-1.03	-1.19	-2.08	-3.94	-7.06	-12.38	-28.62	-15.01	-8.29	-5.07	-3.19	-2.21	-1.82	-1.82	-2.21	-3.32	-5.45	-9.75	-20.81	-11.98
θ (15°)	-14.24	-9.32	-6.11	-3.9	-2.09	-0.64	0.1	-0.03	-1.38	-4.45	-11.06	-22.54	-9.03	-5.53	-4.23	-3.31	-2.13	-1.14	-0.85	-1.34	-2.55	-4.52	-7.59	-11.49	-14.24
θ (30°)	-11.05	-10.27	-9.03	-10.04	-7.02	-3.43	-1.79	-1.68	-2.49	-3.98	-8.24	-32.6	-7.27	-4.27	-4.73	-3.49	-0.93	0.36	0.48	-0.12	-1.16	-2.1	-3.1	-5.59	-11.05
θ (45°)	-5.65	-7.15	-9.26	-7.28	-1.48	1.17	[1.86]	1.06	-1.28	-4.59	-10.25	-15.03	-4.97	-4.11	-5.23	-1.06	1.28	1.84	1.73	1.07	-0.76	-3.62	-4.04	-3.53	-5.65
θ (60°)	-6.2	-8.3	-9.11	-7.08	-2.29	-0.28	0.04	-0.61	-2.5	-6.7	-15.2	-15.66	-4.74	-4.29	-11.32	-1.74	0.77	0.55	0.31	0.73	0.87	-0.39	-2.9	-3.59	-6.2
θ (75°)	-6.98	-8.43	-7.56	-2.61	0.37	1.09	0.93	0.73	0.12	-2.62	-10.05	-10.7	-6.04	-13.67	-5.89	-1.19	-2	-4.56	-5.21	-5.11	-5.76	-6.69	-5.15	-3.4	-6.98
θ (90°)	-5.34	-5.33	-7.8	-4.54	0.1	1.45	1.29	0.87	0.41	-2.32	-9.49	-6.19	-10.14	-13.57	-13.38	-12.59	-8	-6.35	-4.57	-3.61	-4.37	-7.75	-12.08	-5.12	-5.34
θ (105°)	-6.08	-5.73	-7.14	-7.97	-5.09	-2.57	-1.16	-0.64	-1.78	-6.65	-7.69	-7.89	-21.24	-16.86	-11.23	-8.89	-11.15	-7.59	-6.08	-8.76	-8.81	-6.11	-9.5	-7.84	-6.08
θ (120°)	-10.88	-11.85	-7.88	-6.49	-4.49	-2.37	-0.88	-0.65	-2.38	-6.01	-9	-12.7	-17.07	-11.74	-7.02	-7.52	-5.58	-2.09	-1.43	-4.08	-14.55	-9.7	-7.09	-8.94	-10.88
θ (135°)	-24.46	-18.33	-8.28	-4.61	-3.44	-2.78	-2.48	-3.41	-5.98	-8.81	-8.37	-10.23	-12.49	-5.31	-5.87	-12.95	-4.16	-1.05	-1.65	-5.54	-12.4	-7.74	-6.8	-11.16	-24.46
θ (150°)	-23.83	-16.05	-8.9	-5.73	-4.36	-4.35	-5.19	-6.68	-8.24	-8.55	-9.49	-18.61	-11.77	-4.81	-4.59	-11.17	-13.77	-5.39	-3.86	-5.82	-10.29	-7.32	-4.82	-7.01	-23.83
θ (165°)	-31.47	-18.32	-12.01	-6.74	-3.16	-1.24	-0.54	-0.92	-2.43	-5.41	-11.52	-48.19	-14.29	-12.48	-20.48	-13.93	-5.48	-2.09	-0.96	-1.41	-3.3	-6.66	-11.54	-17.22	-31.47
θ (180°)	-14.11	-16.5	-18.28	-15.63	-11.51	-8.52	-6.68	-5.7	-5.33	-5.8	-7.33	-10	-13.77	-15.66	-13.6	-11.53	-10.32	-9.56	-8.98	-8.67	-8.77	-9.23	-10.11	-11.51	-14.11

Ant.	No.1																								
Freq (MHz)	5200																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-0.36	-1.36	-3.25	-6.75	-11.94	-11.98	-7.12	-3.63	-1.17	0.17	0.39	0.45	0.32	-0.8	-3.03	-6.46	-12.27	-12.76	-6.88	-3.22	-0.91	0.33	0.9	0.81	-0.36
θ (15°)	-0.11	-2.91	-6.91	-12.86	-31.68	-10.52	-5.07	-3.53	-3.97	-4.87	-4.39	-3.2	-2.96	-2.88	-3.3	-5.52	-7.92	-7.34	-6.18	-5.34	-4.54	-3.42	-1.42	0.07	-0.11
θ (30°)	-1.94	-1.68	-5.89	-7.65	-8.55	-13.11	-12.89	-5.26	-2.01	-3.37	-4.35	-1.26	-4.7	-2.95	-4.87	-6.99	-6.34	-11.7	-19.07	-13.1	-16.51	-12.94	-4.03	-5.95	-1.94
θ (45°)	-7.15	-0.03	-1.55	-5.25	-9.83	-8.91	-5.58	-5.33	-7.69	-7.35	-9.15	-2.1	-6.36	-2.87	-4.18	-8.44	-8.19	-5.63	-11.18	-24.35	-14.48	-7.91	-8.76	-5.38	-7.15
θ (60°)	0.39	2.52	1.18	-0.89	-5.11	-8.12	-12.21	-14.06	-20.89	-19.86	-6.62	-8.48	-4.94	-5.98	-9.56	-16.79	-18.61	-31.73	-7.8	-7.07	-12.27	-2.18	-4.2	-0.37	0.39
θ (75°)	-1.74	-1.68	-3.99	-17.27	-16.88	-13.89	-8.29	-11.14	-10.56	-16.3	-19.91	-12.32	-12.87	-6.89	-24.7	-14.43	-8.33	-5.03	-13.84	-19.4	-12.34	-6.11	-2.91	-1.22	-1.74
θ (90°)	-1.75	-2.76	-1.69	-2.44	-7.09	-23.78	-12.19	-11.94	-9.09	-7.79	-9.03	-6.37	-11.58	-10.06	-13.81	-13.85	-8.43	0.09	-8.19	-4.68	-13.09	-19.79	-6.04	-1.1	-1.75
θ (105°)	-7.11	-2.81	-8.73	-4.5	-8.59	-13.07	-9.97	-7.02	-4.83	-4.87	-13.31	-7.98	-7.36	-11.18	-7.06	-11.11	-9.81	-12.24	-15.75	-22.88	-9.56	-7.69	-20.89	-5.68	-7.11
θ (120°)	-9.01	-8.96	-7.13	-10.36	-8.18	-9.91	-6.67	-4.44	-4.55	-2.51	-1.36	-3.04	-9.57	-2.71	-5.98	-8.61	-15.53	-6.96	-9.65	-8.96	-9.36	-22.99	-12.95	-12.74	-9.01
θ (135°)	-3.08	-14.64	-2.52	-5.26	-6.5	-13.93	-13.48	-10.42	-7.93	-6.8	1.72	2.49	-1.8	-5.32	-4.13	-5.69	-5.42	-9.54	-14.16	-25.22	-11.72	-13.86	-21.45	-18.28	-3.08
θ (150°)	-3.5	-1.54	-2.62	-3.2	-4.48	-9.39	-16.98	-11.69	-11.62	-8.34	-3.31	0.56	2.18	0.25	[3.11]	1.12	-17.01	-4.37	-6.28	-12.96	-17.41	-13.33	-7.97	-7.64	-3.5
θ (165°)	1.07	1.63	0.52	-1.86	-5.29	-7.04	-4.51	-2.17	-1.13	-1.02	-1.21	-1.34	-2.39	-3.87	-3.24	-4.92	-14.02	-18.76	-13.68	-18.59	-13.18	-6.79	-3.58	-1.46	1.07
θ (180°)	1.88	1.67	0.91	-0.77	-3.57	-8.56	-20.43	-9.97	-4.78	-1.88	0.41	1.91	2.45	2.34	1.73	0.42	-2.28	-6.56	-10.25	-8.18	-4.26	-1.23	0.5	1.41	1.88
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-5.56	-3.24	-1.3	-0.14	0.56	0.81	0.45	-0.38	-1.94	-4.71	-8.46	-8.98	-6.09	-2.69	-0.36	0.8	1.34	1.36	1.11	0.27	-1.41	-4.08	-7.96	-9.44	-5.56
θ (15°)	-7.61	-6.04	-4.82	-2.75	-0.54	-0.08	-1.53	-5.43	-7.13	-6.5	-7.41	-8.51	-6.83	-4.11	-2.98	-3.07	-3.68	-5.08	-6.16	-7.08	-9.57	-11.18	-8.4	-8.3	-7.61
θ (30°)	-6.69	-16.83	-21.42	-14.02	-5.65	-4.3	-3.4	-2.49	-3.37	-4.9	-3.64	-9.39	-9.85	-7.34	-9.15	-7.49	-1.89	-0.59	-0.7	-2.67	-6.27	-7.96	-9.66	-7.05	-6.69
θ (45°)	-8.69	-26.34	-8.51	-9.05	-4.05	-1.91	0.02	1.51	0.35	-4.82	-3.57	-9.52	-10.58	-6.91	-4.54	-2.63	-3.02	-6.33	-1.45	1.34	0.46	-3.73	-14.37	-9.39	-8.69
θ (60°)	-18.69	-7.33	-9.24	-9.88	-8.89	-3.53	0.23	1.59	1.05	-0.96	-5.55	-8.43	-12.74	-12.33	-7.06	-25.55	-8.49	-13.01	-6.83	-0.82	-0.88	1.5	-2.41	-2.16	-18.69
θ (75°)	-6.98	-26.33	-4.34	-7.92	-5.9	-3.15	0.56	-0.55	-3.09	-2.85	-2.86	-6.45	-13.41	-12.55	-10.08	-6.17	-3.94	-7.4	-5.04	-8.66	-1.74	-3.52	-1.18	-2.04	-6.98
θ (90°)	-12.18	-20.07	-4.42	-0.29	[1.75]	0.3	0.28	0.34	-3.44	-0.32	-2.07	-11.56	-5.32	-40.26	-6.06	-3.36	-5.34	-9.47	-5.81	-3.55	-11.28	-3.45	-3.88	-2.67	-12.18
θ (105°)	-10.82	-7.44	-5.32	0.52	0.08	-0.65	-2.94	-1.97	-4.01	-3.96	-9.97	-8.54	-6.58	-17.6	-6.46	-5.32	-10.33	-7.48	-14.56	-15.15	-11.31	-15.2	-3.42	-7.38	-10.82
θ (120°)	-17.26	-10.46	-8.9	-10.32	-4.04	-1.5	0.26	-1.54	-1.04	-1.31	-3.64	-10.15	-16.76	-21.69	-6.98	-9.81	-12.93	-7.47	-10.02	-17.62	-11.49	-11.96	-5.1	-5.34	-17.26
θ (135°)	-18.22	-16.59	-3.42	-0.98	0.44	1.42	-0.54	-1.37	0.27	-1.96	-2.61	-5.93	-27.4	-6.76	-5.42	-5.72	-9.47	-1.33	-1.53	-4.68	-12.54	-6.16	-7.67	-11.52	-18.22
θ (150°)	-12.8	-24.04	-3.38	0.43	0.67	-0.35	-1.84	-4.15	-0.97	-2.43	-4.68	-14.88	-8.2	-4.91	-7.24	-26.5	-6.07	-3.64	-5.21	-6.8	-7.11	-9.62	-11.91	-12.8	
θ (165°)	-12.03	-6.14	-3.84	-2.59	-1.11	-0.27	-0.71	-2.6	-6.14	-8.19	-7.44	-8.92	-18.92	-17.08	-14.05	-14.67	-15.89	-5.01	-0.75	-0.19	-2.43	-7.66	-13.14	-15.12	-12.03
θ (180°)	-15.62	-8.16	-3.34	-0.7	0.91	1.57	1.31	0.22	-1.65	-4.71	-8.59	-17.03	-18.17	-8.91	-4.66	-1.66	-0.4	0.11	0.32	0.55	0.31	-0.95	-3.54	-9.62	-15.62

Ant.	No.1																								
Freq (MHz)	5300																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-1.09	-2.34	-4.71	-8.33	-15.12	-15.4	-8.75	-5.13	-3.29	-1.7	-0.68	-1.03	-1.72	-2.79	-4.66	-8.16	-13.57	-14.4	-7.69	-3.92	-1.66	-0.68	-0.1	-0.08	-1.09
θ (15°)	-1	-2.6	-3.53	-6.08	-14.16	-14.52	-6.44	-4.02	-3.97	-5.53	-5.13	-4.97	-5.05	-5.53	-8.56	-12.44	-12.53	-12.23	-10.49	-7.98	-5.16	-1.56	0.76	0.96	-1
θ (30°)	-1.41	-1.7	-5.46	-7.22	-10.59	-18.44	-7.61	-4.38	-3.58	-3.82	-6.98	-1.81	-2.33	-5.18	-3.35	-7.4	-9.59	-11.25	-14.09	-13.02	-19.15	-6.77	-5.72	-6.94	-1.41
θ (45°)	-6.78	-0.27	-4.58	-9.33	-14.01	-6.9	-4.17	-5.38	-9.48	-9.73	-4.24	-3.06	-1.78	-6.65	-3.59	-9.86	-12.16	-10.52	-12.87	-30.27	-11.74	-5.46	-6.29	-5.24	-6.78
θ (60°)	-0.82	0.14	0.16	-2.24	-10.49	-10.11	-12.42	-15.07	-13.53	-10.59	-5.61	-6.35	-5.05	-5.01	-6.3	-14.24	-18.35	-15.02	-11.46	-14.16	-13.71	-6.74	-5.16	-1.78	-0.82
θ (75°)	-3.38	-4.54	-9.7	-12.04	-21.02	-6.86	-5.87	-9.76	-9.52	-8.31	-11.61	-8.99	-12.7	-5.51	-15.32	-11.75	-17.14	-9.73	-14.32	-10.62	-11.42	-7.9	-7.1	-2.56	-3.38
θ (90°)	-3.25	-3.28	-1.79	-4.51	-9.89	-12.72	-6.53	-7.45	-9.51	-5.58	-9.32	-9.47	-9.84	-17.52	-7.99	-8.77	-9.24	-0.71	-7.95	-5.61	-19.69	-18.76	-9.99	-2.04	-3.25
θ (105°)	-5.57	-4.73	-6	-9.63	-8.33	-8.82	-8.01	-5.11	-1.38	-1.05	-4.68	-5.72	-15.22	-6.72	-10.18	-12.5	-8.66	-9.96	-18.05	-11.83	-11.24	-8.33	-12.56	-7.13	-5.57
θ (120°)	-13.73	-7.57	-17.53	-8.54	-8.41	-14.29	-9	-6.91	-2.8	-1.16	0.62	0.4	-4.61	-2.18	-2.92	-10.92	-9.08	-8.3	-19.94	-8.76	-14.96	-36.7	-11.4	-11.9	-13.73
θ (135°)	-5.6	-13.17	-6.55	-7.66	-7.22	-10.71	-10.87	-7.25	-3.52	-4.99	-0.19	2.89	-0.21	-3.83	-7.3	-5.59	-4.35	-8.41	-18.42	-22.43	-12.38	-19.39	-23.67	-12.23	-5.6
θ (150°)	-4.07	-4.54	-3.39	-2.05	-4.78	-9.88	-16	-18.4	-15.51	-7.93	-2.23	-0.45	1.82	-1.45	1.54	1.14	-15.14	-7.02	-12.17	-20.74	-19.67	-11.23	-8.15	-15.48	-4.07
θ (165°)	0.5	0.16	-1.7	-4.6	-8.77	-12.13	-6.76	-3.06	-1.68	-1.78	-1.84	-0.73	-0.87	-3.31	-2.93	-3.13	-7.62	-12.52	-11.77	-17.1	-11.22	-5.92	-3.61	-1.64	0.5
θ (180°)	1.55	1.27	0.36	-1.42	-4.2	-10.22	-17.46	-8.07	-3.75	-1.06	1.12	2.44	[2.92]	2.66	1.82	-0.14	-3.67	-8.44	-10.37	-6.12	-2.84	-0.62	0.87	1.64	1.55
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-8.04	-5.14	-2.89	-1.69	-0.91	-0.93	-1.75	-2.98	-4.86	-8.35	-14.53	-18.94	-8.74	-4.57	-1.97	-0.53	0.05	0.05	-0.45	-2.2	-4.68	-9.43	-18.58	-17.45	-8.04
θ (15°)	-9.09	-6	-2.27	0.58	1.66	1.27	-0.31	-3.15	-8.38	-14.28	-15.06	-14.08	-12.65	-9.27	-4.73	-3.38	-4.73	-6.28	-8	-8.78	-6.73	-6.13	-10.96	-16.08	-9.09
θ (30°)	-9.15	-12.53	-8.67	-4.09	-3.72	-3.44	-4.2	-7.34	-10.14	-6.57	-4.84	-9.12	-9.23	-10.34	-9.98	-16.7	-2.18	0.4	-0.28	-3.13	-7.83	-17.2	-9.71	-4.14	-9.15
θ (45°)	-5.92	-11.71	-9.85	-10.61	-8.19	-5.3	-3.36	-1.62	-0.73	-2.13	-2.95	-7.7	-12.5	-8.55	-4.81	-2.38	-4.27	-6.64	-4.59	-1.73	-2.7	-12.61	-9.91	-11.43	-5.92
θ (60°)	-14.32	-15.45	-8.04	-9.22	-5.29	-1.75	-0.6	0.13	0.24	-1.09	-5.85	-11.54	-11.82	-8.12	-6.08	-9.65	-10.91	-7.22	-3.89	-2.41	-2.03	-0.33	-5.28	-4.35	-14.32
θ (75°)	-6.43	-14.47	-3.64	-5.24	-5.36	-1.79	0.61	0.71	-2.4	-3.52	-5.04	-8.54	-12.61	-11.87	-7.02	-9.29	-3.92	-7.02	-8.12	-6.09	-1.11	-2.88	0.2	-3.93	-6.43
θ (90°)	-7.37	-18.44	-4.65	-0.46	1.68	0.66	0.7	0.72	-1.29	-3.78	-4.91	-10.26	-12.68	-15.38	-6.48	-2.14	-5.31	-8.34	-5.22	-2.69	-19.2	-0.84	-2.58	-2.98	-7.37
θ (105°)	-18.36	-11.43	-3.32	1.01	1.42	0.59	-0.22	0.47	-1.57	-5.01	-6.33	-11.79	-8.12	-23.87	-3.78	-4.67	-6.97	-9.08	-13.62	-14.64	-8.58	-10.71	-2.16	-10.67	-18.36
θ (120°)	-28.07	-21.18	-17.36	-4.33	-0.67	0.95	0.05	-2.94	-4.5	-1.28	-4.39	-6.49	-18.69	-18.65	-6.88	-9.26	-11.49	-12.88	-11.33	-18.22	-18.45	-6.54	-5.5	-6.55	-28.07
θ (135°)	-14.49	-16.17	-1.56	-1.85	0.98	0.69	-2.05	-1.23	1.13	0.62	-3.31	-3.8	-17.62	-7.55	-9.31	-5.05	-10.93	-1.28	-1.4	-6.4	-11.24	-9.11	-11.95	-12.63	-14.49
θ (150°)	-18.67	-13.9	-1.88	1.23	1.12	-0.41	-2.07	-3.51	-3.48	-1.53	-2.8	-6.35	-10.93	-7.92	-7.78	-5.26	-10.49	-9.01	-6	-11.94	-11.81	-8.62	-10.29	-15.35	-18.67
θ (165°)	-8.74	-5.34	-3.72	-1.39	0.88	2.08	[2.17]	1.06	-0.9	-2.38	-3.21	-5.29	-13.87	-15.87	-11.62	-10.23	-14.32	-13.22	-4.39	-2.32	-4.16	-9.34	-12.76	-13.28	-8.74
θ (180°)	-14.08	-7.09	-2.82	-0.46	0.97	1.69	1.74	0.91	-1.01	-3.59	-7.38	-14.58	-18.45	-8.94	-3.49	-0.55	0.68	0.61	-0.28	-0.2	-0.67	-2.23	-5.28	-12.11	-14.08

Ant.	No.1																								
Freq (MHz)	5600																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-1.61	-1.8	-2.67	-4.4	-7.04	-11.97	-26.99	-13.12	-7.02	-3.92	-1.93	-0.98	-1.35	-1.8	-2.49	-3.74	-6.27	-10.52	-18.47	-18.51	-9.88	-5.73	-3.48	-2.3	-1.61
θ (15°)	-3.59	-3.49	-6.32	-9.6	-7.66	-6.76	-6.78	-5.34	-2.85	-2.18	-3.45	-2.51	0.08	0.25	-1.32	-3.82	-8.15	-12.75	-13.29	-9.82	-5.95	-3.77	-3.87	-5.04	-3.59
θ (30°)	-5.39	-4.35	-5.78	-10.28	-24.66	-10.01	-5.89	-6.88	-7.94	-3.57	-0.16	-6.08	-4.56	-2.01	-3.46	-5.13	-5.01	-5.71	-8.51	-13.02	-22.38	-11.17	-19.7	-9.94	-5.39
θ (45°)	-0.49	-0.97	-5.42	-8.37	-5.54	-11.72	-9.3	-8.92	-9.85	-8.62	-3.23	-10.84	-5.52	-13.4	-7.82	-8.95	-14.71	-9.13	-7.35	-15.93	-5.65	-8.13	-5.87	-9.03	-0.49
θ (60°)	-5.16	-0.58	-3.35	-7.39	-0.79	-5.77	-13	-12.92	-8.96	-8.32	-13.77	-8.76	-5.39	-8.54	-7.22	-10.82	-9.66	-7.98	-10.29	-6.93	-30.13	-3.79	-4.83	-1.42	-5.16
θ (75°)	-2	-1.2	-2.47	-3.43	-1.68	-3.3	-3.79	-7.6	-1.93	-1.38	-13.42	-20.76	-12.94	-9.29	-17.92	-14.68	-11.82	-6.82	-6.59	-3.59	-13.08	-4.71	-5.87	-0.95	-2
θ (90°)	-9.63	-14.37	-16.5	-21.31	-14.99	-8.81	-8.48	-8.34	-7.2	-4.08	-6.5	-7.24	-6.32	-14.4	-11.97	-11.69	-9.24	-1.77	-11.82	-10.19	-15.01	-7.59	-7.14	-6.07	-9.63
θ (105°)	-5.88	-6.86	-7.65	-6.73	-9.69	-9.44	-14.62	-11.51	-3.22	0.03	-1.56	-2.24	-3.36	-8.12	-7.88	-11.73	-9.54	-18.36	-10.71	-11.86	-9.48	-8.6	-5.2	-6.14	-5.88
θ (120°)	-3.52	-2.37	-3.92	-1.95	-5.43	-14.53	-20.87	-6.86	-3.54	-0.07	0.67	2.99	1.09	-5.76	-1.5	-9.06	-6.06	-14.83	-7.33	-6.37	-19.7	-13.79	-10.69	-8.77	-3.52
θ (135°)	-10.45	-3.69	-2.84	-3.98	-8.77	-17.13	-9.66	-9.97	-2.74	0.24	2.13	3.8	2.63	1.43	-4.87	-2.63	-3.83	-5.25	-7.8	-11.65	-10.72	-8.46	-6.87	-3.54	-10.45
θ (150°)	-2.75	-0.06	2.27	-0.77	-7.94	-12.64	-18.36	-21	-8.31	-1.84	1.41	0.77	-0.07	1.85	0.46	2.44	-8.89	-6.47	-8.21	-11.66	-14.46	-8.03	-13.27	-4.09	-2.75
θ (165°)	1.85	1.12	-0.3	-2.42	-5.14	-7.49	-8.92	-6.42	-3.66	-2.03	-0.78	0.39	0.8	-0.3	-2.13	-4.02	-13.25	-13.86	-9.73	-9.57	-7.36	-5.67	-2.14	0.49	1.85
θ (180°)	2.74	2.39	1.62	0.25	-2.21	-6.32	-12.86	-8.22	-3.17	-0.12	1.86	3.48	[4.30]	4.25	3.41	1.41	-2.01	-7.47	-13.35	-6.69	-1.88	0.48	1.8	2.54	2.74
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-27.09	-12.77	-6.44	-3.75	-2.23	-1.14	-0.89	-1.43	-2.41	-4.27	-7.9	-13.68	-26.12	-15.69	-8.63	-4.89	-3.15	-2.29	-1.94	-1.83	-2.4	-3.72	-6.62	-12.51	-27.09
θ (15°)	-16.63	-9.23	-5.52	-6.68	-8.67	-6.2	-4.3	-3.83	-5.5	-12.52	-11.53	-10.61	-8.78	-5.69	-5.09	-3.55	-1.51	-0.81	-1.08	-1.53	-2.64	-6.34	-8.75	-8.91	-16.63
θ (30°)	-15.71	-13.69	-16.53	-8.95	-4.07	-1.84	-3.31	-5.75	-6.32	-8.5	-12	-5.5	-11.91	-4.09	-4.11	-6.85	-8.65	-5.32	-4.42	-5.37	-5.35	-2.82	-1.41	-4.52	-15.71
θ (45°)	-3.12	-5.98	-9.76	-11.78	-1.31	0.44	-1.28	-3.68	-4.64	-4.91	-7.79	-9.3	-15.83	-10.05	-4.93	-4.08	-3.27	-5.58	-2.18	-0.7	-8.65	-6.3	-2.29	2.1	-3.12
θ (60°)	-8.42	-12.19	-6.66	-18.1	-4.9	-2.09	-1.58	-1.59	-2.23	-2.56	-5.99	-6.52	-28.04	-14.86	-3.76	-5.66	-9.77	-23.3	-9.53	-7.54	-1.4	-11.15	-5.03	-6.08	-8.42
θ (75°)	-18.33	-8.43	-20.25	-3.35	-2.3	-0.38	-3.06	-5.28	-2.54	-3.52	-6.93	-7.37	-10.52	-13.32	-2.6	-3.11	-8.91	-6.78	-5.42	-6.11	-2.59	-2.28	-1.74	-2.1	-18.33
θ (90°)	-13.81	-9.86	-10.84	-8.67	-6.08	-2.18	-1.62	-2.41	-0.93	-0.97	-4.12	-9.89	-8.03	-20.52	-4.83	-3.8	-7.25	-2.46	-9.8	-6.45	-7.65	-5.38	-1.85	-8.12	-13.81
θ (105°)	-17.14	-10.66	-4.15	-2.13	2.09	-0.42	-2.27	-1.22	-0.42	-3.8	-6.39	-8.06	-12.08	-13.43	-11.9	-6.34	-6.8	-10.67	-14.8	-11.86	-8.48	-7.03	-4.75	-9.26	-17.14
θ (120°)	-12.2	-5.25	-7.22	-3.49	-8.42	-4.1	-7.28	-7.35	-5.22	-3.88	-1.03	-2.57	-7.29	-13.57	-29.94	-17.33	-8.15	-10.53	-5.09	-10.29	-16.67	-8.42	-6.29	-7.05	-12.2
θ (135°)	-18.08	-3.79	-0.01	-0.32	0.85	-1.29	-0.99	1.08	1.41	-0.43	-5.01	-2.99	-18.9	-4.24	-12.99	-7.13	-5.71	-3.14	-3.66	-5.46	-7.39	-16.74	-8.35	-9.79	-18.08
θ (150°)	-10.53	-7.04	-0.5	0.64	-3.21	-5.99	-6.9	-7.28	-5.43	-1.63	0.15	-8.94	-3.55	-9.33	-2.27	-3.63	-4.77	-4.77	-1.43	-1.7	-2.21	-5.83	-13.19	-15.8	-10.53
θ (165°)	-11.66	-17.54	-6.51	-0.54	1.95	[2.96]	2.74	1.59	-0.68	-4.01	-5.76	-6.5	-9.99	-16.21	-9.98	-12.1	-11.69	-7.07	-2.21	-2.49	-6.91	-11.17	-9.31	-11.39	-11.66
θ (180°)	-21.02	-11.72	-4.71	-1.24	0.61	1.77	2.1	2.04	1.07	-1.11	-2.64	-5.5	-14.28	-9.44	-2.51	0.57	0.73	1.01	2.22	1.97	1.61	0.01	-3.13	-8.15	-21.02

Ant.	No.1																								
Freq (MHz)	5785																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	0.37	-0.06	-1.07	-3.03	-6.64	-10.98	-13.61	-8.21	-4.31	-2.21	-1.29	-0.66	0.2	0.12	-0.79	-2.4	-4.51	-9.02	-15.23	-10.32	-5.14	-2.16	-0.56	0.1	0.37
θ (15°)	-0.08	-0.87	-3.16	-3.63	-4.51	-6.56	-9.17	-9.95	-7.54	-6.33	-6.18	-4.58	-2.12	-1.31	-1.7	-2.92	-6.2	-11.69	-41.67	-12.84	-6.09	-3.7	-2.42	-1.28	-0.08
θ (30°)	-2.44	-5.47	-11.63	-10.33	-5.2	-3.91	-6.52	-11.75	-8.79	-4.88	-4.18	-9	-3.81	-1.5	-5.64	-9.59	-4.33	-2.22	-4.78	-8.3	-10.66	-29.56	-7.41	-2.98	-2.44
θ (45°)	-6.71	-8.44	-15.88	-12.03	-9.47	-13.48	-6.47	-15.22	-12.77	-11.4	-7.87	-5.94	-6.51	-8.9	-15.07	-8.16	-8.72	-8.56	-8.56	-12.73	-5.68	-10.43	-9.19	-22.43	-6.71
θ (60°)	-8.98	-5.62	-11.48	-6.84	-1.65	-10.18	-10.13	-11	-6.53	-6.88	-14.87	-9.29	-6.99	-6.74	-8.69	-21.85	-17.8	-10.1	-8.64	-8.13	-15.06	-3.68	-4.71	-4.83	-8.98
θ (75°)	-5.54	-3	-2.21	-4.56	-4.31	-8.21	-7.56	-7.69	-4.81	0.17	-7.74	-8.31	-6.49	-15.36	-10.63	-24.23	-31.22	-8.59	-8.26	-7.6	-20.23	-8.02	-7.32	-2.58	-5.54
θ (90°)	-12.77	-8.72	-16.15	-19.57	-15.74	-9.84	-8.03	-9.49	-6.99	-1.87	-4.58	-0.51	-1.03	-10.9	-16.55	-9.07	-14.66	-3.21	-9.57	-11.45	-14.67	-12.15	-5.8	-4.64	-12.77
θ (105°)	-11.77	-10.49	-9.66	-7.89	-8.96	-5.9	-11.04	-11.15	-3.93	-2.85	-5.26	-3.96	-0.7	-12.27	-18.65	-15.05	-11.45	-19.13	-13.1	-16.14	-11.7	-11.17	-9.88	-8.46	-11.77
θ (120°)	-3.34	-7.16	-5.94	-5.31	-5.77	-15.46	-12.94	-9.57	-12.02	-0.79	-0.46	-1.37	2.64	-2.22	-6.79	-7.44	-6.31	-10.59	-4.65	-6.27	-11.43	-9.95	-6.56	-14.75	-3.34
θ (135°)	-9.57	-3.96	-1.22	-0.54	-6.23	-18	-24.29	-8.5	-3.62	-0.31	1.12	3.21	1.6	0.92	-3.48	-4.75	-4.03	-4.44	-12.64	-13.74	-12.73	-11.18	-9.03	-4.9	-9.57
θ (150°)	-3.71	0.76	2.8	0.08	-4.25	-12.7	-25.6	-14.74	-9.25	-4.29	0.69	3.32	-0.7	-0.03	-3.93	2.12	-3.64	-6.96	-6.35	-12.8	-23.36	-13.56	-14.94	-2.97	-3.71
θ (165°)	1.4	0.4	-0.94	-2.07	-3.96	-6.86	-8.07	-5.77	-3.32	-2.27	-2.49	-2.01	-1.33	-1.53	-2.37	-4.51	-11.9	-18.59	-11.57	-10.61	-8.4	-5.81	-1.7	0.58	1.4
θ (180°)	3.24	2.97	2.16	0.55	-2.25	-7.24	-15.9	-7.47	-2.73	0.07	2.2	3.65	[4.33]	4.15	3.33	1.63	-2.1	-8.48	-17.04	-7.32	-2.36	0.56	2.22	2.97	3.24
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-13.47	-8.39	-4.1	-1.84	-1.02	-0.3	-0.21	-0.69	-1.8	-4.09	-7.99	-14.88	-14.18	-7.73	-4.25	-2.05	-0.46	0.62	0.41	-0.42	-1.33	-2.73	-6.1	-11.81	-13.47
θ (15°)	-10.64	-7.04	-4.47	-4.43	-3.41	-1.87	-1.56	-2.43	-5.66	-12.86	-15.56	-14.89	-26.03	-7.5	-3.08	-2.22	-1.94	-1.27	-0.45	-1.06	-2.07	-4.39	-6.22	-7.05	-10.64
θ (30°)	-12.57	-28.43	-13.56	-12.09	-10.44	-4.58	-3.52	-3.78	-3.97	-8.97	-23.34	-12.26	-14.27	-6.02	-4.04	-7.96	-15.04	-11.65	-6.34	-6.11	-3.58	-0.16	-1.84	-6.47	-12.57
θ (45°)	-5.74	-12.66	-10.77	-10.65	-3.7	-2.58	-1.8	-1.81	-3.18	-4.36	-13.93	-11.03	-26.36	-7.14	-5.97	-5.47	-1.01	-1.84	-1.8	-2.85	-15.22	-6.22	-1.27	0.89	-5.74
θ (60°)	-4.79	-15.68	-13.67	-10.28	-3.36	-0.43	0.7	0.96	-2.06	-2.12	-3.75	-7.07	-15.63	-10.16	-4.95	-3.74	-3.24	-14.64	-11.39	-4.24	-1.69	-3.97	-4.26	-3.6	-4.79
θ (75°)	-13.09	-17.81	-7.78	-10.61	-2.16	-1.58	-2.22	-2.26	-4.23	-2.69	-3.46	-5.18	-13.39	-9.46	-4.26	-6.19	-7.18	-11.2	-10.6	-7.85	-5.17	-0.8	-0.58	-0.35	-13.09
θ (90°)	-7.02	-7.61	-15.38	-5.88	-3.52	1.23	0.56	0.32	-0.88	0.96	0.79	-3.75	-10.31	-15.22	-5.49	-3.67	-6.92	-7.05	-6.54	-4.32	-12.6	-5.63	-2.14	-4.65	-7.02
θ (105°)	-6.86	-9.65	-8.08	-1.29	1.22	-2.38	-3.84	-4.59	-5.29	-4.62	-10.55	-11.49	-25.68	-10.83	-13.7	-8.37	-5.58	-4.83	-11.51	-13.31	-6.57	-4.69	-7.89	-9.17	-6.86
θ (120°)	-9.69	-6.26	-13	-11.29	-7.19	-7.3	-4.48	0.48	0.08	-5.77	-6.25	-5	-7.56	-13.54	-11.19	-9.88	-6.73	-6.71	-5.76	-12.17	-12.84	-13.76	-10.82	-10.71	-9.69
θ (135°)	-21.18	-7.53	-3.19	-3.3	0.01	-1.15	-0.48	-0.21	1.26	0.63	-3.76	-8.16	-13.79	-7.39	-12.35	-9.43	-10.45	-1.2	-0.16	-4.31	-6.83	-10.66	-11.2	-14.19	-21.18
θ (150°)	-11.04	-5.78	-0.57	-3.18	-9.38	-6.93	-9.94	-11.98	-11.98	-6.04	0.11	-5.46	-7.08	-17.22	-2.53	-1.23	-1.14	-4.03	-1.89	-1.54	-3.41	-10.22	-10.9	-10.97	-11.04
θ (165°)	-13.52	-12.72	-5.14	-0.4	1.94	2.43	1.57	-0.74	-4.82	-7.51	-6.76	-8.9	-8.13	-11.47	-17.17	-10.48	-8.19	-5.24	-1.64	-1.61	-4.11	-5.74	-7.67	-12.04	-13.52
θ (180°)	-19.82	-11.08	-4.94	-1.41	0.91	2.21	[2.64]	2.21	1.06	-1.82	-5.24	-8.92	-16.82	-7.8	-2.94	-0.2	0.12	1.03	1.41	1.68	1.66	-0.32	-3.51	-8.78	-19.82

Ant.	No.2																								
Freq. (MHz)	2450																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-4.87	-5.36	-6.42	-7.98	-9.98	-11.52	-11.37	-10.2	-8.8	-7.45	-6.45	-5.89	-5.76	-6.09	-6.98	-8.61	-10.97	-13.12	-13.44	-11.72	-9.33	-7	-5.45	-4.64	-4.87
θ (15°)	-0.89	-0.14	-0.28	-1.01	-1.96	-2.83	-3.82	-5.29	-7.79	-11.44	-15.29	-17.77	-19.88	-22.61	-23.33	-18.95	-15.17	-12.26	-11.29	-12.32	-14.91	-11.29	-6.63	-3.53	-0.89
θ (30°)	0.76	2.28	2.54	1.61	0.27	-0.86	-2.05	-4.29	-9.32	-18.22	-10.17	-7.8	-9.65	-14.98	-22.58	-22.74	-16.1	-11.3	-7.25	-4.72	-4.3	-6.48	-12.71	-5.33	0.76
θ (45°)	0.43	2.55	1.81	0.11	-0.97	-1.32	-2.29	-5.31	-14.07	-8.09	-2.66	-3.19	-10.95	-15.41	-10.46	-11.59	-14.86	-19.69	-9.88	-5.23	-3.5	-3.96	-10.21	-13.89	0.43
θ (60°)	-1.85	1.19	0.72	-0.83	-1.63	-2.17	-2.94	-4.82	-9.62	-10.6	-3.6	-3.53	-11.17	-5.08	-2.87	-5.5	-12.68	-17.75	-13.47	-13.32	-6.98	-0.99	0.02	-6.77	-1.85
θ (75°)	-3.38	-1.85	-1.59	-0.2	-0.18	-1.05	-1.79	-2.54	-3.43	-4.73	-4.88	-6.76	-10.14	-6.23	-7.69	-11.83	-10.91	-9.47	-10.32	-10.25	-3.73	1.91	3.91	2.12	-3.38
θ (90°)	1.56	-2.49	-11.01	-6.04	-2.77	-1.63	-0.62	-0.2	-1.12	-3.67	-5.74	-9.3	-13.29	-3.44	-2.1	-2.39	-4.02	-8.44	-12.31	-9.85	-5.15	-0.59	3.68	[5.16]	1.56
θ (105°)	3.34	0.41	-3.4	-5.02	-3.13	-1.76	-0.79	-1.09	-2.48	-3.15	-6.45	-13.46	-4.33	-4.4	-3.8	-1.16	-2.4	-7.41	-17.95	-13.09	-3.3	0.99	3.5	4.61	3.34
θ (120°)	1.37	-0.58	-3.63	-4.42	-3.56	-3.66	-3.88	-3.19	-1.44	-0.7	-3.74	-12.43	-7.87	-10.02	-7.09	-2.96	-2.96	-4.44	-5.79	-8.82	-16	-5.08	0.06	2.16	1.37
θ (135°)	-3.52	-5.51	-9.21	-13.28	-11.13	-6.81	-3.51	-1.43	-0.72	-1.89	-5.91	-9.59	-6.71	-6.86	-8.96	-10.56	-10.14	-9.3	-9.77	-7.94	-5.11	-4.71	-4.43	-3.49	-3.52
θ (150°)	-3.25	-2.41	-2.89	-4.43	-5.53	-5.2	-4.35	-3.79	-4.07	-6.12	-12.09	-16.78	-8.49	-6.33	-8.16	-15.39	-16.13	-13.02	-17.29	-9.08	-3.78	-2.44	-3.92	-5.57	-3.25
θ (165°)	-9.62	-9.08	-8.33	-7.9	-7.47	-7.01	-6.82	-6.78	-7.2	-8.23	-9.92	-11.58	-11.98	-12.25	-13.34	-12.69	-9.97	-8.12	-7.33	-6.49	-5.43	-4.9	-5.92	-7.54	-9.62
θ (180°)	-13.33	-11.9	-10.93	-10.5	-10.77	-11.65	-13.59	-17.56	-28.34	-24.54	-16.79	-13.63	-12.03	-11.23	-10.77	-10.59	-11.03	-11.95	-13.16	-15.09	-19.92	-31.11	-24.04	-17.51	-13.33
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-10.29	-8.7	-7.15	-6.03	-5.22	-4.78	-4.72	-5.15	-6.19	-7.99	-10.27	-11.77	-11.25	-9.77	-8.36	-7.15	-6.17	-5.35	-4.86	-5	-5.99	-7.95	-10.49	-11.96	-10.29
θ (15°)	-13.21	-6.11	-2.93	-1.6	-1.54	-2.35	-3.53	-4.71	-5.74	-6.85	-8.18	-9.43	-10.67	-12.11	-13.97	-15.72	-16.62	-15.59	-12.32	-9.41	-7.68	-7.49	-9.89	-15.2	-13.21
θ (30°)	-19.23	-8.25	-3.78	-2.48	-3.07	-4.97	-7.22	-7.12	-5.79	-5.94	-8.21	-11.83	-14.44	-15.02	-11.53	-10.22	-12.62	-17.39	-20.05	-18.32	-9.62	-5.91	-5.77	-10.39	-19.23
θ (45°)	-12.12	-6.22	-4.5	-5.82	-9.94	-17.73	-13.1	-7.46	-4.94	-5.27	-11.07	-19.69	-14.86	-13.63	-6.13	-7.1	-15.67	-8.19	-5.12	-7.34	-18.22	-11.52	-7.99	-9.85	-12.12
θ (60°)	-5.56	-8.43	-9.77	-8.59	-9.47	-10.63	-10.1	-9.54	-8.67	-8.23	-15.63	-11.27	-6.62	-11.67	-7.06	-5.05	-8.31	-7.4	-3.53	-2.06	-3.15	-6.94	-8.59	-5.61	-5.56
θ (75°)	-2.49	-8.58	-10.74	-7.38	-9.92	-9.47	-7.58	-9.29	-13.89	-11.8	-14.41	-5.66	-5.31	-22.74	-7.75	-10.33	-11	-7.31	-5.32	-3.25	-1.77	-1.75	-4.14	-5.23	-2.49
θ (90°)	[-1.39]	-3.65	-18.28	-11.43	-13.46	-8.74	-5.84	-7.47	-14.25	-11.17	-14.44	-3.84	-1.9	-14.55	-4.91	-3.99	-14.31	-13.3	-8.65	-6.47	-4.02	-1.57	-1.71	-6.54	-1.39
θ (105°)	-4.88	-4.98	-14.05	-15.92	-10.52	-7.99	-7.71	-9.83	-11.34	-15.53	-13.86	-4.52	-5.09	-15.72	-7.53	-9.97	-18.86	-6.85	-5.33	-6.26	-5.96	-4.2	-4.37	-9.78	-4.88
θ (120°)	-17.86	-12	-12.21	-10	-10.06	-12.73	-17.58	-27.06	-28.73	-21.9	-17.97	-19.12	-17.9	-16.61	-10.47	-7.42	-11.77	-14.18	-7.61	-7.35	-10.36	-8.18	-5.19	-8.54	-17.86
θ (135°)	-36.47	-15.02	-13.85	-16.25	-21.07	-24.83	-25.46	-24.31	-22.68	-20.26	-13.06	-10.38	-15.66	-11.72	-3.31	-1.87	-6.21	-23.12	-5.46	-2.98	-5.66	-17.4	-11.9	-10.89	-36.47
θ (150°)	-9.26	-8.94	-7.62	-7.8	-9.91	-13.39	-16.31	-16.49	-14.19	-10.13	-6.9	-5.83	-7.11	-9.05	-6.44	-4.78	-7.13	-19.83	-9.51	-4.72	-5.25	-11.29	-19.47	-10.07	-9.26
θ (165°)	-11.47	-10.9	-10.21	-9.69	-9.56	-9.69	-9.73	-9.25	-8.28	-7.06	-6.15	-6.29	-8.09	-12.34	-20.09	-19.65	-13.71	-9.77	-7.35	-6.37	-7.02	-9.44	-12.32	-12.6	-11.47
θ (180°)	-12.48	-14.61	-19.03	-25.37	-23.47	-17.25	-13.55	-11.58	-10.48	-9.95	-9.87	-10.63	-12.29	-15.31	-20.19	-28.45	-25.15	-19.18	-15.46	-13.2	-12.02	-11.51	-11.2	-11.3	-12.48

Ant.	No.2																								
Freq. (MHz)	5200																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-23.85	-26.71	-22.69	-18.5	-14.93	-11.99	-11.38	-10.78	-10.99	-12.77	-15.07	-19.1	-20.83	-18.37	-15.23	-13.61	-12.97	-12.34	-12.33	-13.02	-12.23	-12.58	-14.13	-16.26	-23.85
θ (15°)	-17.28	-9.81	-7.75	-7.17	-7.22	-7.35	-7.76	-7.59	-6.26	-5.2	-5.74	-8.77	-13	-10.97	-8.83	-7.25	-4.95	-2.66	-1.03	-0.55	-1.17	-3.12	-7.35	-14.11	-17.28
θ (30°)	-6.02	-5.94	-9.73	-20.05	-8.05	-7.05	-10.21	-17.43	-13.21	-12.26	-16.19	-12.43	-9.34	-8.67	-7.9	-5.31	-3.53	-2.17	-1.43	-1.57	0.18	1.24	-0.23	-2.6	-6.02
θ (45°)	-4.74	-8.39	-5.75	-1.93	-2.7	-10.05	-14.47	-12.68	-15.51	-5.12	-3.69	-2.84	-6.13	-4.84	-4.08	-2.86	-5.2	-2.93	-0.22	-0.2	-3.17	-0.62	-1.21	-1.15	-4.74
θ (60°)	-6.89	-5.52	-13.25	-3.9	-3.7	-5.31	-9.82	-7.32	-6.26	-2.99	-0.15	-1.83	-5.44	-0.14	-1.26	0.55	1.96	1.98	-0.38	-1.7	-2.05	-5.58	-6.5	-1.96	-6.89
θ (75°)	-2.72	-5.1	-16.23	-10.92	-0.43	-3.74	-4.67	-5.85	-2.29	-2.17	-0.36	-2.05	-2.54	0.99	-0.46	4.77	5.31	3.91	0.29	-4.19	-8.63	-12.54	-0.34	0.61	-2.72
θ (90°)	-2.31	-2.96	-16.73	-6.72	-3.82	-6.81	3.7	0.59	-11.99	-5.99	-0.65	-6.57	-2.42	0.75	-1.61	5.47	[5.61]	5.07	2.25	-0.94	-10.82	-6.93	1.37	0.88	-2.31
θ (105°)	-3.14	-4.83	-20.3	-8	-1.34	-0.53	4.39	-3.49	-5.3	-8.98	-2.83	-8.89	-2.88	-0.04	-1.46	0.75	3.52	4.06	1.34	0.3	-8.65	-6.4	1.67	-0.86	-3.14
θ (120°)	-5.37	-11.69	-20.84	-11.6	-3.89	-8.5	-15.83	-16.52	-3.56	-3.66	-3.61	-4.78	-3.35	-1.06	-0.28	0.06	-0.53	2.11	2.07	-0.17	-8.18	-17.94	-1.97	-4.39	-5.37
θ (135°)	-3.52	-12.29	-12.69	-10.02	-7.38	-2.58	-0.78	-11.44	-5.56	-4.18	-4.87	-3.7	-5.15	-1.08	-2.12	-0.53	-0.63	-1.98	-3.62	-6.85	-7.74	-11.75	-14.59	-12.64	-3.52
θ (150°)	-5.87	-4.3	-8.47	-15.9	-4.96	-4.37	-4.34	-2.42	-2.86	-8.97	-7.42	-4.84	-7.72	-3.1	-2.7	-8.06	-13.22	-13.57	-10.96	-9.47	-12.41	-17.09	-12.81	-17.64	-5.87
θ (165°)	-20.19	-12.58	-6.54	-7.81	-16	-11.42	-10.29	-16.84	-12.85	-8.01	-8.49	-12.48	-16.47	-13.62	-9.41	-6.72	-5.55	-4.66	-4.27	-4.26	-5.18	-9.6	-22.36	-13.13	-20.19
θ (180°)	-12.91	-9.65	-7.35	-6.02	-5.34	-3.88	-3.43	-3.73	-5.11	-8.1	-12.68	-20.34	-15.8	-10.78	-7.79	-5.67	-4.52	-4	-4.7	-5.59	-7.25	-10.32	-15.55	-27.75	-12.91
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
φ (0°)	-11.17	-10.86	-10.87	-10.91	-13.07	-13.65	-16.39	-20.03	-17.26	-13.44	-12.11	-11.47	-11.5	-12.3	-13.4	-14.47	-15.57	-18.16	-21.19	-18.16	-19.17	-17.09	-14.2	-12.48	-11.17
φ (15°)	-8.14	-4.65	-4.24	-5.57	-8.41	-11.22	-12.02	-12.05	-13.69	-11.58	-6.06	-3.45	-2.9	-4.51	-7.15	-7.94	-7.08	-7.15	-9.06	-13.98	-21.82	-23.06	-25.51	-17.34	-8.14
φ (30°)	-12.89	-13.06	-13.23	-14.35	-13.69	-9.7	-7.19	-6.43	-6.56	-8.3	-7.11	-3.7	-2.39	-4.7	-24.66	-6.84	-3.38	-4.74	-7.64	-9.01	-16.55	-11.27	-12.81	-16.84	-12.89
φ (45°)	-8.5	-14.07	-8.93	-5.16	-5.46	-9.92	-10.53	-9.43	-8.52	-5.68	-6.84	-10.18	-8.79	-12.34	-21.85	-13.45	-11.1	-12.94	-23.35	-13.52	-9.77	-13.95	-10.2	-26.43	-8.5
φ (60°)	-5.3	-10.37	-17.34	-6.02	-7.12	-9.67	-11.63	-9.73	-5.62	-9.52	-7.22	-12.66	-16.92	-24.3	-19.33	-13.24	-18.36	-18.77	-15.33	-15.02	-13.27	-12.06	-12.2	-15.34	-5.3
φ (75°)	-19.4	-17.62	-10.62	-10.55	-19.17	-16.84	-13.49	-16.11	-7.65	-8.28	-9.53	-15.49	-30.37	-7.24	-12.93	-7.95	-8.28	-15.43	-17.78	-15.81	-14.2	-9.29	-6.62	-9.57	-19.4
φ (90°)	-8.26	-18.85	-8.45	-14.01	-10.01	-12.18	-15.16	-11.98	-8.16	-9.31	-6.63	-7.78	-16.78	-4.2	-15.1	-12.56	-23.66	-17.1	-16.74	-17.06	-19.9	-27.05	-13.22	-7.04	-8.26
φ (105°)	-8.67	-14.11	-15.15	-12.43	-6.76	-5.78	-7.06	-6.04	-9.83	-18.48	-22.75	-11.91	-8.11	-4.48	-9.99	-3.18	-10.83	-14.19	-13.86	-16.76	-17.18	-7.44	-16.68	-5.51	-8.67
φ (120°)	-7.39	-12.97	-9.75	-10.11	-5.19	-20.29	-9.24	-2.31	-2.73	-7.63	-6.91	-13.82	-4.96	-7.1	-14.94	-8.18	-6.91	-10.03	-10.09	-8.34	-11.22	-13.4	-17.14	[-0.87]	-7.39
φ (135°)	-10.72	-2.07	-5.85	-13.44	-11.69	-4.04	-6.17	-13.87	-15.62	-9.74	-11.08	-22.8	-7.85	-5.66	-4.67	-4.56	-6.49	-13.29	-7.45	-6.29	-8.55	-17.57	-10.94	-4.58	-10.72
φ (150°)	-6.31	-7.04	-8.95	-14	-18.32	-18.65	-17.02	-15.63	-13.9	-11.09	-17.18	-5.94	-14.66	-11.34	-7.39	-9.57	-13.82	-8.29	-5.36	-7.93	-14.52	-21.32	-11.2	-4.54	-6.31
φ (165°)	-6.36	-6.7	-11.03	-16.79	-9.91	-10.32	-15.52	-18.11	-14.55	-12.69	-14.33	-14.62	-7.48	-5.78	-7.56	-11.13	-14.24	-16.46	-12.61	-8.24	-4.08	-2.01	-2.63	-4.96	-6.36
φ (180°)	-4.24	-6.27	-9.91	-14.27	-19.51	-32.09	-17.02	-10.01	-6.7	-4.9	-3.87	-4.01	-4.53	-4.78	-5.48	-7.82	-13.59	-37.32	-15.55	-10.38	-6.82	-4.96	-3.66	-3.24	-4.24

Ant.	No.2																								
Freq. (MHz)	5300																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-16.66	-15.66	-15.34	-14.93	-14.98	-15.68	-15.83	-18.48	-18.55	-20.47	-19.38	-17.11	-14.91	-13.93	-14.26	-15.23	-15.84	-16.68	-19.27	-22.22	-23.46	-20.5	-17.63	-16.58	-16.66
θ (15°)	-17.12	-31.61	-14.79	-9	-7.49	-7.69	-8.21	-6.93	-6.37	-7.05	-10.28	-16.44	-26.41	-15.26	-13.01	-12.11	-8.96	-6.14	-4.67	-3.56	-2.99	-4.38	-7.61	-11.17	-17.12
θ (30°)	-10.14	-9.91	-11.66	-22.17	-20.06	-13.94	-13.84	-16.59	-16.97	-17.97	-10.19	-9.04	-9.16	-9.71	-8	-5.34	-4.09	-2.91	-2.27	-3.51	-2.7	0.25	-2.08	-5.46	-10.14
θ (45°)	-2.06	-10.97	-11.15	-4.51	-2.9	-6.26	-12.57	-15.25	-10.2	-3.84	-1.7	-2.71	-3.98	-2.06	-5.43	-10.9	-14.58	-4.59	-1.29	-0.04	-3	0.26	0.93	-0.38	-2.06
θ (60°)	-7.8	-3.38	-15.48	-3.66	-3.06	-5.04	-8.76	-7.59	-5.42	-0.84	0.43	-1.7	-2.13	1.29	-3.14	0.21	1.92	2.07	-0.54	-2.17	-0.9	-3.14	-2.09	-3.81	-7.8
θ (75°)	-6.27	-4.29	-21.4	-11.06	-0.04	-3.01	-4.33	-3.54	-1.19	0.75	0.48	-1.44	2.03	1.72	-0.67	3.3	4.41	4.61	2.27	-1.75	-4.19	-5.27	-0.67	-0.7	-6.27
θ (90°)	-4.86	-2.64	-11.18	-5.55	-3.66	-6.51	3.55	-0.44	-9.94	-2.47	-0.45	-2.27	-1.17	1.09	-1.02	5.05	5.1	[5.36]	2.69	-0.83	-9.31	-3.33	2.2	2.52	-4.86
θ (105°)	-5.98	-7.22	-17.58	-8.51	-1.05	-2.77	3.66	-4.68	-7.88	-17.11	-4.03	-6.35	-2.95	-0.16	-1.84	0.85	3.22	3.47	-1.01	-6.45	-15.59	-9.81	1.88	0.55	-5.98
θ (120°)	-7.04	-9.92	-26.4	-15.11	-4.44	-12.09	-11.74	-16.27	-4.18	-7.26	-3.69	-8.16	-2.56	-0.8	0.26	0.04	0.55	2.14	0.16	-3.73	-14.31	-10.54	-2	-1.95	-7.04
θ (135°)	-6.15	-8.43	-9.03	-9.6	-7.37	-3.27	-0.9	-11.07	-6.52	-6.5	-5.7	-8.34	-4.31	-1.78	-2.96	-0.11	0.37	-0.09	-1.85	-4.91	-8.24	-8.26	-10.05	-12.67	-6.15
θ (150°)	-8.15	-3.43	-6.79	-14.51	-4.84	-4.53	-3.85	-2.21	-3.81	-11.18	-7.02	-6.81	-6.93	-1.52	-2.74	-8.39	-8.98	-9.67	-12.84	-12.16	-10.92	-12.09	-11.86	-11.03	-8.15
θ (165°)	-19.77	-11.07	-6.12	-7.48	-17.06	-16.08	-12.98	-23.13	-10.97	-6.88	-7.38	-12.86	-16.32	-11.37	-7.5	-5.64	-5.54	-6.38	-6.83	-5.89	-5.4	-7.32	-12.7	-12.86	-19.77
θ (180°)	-21.29	-14.14	-10.32	-8.02	-5.76	-4.18	-3.26	-2.85	-3.86	-6.2	-10.17	-17	-38.5	-14.84	-9.94	-7.1	-5.44	-4.51	-4.51	-5.5	-6.45	-8.01	-10.57	-16.77	-21.29
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-24.99	-26.87	-32.98	-27.74	-23.14	-19.35	-17.44	-16.17	-15.76	-15.3	-14.99	-16.16	-17.68	-20.08	-22.36	-20.36	-16.16	-15.71	-14.92	-14.34	-13.37	-14.86	-17.66	-19.77	-24.99
θ (15°)	-12.14	-9.02	-7.74	-8.88	-10.04	-9.87	-11.61	-16.88	-19.48	-9.93	-6.51	-4.43	-3.45	-4.32	-7.33	-10.31	-10.11	-10.71	-11.93	-16.38	-34.65	-22.65	-23.78	-20.23	-12.14
θ (30°)	-16.17	-20.33	-15.95	-17.93	-21.17	-12.49	-9.75	-8.88	-7.33	-4.6	-2.59	-2.67	-2.84	-6.92	-14.5	-5.64	-5.46	-8.47	-17.02	-13.18	-16.76	-14.3	-12.13	-25.33	-16.17
θ (45°)	-11.82	-13.67	-9.53	-9.4	-11.03	-13.84	-14.88	-9.41	-8.56	-4.28	-5.26	-9.47	-7.04	-22.25	-22.26	-20.85	-14.71	-17.62	-26.1	-13.39	-11.85	-21.03	-11.24	-17.61	-11.82
θ (60°)	-9.5	-20.74	-14.54	-7.25	-13.08	-9.46	-7.38	-6.56	-4.76	-8.05	-6.64	-19.06	-13.26	-29.26	-19.75	-12.8	-25.23	-20.99	-18.5	-17.84	-12.1	-8.76	-16.93	-11.12	-9.5
θ (75°)	-15.5	-23.25	-16.77	-12.14	-15.94	-9.83	-10.03	-15.08	-8.54	-5.15	-6.9	-9.17	-19.04	-5.76	-9.87	-7.95	-14.73	-21.01	-18.9	-17.73	-12.21	-14.27	-8.95	-18.79	-15.5
θ (90°)	-4.26	-14.38	-11.41	-17.43	-9.27	-10.81	-13.91	-10.37	-5.54	-7.91	-5.41	-7.56	-20.78	-4.29	-16.1	-25.5	-15.02	-20.73	-15.03	-19.83	-13.41	-21.15	-13.57	-9.32	-4.26
θ (105°)	-4.12	-11.83	-21.51	-10.45	-8.44	-12.59	-7.31	-7.39	-14.98	-14.86	-19.12	-18.6	-6.48	-5.62	-7.27	-4	-17.13	-13.08	-10.68	-13.77	-14.98	-7.56	-12	-8.64	-4.12
θ (120°)	-5.2	-11.41	-13.38	-9.7	-7.88	-11.36	-6.2	[-2.26]	-3.54	-7.56	-9.41	-17.05	-2.65	-8.81	-8.58	-3.84	-5.9	-12.81	-11.72	-13.1	-12.94	-10.18	-11.55	-6.32	-5.2
θ (135°)	-12.45	-3.64	-5.43	-19.79	-7.9	-3.36	-8.57	-17.76	-12.99	-11.69	-21.68	-16.63	-8.89	-9.52	-8.52	-5.88	-8.04	-13.4	-7.05	-6.64	-9.57	-16.69	-20.92	-6.58	-12.45
θ (150°)	-9.87	-8.15	-8.69	-16.35	-12.66	-11.54	-10.3	-11.45	-21.95	-13.88	-9.19	-5.05	-16.27	-13.74	-10.09	-23.39	-24.6	-8.84	-4.6	-5.27	-12.43	-23.4	-9.59	-6.62	-9.87
θ (165°)	-7.86	-5.25	-7.01	-12.99	-12.74	-12.9	-18.35	-17.93	-13.91	-12.21	-16.37	-17.17	-7.66	-5.9	-7.67	-10.41	-11.65	-12.6	-17.2	-19.57	-8.98	-4.26	-3.51	-6.3	-7.86
θ (180°)	-3.75	-5.01	-7	-8.91	-10.92	-16.42	-21.4	-17.41	-9.23	-5.95	-4.43	-3.42	-2.85	-3.24	-4.4	-6.52	-10.2	-16.91	-23.92	-13.34	-9.45	-6.74	-4.85	-3.48	-3.75

Ant.	No.2																								
Freq. (MHz)	5600																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-10.29	-11.32	-12.42	-11.07	-9.35	-7.67	-6.63	-6.38	-5.99	-7.12	-8.3	-9.6	-11.44	-12.48	-12.73	-11.7	-10.42	-8.9	-8.29	-7.52	-7.38	-7.82	-8.16	-9.07	-10.29
θ (15°)	-7.45	-8.22	-8.82	-10.26	-12.91	-14.16	-11.94	-8.31	-6.33	-5.71	-7.9	-13.62	-21.69	-17.04	-16.65	-12.58	-8.37	-5.65	-3.4	-1.69	-0.38	-0.58	-2.2	-4.31	-7.45
θ (30°)	-6.62	-7.14	-7.5	-9.07	-14.62	-13.68	-12.35	-17.89	-16.95	-8.04	-7.23	-5.29	-7.1	-9.94	-11.63	-20.17	-13.13	-5.18	-2.05	-1.65	-3.05	-2.91	-0.52	-1.82	-6.62
θ (45°)	-8.36	-11.59	-17.29	-4.84	-1.93	-4.78	-8.31	-8.63	-10.2	-5.61	-3.64	-5.63	-4.32	-6.88	-9.72	-7.49	-0.7	0.91	1.78	1.22	-0.75	-3.5	-3.36	-4.42	-8.36
θ (60°)	-3.89	-6.81	-7.21	-9.29	-0.7	-1.14	-7.09	-6.75	-3.17	-8.29	-2.9	-3.88	-1.81	-3.13	-3.37	-2.86	1.16	0.82	-0.46	-2.7	-6.15	-4.17	-1.36	-4.23	-3.89
θ (75°)	-6.21	-6.77	-7.5	-4.91	-2.15	-4.05	-4.62	-4.52	-1.26	-3.33	-2.54	-2.17	1.15	-3.06	0.48	3.5	4.93	4.35	1.49	-3.18	-9.01	-5.42	0.26	1.15	-6.21
θ (90°)	-10.07	-4.96	-17.93	-1.92	-1.32	-10.53	3.45	-2.59	-5.64	-5.41	-1.6	-1.47	-0.68	-2.91	-3.28	2.93	5.08	[5.42]	0.71	-4.06	-10.96	-5.86	0.68	2.03	-10.07
θ (105°)	-11.54	-10.41	-11.54	-2.64	-1.06	-2.3	2.53	-7.96	-9.75	-11	-2.9	-4.2	-2.93	-2.46	-2.53	3.66	5.02	3.17	-1.05	-4.59	-10.7	-3.91	1.22	0.99	-11.54
θ (120°)	-12.79	-16.98	-23.37	-22.54	-3.21	-12.87	-15.16	-10	-6.24	-5.8	-0.71	-8.38	-0.75	0.81	-0.45	0.74	2.03	1.26	0.43	-2.76	-16.39	-11.62	-3.08	-1.44	-12.79
θ (135°)	-10.23	-12.49	-11.6	-11.64	-8.91	-10.45	-6.45	-12.57	-4.19	-4.36	-0.12	-1.61	-0.28	-1.59	-3.1	-3.25	-1.46	-0.39	-1.34	-2.25	-7.09	-11.79	-6.79	-6.22	-10.23
θ (150°)	-14.93	-9.18	-10.23	-27.09	-6.24	-2.26	-1.3	-0.55	-4.27	-21.22	-9.81	-8.86	-3.33	-1.65	-4.14	-4.66	-3.99	-4.63	-6.7	-9.64	-9.31	-9.38	-19.08	-13.88	-14.93
θ (165°)	-17.77	-17.55	-10.14	-6.9	-6.28	-7.16	-7.02	-8.04	-9.56	-11.64	-19.56	-17.51	-19.62	-17.16	-10.46	-6.19	-4.02	-2.9	-1.54	-0.83	-1.01	-2.3	-6.19	-12.05	-17.77
θ (180°)	-16.32	-14.64	-9.94	-6.51	-4.07	-2.43	-1.32	-0.83	-1.31	-2.59	-5.03	-8.57	-15.19	-18.12	-10.16	-6.1	-3.68	-2.23	-1.4	-1.52	-2.45	-3.58	-5.35	-9.08	-16.32
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-8.37	-8.23	-7.63	-7.67	-8.6	-9.89	-12.53	-14.02	-12.7	-11.59	-9.89	-7.99	-7.29	-7.44	-7.74	-7.99	-8.53	-10.06	-11.8	-13.87	-13.19	-11.22	-9.89	-9.44	-8.37
θ (15°)	-16.46	-15.75	-14.12	-13.55	-10.63	-10.3	-13.3	-20.62	-13.59	-7.19	-3.7	-2.93	-4.91	-8.75	-10.6	-11.18	-12.25	-13.94	-18.39	-33.38	-14.55	-10.3	-9.47	-10.81	-16.46
θ (30°)	-16.59	-12.57	-11.78	-7.5	-8.89	-13.01	-15.19	-8.71	-5.18	-5.95	-6.95	-4.12	-5.81	-19.56	-13.56	-15.52	-12.55	-13.03	-20.68	-16.8	-15.73	-12.52	-3.47	-4.81	-16.59
θ (45°)	-7.27	-10.97	-15.72	-22.31	-8.35	-11.93	-17.32	-22.42	-9.7	-8.39	-14.71	-11.33	-10.93	-24.85	-14.31	-8.3	-8.92	-10.9	-10.88	-8.19	-6.37	-12.55	-6.71	-8.17	-7.27
θ (60°)	-15.35	-15.17	-15.81	-6.03	-10.89	-19.17	-11.92	-9.06	-19.66	-5.16	-12.04	-13.45	-16.02	-12.99	-12.63	-14.81	-15.08	-15.21	-12.08	-17.78	-16.22	-11.64	-13.52	-20.59	-15.35
θ (75°)	-16	-12.64	-11.62	-14.01	-18.81	-10.49	-13.82	-17.25	-11.86	-10.07	-7.37	-16.81	-9.8	-9.82	-9.97	-9.68	-9.43	-23.67	-15.77	-12.8	-31.11	-30.73	-16.26	-17.5	-16
θ (90°)	-5	-6.54	-24.38	-12.72	-7.94	-4.7	-5.67	-7.33	-4.28	-5.39	-8.97	-11.49	-12.63	-27.48	-8.22	-17.86	-12.44	-17.81	-15.87	-20.34	-20.24	-22.93	-7.39	-12.19	-5
θ (105°)	-2.42	-3.54	-10.39	-10.81	-10.84	-18.38	-6.66	-5.95	-21.54	-13.29	-9.02	-18.11	-7.16	-15.82	-4.27	-12.53	-8.3	-10.5	-9.9	-13.3	-18.31	-11.8	-9.45	-10.52	-2.42
θ (120°)	-6.17	-5.42	-6.79	-7.96	-7.53	-8.01	-4.57	-5.32	-6.75	-18.18	-10.35	-14.92	[-0.17]	-23.2	-8.31	-3.03	-14.5	-20.02	-15.64	-15.02	-24.96	-8.48	-4.7	-7.41	-6.17
θ (135°)	-10.7	-10.8	-12.34	-12.44	-17.81	-4.73	-11.38	-17.85	-17.92	-6.87	-12.81	-10.35	-37.19	-21.06	-7.09	-9.15	-12.23	-11.49	-12	-12.84	-20.34	-16.87	-8.01	-9.97	-10.7
θ (150°)	-13.74	-9.9	-10.04	-15.09	-7.37	-5.29	-7.61	-11.97	-18.83	-9.16	-7.17	-1.2	-15.14	-13.93	-18.76	-5.09	-8.28	-12.63	-8.65	-6.22	-7.29	-15.36	-8.37	-5.24	-13.74
θ (165°)	-12.75	-14.65	-12.29	-14.28	-16.79	-15.35	-21.24	-18.23	-12.21	-9.44	-10.4	-17.08	-10.92	-10.97	-13.48	-19.22	-24.01	-17.26	-12.83	-8	-5.6	-4.94	-4.4	-5.68	-12.75
θ (180°)	-1.08	-1.95	-3.57	-4.81	-5.66	-7.48	-11.89	-16.59	-11.94	-6.83	-3.68	-2.62	-1.79	-1.4	-2.03	-3.62	-5.62	-8.91	-18.49	-15.74	-9.39	-7.1	-4.34	-1.75	-1.08

Ant.	No.2																									
Freq. (MHz)	5785																									
Polarity	Theta																									
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)	
θ (0°)	-12.34	-12.62	-12.82	-13.54	-15.25	-19.64	-21.33	-25.61	-17.79	-15.37	-14.62	-13.64	-12.14	-11.8	-12.54	-13.72	-15.45	-20.74	-20.6	-19.5	-16.21	-14.61	-12.63	-12.15	-12.34	
θ (15°)	-11.06	-16.23	-17.67	-22.96	-27.58	-17.31	-10.57	-7.69	-6.78	-6.92	-8.22	-10.66	-10.55	-7.88	-7.99	-9.84	-10.41	-8.48	-6.98	-7.16	-6.09	-4.32	-4.11	-5.62	-11.06	
θ (30°)	-6.65	-8.36	-10.85	-14.51	-20.35	-16.52	-13.68	-19.18	-22.04	-12.52	-5.91	-3.23	-5.78	-5.32	-8.76	-7.04	-4.59	-3.16	-1.05	0.68	-0.76	-4.06	-1.02	-1.16	-6.65	
θ (45°)	-7.76	-14.72	-17.52	-6.13	-2.85	-5	-3.73	-4.92	-9.73	-2.74	-1.49	-3.81	-2.06	-4.63	-9.28	-1.03	0.79	1.53	0.92	0.67	-0.67	-4.56	-1.74	-2.51	-7.76	
θ (60°)	-5.23	-8.84	-10.44	-9.46	-2.79	-3.96	-8.12	-6.29	-4.91	-3.72	-1.63	-2.36	1.25	-1.56	-3.45	-1.46	1.27	2.41	2.46	0.04	-3.08	-5.37	-1.35	-2.2	-5.23	
θ (75°)	-4.11	-8.83	-6.66	-3.21	-2.17	-9.4	-3.81	-2.53	-2.51	-5.7	-0.51	-1.51	0.38	-3.16	0.22	1.38	2.51	3.28	2.75	-4.2	-4.4	-4.13	0.73	0.19	-4.11	
θ (90°)	-3.45	-4.74	-16.16	0.17	-0.84	-24.55	3.46	-0.95	-6.05	-1.92	0.8	0.01	0.84	-0.54	-2.74	-5.81	3.65	4.15	2.48	-3.89	-8.65	-1.99	0.73	0.54	-3.45	
θ (105°)	-5.5	-15.7	-7.25	0.27	-0.39	-2.04	0.9	-10.12	-3.73	-6.36	-1.58	0.31	-1.85	-2.32	-5.83	0.31	[4.73]	3.6	0.02	-5.78	-6.89	-0.44	2.66	0.59	-5.5	
θ (120°)	-5.78	-12.97	-16.44	-25.69	-4.78	-13.08	-17.62	-10.73	-11.22	-3.17	-0.47	-3.44	-1.23	-0.64	-4.09	-0.69	1.93	1.17	-1.74	-4.11	-11.53	-5.09	-3.88	-1.35	-5.78	
θ (135°)	-12.99	-10.15	-29.04	-11.6	-9.19	-37.68	-10.48	-8.82	-4.64	-3.17	0.98	-0.22	0.39	-0.95	0.11	0.53	-0.31	-1.33	-2.82	-3.52	-5.26	-7.57	-5.64	-6.54	-12.99	
θ (150°)	-11.03	-10.31	-9.29	-15.74	-8.45	-5.61	-4.98	-3.8	-7.39	-14.06	-7.1	-8.91	-0.93	-0.91	-4.78	-3.81	-2.23	-3.31	-7.38	-14.11	-14.11	-10.73	-15.34	-12.4	-11.03	
θ (165°)	-11.97	-8.74	-7.52	-7.25	-8.2	-7.37	-7.35	-10	-17.78	-25.47	-17.1	-13.66	-13.07	-12.43	-8.29	-6	-5.01	-4.08	-2.35	-0.42	0.37	-1	-5.22	-10.96	-11.97	
θ (180°)	-7.36	-9.37	-10.76	-9.78	-7.22	-4.55	-2.95	-2.06	-1.78	-2.22	-3.13	-4.59	-6.5	-8.89	-11.13	-8.63	-5.54	-3.55	-2.54	-1.83	-1.76	-2.17	-2.62	-4.35	-7.36	
Polarity	Phi																									
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)	
θ (0°)	-19.44	-16.99	-17.79	-15.36	-13.36	-13.48	-12.51	-13.15	-14.86	-15.28	-17.4	-21.59	-27.97	-23.71	-19.03	-14.56	-11.43	-11.18	-12.37	-11.22	-11.71	-14.32	-18.19	-27.41	-19.44	
θ (15°)	-10.5	-13.06	-23.17	-13.5	-10.97	-10.92	-14.4	-16.86	-13.07	-8	-5.56	-6.95	-12.5	-18.82	-17.79	-22.92	-21.45	-15.83	-19.06	-35.62	-32.27	-15.17	-10.34	-9.57	-10.5	
θ (30°)	-11.86	-15.75	-17.19	-11.79	-9.09	-11.73	-19.31	-9.92	-6.15	-5.15	-5.22	-3.68	-10.05	-23.22	-26.24	-11.32	-8	-9.75	-12.97	-12.66	-8.11	-10.6	-9.05	-4.34	-11.86	
θ (45°)	-6.82	-9.39	-16.58	-26.64	-12.64	-16.6	-21.12	-18.56	-7.04	-9.56	-12.92	-4.92	-17.06	-11.5	-10.72	-9.66	-17.09	-12.07	-10.43	-10.31	-8.65	-9.28	-8.54	-3.42	-6.82	
θ (60°)	-23.25	-10.6	-9.87	-4.68	-18.91	-14.41	-17.42	-14.04	-15.44	-7.19	-8.62	-11.28	-9.66	-11.22	-13.87	-16.4	-16.24	-17.45	-29.38	-21.53	-18.36	-23.33	-23.79	-10.33	-23.25	
θ (75°)	-17.6	-12.37	-10.9	-12.88	-9.48	-24.45	-14.94	-20.25	-12.77	-6.64	-4.73	-12.52	-7.8	-13.4	-10.84	-22.43	-14.71	-18.36	-13.69	-12.31	-15.37	-21.74	-14.1	-13.93	-17.6	
θ (90°)	-7.12	-2.87	-12.78	-8.88	-9.64	-6	-5.55	-9.41	-5.24	-5.61	-6.69	-10.5	-7.09	-6.86	-16.62	-18.67	-18.57	-15.13	-16.94	-16.82	-14.2	-32.18	-6.95	-8.65	-7.12	
θ (105°)	-2.13	[0.36]	-10.05	-12.33	-15.71	-12.69	-6.15	-7.62	-12.19	-9.26	-10.43	-17.68	-14.51	-12.45	-9.84	-13.94	-8.16	-12.1	-13.31	-11.4	-17.91	-12.55	-5.74	-7.93	-2.13	
θ (120°)	-2.86	-3.19	-3.82	-10.05	-8.47	-4.88	-8.4	-9.83	-7.44	-22.54	-7.32	-14.73	-1.45	-12.33	-10.55	-2.02	-10.29	-11.65	-10.23	-8.51	-13.11	-9.88	-3.43	-10.31	-2.86	
θ (135°)	-10.29	-12.75	-14.33	-14.28	-14.95	-6.93	-15.56	-12.69	-10.16	-6.26	-7.85	-8.98	-11.36	-15.46	-10.12	-6.97	-8.79	-11.04	-13.28	-13.46	-31.37	-19.25	-6.23	-10.83	-10.29	
θ (150°)	-16.11	-10.82	-8.29	-12.97	-11.19	-5.77	-6.37	-12.46	-14.16	-7.36	-2.43	-1.49	-12.56	-10.38	-9.79	-3.96	-8.37	-18.76	-17.86	-11.66	-9.07	-14.84	-8.07	-3.18	-16.11	
θ (165°)	-10.98	-13.33	-11.91	-10.92	-9.78	-11.53	-18.43	-15.01	-15.61	-14.3	-15.49	-15.65	-11.98	-11.2	-10.56	-14.13	-32.26	-13.83	-11.09	-9.08	-5.48	-3.38	-3.04	-3.71	-10.98	
θ (180°)	-1.74	-2.77	-4.02	-4.47	-4.21	-4.57	-5.71	-7.3	-8.6	-7.62	-5.59	-4.45	-3.91	-3.14	-2.59	-3	-4.21	-5.51	-9.29	-13.78	-10.74	-8.97	-6.32	-2.61	-1.74	

Ant.	No.3																								
Freq. (MHz)	2450																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-10.32	-10.81	-11.61	-12.24	-12.1	-11.52	-10.84	-9.5	-8.33	-7.56	-7.54	-8.06	-8.63	-9.14	-10.07	-11.42	-12.19	-10.91	-9.26	-8.21	-7.95	-9.27	-9.24	-9.62	-10.32
θ (15°)	-13.99	-21.21	-29.89	-17.05	-13.41	-8.47	-6.91	-6.66	-7.21	-8.26	-8.6	-7.14	-5.6	-5.23	-6.4	-8.7	-9.54	-7.86	-6.43	-5.67	-5.77	-6.5	-7.78	-9.47	-13.99
θ (30°)	-10.22	-10.09	-9.45	-8.44	-7.25	-6.47	-6.49	-7.22	-7.44	-8.84	-9.01	-7.06	-4.38	-3.06	-3.61	-5.41	-5.78	-3.98	-2.75	-2.6	-3.26	-4.71	-6.19	-7.97	-10.22
θ (45°)	-1.84	-1.19	-2.33	-4.97	-7.32	-6.66	-5.53	-5.04	-5.32	-6.57	-8.04	-6.68	-4.27	-3.45	-4.09	-4.7	-3.33	-1.3	-0.3	-0.74	-2.52	-5.33	-6.69	-4.99	-1.84
θ (60°)	1.84	1.62	-1.53	-8.38	-13.15	-12.05	-11.45	-11.07	-9.53	-9.81	-15.65	-7.27	-2.13	-0.68	-1.41	-2.81	-1.97	0.11	1.05	0.46	-1.02	-2.77	-1.76	0.07	1.84
θ (75°)	1.48	-0.54	-8.17	-19.02	-10.45	-11.97	-11.08	-12.34	-9.5	-4.91	-6.07	-14.58	-5.1	-2.69	-1.9	-2.71	-1.79	0.32	1	0.53	0.21	0.71	1.07	1.12	1.48
θ (90°)	1.79	-0.68	-13.97	-3.28	-1.01	-3.43	-8.81	-12.86	-13.19	-6.55	-4.27	-8.32	-3.6	-2.63	-2.18	-1.56	-3.78	-2.95	-1.01	-0.78	0.17	1.99	1.31	0.18	1.79
θ (105°)	-0.2	-3.53	-2.46	-0.38	-0.71	-2.72	-5.72	-4.64	-6.52	-8.87	-5.54	-13.99	-5.74	-3.85	-2.36	-0.12	-0.73	-1.42	-0.18	1.48	[2.61]	2.51	1.52	1.19	-0.2
θ (120°)	-2.13	-1.54	-1.17	-1.48	-1.54	-2.51	-4.35	-5.67	-8	-10.62	-5.45	-4.55	-6.48	-8.91	-8.76	-3.63	-1.6	-0.93	0.16	1.43	2.04	0.55	-2.92	-2.96	-2.13
θ (135°)	0.34	1.07	0.05	-1.65	-2.65	-4.8	-10.18	-14.42	-17.04	-11.31	-7.46	-6.49	-4.93	-5.36	-8.37	-5.03	-1.7	0.03	0.56	0.41	-1.06	-3.81	-4.24	-2.2	0.34
θ (150°)	0.83	0.69	-0.04	-1.36	-3.16	-5.61	-8.66	-12.73	-18.98	-19.79	-14.9	-15.2	-17.41	-12.15	-7.9	-4.96	-2.8	-1.79	-2.05	-3.23	-4.2	-3.29	-0.94	0.4	0.83
θ (165°)	-10.44	-7.17	-5.82	-5.92	-6.84	-8.5	-9.27	-8.76	-8.87	-10.18	-11.93	-12.24	-10.98	-9.59	-9.15	-9.03	-8.54	-6.88	-5.6	-4.72	-4.72	-5.72	-8.18	-10.92	-10.44
θ (180°)	-6.15	-5.6	-5.37	-5.54	-6.26	-8.13	-11.07	-16.66	-18.37	-12.14	-8.56	-6.54	-5.32	-4.72	-4.75	-5.48	-6.86	-9.01	-12.76	-20.59	-16.22	-11.69	-8.89	-7.23	-6.15
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-10.1	-9.07	-8.09	-7.88	-8.91	-11.28	-15.45	-20.91	-19.52	-14.69	-11.37	-9.17	-7.76	-6.66	-6.07	-6.08	-6.64	-7.67	-9.05	-11	-12.89	-12.64	-11.48	-10.39	-10.1
θ (15°)	-12.89	-10.95	-10.29	-10.08	-10.53	-11.1	-15.46	-19.39	-12.77	-9.14	-7.66	-7.34	-7.03	-5.73	-4.33	-3.7	-4.02	-5.52	-7.83	-10.64	-15.06	-23.19	-27.58	-19.17	-12.89
θ (30°)	-12.53	-9.63	-8.19	-8.82	-11.45	-16.36	-21.26	-16.41	-12.14	-8.52	-5.7	-4.21	-4.33	-5.46	-5.18	-4.26	-4.6	-6.48	-9.05	-10.19	-9.74	-10.63	-15.34	-23.92	-12.53
θ (45°)	-12.65	-11.54	-14.33	-22.14	-18.07	-18.97	-14.04	-10.63	-9.87	-11.91	-10.93	-6.73	-5.56	-7.16	-9.43	-10.31	-11.83	-14.9	-13.49	-10.25	-9.43	-11.05	-16.91	-23.51	-12.65
θ (60°)	-8.88	-7.92	-10.1	-20.87	-12.62	-10.46	-11.68	-13.72	-14.73	-13.8	-10.12	-7.04	-6.28	-6.79	-7.38	-9.52	-12.9	-19.8	-16.47	-8.97	-7.29	-9.18	-16.83	-13.53	-8.88
θ (75°)	-6.17	-7.52	-10.76	-6.96	-6.56	-11.24	-19.06	-12.82	-10.24	-11.49	-10.21	-7.89	-10.1	-10.2	-6.45	-7.22	-12.37	-17.57	-14.1	-9.4	-8.71	-12.51	-14.38	-9.14	-6.17
θ (90°)	-8.39	-13.45	-8.45	-4.78	-5.66	-9.84	-16.9	-24.34	-19.18	-21.22	-15.78	-7.69	-6.14	-10.1	-10.54	-7.92	-11.15	-23.31	-21.07	-13.93	-10.95	-9.8	-8.01	-6.67	-8.39
θ (105°)	-11.61	-18.45	-11.99	-10.8	-9.14	-9.12	-12.25	-9.32	-5.33	-5.62	-10.65	-16.73	-18.42	-28.07	-15.06	-15.39	-26.29	-26.57	-23.69	-19.32	-12.02	-6.86	-3.95	-4.15	-11.61
θ (120°)	-13.23	-13.2	-22.96	-17	-10.39	-6.18	-5.83	-7.51	-5.1	-3.28	-6.75	-20.02	-15.67	-22.89	-22.94	-14.52	-10.62	-9.28	-11.96	-17.04	-6.67	-3.7	-4.42	-9.89	-13.23
θ (135°)	-12.91	-12.19	-9.8	-6.71	-4.28	-3.52	-5.23	-8.53	-6.4	-4.44	-7.29	-20.96	-16.05	-12.24	-12.35	-15.12	-18.68	-17.55	-13.04	-9.25	-6.75	-5.99	-7.39	-10.18	-12.91
θ (150°)	-28.79	-23.77	-12.42	-8.41	-7	-7.18	-9.25	-14.8	-25.25	-18.65	-18.47	-16.07	-12.15	-10.91	-11.09	-11.68	-13.26	-15.25	-12.91	-8.23	-6.1	-7.47	-11.92	-21.72	-28.79
θ (165°)	-31.55	-15.57	-8	-4.3	-2.1	[-0.93]	-1.07	-2.45	-4.4	-6.38	-7.44	-7.33	-6.86	-6.6	-6.42	-6.05	-5.79	-5.7	-6.56	-8.62	-12.63	-19.74	-20.38	-18.44	-31.55
θ (180°)	-12.17	-15.07	-17.78	-15.29	-11.28	-8.23	-5.54	-3.46	-3.06	-3.79	-5.21	-7.52	-10.76	-16.19	-22.46	-14.27	-9.52	-6.68	-4.93	-3.78	-4.17	-5.41	-6.78	-8.73	-12.17

Ant.	No.3																												
Freq. (MHz)	5200																												
Polarity	Theta																												
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)				
θ (0°)	-7.18	-6.99	-7.13	-7.8	-8.45	-9.23	-9.65	-11.4	-12.56	-11.18	-9.64	-8.05	-6.89	-6.23	-5.88	-6.04	-6.71	-7.91	-9.42	-10.32	-10.22	-8.53	-7.24	-6.38	-7.18				
θ (15°)	-6.45	-8.69	-11.61	-15.62	-15.73	-12.02	-8.69	-6.82	-6.33	-8.17	-13.42	-14.94	-7.63	-4.01	-2.84	-3.1	-3.98	-5.02	-5.2	-5.13	-5.15	-5.13	-5.07	-4.9	-6.45				
θ (30°)	-11.14	-13.78	-19.63	-11.99	-7	-4.22	-2.57	-2.58	-5.84	-6.58	-5.71	-8.69	-9.99	-2.16	-1.52	-4.31	-7.44	-8.49	-7.6	-6.64	-6.52	-7.05	-8.56	-10.04	-11.14				
θ (45°)	-5.87	-8.47	-11.65	-11.55	-5.45	-1.78	-1.8	-4.28	-5.6	-14.68	-14.11	-10.03	-13.09	-4.16	-3.95	-5.6	-5.94	-5.41	-3.34	-0.58	-0.62	-4.06	-4.16	-4.21	-5.87				
θ (60°)	-5.54	-5.22	-10.48	-4.81	-3.43	-1.45	-2.51	-2.48	-6.05	-12.44	-15.81	-12.54	-5.26	-4.6	-1.23	-1.69	-8.49	-6.11	-0.57	2.54	3.45	0.45	-3.04	-1.57	-5.54				
θ (75°)	-2.22	-4.33	-0.75	-3.05	-0.74	-7.77	-5.33	-5.47	-1.41	-6.71	-7.25	-2.2	-2.79	-0.64	-1.05	-8.31	-9.2	-2.31	2.41	4.72	[5.87]	2.11	-2.03	0.1	-2.22				
θ (90°)	-3.32	-2.78	-0.47	-11.49	-15.69	-3.43	1.61	-11	-2.81	-8.16	-13.11	-2.66	-1.03	1.11	0.67	-4.31	-5.95	-1.69	1.17	4.19	5.69	3.76	1.07	0.63	-3.32				
θ (105°)	-5.59	-9.29	-5.52	-5.04	-12.3	-3.42	2.32	-4.35	-6	-8.06	-8.14	-5.14	-7.54	1.37	-1.15	-8.14	-5.48	-2.81	0.65	3.58	3.67	2.14	-0.78	1.07	-5.59				
θ (120°)	-4.56	-2.55	-1.49	-5	-5.98	-7.12	-7.44	-8.17	-20.78	-13.63	-9.43	-6.15	-8.42	0.66	-0.05	-7.89	-8.1	-1.01	0.71	2.37	2.29	0.77	-0.28	-1.54	-4.56				
θ (135°)	-1.68	-2.22	-5.2	-7.43	-13.54	-14.9	-15.69	-9.55	-8.86	-10.39	-9.68	-11.43	-4.08	-3.9	-8.2	-15.58	-10.35	-4.03	-1.02	1.04	2.16	0.92	-1.96	-5.14	-1.68				
θ (150°)	-4.28	-5.36	-9.8	-7.13	-8.18	-12.87	-16.9	-11.87	-10.87	-10.5	-8.66	-16.4	-8.77	-5.64	-14.95	-10.4	-3.63	-1.52	-0.8	-0.08	-1.3	-3.76	-6.49	-7.4	-4.28				
θ (165°)	-16.19	-19.12	-32.07	-16.74	-12.48	-10.37	-8.83	-8.81	-10.47	-13.28	-15.08	-15.22	-14.1	-9.89	-4.91	-1.69	-1.13	-2.05	-3.26	-5.29	-7.63	-10.96	-16.93	-18.12	-16.19				
θ (180°)	-8.41	-6.94	-6.27	-6.46	-7.13	-8.21	-10.29	-14.93	-22.73	-19.28	-13.66	-10.31	-8.04	-6.87	-6.36	-6.4	-6.77	-8.24	-10.31	-14.92	-20.99	-31.87	-17.72	-12.78	-8.41				
Polarity	Phi																												
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)				
θ (0°)	-11.96	-12.23	-10.84	-10.71	-10.68	-10.07	-9.01	-9.11	-8.68	-8.25	-8.65	-9.21	-9.92	-11.54	-12.57	-11.51	-10.1	-8.18	-7.19	-7.15	-6.63	-7.27	-8.68	-10.62	-11.96				
θ (15°)	-18.65	-13.24	-10.56	-8.63	-6.95	-6.76	-7.37	-9.01	-16.66	-18.38	-14.52	-14.7	-12.52	-11.72	-15.3	-23.07	-26.55	-18.19	-15.98	-11.89	-9.18	-8.04	-8.1	-10.49	-18.65				
θ (30°)	-11.77	-12.2	-9.99	-10.79	-8.8	-9.78	-11.07	-10.8	-9.8	-11.68	-20.12	-15.7	-15.09	-6.51	-8.73	-11.4	-10.84	-12.96	-15.78	-11.92	-12.81	-23.66	-7.62	-5.11	-11.77				
θ (45°)	-19.08	-5.94	-8.46	-6.04	-14.24	-25.2	-10.05	-5.56	-4.04	-2.25	-11.28	-8.52	-12.04	-14.35	-15.86	-15.41	-20.23	-26.96	-25.15	-22.4	-17.85	-19.41	-8.77	-4.72	-19.08				
θ (60°)	-8.21	-5.93	-10	-12.93	-7.87	-8.71	-13.64	-8.6	-14.22	-5.79	-3.65	-7.21	-8.83	-10.47	-16.01	-10.15	-16.94	-21.14	-12.41	-11.77	-11.98	-15.13	-17.7	-4.67	-8.21				
θ (75°)	-6.05	-21.36	-4.25	-12.85	-9.05	-28.43	-10.47	-16.02	-10.97	-13.67	-14.45	-11.29	-23.48	-18.57	-17.7	-10.85	-17.68	-12.05	-11.55	-11.41	-14.63	-5.46	-10.14	-10.15	-6.05				
θ (90°)	-6.47	-12.1	[-1.86]	-7.85	-8.71	-10.58	-6.93	-7.82	-6.79	-7.78	-13.38	-9.88	-13.54	-8.39	-16.53	-14.99	-9.45	-12.02	-14.88	-26.45	-13.61	-8.17	-17.13	-3.39	-6.47				
θ (105°)	-17.38	-13.07	-11.75	-11.67	-10.8	-15.91	-7.44	-3.1	-6.37	-25.49	-11.75	-5.88	-18.11	-10.58	-19.15	-12.85	-10.86	-8.73	-14.62	-12.1	-15.38	-14.6	-14.28	-7.21	-17.38				
θ (120°)	-8.88	-9.98	-11.84	-11.46	-8.24	-7.34	-7.24	-9.82	-13.05	-9.23	-10.22	-8.02	-13.16	-15.81	-18.35	-19.4	-20.56	-13.94	-18.06	-18.67	-11.11	-10.96	-9.89	-5.92	-8.88				
θ (135°)	-8.7	-6.44	-9.13	-15.63	-9.58	-7.77	-4.83	-5.54	-24.19	-13.04	-5.92	-7.7	-9.72	-9.72	-14.12	-26.45	-10.03	-9.33	-11.87	-16.32	-10.07	-5.89	-15.96	-13.88	-8.7				
θ (150°)	-12.76	-13.26	-10.09	-9.91	-19.16	-19.83	-16.74	-18.91	-8.39	-15.87	-6.93	-9.71	-15.04	-11.18	-4.86	-10.01	-10.16	-7.51	-9.6	-11.77	-6.99	-6.91	-7.52	-4.85	-12.76				
θ (165°)	-11.92	-20.47	-23.65	-28.67	-16.93	-11.9	-11.56	-11.77	-13.87	-30.47	-13.9	-9.05	-7.02	-5.26	-6.04	-9.41	-10.03	-7.64	-6.7	-6.58	-6.22	-6.09	-7.3	-8.93	-11.92				
θ (180°)	-8.83	-11.59	-19.26	-19.13	-14.08	-10.19	-7.88	-6.55	-5.52	-5.61	-6.03	-7.17	-9.31	-12.27	-16.82	-27.17	-18.28	-12.55	-10.67	-9.75	-7.85	-7.43	-7.87	-7.87	-8.83				

Ant.	No.3																								
Freq. (MHz)	5300																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-8.77	-8.42	-8.25	-7.76	-7.28	-7.45	-8.32	-8.95	-9.67	-10.46	-10.69	-9.97	-8.82	-7.85	-7.17	-6.71	-6.26	-6.35	-6.48	-6.7	-7.37	-7.69	-7.5	-7.14	-8.77
θ (15°)	-5.83	-7.35	-10.55	-16.14	-23.42	-24.87	-13.45	-8.7	-7.68	-9.19	-13.93	-10.57	-6.87	-5.91	-6.92	-9.07	-10.05	-7.92	-5.57	-4.39	-4.31	-4.59	-5.19	-5.38	-5.83
θ (30°)	-9.38	-9.91	-13.05	-8.21	-5.68	-4.35	-4.12	-4.97	-6.37	-6.21	-7.37	-13.18	-10.54	-4.45	-6.16	-9.67	-13.4	-10.53	-8.53	-7.68	-6.29	-6.38	-5.4	-5.66	-9.38
θ (45°)	-4.78	-3.97	-7.43	-7.71	-7.68	-5.14	-2.9	-3.81	-3.97	-11.69	-8.53	-6.87	-10.34	-3.7	-3.74	-4.44	-2.83	-3.52	-2.98	-2.83	-3.06	-8.97	-7.83	-6.11	-4.78
θ (60°)	-4.02	-2.53	-8.57	-4.07	-4.46	-1.08	-0.4	-1.35	-7.93	-27.16	-16.12	-6.77	-2.18	-2.53	0.53	-1.21	-6.71	-6.84	-1.81	1.25	2.48	0.33	-5.93	-0.51	-4.02
θ (75°)	0.91	-2.13	0.88	-4.71	-0.15	-6.08	-6.97	-4.61	-2.42	-14.99	-7.74	-1.48	-4.14	-0.11	1.45	-3.84	-9.56	-0.96	3.19	4.4	4.81	2.93	-7.17	-0.33	0.91
θ (90°)	0.03	-3.53	1.96	-7.56	-11.27	-8.39	0.11	-6.08	-5.47	-8.68	-11.08	-2.86	-3.88	1.79	1	-1.96	-6.44	-0.44	1.71	4.76	[5.23]	4.21	-1.37	-1.66	0.03
θ (105°)	-2.24	-15.26	-2.87	-7.43	-10.23	-4.25	2.46	-4.86	-6.35	-9.07	-4.84	-8.05	-4.87	1.96	-0.55	-7.15	-6.53	-0.87	2.01	4.31	4.23	1.59	-0.74	-1.53	-2.24
θ (120°)	-6.33	-6.67	-3.37	-6.2	-7.62	-7.02	-6.16	-6.41	-19.17	-16.94	-7.65	-7.25	-4.98	0.89	-0.09	-7.44	-8.64	-2.01	1.28	2.79	2.32	-0.17	-1.04	-1.83	-6.33
θ (135°)	-3.39	-4.19	-5.32	-7.82	-11.35	-10.45	-19.07	-9.31	-7.36	-10.23	-6.66	-18.69	-1.65	-4.84	-8.27	-17.24	-9.16	-4.44	-0.5	1.61	2.46	1.73	-0.99	-4.99	-3.39
θ (150°)	-5.58	-6.1	-13.59	-9.48	-9.62	-12.37	-13.24	-9.65	-9.87	-7.03	-6.34	-17.43	-7.01	-6.05	-20.24	-12.2	-3.91	-3.21	-2	0.05	-0.07	-2.27	-6.29	-9.77	-5.58
θ (165°)	-20.6	-15.73	-19.89	-15.92	-12.62	-10.99	-9.65	-10.5	-14.12	-17.46	-17	-16.07	-16.89	-9.99	-3.63	-1.17	-0.78	-1.47	-2.12	-2.37	-3.7	-6.36	-11.76	-18.89	-20.6
θ (180°)	-8.45	-6.89	-5.9	-5.76	-6.38	-7.2	-7.7	-8.06	-9.42	-10.84	-11.24	-10.38	-8.64	-7.54	-6.66	-5.75	-5.59	-6.03	-7.1	-8.92	-10.75	-11.88	-12.39	-11.25	-8.45
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-8.33	-9.12	-10.97	-12.29	-12.53	-11.84	-11.13	-9.32	-8.38	-7.58	-6.96	-6.72	-6.86	-7.02	-7.51	-8.5	-8.87	-8.63	-8.02	-7.73	-8.26	-7.84	-7.94	-7.77	-8.33
θ (15°)	-18.78	-15.11	-9.52	-7.89	-7.03	-5.07	-5.03	-8.02	-17.97	-14.07	-7.99	-7.54	-8.65	-9.54	-11.37	-13.89	-14.19	-12.44	-13.97	-20.15	-16.71	-10.86	-9.14	-9.67	-18.78
θ (30°)	-17.57	-14.89	-10.07	-8.73	-9.24	-10.28	-10.21	-6.91	-4.95	-8.55	-17.11	-12.24	-19.06	-7.86	-8.8	-11.32	-11.76	-16.19	-18.77	-13.5	-11.83	-17.95	-10.83	-6.07	-17.57
θ (45°)	-23.25	-5.79	-8.43	-6.54	-11	-14.39	-13.48	-5.42	-3.08	[-2.09]	-11.63	-8.21	-9.77	-18.04	-19.82	-11.19	-13.09	-12.08	-12.75	-15.64	-22.12	-20.89	-10.99	-3.51	-23.25
θ (60°)	-9.88	-5.6	-11.95	-11.22	-12.14	-8.91	-10.21	-9.91	-19.49	-3.92	-4.14	-6.86	-11.56	-12.8	-17.48	-9.3	-14.87	-10.07	-9.22	-11.2	-14.16	-14.24	-12.44	-5.31	-9.88
θ (75°)	-6.3	-23.64	-3.98	-8.06	-7.27	-21.67	-10.99	-19.97	-9.86	-20.18	-12.44	-8.84	-11.72	-24.44	-10.92	-10.14	-9.7	-12.16	-12.97	-14.24	-18.79	-8.07	-6.36	-7.09	-6.3
θ (90°)	-5.76	-20.77	-2.38	-4.86	-4.68	-7.7	-6.17	-9.66	-8.8	-7.42	-13.77	-6.71	-14.36	-9.98	-28.4	-15.16	-10.52	-21.86	-18.78	-17.84	-22.02	-9.29	-12.11	-6.02	-5.76
θ (105°)	-12.26	-15.95	-9.94	-20.21	-8.71	-18.4	-6.03	-2.65	-5.43	-25.42	-10.14	-4.55	-11.29	-9.51	-12.44	-13.1	-32.96	-13.2	-13.31	-15.58	-20.26	-10.11	-15	-6.82	-12.26
θ (120°)	-10.16	-11.57	-10.14	-25.38	-9.94	-4.48	-5.67	-10.98	-22.57	-10.25	-8.47	-8.28	-16.2	-10.32	-27.56	-18.22	-13.86	-13.36	-16.7	-13.79	-10.19	-15.43	-15.29	-5.37	-10.16
θ (135°)	-13.79	-6.49	-9.36	-14.32	-9.96	-5.94	-2.16	-2.93	-13.82	-13.19	-5.28	-16.69	-6.49	-10.3	-16.18	-15.38	-10.6	-10.98	-11.11	-14.16	-15.5	-12.07	-16.12	-18.56	-13.79
θ (150°)	-12.02	-12.14	-8.68	-10.83	-18.26	-14.62	-15.23	-18.68	-8.15	-16.09	-5.23	-14.64	-8.06	-12.13	-8.28	-9.97	-8.48	-4.96	-7.65	-14.22	-9.78	-8.52	-9.99	-5.5	-12.02
θ (165°)	-9.19	-13.65	-24.09	-16.41	-14.46	-12.36	-12.07	-17.49	-25.82	-13.42	-7.99	-7.45	-8.21	-5.74	-4.53	-5.31	-4.79	-3.83	-4.4	-6.16	-6.57	-6.26	-7.59	-9.25	-9.19
θ (180°)	-4.82	-6.26	-9.16	-9.66	-9.55	-8.85	-7.13	-7.09	-6.01	-5.36	-6	-6.6	-7.19	-8.03	-9.1	-10.14	-11.7	-11.38	-10.05	-9.02	-7.45	-6.15	-5.68	-4.91	-4.82

Ant.	No.3																								
Freq. (MHz)	5600																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-14.61	-13.05	-12.2	-11.96	-11.62	-12.8	-13.96	-17.34	-21.48	-30.83	-19.46	-15.81	-14.4	-13.28	-12.17	-11.95	-12.31	-12.9	-14.84	-15.51	-17.96	-20.88	-21.03	-18.1	-14.61
θ (15°)	-8.36	-8.42	-10.8	-13.87	-9.42	-5.58	-4.1	-4.67	-6.76	-10.87	-20.1	-18.35	-9.2	-5.73	-5.28	-6.17	-6.58	-6.47	-6.35	-5.91	-5.86	-5.63	-6.08	-7.05	-8.36
θ (30°)	-4.91	-8.3	-16.94	-12.73	-4.96	-3.27	-4.75	-5.67	-4.79	-5.11	-8.59	-18.93	-6.75	-2.92	-6.82	-5.39	-2.25	-3.88	-7.57	-8.58	-9.06	-8.04	-3.65	-1.32	-4.91
θ (45°)	-5.08	-6.75	-5.26	-10.61	-2.06	-2.27	-3.77	-4.83	-7.46	-8.95	-8.51	-13.41	-7.76	-2.78	-1.58	-0.8	-7.23	-3.7	-1.21	-1.87	-2.84	-2.51	-6.31	-6	-5.08
θ (60°)	-3.51	-4.17	-2.41	-4.68	-5.11	-3.6	-3.26	-6.19	-10.81	-12.69	-17.53	-4.35	-8.94	-1.14	-0.21	-2.71	-8.99	-2.64	0.89	3.55	2.17	-2.33	-6.23	-7.62	-3.51
θ (75°)	-4.48	-0.67	-1.06	-4.72	-2.41	-3.53	-7.93	-5.21	-4.34	-6.07	-16.44	-1.53	-0.36	-0.07	1.54	-4.28	-9.54	-10.51	1.9	4.46	2.11	-0.82	-7.45	-9.17	-4.48
θ (90°)	-1.56	-0.89	2.34	-0.85	-8.61	-2.36	3.08	-1.46	-1.24	-2.13	-18.52	-3.92	-3.01	1.65	2.7	-0.79	-9.5	-6.14	3.17	[5.69]	4.46	0.63	-2.24	-3.97	-1.56
θ (105°)	-3.81	-2.04	0.65	-5.71	-15.32	-3.88	2.73	-2.94	-9.3	-2.73	-6.9	-2.54	-0.7	0.32	-0.55	-7.35	-8.79	-5.42	2.16	4.18	1.64	-1.14	0.67	0.85	-3.81
θ (120°)	-3.21	-1.88	-5.03	-3.35	-6.37	-5.41	-8.61	-8.82	-8.44	-37.69	-7.3	-4.77	-6.11	-3.2	-0.31	-4.51	-15.63	-3.85	-0.1	2.94	2.02	-0.52	2.05	1.91	-3.21
θ (135°)	-2.28	-2.35	-6.41	-3.68	-9.26	-13.99	-12.44	-11.28	-12.11	-27.94	-12.08	-12.91	-9.58	-1.88	-5.44	-15.27	-5.21	0.03	1.1	0.42	-0.97	-1.28	-0.63	1.38	-2.28
θ (150°)	-5.89	-3.34	-5.99	-11.93	-8.53	-10.15	-9.99	-9.8	-11.23	-9.26	-12.05	-11.76	-4.78	-6.02	-11.7	-11.11	-6.56	-3.48	-0.71	0.78	0.13	-2.19	-3.3	-2.46	-5.89
θ (165°)	-15.6	-18.6	-18.17	-19.71	-12.24	-11.02	-12.17	-18.83	-29.46	-21.68	-17.43	-19.79	-20.53	-9.41	-3.64	-1.33	-0.06	0.33	-0.39	-1.32	-3.16	-6.02	-10.41	-12.72	-15.6
θ (180°)	-7.95	-6.22	-5.03	-4.35	-4.14	-4.05	-4.59	-6.1	-8.06	-10.44	-12.1	-10.5	-9.21	-7.31	-5.21	-3.92	-3.44	-3.4	-4.12	-5.13	-6.26	-8.55	-10.14	-10.13	-7.95
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-11.74	-13.9	-22.54	-23.34	-20.96	-17.72	-15.06	-13.23	-11.34	-12.17	-12.85	-14.34	-15.46	-18.1	-26.14	-38.65	-23.47	-17.69	-16.31	-14.13	-12.42	-12.5	-11.75	-10.78	-11.74
θ (15°)	-22.35	-22.18	-12.71	-8.82	-9.08	-11.27	-18.83	-23.33	-14.26	-9.13	-6.36	-6.03	-8.07	-16.69	-20.51	-13.99	-11.92	-11.54	-9.85	-7.97	-7.6	-7.81	-8.74	-12.18	-22.35
θ (30°)	-19.45	-17.38	-11.46	-10.58	-9.27	-7.86	-6.39	-6.79	-10.42	-21.73	-14.9	-12.29	-11.52	-15.78	-12.85	-14.41	-19.79	-11.83	-9.7	-9.21	-9.73	-15.05	-14.36	-14.24	-19.45
θ (45°)	-12.87	-20.97	-17.58	-15.38	-20.99	-25.64	-11.96	-5.83	-5.48	-8.41	-19.84	-15.28	-15.13	-21.18	-15.95	-12.14	-11.87	-13.07	-12.18	-9.49	-8.82	-9.26	-10.26	-16.69	-12.87
θ (60°)	-16.73	-11.61	-13.22	-14.78	-15.76	-17.12	-9.93	-5.8	-7.77	-4.36	-11.11	-6.59	-8.69	-24.02	-8.97	-10.1	-16.08	-21.56	-23.86	-17.77	-13.31	-14.94	-16.96	-9.43	-16.73
θ (75°)	-10.1	-16.28	-8.74	-12.73	-9.18	-10.51	-13.62	-13.59	-12.87	-13.62	-10.41	-10.83	-7.79	-14.68	-5.88	-9.62	-8.56	-14.54	-28.1	-16.86	-17.58	-9.66	-15.17	-10.4	-10.1
θ (90°)	-14.88	-13.47	-2.79	-9.06	-4.68	-5.41	-10.39	-11	-8.47	-8.76	-13.03	-7.67	-31.94	-9.27	-5.92	-7.09	-4.39	-9.08	-10.38	-29	-11.67	-17.54	-16.06	-17.62	-14.88
θ (105°)	-16.52	-17.01	-5.98	-7.72	-10.99	-13.27	-12.17	-13.6	-13.02	-14.61	-5.74	-4.78	-19.2	-9.08	-8.71	-10.33	-17.48	-11.4	-20.64	-14.91	-19.97	-24.28	-21.21	-14.6	-16.52
θ (120°)	-11.3	-20.64	-5.05	-15.25	-24.03	-9.15	-12.04	-7.51	-6.91	-9.48	-9.77	-9.26	-10.34	-8.31	-9.42	-15.83	-18.57	-18.43	-21.2	-17.68	-14.65	-24.66	-13.52	-5.35	-11.3
θ (135°)	-9.09	-15.31	-13.42	-9.4	-20.4	-14.32	-4.74	-5.33	-14.17	-22.33	-26.53	-11.39	-9.98	-9.2	-9.07	-26.95	-9.62	-10.52	-14.78	-14.49	-5.08	-7.74	-25.7	-17.16	-9.09
θ (150°)	-11.27	-8.43	-8.13	-10.53	-12.97	-15.68	-10.33	-9.97	-12.73	-18.57	-12.2	-9.78	-10.45	-2.88	-4.14	-10.86	-8.82	-7.24	-11.35	-10.16	-4.03	-4.1	-20.16	-3.97	-11.27
θ (165°)	-13.24	-15.53	-20.99	-14.62	-13.86	-11.96	-12.39	-18.61	-18.73	-10.11	-8.37	-9.54	-5.13	-2.15	-2.77	-4.65	-5.95	-6.94	-7.42	-8.46	-7.67	-4.71	-3.69	-4.74	-13.24
θ (180°)	[-1.75]	-2.61	-5.44	-8.01	-10.86	-9.77	-9.29	-6.11	-4.47	-3.56	-3.59	-4.46	-5.2	-5.61	-6.99	-9.19	-11.18	-12.43	-10.89	-8.85	-7.39	-5.02	-4.48	-3.19	-1.75

Ant.	No.3																								
Freq. (MHz)	5785																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-6.27	-5.58	-4.92	-4.5	-4.53	-5.65	-7.14	-8.81	-10.56	-10.4	-9.72	-7.98	-6.53	-5.72	-5.05	-5.04	-5.51	-5.75	-6.59	-7.35	-7.82	-8.53	-7.64	-6.48	-6.27
θ (15°)	-5.96	-7.22	-8.19	-11.05	-13.35	-7.92	-5.91	-7.46	-14.93	-20.51	-10.66	-8.57	-7.74	-8.79	-11.96	-12.33	-11.02	-12.92	-16.02	-16.54	-13.82	-9.24	-6.3	-5.66	-5.96
θ (30°)	-1.75	-2.25	-5.41	-14.96	-16.1	-8.69	-5.14	-3.21	-3.45	-8.71	-19.34	-9.03	-5.13	-5.06	-8.36	-2.94	-4.06	-10.28	-9.21	-6.83	-7.89	-9.84	-10.81	-3.75	-1.75
θ (45°)	-2.79	-6.89	-5	-4.76	-5.9	-3.21	-3.95	-6.37	-4.74	-7.71	-37.28	-13.27	-2.63	-2.59	-2.44	-5.74	-9.99	-4.64	-1.35	-0.95	-5.39	-6.43	-3.17	-2.86	-2.79
θ (60°)	-0.99	-4.07	-1.28	-3.08	-0.81	-4.63	-7.37	-7.53	-7.03	-6.53	-18.46	-9.06	-4.6	-0.84	-1.14	-4.56	-3.79	-2.05	1.52	3.19	2.42	-3.96	-6.42	-5.46	-0.99
θ (75°)	-3.62	0.28	-0.25	-5.48	-2.99	-3.32	-5.19	-3.32	-9.78	-8.3	-15.43	-5.46	0.06	-1.16	2.22	-2.72	-6.14	-2	4.22	4.41	1.33	-2.91	-2.71	-4.06	-3.62
θ (90°)	-5.81	-0.25	2.12	-1.9	-2.94	-2.16	3.52	-3.5	-0.87	0.07	-21.23	-5.02	-1.09	-0.84	2.02	0.27	-18.61	-27.75	1.84	[5.09]	3.03	0.41	-6.77	-4.08	-5.81
θ (105°)	-6.03	-1.3	-0.38	-10.98	-5.88	-1.46	4.2	-1.63	-10.78	-2.18	-7.61	-2.68	-1.15	0.68	1.41	-3.94	-7.02	-5.8	3.16	4.4	3.5	-4.83	-3.63	-1.4	-6.03
θ (120°)	-5	-8.51	-6.84	-3.89	-4.94	-2.67	-5.11	-6.04	-5.3	-24.34	-10.95	-5.08	-7.91	-1.32	-1.54	-5.69	-19.47	-8.88	-1.19	2.4	2.11	-1.16	-1.6	1.3	-5
θ (135°)	-3.23	-6.09	-6.63	-5	-7.02	-10.04	-8.76	-9.7	-7.25	-24.17	-8.94	-12.65	-10.19	-5.1	-8.57	-13.41	-8.55	-1.47	0.84	1.92	-1.37	-2.44	0.57	0.76	-3.23
θ (150°)	-5.6	-6.51	-8.1	-15.66	-9.4	-7.61	-6.94	-8.77	-14.7	-12.03	-16.53	-9.46	-6.23	-9.26	-15.03	-10.1	-7.32	-5.33	-3.06	-0.75	0.76	-0.4	-3.71	-4.71	-5.6
θ (165°)	-7.08	-10.17	-15.16	-21.4	-16.73	-15.91	-26.19	-15.24	-11.39	-14.22	-25.38	-17.71	-31.6	-8.68	-4.22	-2.49	-0.26	1.34	1.66	1.07	-1.01	-4.45	-10.1	-10.87	-7.08
θ (180°)	-9.81	-7.76	-6.32	-5.99	-4.83	-4.22	-4.35	-4.83	-5.12	-5.3	-6.33	-7.46	-8.92	-9.16	-7.77	-6.34	-5.66	-5.32	-5.39	-5.42	-5.92	-7.15	-9.13	-10.92	-9.81
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-7.86	-8.95	-9.7	-11.18	-10.57	-8.59	-7.24	-5.51	-4.66	-5.23	-5.76	-6.13	-7.46	-8.66	-8.85	-8.91	-7.77	-6.86	-5.95	-5.15	-4.86	-4.24	-4.43	-5.81	-7.86
θ (15°)	-6.56	-6.19	-6.43	-6.76	-7.6	-10.05	-10.03	-6.6	-4.58	-4.07	-5.04	-6.48	-9.61	-24.67	-14.46	-13.59	-15.29	-19.28	-17.73	-13.83	-9.95	-7.77	-7.6	-6.97	-6.56
θ (30°)	-15.46	-17.58	-14.55	-12.17	-10.02	-7.19	-7.45	-12.68	-18.81	-13.61	-13.31	-8.92	-8.97	-22.02	-10.56	-13.64	-19.53	-23.66	-16.18	-19.54	-36.1	-12.94	-7.26	-8.09	-15.46
θ (45°)	-20.21	-11.88	-17.81	-23.41	-16.13	-13.97	-16.83	-7.66	-7	-8.71	-19.94	-11.52	-35.19	-13.93	-15.77	-13.99	-16.28	-16.09	-10.82	-6.93	-7.06	-10.28	-10.55	-7.58	-20.21
θ (60°)	-17.15	-10.85	-15.29	-25.73	-18.55	-12.68	-11.91	-8.78	-9.06	-3.34	-20.6	-4.98	-11.58	-17.95	-11.26	-9.53	-17.43	-17.68	-14.38	-12.67	-8.62	-12.41	-10.71	-9.88	-17.15
θ (75°)	-12.01	-15.19	-15.2	-15.98	-16.19	-14.48	-8.96	-12.35	-11.98	-9.76	-10.27	-6.7	-15.14	-14.13	-6.55	-19.4	-16.53	-26.46	-12.66	-7.93	-30.16	-9.08	-15.91	-11.5	-12.01
θ (90°)	-5.87	-7.74	-8.29	-10.22	-9.31	-6.81	-20.94	-20.65	-7.65	-7.99	-12.9	-4.53	-15.78	-10.22	-16.95	-8.05	-12.66	-24.26	-18.91	-10.52	-22.13	-6.57	-11.8	-20.48	-5.87
θ (105°)	-12.38	-17.07	-11.62	-8.09	-10.99	-7.43	-8.89	-12.53	-16.71	-14.28	-3.71	-7.07	-5.07	-8.54	-8.26	-7.21	-21.65	-22.89	-14.6	-14.92	-13.7	-11.35	-13.2	-15.68	-12.38
θ (120°)	-12.39	-8.54	-6.23	-11.89	-19.05	-9.45	-8.45	-5.47	-6.91	-10.58	-4.83	-10.77	-8.82	-9.13	-6.9	-10.39	-38.78	-11.63	-10.76	-17.71	-6.98	-12.93	-6.57	-7.43	-12.39
θ (135°)	-9.09	-15	-30.55	-11.21	-20.25	-17.95	-5.64	-5.02	-11.47	-18.51	-12.05	-10.47	-14.49	-13	-5.46	-16.41	-9.48	-16.37	-14.37	-17.9	-11.99	-6.94	-10.9	-13.99	-9.09
θ (150°)	-9.54	-7.45	-6.05	-12.3	-31.67	-16.46	-12.72	-9.69	-8.59	-18.82	-13.28	-5.22	-4.83	[-0.77]	-5.2	-15.57	-11.24	-8.15	-10.99	-11.91	-6.31	-3.75	-7.74	-4.91	-9.54
θ (165°)	-16.78	-12.75	-14.13	-19.53	-13.68	-10.06	-8.49	-10.23	-18.71	-14.87	-11.12	-12.51	-5.89	-3.52	-3.53	-2.29	-1.75	-4.18	-8.74	-15	-11.02	-8.58	-7.71	-7.07	-16.78
θ (180°)	-2.89	-3.62	-5.92	-5.7	-5.75	-7.89	-8.92	-6.95	-7.13	-6.87	-5.62	-4.35	-3.98	-4.88	-6.01	-6.7	-7.55	-7.58	-8.67	-8.62	-7.48	-6.96	-6.56	-5.24	-2.89

Ant.	No.4
Freq (MHz)	2450
Polarity	Theta

	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ
dB	Φ (0°)	Φ (15°)	Φ (30°)	Φ (45°)	Φ (60°)	Φ (75°)	Φ (90°)	Φ (105°)	Φ (120°)	Φ (135°)	Φ (150°)	Φ (165°)	Φ (180°)	Φ (195°)	Φ (210°)	Φ (225°)	Φ (240°)	Φ (255°)	Φ (270°)	Φ (285°)	Φ (300°)	Φ (315°)	Φ (330°)	Φ (345°)	Φ (360°)
θ (0°)	-6.37	-6.52	-7.19	-8.29	-9.31	-10.08	-11.39	-11.8	-9.87	-7.29	-5.88	-5.24	-5.11	-5.43	-6.41	-8.1	-10.87	-12.84	-12.03	-10.49	-9.31	-8.38	-7.46	-6.81	-6.37
θ (15°)	-4.39	-6.14	-9.12	-14.33	-19.94	-14.86	-11.16	-9.16	-7.79	-6.57	-5.49	-4.93	-4.98	-5.57	-6.87	-9.49	-14.59	-24.67	-18.01	-12.4	-9.43	-7.13	-5.16	-4.16	-4.39
θ (30°)	-0.12	-0.28	-1.28	-3.31	-7.51	-20.04	-10.63	-4.94	-3.49	-3.88	-4.35	-3.92	-3.93	-5.82	-9.93	-16.37	-25.48	-11.7	-6.47	-4.39	-4.51	-5.34	-3.87	-1.51	-0.12
θ (45°)	0.76	0.04	-1.56	-2.62	-4.83	-11.59	-9.1	-2.85	-0.83	-1.46	-3.69	-4.56	-4.82	-7.86	-10.21	-10.18	-14.19	-11.56	-5.36	-2.47	-1.85	-3.17	-3.93	-1.58	0.76
θ (60°)	-4.03	-7.46	-10.62	-6.46	-6.93	-11.57	-15.56	-6.35	-1.6	0.06	-1.01	-2.89	-3.3	-7	-10.15	-6.85	-7.28	-11.21	-18.03	-9.93	-5.15	-4.04	-6.42	-6.31	-4.03
θ (75°)	-16.92	-15.42	-9.14	-8.84	-11.17	-15.89	-16.08	-9.29	-4.72	-2.23	-2.87	-6.51	-8.18	-10.66	-5.51	-2.86	-3.42	-5.97	-9.87	-10.5	-7.5	-8.06	-12.13	-10.98	-16.92
θ (90°)	-9.08	-3.78	-1.45	-3.94	-12.95	-14.44	-9.06	-9.2	-10.34	-8.63	-9.23	-12.03	-14.5	-17.82	-18.42	-7.04	-3.61	-3.82	-6.19	-9	-9.06	-9.21	-13.29	-16.95	-9.08
θ (105°)	-3.01	-1.24	-1.9	-5.15	-8.78	-11.05	-12.66	-16.72	-29.43	-16.65	-14.52	-13.86	-14.07	-15.48	-19.57	-23.08	-11.58	-9.85	-12.07	-16.43	-20.34	-15.27	-9.19	-5.88	-3.01
θ (120°)	-1.59	-2.35	-4.13	-6.19	-9.72	-15.95	-19.08	-15.55	-14.07	-13.41	-11.93	-9.3	-7.89	-9.91	-17.69	-22.18	-13.71	-12.14	-12.06	-11.28	-9.94	-10.21	-8.35	-3.31	-1.59
θ (135°)	-1.75	-4.8	-7.51	-10.5	-15.97	-16.73	-14.84	-16.09	-19.41	-15.37	-8.27	-4.92	-4.9	-7.07	-10.02	-13.87	-22.71	-21.06	-11.07	-6.54	-4.14	-2.32	-0.63	-0.06	-1.75
θ (150°)	2.04	-0.67	-6.13	-12.52	-12.44	-10.81	-10.3	-10.39	-11.64	-15.53	-18.94	-11.87	-8.86	-9.05	-11.98	-14.84	-14.64	-12.9	-8.06	-3.28	0.17	2.39	3.67	[3.88]	2.04
θ (165°)	-5.89	-10.77	-12.77	-12.74	-15.2	-12.14	-6.45	-3.33	-2.3	-3.15	-6.33	-14.15	-20.24	-12.39	-11.76	-13.87	-13.02	-7.77	-3.83	-1.47	-0.35	-0.16	-0.82	-2.08	-5.89
θ (180°)	-3.94	-5.01	-7.22	-11.03	-18.73	-22.28	-12.59	-8.4	-5.93	-4.54	-3.9	-3.87	-4.37	-5.51	-7.33	-10.22	-15.74	-23.4	-14.01	-8.96	-5.99	-4.2	-3.26	-3.14	-3.94
Polarity	Phi																								

	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ	Φ
dB	Φ (0°)	Φ (15°)	Φ (30°)	Φ (45°)	Φ (60°)	Φ (75°)	Φ (90°)	Φ (105°)	Φ (120°)	Φ (135°)	Φ (150°)	Φ (165°)	Φ (180°)	Φ (195°)	Φ (210°)	Φ (225°)	Φ (240°)	Φ (255°)	Φ (270°)	Φ (285°)	Φ (300°)	Φ (315°)	Φ (330°)	Φ (345°)	Φ (360°)
θ (0°)	-10.15	-10.09	-10.81	-11.05	-9.61	-7.62	-6.43	-6.22	-6.8	-8.36	-10.32	-11.7	-10.97	-8.81	-7.21	-6.15	-5.44	-5.43	-5.78	-6.59	-7.66	-8.85	-10.01	-10.31	-10.15
θ (15°)	-7.71	-4.79	-3.24	-2.63	-2.92	-4.07	-6.25	-9.26	-12.25	-13.79	-15.42	-17.19	-14.41	-10.36	-7.09	-5.01	-3.8	-3.53	-4.38	-6.08	-7.98	-10.06	-12.89	-12.84	-7.71
θ (30°)	-9.31	-7.46	-5.5	-3.08	-0.89	0.15	-0.42	-2.71	-6.03	-8.41	-11.14	-22.13	-13.88	-6.83	-4.02	-1.94	-0.27	0.45	-0.27	-2.54	-6.29	-11.77	-19.02	-15.34	-9.31
θ (45°)	-8.93	-8.26	-6.84	-2.86	0.94	[2.70]	2.49	0.35	-3.93	-10.1	-18.97	-18.51	-7.18	-3.28	-1.51	0.47	2.08	2.28	0.99	-1.29	-3.8	-5.97	-7.23	-7.98	-8.93
θ (60°)	-7.48	-11.95	-18.7	-5.48	-0.11	1.76	1.84	0.38	-2.78	-7.06	-11.47	-12.02	-5.93	-3.44	-1.98	0.25	1.73	2.08	1.53	0.58	0.05	-1.2	-3.74	-4.3	-7.48
θ (75°)	-14.67	-13.71	-10.97	-5.16	-2.85	-1.34	-0.63	-1.91	-5.47	-7.6	-9.59	-11.89	-8.46	-8.49	-3.69	0.87	1.83	1.07	-0.22	-0.8	-0.16	-0.41	-2.68	-6.32	-14.67
θ (90°)	-13.49	-16.11	-15.87	-8.79	-5.09	-0.93	0.62	-1.12	-7.62	-11.1	-13.36	-16.14	-21.44	-9.41	-12.61	-7.77	-1.83	-1.13	-2.78	-3.48	-0.98	-0.12	-2.65	-8.66	-13.49
θ (105°)	-10.18	-12.56	-19.21	-7.95	-2.95	-0.31	-0.41	-4.55	-36.06	-9.28	-17.46	-10.52	-7.93	-6.69	-3.77	-4.89	-3.78	-2.79	-2.21	-0.18	1.5	0.91	-3.45	-12.76	-10.18
θ (120°)	-7.95	-9.23	-16.22	-10.26	-7.06	-3.65	-2.21	-3.93	-11.41	-15.65	-16.72	-11.82	-5.05	-6.03	-4.02	-0.64	-0.47	-1.35	-1.37	-0.02	1.14	0.39	-3.49	-19.21	-7.95
θ (135°)	-27.38	-15.64	-10.27	-10.46	-11.29	-8.65	-7.12	-8.8	-17.22	-20.25	-15.77	-13.42	-8.41	-9.42	-9.36	-5.39	-3.06	-1.52	-0.54	-0.31	-1.36	-4.56	-12.02	-23.25	-27.38
θ (150°)	-5.34	-3.5	-4.43	-8.75	-17.05	-12.38	-9.69	-10.4	-15.66	-31.5	-15.53	-14.08	-13.56	-9.3	-6.79	-6.64	-6.53	-4.45	-2.58	-2.15	-3.17	-5.44	-9.68	-13.33	-5.34
θ (165°)	-12.68	-12.45	-11.52	-6.83	-3.27	-1.46	-1.03	-2.12	-5.07	-10.82	-22.77	-21.6	-14.99	-9.06	-4.71	-2.1	-0.66	-0.16	-0.56	-2.04	-4.83	-9.85	-21.24	-20.94	-12.68
θ (180°)	-11.25	-8	-5.85	-4.83	-4.29	-4.03	-4.3	-5.43	-7.41	-10.7	-16.5	-24.88	-14.52	-9.48	-6.62	-4.99	-4.23	-4.04	-4.29	-4.95	-6.54	-9.58	-15.49	-24.27	-11.25

Ant.	No.4																								
Freq (MHz)	5200																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-0.48	-1.07	-2.01	-3.67	-7.27	-14.61	-20.17	-8.8	-4.81	-2.21	-0.61	0.16	0.48	0.16	-0.99	-3.01	-6.45	-14.49	-19.89	-7.41	-3.87	-1.98	-0.53	-0.07	-0.48
θ (15°)	-0.15	-1.35	-2.64	-4.38	-8.72	-18.22	-7.12	-2.03	0.1	0.06	-1.26	-1.95	-0.66	0.24	-0.3	-2.14	-6.85	-18.89	-8.02	-3.06	-1.38	-0.89	0.14	0.46	-0.15
θ (30°)	-5.07	-8.67	-6.73	-8.83	-10.84	-12.17	-8.4	-3.28	-1.22	-0.82	-0.9	-6.15	-1.49	0.47	-0.61	-1.78	-7.46	-22	-18.26	-10.72	-11.92	-14.2	-8.59	-3.5	-5.07
θ (45°)	-2.91	-6.85	-7.7	-7.09	-9.35	-23.33	-12	-10.94	-2.45	-0.71	-7.12	-3.11	-4.03	-5.6	-7.12	-8.62	-12.1	-24.78	-21.81	-13.06	-6.5	-3.58	-3.21	-2.12	-2.91
θ (60°)	-10.74	-6.82	-7.27	-7	-8.83	-11.76	-9.13	-3.69	-4.95	-9.31	-10.02	-8	-2.65	-2.15	-1.77	-1.86	-4.81	-20.21	-17.53	-11.46	-7.53	-2.62	-3.34	-5.11	-10.74
θ (75°)	-9.36	-7.82	-6.33	-9.26	-15.62	-5.58	-7.61	-15.7	-19.83	-24.1	-12.2	-14	-13.37	-15.08	-21.03	-8.92	-19.55	-21.88	-11.35	-7.18	-7.17	-6.23	-4.72	-8.44	-9.36
θ (90°)	-6.86	-6.77	-6.67	-9.64	-14.13	-4.46	-4.11	-6.96	-13.74	-13.18	-12.68	-11.43	-11.88	-7.81	-2.67	-4.3	-7.35	-11.6	-16.24	-9.72	-11.12	-19.93	-6.63	-7.54	-6.86
θ (105°)	-5.34	-12.29	-11.77	-27.87	-14.63	-13.93	-7.08	-6.89	-20.57	-5.49	-5	-5.61	-1.1	-4.03	-2.34	-3.91	-5.04	-12.12	-7.35	-10.68	-5.76	-7.56	-10.99	-4.61	-5.34
θ (120°)	-5.21	-11.19	-6.02	-10.85	-20.34	-9.36	-9.48	-14.43	-12.27	-3.42	-1.81	-1.51	-0.66	-1.36	-0.98	-0.83	-0.9	-4.78	-9	-16.14	-10.58	-12	-8.28	-7.36	-5.21
θ (135°)	-8.89	-8.56	-2.69	-8.35	-15.55	-15.98	-29.27	-13.01	-8.78	-4.8	-1.57	0.15	2.65	0.83	-0.99	-1.22	-3.2	-10.52	-16.14	-15	-7.32	-4.89	-3.89	-11.01	-8.89
θ (150°)	-5.51	-4.99	-6.64	-8.39	-14.89	-18.36	-16.08	-15.77	-11.42	-0.78	2.05	2.14	3.63	[4.28]	0.5	-4.5	-9.05	-12.33	-9.1	-16.24	-18.53	-8.61	-5.4	-6.1	-5.51
θ (165°)	-2.82	-5.79	-4.16	-4.42	-8.05	-16.27	-20.02	-18.93	-13.92	-4.76	-1.42	-1.19	-2.63	-3.95	-4.66	-5.15	-5.21	-5.61	-7.32	-6.16	-2.2	0.52	1.89	1.56	-2.82
θ (180°)	1.96	1.39	-0.17	-2.34	-4.81	-9.75	-23.58	-9.99	-4.03	-0.93	0.82	1.59	1.71	0.93	-0.4	-2.31	-5.96	-11.57	-23.69	-10.76	-4.54	-0.9	1.03	1.8	1.96
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-16.94	-9.1	-4.66	-2.3	-0.52	0.11	0.03	-0.31	-1.25	-2.95	-5.84	-11.38	-23.16	-11.04	-5.39	-2.21	-0.19	0.59	0.84	0.56	-0.84	-2.91	-5.97	-13.39	-16.94
θ (15°)	-20.93	-12.47	-5.77	-1.92	0.68	1.98	2.16	1.18	-0.9	-4.42	-8.16	-10.95	-17.37	-16.4	-5.2	-0.37	1.93	2.52	2.04	1.23	-0.72	-2.12	-3.18	-6.03	-20.93
θ (30°)	-17.43	-15.06	-7.23	-3.44	-2.74	-1.32	-0.35	-1.3	-3.79	-4.6	-8.12	-10.68	-9.6	-17.12	-15.28	-3.54	-0.03	1.02	0.81	-0.43	-3.23	-6.15	-5.49	-5.16	-17.43
θ (45°)	-25.35	-9.88	-7.38	-7.95	-3.43	-1.98	-2.01	-1.03	-2.81	-8.64	-8.42	-23.94	-13.76	-13.49	-4.25	-0.79	-0.27	-0.98	-3.08	-4.3	-2.99	-4.88	-3.68	-3.23	-25.35
θ (60°)	-13.49	-8.64	-10.41	-9.33	-7.42	-2.62	-0.56	-3.51	-4.79	-4.77	-6.42	-10.41	-19.15	-21.58	-8.35	-2.85	0.83	2.02	1.06	0.63	-0.63	-2.61	-5.63	-7.7	-13.49
θ (75°)	-15.98	-4.54	-5.72	-4.51	-4.43	-1.29	-1.28	-7.08	-10.13	-13.3	-3.4	-14.09	-14.4	-15.55	-12.08	-5.98	-3.96	-3.73	-3.47	-4.1	-4.42	-6.57	-5.04	-7.8	-15.98
θ (90°)	-10.88	-8.54	-7.98	-4.87	-8.27	-7.59	-4.87	-11.67	-14.04	-6.77	-6.72	-8.57	-11.94	-11.49	-5.93	-1.53	0.41	0.02	1.37	0.24	0.4	-2.08	-6.89	-10.73	-10.88
θ (105°)	-7.69	-27.45	-21.39	-8.95	-13.6	-15.26	-6.85	-8.3	-12.06	-4.16	-8.54	-5.98	-19.59	-12.31	-9.73	-5.41	-2.65	-0.89	-1.97	0.54	-0.81	-1.39	-3.27	-12.53	-7.69
θ (120°)	-20.98	-15.33	-9.88	-29.49	-7.12	-6.77	-7.64	-7.09	-10.92	-6.59	-9.65	-4.49	-7.24	-10.28	-8.6	-2.74	-0.53	-2.44	-1.67	-1.44	-0.11	-2.17	-3.44	-11.14	-20.98
θ (135°)	-11.96	-15.64	-9.43	-8.53	-11.83	-26.92	-10.92	-13	-13.54	-17.92	-16.82	-8.87	-7.77	-9.34	-7.77	-4.43	-3.5	-4.11	-5.43	-4.54	-2.78	-4.75	-7.53	-14.76	-11.96
θ (150°)	-10.84	-11.18	-12.94	-20.06	-13.67	-6.19	-3.48	-6.72	-21.04	-8.05	-6.85	-10.26	-13.72	-5.17	-3.54	-5.06	-3.56	-1.75	0.51	0.38	-2.62	-2.62	-7.01	-10.46	-10.84
θ (165°)	-18.49	-20.22	-8.28	-3.57	-2	-3.33	-7.77	-11.8	-7.47	-9	-15.55	-10.02	-11.7	-14.98	-9.23	-5.44	-2.49	0.54	2.52	[3.53]	3.52	2.01	-1.17	-5.59	-18.49
θ (180°)	-15.41	-11.8	-6.82	-3.28	-0.66	0.87	1.6	1.42	0.66	-1.01	-4.25	-9.57	-11.07	-5.86	-2.9	-1.41	-0.62	-0.48	-0.73	-0.23	-0.01	-0.96	-4.04	-9.86	-15.41

Ant.	No.4																								
Freq (MHz)	5300																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	0.12	-0.34	-1.75	-4.47	-7.73	-12.46	-15.15	-10.1	-5.69	-2.99	-1.26	-0.16	0.17	-0.24	-1.23	-3.35	-6.84	-12.11	-14.76	-8.5	-3.78	-1.68	-0.5	0.12	0.12
θ (15°)	0.87	-1.3	-2.4	-3.84	-7.97	-12.02	-7.77	-3.96	-3.13	-4.27	-5.3	-3.54	-1.53	-0.37	-0.34	-2.6	-8.04	-32.52	-7.5	-3.05	-0.16	1.31	2.07	2.24	0.87
θ (30°)	-3.43	-8.26	-5.52	-7.11	-12.5	-17.27	-9.28	-4.04	-2.44	-1.63	-5.54	-6.42	-0.68	-2.6	-1.71	-3.31	-7.5	-15.3	-10.99	-7.86	-6.45	-9.58	-7.55	-3.08	-3.43
θ (45°)	-4.43	-6.7	-7.34	-8.83	-12.85	-21.2	-13.17	-14.38	-2.4	-3.45	-10.53	-9.52	-4.58	-7.23	-6.37	-5.29	-11.97	-12.63	-8.28	-12.25	-7.82	-3.88	-2.95	-2.79	-4.43
θ (60°)	-7.31	-8.32	-7.6	-3.42	-7.65	-12.36	-13.25	-5.21	-11.5	-9.45	-10.55	-6.89	-1.28	-2.88	-4.52	-2.27	-6.94	-28.35	-11.49	-8.45	-11.16	-2.7	-3.92	-7.11	-7.31
θ (75°)	-11.06	-12.46	-5.69	-10.46	-19.26	-10.25	-12.84	-19.71	-13.1	-12.26	-18.32	-9.49	-11.29	-14.01	-7.99	-16.37	-14.53	-11.84	-8.45	-11.42	-13.1	-9	-6.06	-9.81	-11.06
θ (90°)	-6.56	-9.75	-8.23	-13.24	-15.39	-6.27	-5.05	-5.29	-9.48	-28.5	-23.84	-22.93	-8.81	-4.59	-2.44	-4.17	-12.98	-23.55	-29.3	-14.34	-25.36	-13.2	-4.89	-6.35	-6.56
θ (105°)	-3.71	-7.91	-16	-17.27	-22.98	-15.17	-4.45	-10.25	-10.09	-8.2	-6.85	-8.88	-2.41	-2.36	-3.42	-8.62	-7.25	-11.55	-11.38	-9.85	-4.01	-2.48	-4.19	-3.33	-3.71
θ (120°)	-5.38	-6.4	-7.39	-10.02	-16.43	-10.71	-11.98	-13.91	-11.86	-3.31	-3.97	-1.55	-2.22	-0.5	-1.25	-2.28	-1.12	-4.26	-13.33	-16.61	-5.82	-4.45	-2.44	-2.95	-5.38
θ (135°)	-11.8	-10.88	-2.74	-6.41	-14.03	-13.68	-30.55	-11.19	-8.85	-5.65	-2.95	-1.12	2.27	-0.02	-1.09	-2.65	-4.6	-7.82	-18.29	-16.19	-6.84	-1.43	0.13	-2.39	-11.8
θ (150°)	-6.69	-5.93	-8.49	-10.05	-15.15	-22.27	-12.91	-15.01	-9.39	-0.33	1.22	1.5	3.38	[3.71]	0.7	-3.14	-5.97	-8.19	-10.01	-21.51	-9.95	-4.59	-2.89	-4.82	-6.69
θ (165°)	-2.02	-6.05	-5.02	-5.36	-8.14	-18.45	-19.28	-19.07	-14.17	-5.15	-2.16	-2.37	-3.56	-4.77	-6.05	-5.1	-3.93	-4.56	-6.99	-7.74	-4.41	-1.15	0.93	1.32	-2.02
θ (180°)	2.97	2.27	0.67	-1.36	-4.29	-9.91	-17.2	-7.86	-2.69	0.02	1.6	2.34	2.34	1.84	0.84	-1.24	-4.49	-9.5	-16.11	-8.43	-3	0.32	2.13	2.96	2.97
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-14.71	-8.88	-5.12	-2.93	-1.8	-1.26	-0.74	-1.02	-1.94	-3.51	-6.48	-12.54	-35.39	-10.57	-4.72	-2.06	-0.71	0.28	0.41	-0.39	-1.37	-3.62	-7.97	-17.13	-14.71
θ (15°)	-9.54	-6.47	-5.04	-2.27	-0.34	0.38	0.09	-1.33	-3.84	-6.07	-6.38	-6.67	-8.35	-7.27	-3.05	0.26	2.02	2.71	2.12	0.35	-1.35	-4.46	-9.23	-14.59	-9.54
θ (30°)	-28.49	-11.17	-11.21	-5.93	-3.6	-2.05	-1.53	-2.71	-4.18	-6.48	-9.44	-6.29	-6.78	-8.03	-6.2	-2.36	0.63	1.84	0.89	-0.62	-2.61	-6.49	-8.43	-7.67	-28.49
θ (45°)	-40.15	-11.78	-6.74	-11.38	-7.25	-3.99	-2.85	-1.35	-3.7	-8.78	-7.92	-15.91	-11.54	-18.34	-10.61	-5.13	-1.54	-0.84	-2.4	-5.26	-6.81	-6.02	-6.79	-5.92	-40.15
θ (60°)	-11.73	-11.19	-6.23	-17.81	-7.49	-2.61	-1.06	-3.83	-4.8	-3.87	-8.21	-10.62	-18.94	-19.5	-8	-2.88	1.68	3.35	1.33	-0.24	-1.82	-3.93	-5.7	-8.28	-11.73
θ (75°)	-16	-4.77	-6.81	-7.31	-6.16	-0.57	-0.94	-7.85	-12.97	-12.15	-5.69	-21.07	-11.98	-12.86	-12.61	-4.3	-0.8	-1.62	-3.9	-4.48	-4.43	-5.12	-9.88	-7.52	-16
θ (90°)	-17.37	-10.35	-8.86	-5.9	-6.81	-9.66	-4.81	-10.57	-8.42	-4.7	-5.69	-8.29	-12.16	-12.56	-3.27	-1.43	0.69	-0.62	1.18	1.13	0.83	-0.39	-5.9	-7.52	-17.37
θ (105°)	-11.75	-22.87	-10.86	-10.76	-12.79	-13.84	-7.23	-4.39	-9.57	-2.36	-9.6	-5.96	-40.6	-10.06	-7.87	-9.43	-2.74	-0.96	-1.76	0.68	-0.1	-1.17	-2.46	-7.68	-11.75
θ (120°)	-13.1	-9.47	-21.95	-14.88	-11.91	-6.56	-7.19	-7.36	-9.19	-6.66	-9.27	-5.06	-9.62	-14.81	-8.08	-2.44	-0.75	-3.52	-2.95	-1.2	-1.36	-2.65	-3.95	-11.63	-13.1
θ (135°)	-10.46	-14.98	-11.79	-6.17	-9.44	-22.79	-11.5	-15.99	-13.04	-19.2	-18.85	-8.33	-9.98	-9.29	-6.79	-6.2	-8.73	-7.37	-3.99	-2.1	-1.14	-0.66	-4.76	-10.76	-10.46
θ (150°)	-12.75	-7.97	-8.75	-23.95	-13.19	-5.38	-2.84	-7.16	-16.49	-7.87	-6.14	-8.08	-16.65	-6.53	-5.19	-5	-4.34	-2.37	0.43	0.83	-2.16	-3.87	-5.61	-13.26	-12.75
θ (165°)	-16.95	-21.51	-9.5	-3.84	-2.16	-2.82	-6.73	-11.7	-7.96	-8.52	-10.05	-9.17	-15.36	-21.56	-11.31	-6.51	-1.98	1.12	2.72	3.79	[3.85]	2.68	0.11	-3.53	-16.95
θ (180°)	-13.29	-10.4	-5.57	-1.89	0.31	1.86	2.53	2.36	1.8	0.19	-2.56	-6.34	-8.03	-5.19	-2.04	-0.11	0.53	0.76	0.59	0.75	1.4	0.74	-1.65	-5.98	-13.29

Ant.	No.4																								
Freq (MHz)	5600																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-1.29	-1.53	-2.81	-5.14	-8.09	-14.68	-29.28	-12.91	-7.38	-4.95	-3.56	-2.95	-3	-3.27	-3.97	-5.85	-8.94	-14.36	-30.75	-13.26	-8.29	-5.23	-3.47	-2.19	-1.29
θ (15°)	0.23	-0.36	-3.71	-10.26	-12.92	-16.45	-23.72	-13.16	-9.17	-7.91	-4.48	-1.44	-1.55	-2.86	-4.25	-7.09	-15.86	-20.58	-11.53	-8.34	-7.2	-4.91	-2.69	-1.19	0.23
θ (30°)	-0.35	-3.09	-8.33	-4.53	-5.96	-10.9	-30.85	-10.66	-6.19	-4.81	-3.76	-2.25	-0.38	-1.12	-1.92	-3.85	-8.05	-16.41	-15.53	-12.29	-6.24	-3.17	-3.28	-3.03	-0.35
θ (45°)	-2.93	-4.54	-3.48	-2.27	-4.65	-10.88	-18.12	-7.47	-4.44	-11.63	-9.46	-5.58	-5.19	-3.19	-2.46	-3.09	-11.94	-10.49	-8.19	-9.86	-12.28	-18.86	-17.65	-9.93	-2.93
θ (60°)	-8.08	-11.24	-5.22	-2.29	-5.24	-8.58	-16.78	-5.39	-10.8	-2.62	-5.74	-5.28	-2.01	-4.4	-4.54	-3.47	-6.27	-18.31	-9.87	-14.68	-11.97	-5.79	-9.48	-8.75	-8.08
θ (75°)	-21.03	-3.92	-11.07	-9.82	-11.02	-14.65	-9.35	-10.79	-8.9	-11.81	-9.67	-8.06	-6.73	-4.35	-5.19	-7.46	-6.49	-12.06	-9.91	-9.07	-8.42	-5.39	-5.27	-7.1	-21.03
θ (90°)	-11.29	-8.29	-10.75	-10.81	-16.15	-8.74	-22.24	-7.1	-8.64	-10.55	-14.3	-12.93	-6.74	-15.43	-8.38	-4.78	-8.73	-8.83	-5.1	-6.29	-10.31	-9.6	-6.84	-6	-11.29
θ (105°)	-5.38	-3.87	-8.52	-9.81	-29.7	-16.51	-8.14	-12.7	-12.09	-8.65	-23.15	-7.96	-4.63	-12.28	-3.48	-3.74	-6.96	-10.8	-12.85	-11.93	-12.69	-10.12	-3.91	-5.74	-5.38
θ (120°)	-1.36	-2.84	-8.56	-8.04	-11.02	-11.46	-9.49	-12.92	-16.12	-7	-9.57	-5.84	-1.88	-2.22	-4.67	-6.51	-7.74	-7.57	-9.01	-12.34	-8.89	-6.89	-4.14	-1.88	-1.36
θ (135°)	-3.79	-5.43	-4.19	-5.94	-9.82	-13.01	-15.03	-13.24	-6.09	-6.8	-0.45	2.17	2.07	0.41	-1.93	-1.02	-7.96	-14.11	-9.81	-14.42	-7.29	-3.06	0.99	2.49	-3.79
θ (150°)	-3.87	-4.69	-4.57	-7.38	-14.05	-17.27	-9.3	-11.53	-10.02	-0.94	-0.53	-0.21	3.3	3.39	0.86	-3.52	-10.17	-6.45	-6.66	-10.86	-9.58	-4.67	-2.11	-2.06	-3.87
θ (165°)	-0.9	-4.95	-4.16	-4.72	-11.07	-24.29	-12.13	-14.49	-12.6	-2.68	-0.4	-1.72	-3.44	-3.63	-3.28	-1.36	-0.3	-1.83	-7.46	-12.93	-4.35	-1.07	0.74	1.56	-0.9
θ (180°)	[4.73]	4.01	2.64	1.34	-0.98	-4.69	-12.22	-7.78	-2.08	1.29	3.21	4.23	4.63	4.49	3.65	1.98	-0.38	-4.92	-13.21	-8.86	-2.23	1.47	3.64	4.65	4.73
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-18.2	-10.82	-6.66	-4.31	-3.09	-2.17	-1.84	-2.53	-4	-6.39	-10.76	-18.11	-17.5	-10.03	-6.53	-4.15	-2.79	-2.1	-1.79	-2.21	-3.92	-6.13	-9.21	-15.37	-18.2
θ (15°)	-16.67	-6.07	-3.24	-3.76	-5.63	-5.39	-3.79	-3.67	-3.55	-2.93	-4.08	-9.45	-9.56	-5.17	-2.05	-0.11	0.82	0.86	0.21	-2.33	-4.42	-4.17	-6.52	-11.48	-16.67
θ (30°)	-17.82	-10.96	-9.38	-7.92	-5.21	-5.58	-6.61	-9.44	-11.15	-3.54	-3.13	-5.57	-12.75	-8.64	-4.05	-0.7	0.41	0.39	-0.5	-0.27	0.19	-2	-5.5	-16.85	-17.82
θ (45°)	-42.46	-5.52	-6.65	-6.52	-4.36	-3.98	-3.6	-5.49	-9.28	-9.32	-5.69	-6.05	-13.99	-8.12	-4.07	-2.38	-0.66	-0.77	-2.8	-4.23	-3.81	-6.54	-11.28	-8.19	-42.46
θ (60°)	-12.32	-27.64	-7.49	-2.68	-3.02	-8.68	-3.59	-5.08	-5.29	-8.38	-10.27	-9.82	-21.29	-11.82	-2.74	-1.71	1.84	1.46	-1.66	-4.92	-4.8	-3.81	-2.45	-4.55	-12.32
θ (75°)	-14.99	-8.51	-6.81	-6.87	-20.45	-5.78	-4.85	-9.98	-16.43	-6.46	-11.34	-10.59	-14.18	-21.69	-9.08	-4.7	-2.18	-2.41	-2	0.43	-0.86	-3.32	-2.85	-14.68	-14.99
θ (90°)	-15.38	-9.28	-11.27	-11.4	-11.11	-4.29	-2.81	-11.3	-9.18	-5.92	-7.57	-15.21	-8.64	-9.24	-4.81	-0.91	0.78	1.23	0.93	0.07	-0.15	-0.97	-1.47	-9.48	-15.38
θ (105°)	-6.42	-6.89	-8.54	-4.75	-5.27	-7.14	-9.98	-7.36	-5.76	-3.59	-8.8	-12.15	-20.8	-16.13	-13.27	-5.23	-1.87	-1.94	0.26	-2.16	-0.64	-4.19	-5.17	-4.98	-6.42
θ (120°)	-18.91	-14.16	-10.79	-17.88	-18.99	-12.19	-9.19	-8.79	-14.88	-12.28	-10.84	-8.36	-18.78	-15.41	-5.41	-2.09	1.24	-0.29	-3.23	-4.09	-1.79	-3.2	-12.92	-27.9	-18.91
θ (135°)	-7.65	-9.29	-14.83	-7.3	-6.94	-9.61	-6.6	-7.8	-17.26	-15.65	-9.35	-11.24	-15.5	-7.49	-11.65	-4.35	-4.49	-6.35	-8.36	-4.49	-1.52	0.12	-1.69	-6.15	-7.65
θ (150°)	-12.82	-11.51	-10.68	-22.23	-10.83	-5.47	-3.36	-7.23	-13.52	-7.74	-8.56	-15.17	-20.56	-11.8	-8.71	-3.06	-4.02	-6.23	-1.63	-0.03	-2.15	-8.15	-7.86	-8.35	-12.82
θ (165°)	-16.02	-18.55	-9.37	-3.17	-0.85	-1.72	-7.66	-9.05	-4.91	-4.62	-6.7	-8.95	-20.21	-11.98	-9.42	-5.75	-0.85	2.77	4.72	[5.18]	4.93	3.19	0.16	-3.44	-16.02
θ (180°)	-13.68	-9.87	-4.47	-1.6	1.92	3.43	4.2	4.41	3.8	2.59	0.78	-2.16	-5.83	-7.15	-3.36	-0.15	1.5	2.27	2.83	3.08	3.86	3.83	1.85	-2.49	-13.68

Ant.	No.4																								
Freq (MHz)	5785																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-1.54	-1.42	-1.3	-1.83	-3.41	-6.91	-15	-22.28	-9.1	-4.45	-2.01	-0.57	0.07	0.36	-0.11	-1.27	-3.31	-7.21	-15.5	-18.61	-8.5	-4.46	-2.48	-1.85	-1.54
θ (15°)	0.39	-0.93	-2.35	-3.52	-5.46	-6.99	-9.67	-12.71	-17.34	-10.23	-5.99	-3.66	-3.03	-3.81	-6.88	-7.79	-6.43	-5.71	-5.62	-5.37	-4.8	-3.44	-1.43	0.06	0.39
θ (30°)	0.63	0.08	-7.24	-7.66	-4.7	-4.88	-7.27	-10.25	-9.46	-6.96	-7.51	-3.06	-5.58	-5.83	-8.12	-11.33	-13.13	-16.69	-20.36	-12.34	-9.31	-8.76	-2.23	-0.18	0.63
θ (45°)	-6.71	-6.12	-3.79	-0.27	-1.54	-9.22	-14.93	-7.43	-6.31	-13.61	-9.78	-2.28	-5.79	-6.03	-8.88	-14.57	-19.68	-15.47	-30.02	-11.88	-9.43	-6.71	-6.47	-6.88	-6.71
θ (60°)	-3.68	-10.85	-2.4	-1.42	-6.3	-22.61	-9.19	-8.72	-12.01	-5.99	-16.96	-5.97	-8.19	-11.77	-11.39	-13.55	-11.9	-11.97	-6.84	-13.66	-27.7	-7.6	-13.89	-7.52	-3.68
θ (75°)	-6.86	-21.38	-9.04	-6.6	-8.26	-20.07	-12.4	-18.63	-10.54	-10.03	-16.19	-6.51	-5.36	-2.67	-3.06	-4.46	-6.41	-9.04	-23.54	-11.8	-22.41	-6.48	-9.56	-6.82	-6.86
θ (90°)	-12.97	-19.78	-16.9	-13.52	-20.51	-5.66	-16.38	-6.19	-10.8	-21.96	-11.91	-7.84	-5.37	-7.15	-4.89	-9.2	-8.44	-13.4	-15.24	-10.8	-23.13	-13	-14.87	-6.17	-12.97
θ (105°)	-10.96	-6.61	-6.97	-3.33	-12.13	-9.16	-6.33	-10.33	-14.04	-8.92	-11.4	-2.13	-5.57	-2.31	-0.96	-1.6	-1.79	-5.22	-20.25	-8.59	-9.11	-7.45	-6.79	-5.63	-10.96
θ (120°)	-2.6	-2.29	-6.55	-14.53	-15.23	-11.96	-7.75	-7.3	-18.62	-7.42	-7.36	-5.99	-1.62	-1.88	-0.8	-4.27	-6.75	-1.42	-3.34	-10.61	-4.57	-1.23	0.89	-2.24	-2.6
θ (135°)	-1.71	-6.97	-6.96	-8.39	-13.03	-15.02	-17.04	-10.99	-6.01	-10.92	0.87	2.22	1.54	2.21	-0.29	0.78	-3.07	-6.35	-19.29	-11.81	-7.54	-1	-0.96	2.18	-1.71
θ (150°)	-1.44	-0.6	-3.05	-6.63	-13.3	-22.11	-8.21	-10.1	-6.29	0.17	-0.43	0.51	3.5	3.03	0.52	-2.92	-8.18	-13.77	-16.49	-16.47	-5.36	-0.05	0.9	0.41	-1.44
θ (165°)	-0.92	-5.01	-6.77	-6.14	-8.41	-14.52	-24.09	-35.1	-10.1	-4.11	-2.48	-3.8	-3.68	-3.28	-3.05	-0.75	-0.13	-2.41	-8.48	-10.52	-3.83	-0.89	0.48	0.9	-0.92
θ (180°)	[5.09]	4.77	3.56	1.96	0.39	-2.93	-9.36	-12.28	-3.85	0.33	2.75	4.2	4.91	5	4.43	3.29	1	-2.47	-8.45	-12.25	-3.64	0.85	3.35	4.63	5.09
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-17.66	-15.84	-8.22	-4.11	-1.92	-0.58	0.2	0.55	0.09	-1.15	-3.42	-7.32	-15.96	-16.69	-7.83	-3.62	-1.43	-0.35	0.27	0.29	-0.58	-1.8	-4.2	-8.83	-17.66
θ (15°)	-18.74	-5.54	-1.88	-0.35	-0.49	-0.76	-0.02	0.37	0.48	-0.99	-5.1	-16.8	-11.79	-6.38	-4.01	-1.98	-1.4	-1.47	-2.8	-5.26	-5.46	-5.63	-6.97	-10.07	-18.74
θ (30°)	-10.29	-6.57	-7.13	-9.97	-9.15	-8.05	-7.41	-7.83	-3.56	-3.91	-5.88	-16.1	-12.74	-14.35	-5.34	-3.14	-3.86	-3.68	-1.93	-1.59	-4.04	-2.61	-4.71	-13.82	-10.29
θ (45°)	-11.12	-8.7	-7.08	-3.83	-2.59	-2.23	-1.34	-5.24	-6.75	-4.36	-10.9	-12.58	-4.95	-1.5	-2.33	-1.82	-0.67	-0.09	-2.45	-5.29	-9.3	-10.99	-14.61	-11.12	
θ (60°)	-14.04	-17.9	-5.99	-2.5	-1.9	-5.76	-2.68	-2.88	-0.97	-9.28	-6.17	-5.55	-14.21	-6.3	-6.92	-2.32	-4.32	-6.69	-2.82	-1.39	-0.21	-4.19	-3.96	-5.56	-14.04
θ (75°)	-13.1	-17.97	-6.41	-7.19	-9.18	-4.72	-4.16	-6.05	-6.26	-6.27	-13.91	-9.71	-9.73	-13.15	-4.44	-0.25	-0.89	-1.93	-1.56	0.85	0.67	-4.94	-4.51	-13.05	-13.1
θ (90°)	-19.85	-16.07	-6.12	-32.91	-17.75	-11.33	-7.07	-14.72	-5.27	-10	-5.2	-14.92	-10.11	-11.63	-2.97	-0.61	1.06	1.16	-0.25	1.57	1.51	-1.77	-0.76	-6.96	-19.85
θ (105°)	-10.68	-4.46	-7.55	-7.51	-2.74	-11.63	-8.79	-9.83	-8.46	-6.13	-9.9	-12.43	-18.22	-11.59	-8.88	-3.22	-1.55	-0.17	-1.52	-1.08	-7.8	-9.18	-8.51	-6.75	-10.68
θ (120°)	-26.87	-15.18	-7.45	-10.09	-17.7	-6.76	-9.16	-20.24	-16.4	-16.45	-11.31	-10.12	-14.79	-11.43	-7.95	0.13	0.38	-0.41	-0.51	-4.91	-3.95	-4.81	-9.89	-16.73	-26.87
θ (135°)	-8.56	-6.23	-7.97	-7.94	-5.91	-4.92	-5.51	-8.24	-24.27	-11.84	-4.37	-7.64	-13.45	-9.31	-12.1	-4.76	-4.17	-5.33	-5.41	-2.69	-0.58	-1.48	-1.25	-2.74	-8.56
θ (150°)	-9.58	-20.97	-4.68	-7.39	-10	-2.88	-1	-3.39	-13.78	-12.67	-14.53	-19.19	-20.3	-27.8	-4.28	-2.17	-8.08	-19.48	-6.54	-1.94	0.23	-1.75	-11.3	-7.31	-9.58
θ (165°)	-15.7	-15.65	-13.74	-6.11	-2.33	-2.51	-5.89	-11.28	-6.25	-4.34	-4.9	-8.17	-14.11	-15.07	-18.43	-10.58	-1.71	2.35	4.35	[4.81]	4.54	2.94	-0.69	-4.77	-15.7
θ (180°)	-7.17	-11.3	-7.29	-2.54	1.22	2.81	4.06	4.41	3.94	3.11	1.24	-1.63	-6.24	-11.11	-5.85	-1.05	1.28	2.4	3.03	3.79	4.11	4.29	2.84	-0.43	-7.17

Directional Gain@1SS:

1SS																									
Freq. (MHz)	2450																								
Polarity	Theta																								
		φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ
	φ (0°)	(15°)	(30°)	(45°)	(60°)	(75°)	(90°)	(105°)	(120°)	(135°)	(150°)	(165°)	(180°)	(195°)	(210°)	(225°)	(240°)	(255°)	(270°)	(285°)	(300°)	(315°)	(330°)	(345°)	(360°)
θ (0°)	1.03	0.56	-0.53	-2.13	-4.15	-6.42	-6.47	-4.21	-1.97	-0.11	0.9	1.24	1.11	0.67	-0.34	-2.14	-4.83	-7.42	-6.87	-4.18	-2.17	-0.8	0.45	1.04	1.03
θ (15°)	1.85	1.36	0.42	-0.34	-1.35	-1.43	-2.15	-2.14	-1.29	-0.69	-0.22	0.05	-0.22	-1.05	-2.17	-3.43	-4.77	-5.88	-5.9	-4.77	-3.63	-1.84	0.03	1.26	1.85
θ (30°)	3.57	4.08	3.89	3.11	1.8	-0.31	-0.77	-1.05	-1.58	-2.29	-0.41	1	1	0.02	-0.93	-2.32	-3.83	-3.23	-1.01	1.38	1.9	1.1	0.12	1.64	3.57
θ (45°)	5.24	5.6	4.44	2.9	1.18	-0.85	-1	0.59	0.39	0.31	0.66	1.54	0.42	-0.93	-0.36	-1.11	-3.14	-2.98	0.52	2.41	2.84	2.07	0.7	1.49	5.24
θ (60°)	4.6	4.54	2.96	1.63	0.15	-1.69	-3.1	-1.5	0.12	0.7	-0.38	0.64	0.89	0.41	1.59	0.93	-1.66	-2.03	-1	-0.24	1.05	2.17	2.53	2.33	4.6
θ (75°)	2.93	2.41	0.83	0.53	0.6	-1.24	-2.09	-2.25	-1.12	0.61	-0.39	-3.93	-3.39	-0.65	1.25	0.42	-0.6	-0.08	-0.25	0.05	2.35	4.17	3.85	3.72	2.93
θ (90°)	3.91	3.09	-0.34	1.81	1.87	0.81	-0.16	-1.12	-1.91	-1.59	-1.01	-3.81	-5.24	-1.13	-0.92	1.19	1.19	0.45	-0.24	-0.62	1.13	3.65	4.67	4.2	3.91
θ (105°)	4.96	3.53	2.09	0.39	1.15	0.98	0.2	-0.35	-2.32	-2.56	-2.3	-6.45	-1.71	-0.92	-0.59	0.59	0.82	0.21	-0.69	-0.05	1.78	2.97	4.13	5.29	4.96
θ (120°)	4.36	4.26	3.74	2.85	1.11	-1.81	-1.37	-0.55	-0.25	-0.89	-0.54	-0.85	-0.45	-1.58	-1.55	-0.19	-0.21	-0.12	0.04	-0.03	-0.23	1.02	1.62	2.61	4.36
θ (135°)	2.33	2.57	1.64	-0.21	-2.27	-4.45	-2.66	-1.4	-1.08	-0.23	0.43	0.47	1.05	0.1	-2.61	-4.03	-3.74	-1.79	-0.11	1.18	1.59	1.29	2.17	3	2.33
θ (150°)	5.89	4.74	2.26	-0.6	-2.53	-2.86	-2.72	-2.75	-3.49	-4.63	-4.88	-3.14	-1.09	-0.84	-2.45	-4.32	-3.97	-2.69	-1.24	1.25	3.12	4.08	5.15	[5.99]	5.89
θ (165°)	-2.43	-3.19	-2.81	-2.65	-3.6	-4.14	-2.38	-0.24	0.78	0.53	-1.01	-3.69	-5.93	-6.41	-5.33	-4.51	-3.81	-2.73	-1.13	1.16	2.39	2.53	1.48	-0.06	-2.43
θ (180°)	-1.13	-0.96	-1.26	-2.13	-3.76	-5.68	-6.89	-8.56	-7.67	-4.5	-2.12	-0.87	-0.37	-0.49	-1.08	-2.18	-4.05	-6.5	-7.56	-8.32	-6.84	-5.16	-3.3	-1.98	-1.13
Polarity	Phi																								
		φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ
	φ (0°)	(15°)	(30°)	(45°)	(60°)	(75°)	(90°)	(105°)	(120°)	(135°)	(150°)	(165°)	(180°)	(195°)	(210°)	(225°)	(240°)	(255°)	(270°)	(285°)	(300°)	(315°)	(330°)	(345°)	(360°)
θ (0°)	-4.58	-2.76	-1.31	-0.35	0.35	0.64	0.42	-0.36	-1.47	-3.05	-5.02	-6.91	-4.86	-2.29	-0.57	0.51	1.09	1.21	1.02	0.37	-0.8	-2.33	-4.39	-6.46	-4.58
θ (15°)	-5.59	-1.43	0.84	2.01	2.4	2.27	1.34	0.13	-0.71	-1.9	-4.06	-6.2	-3.86	-1.95	-0.61	0.26	0.85	0.98	0.66	-0.06	-1.24	-3.1	-5.97	-8.2	-5.59
θ (30°)	-6.3	-2.81	-0.35	0.55	1.28	1.61	1.17	0.62	0.05	-0.48	-2.09	-6.25	-2.9	-1.02	0.11	1.55	2.58	2.62	1.86	0.68	0.07	-0.71	-2.51	-5.49	-6.3
θ (45°)	-3.35	-2.05	-2.01	-1.2	1.59	2.77	3.49	3.19	1.53	-1.41	-6.16	-7.33	-1.36	-0.2	0.9	2.57	3.08	3.82	3.83	2.7	0.1	-1.37	-1.91	-2.77	-3.35
θ (60°)	-0.92	-2.99	-5.16	-2.87	1.31	2.88	2.97	1.99	0.12	-2.51	-6.76	-4.93	0.16	0.01	-0.27	2.74	3.3	3.12	3.65	[4.35]	4.19	2.36	-0.53	0.03	-0.92
θ (75°)	-0.56	-3.23	-3.86	0.7	2.12	2.28	2.19	1.81	0.24	-1.51	-4.85	-2.67	-1.25	-6.33	0.2	2.66	2.11	1.16	1.07	1.92	2.54	1.84	0.42	0.24	-0.56
θ (90°)	-0.06	-2.12	-5.45	-0.91	1.22	2.82	3.19	1.83	-1.07	-3.05	-6.91	-1.4	-1.45	-5.61	-3.65	-1.53	-1.53	-1.7	-1.04	0.02	1.62	2.12	0.85	-0.64	-0.06
θ (105°)	-1.73	-2.88	-6.03	-4.09	-0.37	1.79	1.88	0.77	-1.71	-2.5	-5.66	-2.85	-4.7	-7.85	-2.39	-3	-5.3	-1.7	-0.54	-0.27	1.23	2.53	1.01	-2.05	-1.73
θ (120°)	-5.75	-5.42	-7.19	-4.17	-1.64	0.59	1.3	0.13	-1.82	-2.91	-5.3	-9.14	-6.1	-6.22	-2.82	-0.16	0.11	0.75	1.48	0.8	0.4	1.64	1.07	-4.72	-5.75
θ (135°)	-15.29	-9	-4.3	-2.48	-1.7	-0.82	-0.95	-2.65	-4.49	-4.76	-4.45	-6.81	-6.56	-3.2	-1.04	-1.19	-0.32	-0.32	2.02	2.1	0.32	-1.73	-3.17	-6.55	-15.29
θ (150°)	-6.14	-4.1	-1.86	-1.57	-2.43	-2.51	-3.25	-5.21	-7.94	-7.65	-5.4	-6.17	-4.76	-2.19	-0.9	-2.05	-3.52	-3.03	-0.24	1.06	0.18	-1.61	-4	-5.54	-6.14
θ (165°)	-11.18	-7.84	-4.27	-0.66	1.94	3.34	3.63	2.87	1.22	-1.17	-4.05	-6	-4.3	-3.75	-4.06	-2	0.74	2.32	2.71	1.91	-0.28	-4.25	-9.25	-10.73	-11.18
θ (180°)	-6.42	-6.84	-7.2	-6.33	-4.32	-2.33	-0.86	-0.05	-0.13	-1.07	-2.8	-5.29	-6.69	-7.67	-7.44	-5.52	-3.68	-2.3	-1.4	-0.91	-1.39	-2.62	-4.34	-6.33	-6.42




1SS																									
Freq. (MHz)	5200																								
Polarity	Theta																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	1.61	0.96	-0.02	-1.72	-4.13	-5.72	-4.9	-2.05	-0.15	1.22	1.88	2.21	2.4	2.07	1.13	-0.49	-3.06	-5.49	-4.93	-1.7	0.4	1.74	2.55	2.68	1.61
θ (15°)	2.22	1.07	-0.62	-2.88	-6.09	-5.19	-1.03	1.33	2.32	2	0.82	0.15	1.13	2.47	2.71	1.75	0.23	-0.72	1.31	2.72	3.15	3.01	3.08	3.01	2.22
θ (30°)	0.57	-0.44	-3.1	-4.98	-2.48	-2.35	-1.62	0.46	1.55	1.22	0.75	-0.16	0.35	3.28	2.75	1.63	-0.02	-2.53	-2.51	-0.85	-0.46	0.08	1.39	0.94	0.57
θ (45°)	0.99	0.86	0.11	0.23	-0.31	-2.18	-1.02	-1.57	-0.63	0.38	-1.72	2.01	-0.8	1.71	1.28	-0.03	-1.45	-0.77	0.06	0.81	1.17	2.35	2.09	2.96	0.99
θ (60°)	1.28	3.14	0.4	2.15	1	0.17	-1.58	0.15	-1.72	-3.15	-0.32	-0.81	1.52	3.09	3.17	3.05	1.29	-0.56	1.71	3.14	3.35	3.8	1.85	3.94	1.28
θ (75°)	2.49	1.56	0.77	-2.68	0.74	-0.98	-0.32	-2.59	0.07	-2.76	-1.21	0.03	-0.38	2.54	-0.08	2.49	2.54	3.45	3.01	3.18	3.57	1.92	3.66	4.43	2.49
θ (90°)	2.67	2.36	1.51	-0.86	-2.81	-0.95	5.11	0.23	-2.32	-2.39	-1.24	-0.2	0.68	3.37	3.08	4.35	4.14	[5.78]	3.47	4.68	2.65	0.81	4.26	4.82	2.67
θ (105°)	0.84	-0.52	-4.08	-1.97	-1.63	0.17	5.4	0.72	-1.35	-0.66	-0.48	-0.74	1.75	3.73	3.31	1.58	3.27	2.96	3.04	3.26	2.74	2.24	1.93	3.93	0.84
θ (120°)	0.15	-1.73	-0.57	-3	-1.79	-2.64	-3.19	-3.55	-1.99	1.17	2.49	2.33	1.28	4.99	4.5	2.57	1.6	4.06	3.63	2.94	1.32	-2.26	1.5	0.42	0.15
θ (135°)	2.12	-2.07	1.07	-1.57	-3.89	-3.86	-3.58	-4.99	-1.65	-0.21	3.38	4.27	4.47	3.98	2.56	1.92	1.8	0.24	-0.44	-0.85	1.52	0.6	-1.37	-4.51	2.12
θ (150°)	1.28	2.11	-0.42	-1.55	-1.25	-3.8	-5.61	-2.88	-2.29	-0.21	2.75	3.72	5.06	5.77	4.61	1.69	-3.28	-0.47	0.13	-1.38	-3.39	-3.25	-1.73	-2.68	1.28
θ (165°)	0.45	0.28	0.74	-0.17	-3.51	-4.66	-3.33	-3.11	-1.9	0.35	1.11	0.59	-0.7	-0.9	0.75	1.6	0.64	0.06	-0.28	-1.08	-0.17	0.56	0.52	1.54	0.45
θ (180°)	3.81	3.99	3.54	2.46	0.9	-1.27	-4.87	-2.71	-0.75	0.85	2.24	3.07	3.81	3.99	3.71	2.97	1.31	-1.15	-4.01	-3.19	-1.27	0.42	1.88	2.53	3.81
Polarity	Phi																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	-4.45	-2.1	0.08	1.32	2.02	2.38	2.15	1.48	0.71	-0.48	-2.47	-4.16	-4.8	-2.37	-0.24	1.31	2.36	2.78	2.8	2.48	1.34	-0.38	-2.7	-5.32	-4.45
θ (15°)	-5.89	-2.27	0	1.68	3.08	3.47	2.92	1.16	-1.44	-2.74	-2.48	-2.41	-2.25	-1.78	-0.58	0.55	1.56	1.78	1.09	0.21	-1.51	-2.35	-2.38	-3.62	-5.89
θ (30°)	-5.34	-8.09	-5.56	-3.4	-0.81	0.51	1.41	1.5	0.5	-0.9	-1.99	-2.8	-2	-1.81	-6.51	-0.86	2.82	3.12	2.27	1.19	-2.2	-4.21	-2.47	-1.44	-5.34
θ (45°)	-6.85	-5.42	-2.28	-0.9	0.12	-0.12	1.61	3.36	2.82	0.97	-1.06	-5.33	-5.08	-5.22	-2.81	0.15	0.22	-1.69	-1.56	0.27	0.89	-2.33	-2.39	-1.63	-6.85
θ (60°)	-4.02	-1.89	-5.2	-3.17	-1.78	0.43	1.71	2.17	1.67	1.29	0.41	-3.42	-7.48	-9.3	-5.25	-3.73	-1.21	-1.47	-0.02	1.66	1.22	1.41	-1.64	-0.23	-4.02
θ (75°)	-4.35	-7.35	0.14	-2.38	-2.1	-1.21	1.73	-1.43	-1.36	-2.33	-0.36	-5.08	-12.02	-6.42	-6.76	-1.51	-0.99	-2.52	-1.81	-2.95	-0.91	0.05	0.87	-0.72	-4.35
θ (90°)	-3.14	-7.58	0.77	0.6	1.18	-0.02	0.94	-0.18	-1.31	0.72	-0.31	-3.31	-4.81	-3.92	-3.56	-0.3	-0.04	-1.27	0.04	-0.54	-1.78	-0.47	-2.8	0.62	-3.14
θ (105°)	-4.41	-7.07	-5.51	-0.36	-0.15	-1.04	0.15	1.51	-1.5	-2.94	-5.82	-1.73	-5.26	-3.96	-4.23	0	-1.86	-0.51	-3.27	-1.76	-2.55	-1.74	-1.41	-1.78	-4.41
θ (120°)	-5.91	-5.91	-4.01	-6.76	0.03	-0.79	0.93	1.47	0.52	0.38	-1.18	-2.45	-3.32	-6.09	-5.04	-2.22	-1.35	-1.44	-2.06	-2.63	-0.88	-2.34	-1.47	0.94	-5.91
θ (135°)	-5.73	-2.06	-0.58	-1.69	-0.44	1.06	1.17	-0.87	-2.68	-2.65	-1.57	-3.41	-4.56	-1.68	-1.28	-1.12	-0.95	0.17	0.23	-0.85	-1.67	-1.36	-3.9	-4.15	-5.73
θ (150°)	-4.22	-6.01	-2.09	-1.57	-2.39	-1.57	-1.08	-3.35	-3.8	-1.26	-0.92	-1.3	-8.54	-2.57	0.95	-1.72	-4.26	0.51	2.24	1.03	-0.76	-1.32	-2.66	-1.32	-4.22
θ (165°)	-5.16	-4.82	-3.26	-2.01	0.57	0.87	-1.1	-3.22	-3.7	-5.97	-6.15	-4.35	-4.14	-3.24	-2.72	-3.51	-2.97	0.79	3.38	4.44	[4.53]	3.42	1.08	-1.81	-5.16
θ (180°)	-3.67	-3.12	-2.13	-0.39	1.37	2.4	3.26	3.49	3.22	2.16	0.53	-2.26	-3.48	-1.47	-0.1	0.53	0.9	0.86	1.64	2.5	3.22	2.87	1.41	-1.19	-3.67

1SS																											
Freq. (MHz)	5300																										
Polarity	Theta																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	1.61	1.1	-0.19	-2.11	-4.46	-6.05	-5.31	-3.46	-1.67	-0.33	0.78	1.31	1.52	1.23	0.36	-1.38	-3.66	-5.46	-4.59	-2.2	-0.14	1.05	1.89	2.25	1.61		
θ (15°)	2.43	0.25	-0.43	-1.67	-5.31	-6.86	-2.58	0.34	0.92	-0.3	-1.91	-1.53	-0.45	0.69	0.04	-2.05	-3.72	-4.71	-0.77	1.47	3.08	4.06	4.42	4.15	2.43		
θ (30°)	0.73	-0.69	-2.23	-3.46	-4.79	-5.49	-2.02	-0.24	0.17	0.38	-1.34	-0.62	1.34	0.9	1.55	-0.09	-1.98	-2.74	-1.81	-1.37	-0.9	1.21	1.07	0.85	0.73		
θ (45°)	1.67	1.39	-1.3	-1.36	-2.18	-2.05	-0.97	-2.23	0.16	-0.44	0.46	0.92	1.37	1.37	1.32	-1.16	-3.05	-0.97	0.77	-0.03	0.33	2.14	2.66	2.68	1.67		
θ (60°)	1.5	3	-0.1	2.7	0.06	-0.02	-1.03	-0.01	-3.01	-2.03	0.12	0.89	3.47	4.05	3.04	3.1	1.14	-0.27	1.16	1.96	2.65	3.31	1.87	3.06	1.5		
θ (75°)	2.12	0.92	0.17	-3.03	0.73	-0.15	-0.95	-1.5	0.77	-0.46	-0.67	1.52	1.54	3.33	2.53	1.99	1.29	4.02	4.38	3.64	3.07	2.62	1.23	3.39	2.12		
θ (90°)	2.71	1.64	2.7	-1.11	-2.98	-2.1	4.98	1.64	-2.38	-1.49	-1.75	-0.46	0.82	3.76	3.99	5.03	3.06	5.56	3.57	4.49	1.31	2.41	3.6	4.7	2.71		
θ (105°)	1.78	-1.99	-2.44	-3.96	-1.68	-0.55	[5.68]	0.08	0.22	-1.08	0.98	-1.14	0.88	4.76	2.71	0.63	2.68	3.46	2.1	2.59	2.6	2.47	3.56	3.6	1.78		
θ (120°)	-1.56	-1.51	-3.83	-3.38	-2.23	-4.59	-3.37	-3.84	-1.37	0.56	2.85	2.63	2.51	5.44	5.11	1.88	2.5	3.72	1.92	2.08	0.78	-0.48	2.63	2.2	-1.56		
θ (135°)	-0.21	-2.49	0.41	-1.78	-3.52	-2.59	-3.55	-3.53	-0.32	-0.6	2.52	2.84	5.37	3.6	1.62	1.54	2.23	1.5	-0.03	0.01	1.62	2.15	1.17	-0.92	-0.21		
θ (150°)	0.03	1.09	-1.31	-1.79	-1.65	-4.21	-4.12	-3.08	-2.66	0.36	3.08	2.7	5.12	5.38	3.82	1.81	-1.56	-0.66	-2.02	-2.92	-1.42	-0.53	-0.69	-3.43	0.03		
θ (165°)	0.2	-0.18	-0.09	-1.36	-4.96	-7.89	-5.02	-4.56	-2.5	-0.2	0.66	0.28	-0.61	-0.69	1.18	2.44	1.92	0.64	-0.25	-0.83	0.29	1.19	1.07	1.34	0.2		
θ (180°)	3.71	3.82	3.33	2.33	0.91	-1.5	-3.28	-0.38	1.45	2.49	3.3	3.74	3.78	4.07	3.86	2.95	1.26	-0.88	-2.52	-1.1	0.81	2.35	3.29	3.62	3.71		
Polarity	Phi																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	-5.85	-3.69	-2.06	-0.82	0.08	0.53	0.62	0.41	-0.38	-1.73	-3.82	-6.32	-6.31	-2.9	-0.56	0.83	1.74	2.19	2.19	1.34	0.17	-2.03	-5.6	-8.13	-5.85		
θ (15°)	-5.62	-2.47	0.32	2.29	3.32	3.75	2.92	0.4	-4.04	-4.39	-2.34	-1.5	-1.63	-1.32	-0.07	0.89	1.4	1.52	0.54	-1.64	-2.61	-2.78	-5.66	-8.3	-5.62		
θ (30°)	-9.45	-8.08	-5.06	-1.82	-1.19	0.03	0.38	-0.12	-0.33	-0.42	-0.96	-0.85	-1.74	-2.18	-3.36	-1.4	2.43	2.97	1.34	0.25	-2.23	-6.64	-4.15	-2.02	-9.45		
θ (45°)	-7.53	-4.17	-2.53	-3.26	-3.18	-2.11	-0.96	2.14	2.44	2.09	-0.35	-3.76	-3.94	-9.15	-5.61	-1.51	-0.66	-1.14	-1.79	-1.19	-2.36	-6.81	-3.52	-2.08	-7.53		
θ (60°)	-5.14	-5.5	-3.58	-4.56	-2.88	1.03	2.13	1.76	1.17	2.13	-0.07	-5	-7.42	-8.38	-4.95	-1.84	-1.24	1.25	1.1	0.56	0.2	0.66	-2.83	-0.86	-5.14		
θ (75°)	-3.83	-6.93	-0.48	-1.83	-1.81	0.65	2.17	-1.08	-1.52	-2.13	-1.06	-4.64	-7.36	-5.53	-3.84	-1.6	0.26	-1.88	-3.29	-2.99	-0.72	-0.63	0.75	-1.86	-3.83		
θ (90°)	-1.46	-9.05	-0.11	0.67	2.27	0.46	1.41	0.06	0.56	0.24	-0.78	-2.09	-8.38	-3.52	-3.38	-0.64	0.43	-2.58	-0.06	0.44	-2.48	1.19	-1.37	-0.12	-1.46		
θ (105°)	-4.11	-8.45	-3.28	-0.86	0.64	-1.79	1.37	2.99	-0.54	-2.17	-4.18	-2.67	-4.82	-4.18	-1.29	-1.04	-3.48	-1.48	-2.31	-1.73	-1.74	-0.46	-0.17	-2.32	-4.11		
θ (120°)	-5.03	-6.41	-8.63	-4.67	-0.44	1.77	1.77	0.81	-1.5	0.23	-1.6	-2.17	-3.49	-6.32	-4	-0.61	-0.48	-3.5	-3.17	-2.98	-2.44	-1.48	-1.93	-1.14	-5.03		
θ (135°)	-6.64	-2.7	-0.14	-1.97	0.74	1.36	0.86	-0.59	-0.97	-1.6	-2.95	-3.59	-3.87	-3.08	-3.54	-1.27	-3.47	-0.98	0.85	-0.33	-1.66	-1.55	-5.38	-5.11	-6.64		
θ (150°)	-6.76	-4.15	-0.42	-1.64	-1.35	-0.25	-0.05	-2.56	-3.8	-1.93	0.47	-1.83	-6.19	-3.57	-1.63	-2.54	-3.47	0.18	2.13	0.39	-1.94	-2.77	-2.63	-3.19	-6.76		
θ (165°)	-4.02	-3.23	-2.53	-0.58	1.24	1.8	0.48	-1.67	-2.19	-1.97	-2.18	-2.77	-4.61	-3.96	-2.26	-1.8	-0.79	0.96	2.64	3.26	3.53	2.93	1.32	-1.35	-4.02		
θ (180°)	-1.74	-0.95	0.19	1.73	2.84	3.42	[3.76]	3.52	3.42	2.69	1.12	-0.86	-1.55	-0.03	1.63	2.64	2.65	2.2	1.64	2.4	3.11	2.97	1.81	-0.05	-1.74		

1SS																									
Freq (MHz)	5600																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	0.77	0.61	-0.25	-1.47	-2.84	-5.36	-8.57	-5.49	-2.74	-1.56	-0.2	0.42	0.1	-0.2	-0.62	-1.55	-3.18	-5.4	-8.94	-6.7	-4.02	-2.15	-0.82	0.09	0.77
θ (15°)	1.92	1.57	-0.98	-4.83	-4.41	-3.53	-3.1	-1.27	0.04	-0.07	-1.06	-0.33	1.12	1.61	0.68	-0.85	-3.08	-3.61	-1.73	0.15	1.61	2.52	2.43	1.88	1.92
θ (30°)	2.05	0.55	-2.73	-2.6	-3.66	-2.53	-3.37	-3.13	-1.89	0.79	1.72	-0.33	1.76	2.62	0.79	-0.76	-0.22	-0.63	-1.16	-1.59	-1.83	0.35	1.54	2.59	2.05
θ (45°)	2.27	0.87	-0.5	0.08	2.62	-0.48	-2.5	-1.29	-1.65	-2.42	0.25	-2.22	0.41	0.36	1.29	1.55	-0.94	1.63	3.27	1.72	1.6	-0.34	-0.9	-1.04	2.27
θ (60°)	1.04	1.16	1.66	0.51	3.34	1.67	-2.51	-1.34	-1.79	-1.21	-2.1	0.65	1.94	2.11	2.55	1.62	1.26	1.43	2.55	3.14	0.26	2.09	1.03	1	1.04
θ (75°)	-0.13	3.2	1.36	0.61	2.42	0.68	-0.1	-0.68	2.38	1.17	-2.86	0.44	2.88	2.43	3.31	2.66	3.01	2.46	4.14	4.55	0.95	2.16	1.97	3.01	-0.13
θ (90°)	-1.15	0.19	-0.56	0.35	-2.14	-0.97	4.52	1.63	0.81	0.99	-1.85	0.59	2.2	1.15	2.55	3.95	3.05	4.95	4.45	4.47	1.72	1.34	2.76	3.21	-1.15
θ (105°)	-0.19	0.78	0.56	0.17	-2.99	-0.47	4.31	-1.88	-1.9	1.53	0.31	2.06	3.23	1.68	2.8	3.11	3.31	1.53	2.57	2.66	0.29	0.82	4.65	4.17	-0.19
θ (120°)	1.74	1.69	-1.73	-0.22	-0.05	-4.3	-6.27	-3.36	-1.48	-0.16	2.81	3.17	4.48	3.75	4.45	1.97	1.35	1.58	3	3.08	-0.55	-0.63	3.17	4.25	1.74
θ (135°)	0.1	0.79	0.34	0.23	-3.16	-7.3	-4.29	-5.65	0.39	0.55	4.77	5.78	5.85	5.72	2.3	1.9	1.72	2.62	2.68	1.11	0.25	0.83	3.41	5.24	0.1
θ (150°)	0.24	2.29	2.6	-1.72	-2.73	-2.78	-1.72	-1.85	-2.02	0.58	2.57	2.57	5.37	[6.11]	3.64	3.09	-1.06	0.86	0.97	-0.13	-0.54	0.41	-0.93	1.47	0.24
θ (165°)	1.71	-0.21	0.09	-0.48	-2.14	-4.42	-3.76	-4.61	-4.03	-0.58	0.46	0.43	-0.14	0.43	1.68	3.02	2.94	2.82	2.09	1.31	2.34	2.52	2.49	2.72	1.71
θ (180°)	5.22	5.05	4.71	4.28	3.27	1.76	-0.35	0.83	2.72	4.05	4.85	5.56	5.72	5.72	5.72	5.02	3.75	1.73	-0.41	0.89	2.98	4.29	5.11	5.37	5.22
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-7.88	-5.14	-2.91	-1.21	-0.29	0.45	0.53	0.05	-0.48	-1.94	-4.15	-6.73	-8.14	-5.78	-3.73	-1.94	-0.62	-0.01	0.1	-0.07	-0.66	-1.63	-3.15	-5.73	-7.88
θ (15°)	-11.69	-5.32	-1.69	-1.49	-2.29	-1.9	-2.01	-2.73	-1.95	-1.23	0.1	-0.7	-1.62	-2.03	-1.23	0.54	1.72	1.87	1.4	0.1	-0.25	-0.85	-2.28	-4.74	-11.69
θ (30°)	-11.26	-7.33	-5.9	-2.64	-0.55	-0.16	-0.9	-1.53	-1.87	-1.79	-2.06	-0.34	-4	-4	-1.47	-1.24	-1.13	0.29	-0.15	0	0.22	-0.31	1	-2.46	-11.26
θ (45°)	-3.31	-3.07	-5.3	-6.23	-0.28	-0.04	-0.39	-1.05	-0.97	-1.56	-4.34	-3.85	-7.74	-7.42	-2.24	0.07	0.93	-0.23	0.15	1.07	-0.65	-2.3	-0.87	0.83	-3.31
θ (60°)	-6.58	-8.82	-3.97	-2.27	-1.29	-3.08	0.29	1.04	-0.77	1.15	-3.5	-2.64	-9.74	-8.82	-0.14	-0.74	-0.47	-2.45	-2.66	-4.11	-0.93	-3.33	-1.58	-2.38	-6.58
θ (75°)	-8.29	-4.87	-4.57	-2.14	-3.58	0.29	-1.48	-4.38	-3.22	-1.6	-2.79	-4.77	-4.26	-7.9	-0.36	-0.27	-0.69	-2.68	-2.31	-0.36	-0.88	-0.87	-0.6	-3.07	-8.29
θ (90°)	-5.06	-3.43	-3.44	-4.28	-1.11	1.96	1.5	-1.2	0.96	1.22	-1.83	-4.63	-5.8	-7.69	0.18	0.49	1.47	1.53	-0.44	-1.85	-1.13	-1.74	0.97	-5.15	-5.06
θ (105°)	-2.37	-2.2	-0.92	0.26	1.53	-1.26	-0.93	0.05	-1.04	-1.36	-1.35	-3.46	-7.05	-7.11	-2.8	-2.1	-1	-1.62	-1.8	-2.91	-2.34	-3.22	-2.19	-3.15	-2.37
θ (120°)	-5.02	-3.28	-1.2	-3.29	-6.24	-1.85	-1.83	-1.13	-1.73	-3.47	-0.9	-1.67	-0.76	-7.61	-3.81	-0.97	-0.67	-2.59	-2.51	-4.16	-4.42	-2.46	-2.48	-2.79	-5.02
θ (135°)	-4.57	-2.8	-1.75	-0.12	-1.03	-0.15	0.86	0.86	-1.74	-1.69	-4.59	-2.18	-10.28	-2.67	-3.88	-2.85	-1.47	-1.2	-2.66	-2.23	-0.36	-1.35	-1.64	-3.93	-4.57
θ (150°)	-5.98	-3.04	-0.25	-1.79	-1.77	-1.2	-0.67	-2.87	-5.26	-1.38	0.32	-1.27	-4.2	-2.4	-0.57	0.85	-0.2	-1.24	1.28	2.34	2.34	-1.43	-5.17	-1.29	-5.98
θ (165°)	-7.25	-10.41	-4.85	0.06	1.96	2.44	0.47	-0.95	-0.66	-0.6	-1.61	-3.72	-4.06	-2.67	-1.97	-2.74	-1.24	1.6	3.95	4.46	3.96	3.13	2.34	0.18	-7.25
θ (180°)	-0.02	0.51	1.5	2.51	3.88	4.75	4.84	[5.03]	4.94	4.47	3.94	2.44	0.29	0.63	2.5	3.69	3.74	3.58	3.75	4.09	4.93	5	3.91	2.45	-0.02


1SS																									
Freq (MHz)	5785																								
Polarity	Theta																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	2.31	2.29	2.08	1.3	-0.41	-3.35	-6.82	-7.13	-3.19	-0.69	0.7	1.83	2.77	3.02	2.59	1.54	-0.1	-3.11	-6.91	-6.4	-2.55	-0.27	1.36	2.08	2.31
θ (15°)	2.98	1.56	-0.1	-1.53	-3.19	-2.76	-2.62	-3.19	-4.49	-3.51	-1.55	-0.39	0.81	1.11	-0.33	-1.48	-2.22	-3.22	-4.9	-3.39	-1.06	1.14	2.65	3.27	2.98
θ (30°)	3.84	2.59	-2.38	-5.31	-3.2	-1.29	-1.59	-3.31	-2.79	-1.82	-1.65	0.43	0.98	1.77	-1.61	-1.11	0.19	-0.35	-0.42	0.68	-0.2	-3.43	1.5	4.12	3.84
θ (45°)	0.25	-2.45	-2.48	1.18	1.59	-0.86	-0.27	-1.69	-1.83	-1.84	-2.02	0.57	1.99	0.78	-1.75	-0.08	-0.53	1.29	1.48	1.81	1.29	-0.77	1.34	-0.01	0.25
θ (60°)	1.76	-0.93	0.78	1.37	3.37	-1.91	-2.62	-2.2	-1.23	0.33	-3.94	-0.17	2.21	1.8	0.77	-1.27	0.78	2.52	4.46	3.66	0.99	1	0.49	1.23	1.76
θ (75°)	1.08	0.78	2.16	1.15	1.88	-2.45	-0.66	-0.18	-0.24	0.98	-1.53	0.95	3.71	1.85	4.39	2.16	1.34	3.46	4.74	3.38	-0.26	0.86	2.22	3.07	1.08
θ (90°)	-1.73	0.09	-1.26	0.58	-0.55	-1.5	4.95	1.55	0.58	2.59	0.12	3.26	4.64	2.18	2.64	0.99	0.84	2.14	3.73	3.5	0.18	1.27	0.98	2.82	-1.73
θ (105°)	-2.09	-0.96	0.7	1.58	0.29	1.91	4.85	-1.3	-1.04	1.35	0.28	4.05	3.9	3.1	2.61	2.54	4.22	2.56	2.8	2.61	2.14	0.92	2.91	2.99	-2.09
θ (120°)	1.93	-0.88	-2.04	-2.97	-0.77	-3.23	-3.6	-2.19	-4.54	0.4	2.3	2.23	4.75	4.53	3.02	1.87	1.21	2.44	3.4	2.68	1.58	2.34	3.66	3.44	1.93
θ (135°)	0.29	-0.5	-0.82	0.61	-2.48	-10.02	-7.27	-3.43	0.75	0.02	5.39	5.9	5.46	5.7	3.59	3.37	2.51	2.87	0.69	1.5	0.22	1.37	3.04	4.65	0.29
θ (150°)	1.23	2.93	2.99	-0.9	-2.24	-4.08	-2.77	-2.47	-2.85	0.33	2.36	4.14	5.59	5.25	1.77	3.37	1.03	-0.55	-1.1	-2.54	-0.46	1.76	0.47	2.21	1.23
θ (165°)	2.83	1.16	-0.21	-0.91	-2.22	-4.22	-6.6	-5.84	-3.14	-1.72	-1.43	-1.03	-1.11	0.55	1.82	2.81	2.83	2.5	2.33	2.53	3.4	3.24	2.73	2.76	2.83
θ (180°)	6.02	5.78	5.01	3.93	3	1.42	-0.82	0.12	2.74	4.52	5.67	6.36	[6.52]	6.23	5.62	4.91	3.4	1.35	-0.9	0.09	2.74	4.58	5.69	6.03	6.02
Polarity	Phi																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	-7.39	-5.68	-2.68	-0.54	0.83	1.89	2.51	2.73	2.24	0.91	-1.29	-4.53	-7.76	-6.1	-2.55	-0.02	1.85	2.81	3	2.97	2.36	1.4	-0.74	-4.63	-7.39
θ (15°)	-4.6	-1.48	-0.22	0.95	1.29	1.29	1.36	1.62	1.55	0.6	-0.87	-4.1	-7.18	-5.4	-1.67	-0.67	-0.41	-0.09	-0.38	-1.67	-1.6	-1.36	-1.63	-2.28	-4.6
θ (30°)	-6.33	-7.93	-6.24	-5.44	-3.64	-1.5	-1.8	-1.91	-0.43	-1.14	-3.48	-3.02	-5.24	-7.54	-2.42	-2.07	-3.6	-3.69	-1.6	-1.59	-1.42	1	0.74	-1.52	-6.33
θ (45°)	-3.43	-4.48	-5.94	-5.59	-0.99	-0.61	-0.82	0.83	0.55	-1.09	-4.94	-3.1	-13.14	-2.66	-0.92	-0.79	-0.02	0.59	1.55	0.95	-2.33	-2.61	-0.83	1.53	-3.43
θ (60°)	-6.18	-7.19	-4.42	-1.46	-1.34	-0.49	0.85	1.57	0.85	1	-1.91	-0.88	-6.44	-4.47	-2.54	-0.44	-2.02	-6.81	-4.31	-1	1.18	-2.17	-1.93	-0.85	-6.18
θ (75°)	-7.69	-9.5	-3.44	-5.05	-1.84	-1.6	-0.31	-1.9	-2.03	0.04	-1.11	-2.07	-5.02	-6.31	-0.13	-1.7	-1.55	-4.12	-2.1	0.63	-0.76	-0.39	-0.5	-1.67	-7.69
θ (90°)	-2.52	-1.4	-3.88	-4.45	-2.68	1.52	0.54	-1.66	1.62	1.42	1.34	-1.3	-4.28	-4.45	-2.32	0.42	-0.3	-0.8	-1.42	1.02	-1.42	-0.76	1.6	-2.51	-2.52
θ (105°)	-1.06	0.47	-3.16	-0.36	1.31	-1.52	-0.64	-2.13	-3.65	-1.84	-2.1	-5.36	-6.74	-4.71	-3.91	-1.37	-0.74	-0.56	-2.46	-2.23	-4.36	-2.87	-2.42	-3.26	-1.06
θ (120°)	-3.53	-1.27	-1.01	-4.77	-5.55	-0.93	-1.39	0.04	0.16	-5.72	-1.1	-3.43	-0.87	-5.43	-2.95	1.69	-0.81	-0.27	0.24	-3.61	-2.32	-3.57	-1.15	-4.68	-3.53
θ (135°)	-5.06	-3.63	-3.65	-2.2	-0.99	0.09	0.69	0.65	-0.94	-0.28	-0.41	-2.73	-7.17	-4.72	-3.51	-2.41	-1.84	-0.7	-0.33	-1.5	-1.57	-1.44	-0.38	-3.02	-5.06
θ (150°)	-5.17	-3.64	1.6	-2	-6.4	-0.76	-0.35	-2.53	-5.81	-3.91	0.72	0.15	-3.43	-3.12	0.95	1.75	-0.32	-4.14	-1.49	0.64	2.07	-0.19	-3.33	-0.11	-5.17
θ (165°)	-7.93	-7.51	-4.37	-0.72	2.1	2.45	0.83	-1.53	-3.46	-3.09	-2.65	-4.8	-3.42	-3.19	-4.29	-2.16	0.23	2.54	3.87	3.81	3.87	3.43	1.78	-0.34	-7.93
θ (180°)	0.32	-0.28	0.56	2.65	4.59	5.26	5.64	[5.65]	4.9	3.84	2.76	1.56	-0.44	-0.21	1.82	3.62	4.1	4.59	4.36	4.44	4.93	4.63	3.54	2.29	0.32

A.2 Antenna Pattern Test Plots




X-Y Plane (Ant 2)

Ant 2, Theta, XY-Plan




Ant 2, Phi, XY-Plan




Y-Z Plane (Ant 2)

Ant 2, Theta, YZ-Plan




Ant 2, Phi, YZ-Plan




Z-X Plane (Ant 2)

Ant 2, Theta, XZ-Plan




Ant 2, Phi, XZ-Plan




X-Y Plane (Ant 3)

Ant 3, Theta, XY-Plan




Ant 3, Phi, XY-Plan




Y-Z Plane (Ant 3)

Ant 3, Theta, YZ-Plan




Ant 3, Phi, YZ-Plan




Z-X Plane (Ant 3)

Ant 3, Theta, XZ-Plan




Ant 3, Phi, XZ-Plan




X-Y Plane (Ant 4)

Ant 4, Theta, XY-Plan




Ant 4, Phi, XY-Plan




Y-Z Plane (Ant 4)

Ant 4, Theta, YZ-Plan




Ant 4, Phi, YZ-Plan




Z-X Plane (Ant 4)

Ant 4, Theta, XZ-Plan



Ant 4, Phi, XZ-Plan



APPENDIX B –Information of the Testing Laboratories

B.1 Antenna Location (Configuration and RF Chains)

Please refer to the documents “OPBEIH-WTW-P25030743-7_Arcadyan_TMO-G5AR_Antenna measurement Report_APPENDIX”

B.2 Test Setup Diagram for EUT

Please refer to the documents “OPBEIH-WTW-P25030743-7_Arcadyan_TMO-G5AR_Antenna measurement Report_APPENDIX”

APPENDIX C - Information of the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are FCC recognized accredited test firms and accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Lin Kou EMC/RF Lab

Tel: 886-2-26052180

Fax: 886-2-26051924

Hsin Chu EMC/RF/Telecom Lab

Tel: 886-3-6668565

Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety Lab

Mobile Communications OTA Lab

Tel: 886-3-3183232

Fax: 886-3-3270892

Email: service.adt@tw.bureauveritas.com

Web Site: www.bureauveritas-adt.com

The address and road map of all our labs can be found in our web site also.

--- END ---