

## TEST SETUP PHOTOGRAPHS

Applicant: NAVICO INC.  
FCC ID: RAYHALO20  
IC: 978B-HALO20


### Conducted Measurements: Table Setup



Applicant: NAVICO INC.  
FCC ID: RAYHALO20  
IC: 978B-HALO20

**TEST SETUP PHOTOGRAPHS**


**Field Strength of Spurious Emissions  
30 MHz to 200 MHz (Biconical Antenna)**



Applicant: NAVICO INC.  
FCC ID: RAYHALO20  
IC: 978B-HALO20

## TEST SETUP PHOTOGRAPHS


**Field Strength of Spurious Emissions  
200 MHz to 1 GHz (Log Periodic Antenna)**



Applicant: NAVICO INC.  
FCC ID: RAYHALO20  
IC: 978B-HALO20

## TEST SETUP PHOTOGRAPHS


### Field Strength of Spurious Emissions 1 – 18 GHz (Dual Ridge Waveguide Antenna)



Applicant: NAVICO INC.  
FCC ID: RAYHALO20  
IC: 978B-HALO20

## TEST SETUP PHOTOGRAPHS


### Field Strength of Spurious Emissions > 18 GHz (Double Ridge Horn Antenna)



Applicant: NAVICO INC.  
FCC ID: RAYHALO20  
IC: 978B-HALO20

## TEST SETUP PHOTOGRAPHS

### Frequency Stability



Applicant: NAVICO INC.  
FCC ID: RAYHALO20  
IC: 978B-HALO20