

**Appendix G. Maximum Equivalent Isotropically Radiated Power (E.I.R.P.)**

U-NII-5

Modulation Type	Data Rate	Setting	CH	Freq. (MHz)	Measured value of each antenna port (dBm)		Total conducted power (dBm)	Total conducted power (mW)	Antenna Gain (dBi)	Total E.I.R.P (dBm)	Total E.I.R.P (mW)	E.I.R.P Limit (dBm)
					ANT-9	ANT-10						
11be EHT20	NSS1-MCS0	9	1	5955	7.83	7.65	10.75	11.888	3.82	14.57	28.65	30.00
11be EHT20	NSS1-MCS0	9	45	6175	7.27	7.12	10.21	10.486	3.82	14.03	25.27	30.00
11be EHT20	NSS1-MCS0	9	93	6415	7.95	7.18	10.59	11.461	3.82	14.41	27.62	30.00
11be EHT40	NSS1-MCS0	12	3	5965	10.66	10.60	13.64	23.123	3.82	17.46	55.72	30.00
11be EHT40	NSS1-MCS0	12	43	6165	10.06	9.94	13.01	20.002	3.82	16.83	48.20	30.00
11be EHT40	NSS1-MCS0	11.5	91	6405	10.16	9.80	12.99	19.925	3.82	16.81	48.02	30.00
11be EHT80	NSS1-MCS0	14	7	5985	12.81	12.76	15.80	37.978	3.82	19.62	91.52	30.00
11be EHT80	NSS1-MCS0	14.5	39	6145	12.74	12.40	15.58	36.171	3.82	19.40	87.17	30.00
11be EHT80	NSS1-MCS0	13.5	87	6385	12.42	12.08	15.26	33.602	3.82	19.08	80.98	30.00
11be EHT160	NSS1-MCS0	17.5	15	6025	15.70	15.50	18.61	72.635	3.82	22.43	175.04	30.00
11be EHT160	NSS1-MCS0	17	47	6185	15.08	15.16	18.13	65.020	3.82	21.95	156.69	30.00
11be EHT160	NSS1-MCS0	16.5	79	6345	15.29	15.39	18.35	68.400	3.82	22.17	164.84	30.00

U-NII-6

Modulation Type	Data Rate	Setting	CH	Freq. (MHz)	Measured value of each antenna port (dBm)		Total conducted power (dBm)	Total conducted power (mW)	Antenna Gain (dBi)	Total E.I.R.P (dBm)	Total E.I.R.P (mW)	E.I.R.P Limit (dBm)
					ANT-9	ANT-10						
11be EHT20	NSS1-MCS0	9	97	6435	7.81	6.95	10.41	10.994	3.47	13.88	24.44	30.00
11be EHT20	NSS1-MCS0	9	105	6475	7.40	6.62	10.04	10.087	3.47	13.51	22.43	30.00
11be EHT20	NSS1-MCS0	10	113	6515	8.02	7.33	10.70	11.746	3.47	14.17	26.12	30.00
11be EHT40	NSS1-MCS0	12	99	6445	10.39	9.85	13.14	20.600	3.47	16.61	45.80	30.00
11be EHT40	NSS1-MCS0	12	107	6485	10.13	9.40	12.79	19.013	3.47	16.26	42.27	30.00
11be EHT80	NSS1-MCS0	14.5	103	6465	12.96	12.20	15.61	36.366	3.47	19.08	80.85	30.00

U-NII-7

Modulation Type	Data Rate	Setting	CH	Freq. (MHz)	Measured value of each antenna port (dBm)		Total conducted power (dBm)	Total conducted power (mW)	Antenna Gain (dBi)	Total E.I.R.P (dBm)	Total E.I.R.P (mW)	E.I.R.P Limit (dBm)
					ANT-9	ANT-10						
11be EHT20	NSS1-MCS0	10	117	6535	7.95	7.46	10.72	11.809	3.45	14.17	26.13	30.00
11be EHT20	NSS1-MCS0	9.5	153	6715	8.15	7.95	11.06	12.769	3.45	14.51	28.26	30.00
11be EHT20	NSS1-MCS0	10.5	181	6855	8.50	8.11	11.32	13.551	3.45	14.77	29.99	30.00
11be EHT40	NSS1-MCS0	13.5	123	6565	11.24	11.02	14.14	25.952	3.45	17.59	57.43	30.00
11be EHT40	NSS1-MCS0	12.5	155	6725	11.23	10.72	13.99	25.077	3.45	17.44	55.50	30.00
11be EHT40	NSS1-MCS0	13.5	179	6845	11.36	10.88	14.14	25.923	3.45	17.59	57.37	30.00
11be EHT80	NSS1-MCS0	14.5	135	6625	12.99	12.96	15.99	39.676	3.45	19.44	87.81	30.00
11be EHT80	NSS1-MCS0	15	151	6705	13.96	13.51	16.75	47.327	3.45	20.20	104.74	30.00
11be EHT80	NSS1-MCS0	15	167	6785	13.45	12.44	15.98	39.670	3.45	19.43	87.79	30.00
11be EHT160	NSS1-MCS0	17.5	143	6665	15.79	16.22	19.02	79.811	3.45	22.47	176.63	30.00



U-NII-8

Modulation Type	Data Rate	Setting	CH	Freq. (MHz)	Measured value of each antenna port (dBm)		Total conducted power (dBm)	Total conducted power (mW)	Antenna Gain (dBi)	Total E.I.R.P (dBm)	Total E.I.R.P (mW)	E.I.R.P Limit (dBm)
					ANT-9	ANT-10						
11be EHT20	NSS1-MCS0	11	189	6895	9.20	9.17	12.20	16.578	2.19	14.39	27.45	30.00
11be EHT20	NSS1-MCS0	10	213	7015	8.94	8.87	11.92	15.543	2.19	14.11	25.74	30.00
11be EHT20	NSS1-MCS0	10.5	229	7095	8.74	7.77	11.29	13.466	2.19	13.48	22.30	30.00
11be EHT20	NSS1-MCS0	5.5	233	7115	3.29	2.16	5.77	3.777	2.19	7.96	6.25	30.00
11be EHT40	NSS1-MCS0	13	195	6925	11.08	11.36	14.23	26.501	2.19	16.42	43.88	30.00
11be EHT40	NSS1-MCS0	13	211	7005	11.48	11.78	14.64	29.127	2.19	16.83	48.23	30.00
11be EHT40	NSS1-MCS0	13.5	227	7085	11.50	10.83	14.19	26.231	2.19	16.38	43.43	30.00
11be EHT80	NSS1-MCS0	15	199	6945	13.41	13.84	16.64	46.138	2.19	18.83	76.39	30.00
11be EHT80	NSS1-MCS0	15.5	215	7025	14.30	13.99	17.16	51.976	2.19	19.35	86.06	30.00
11be EHT160	NSS1-MCS0	17.5	207	6985	15.70	16.22	18.98	79.033	2.19	21.17	130.86	30.00

Straddle Channel

Maximum Conducted Output Power (Within 6425-6525MHz band) RF Output Power(dBm)											
Setting	Modulation Type	Data Rate	Freq. (MHz)	W/O Duty Factor Measured value of each antenna port (dBm)		W/O duty factor Total power (dBm)	Duty Factor (dB)	With duty factor Total power (dBm)	Antenna Gain (dBi)	With duty factor EIRP (dBm)	EIRP Limit (dBm)
				ANT-9	ANT-10						
13	11be EHT40	NSS1-MCS0	6525	7.34	7.33	10.35	0.00	10.35	3.47	13.82	30.00
15.5	11be EHT80	NSS1-MCS0	6545	5.75	5.78	8.78	0.00	8.78	3.47	12.25	30.00
18	11be EHT160	NSS1-MCS0	6505	13.94	13.50	16.74	0.00	16.74	3.47	20.21	30.00

Maximum Conducted Output Power (Extends across 6525MHz band) RF Output Power(dBm)											
Setting	Modulation Type	Data Rate	Freq. (MHz)	W/O Duty Factor Measured value of each antenna port (dBm)		W/O duty factor Total power (dBm)	Duty Factor (dB)	With duty factor Total power (dBm)	Antenna Gain (dBi)	With duty factor EIRP (dBm)	EIRP Limit (dBm)
				ANT-9	ANT-10						
13	11be EHT40	NSS1-MCS0	6525	7.12	6.96	10.05	0.00	10.05	3.45	13.50	30.00
15.5	11be EHT80	NSS1-MCS0	6545	12.00	11.48	14.76	0.00	14.76	3.45	18.21	30.00
18	11be EHT160	NSS1-MCS0	6505	10.36	9.87	13.13	0.00	13.13	3.45	16.58	30.00




Straddle Channel

Maximum Conducted Output Power (Within 6525-6875MHz band) RF Output Power(dBm)											
Setting	Modulation Type	Data Rate	Freq. (MHz)	W/O Duty Factor Measured value of each antenna port (dBm)		W/O duty factor Total power (dBm)	Duty Factor (dB)	With duty factor Total power (dBm)	Antenna Gain (dBi)	With duty factor EIRP (dBm)	EIRP Limit (dBm)
				ANT-9	ANT-10						
11	11be EHT20	NSS1-MCS0	6875	4.75	4.38	7.58	0.00	7.58	3.45	11.03	30.00
14	11be EHT40	NSS1-MCS0	6885	4.37	4.00	7.20	0.00	7.20	3.45	10.65	30.00
16	11be EHT80	NSS1-MCS0	6865	11.04	10.63	13.85	0.00	13.85	3.45	17.30	30.00
19	11be EHT160	NSS1-MCS0	6825	15.21	14.30	17.79	0.00	17.79	3.45	21.24	30.00


Maximum Conducted Output Power (Extends across 6875MHz band) RF Output Power(dBm)											
Setting	Modulation Type	Data Rate	Freq. (MHz)	W/O Duty Factor Measured value of each antenna port (dBm)		W/O duty factor Total power (dBm)	Duty Factor (dB)	With duty factor Total power (dBm)	Antenna Gain (dBi)	With duty factor EIRP (dBm)	EIRP Limit (dBm)
				ANT-9	ANT-10						
11	11be EHT20	NSS1-MCS0	6875	5.39	4.70	8.07	0.00	8.07	2.19	10.26	30.00
14	11be EHT40	NSS1-MCS0	6885	9.98	9.37	12.70	0.00	12.70	2.19	14.89	30.00
16	11be EHT80	NSS1-MCS0	6865	8.15	7.58	10.88	0.00	10.88	2.19	13.07	30.00
19	11be EHT160	NSS1-MCS0	6825	7.86	6.55	10.26	0.00	10.26	2.19	12.45	30.00



Gate setup plot
Modulation Type: 802.11be EHT20




Modulation Type: 802.11be EHT40






Gate setup plot
Modulation Type: 802.11be EHT80





Modulation Type: 802.11be EHT160







Straddle Channel, ANT-9
Within 6425-6525MHz
Modulation Type: 802.11be EHT40
CH115

Extends across 6525MHz band
Modulation Type: 802.11be EHT40
CH115





Modulation Type: 802.11be EHT80
CH119

Modulation Type: 802.11be EHT80
CH119



Modulation Type: 802.11be EHT160
CH111



Modulation Type: 802.11be EHT160
CH111






Straddle Channel, ANT-9
Within 6525-6875MHz band
Modulation Type: 802.11be EHT20
CH185


Modulation Type: 802.11be EHT160
CH175



Modulation Type: 802.11be EHT40
CH187




Modulation Type: 802.11be EHT80
CH183







Straddle Channel, ANT-10
Within 6425-6525MHz
Modulation Type: 802.11be EHT40
CH115

Extends across 6525MHz band
Modulation Type: 802.11be EHT40
CH115





Modulation Type: 802.11be EHT80
CH119

Modulation Type: 802.11be EHT80
CH119



Modulation Type: 802.11be EHT160
CH111



Modulation Type: 802.11be EHT160
CH111






Straddle Channel, ANT-10
Within 6525-6875MHz band
Modulation Type: 802.11be EHT20
CH185


Modulation Type: 802.11be EHT160
CH175



Modulation Type: 802.11be EHT40
CH187



Modulation Type: 802.11be EHT80
CH183





Appendix H. Peak Power Spectral Density (E.I.R.P.)

U-NII-5

Modulation Type	Data Rate	CH	Freq. (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT-9	ANT-10					
11be EHT20	NSS1-MCS0	1	5955	-4.48	-4.63	-1.54	0.00	6.17	4.63	5.00
11be EHT20	NSS1-MCS0	45	6175	-4.69	-4.58	-1.62	0.00	6.17	4.55	5.00
11be EHT20	NSS1-MCS0	93	6415	-3.87	-4.82	-1.31	0.00	6.17	4.86	5.00
11be EHT40	NSS1-MCS0	3	5965	-4.47	-4.39	-1.42	0.00	6.17	4.75	5.00
11be EHT40	NSS1-MCS0	43	6165	-4.29	-4.64	-1.45	0.00	6.17	4.72	5.00
11be EHT40	NSS1-MCS0	91	6405	-4.13	-4.67	-1.38	0.00	6.17	4.79	5.00
11be EHT80	NSS1-MCS0	7	5985	-4.43	-4.60	-1.51	0.00	6.17	4.66	5.00
11be EHT80	NSS1-MCS0	39	6145	-4.31	-4.89	-1.58	0.00	6.17	4.59	5.00
11be EHT80	NSS1-MCS0	87	6385	-4.53	-4.67	-1.59	0.00	6.17	4.58	5.00
11be EHT160	NSS1-MCS0	15	6025	-4.08	-4.38	-1.22	0.00	6.17	4.95	5.00
11be EHT160	NSS1-MCS0	47	6185	-4.66	-4.58	-1.61	0.00	6.17	4.56	5.00
11be EHT160	NSS1-MCS0	79	6345	-4.29	-4.30	-1.28	0.00	6.17	4.89	5.00

U-NII-6

Modulation Type	Data Rate	CH	Freq. (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT-9	ANT-10					
11be EHT20	NSS1-MCS0	97	6435	-3.66	-4.97	-1.25	0.00	5.99	4.74	5.00
11be EHT20	NSS1-MCS0	105	6475	-3.88	-5.08	-1.43	0.00	5.99	4.56	5.00
11be EHT20	NSS1-MCS0	113	6515	-3.79	-4.32	-1.04	0.00	5.99	4.95	5.00
11be EHT40	NSS1-MCS0	99	6445	-3.63	-4.76	-1.15	0.00	5.99	4.84	5.00
11be EHT40	NSS1-MCS0	107	6485	-3.84	-4.81	-1.29	0.00	5.99	4.70	5.00
11be EHT80	NSS1-MCS0	103	6465	-3.46	-5.49	-1.35	0.00	5.99	4.64	5.00

U-NII-7

Modulation Type	Data Rate	CH	Freq. (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT-9	ANT-10					
11be EHT20	NSS1-MCS0	117	6535	-3.71	-4.64	-1.14	0.00	5.81	4.67	5.00
11be EHT20	NSS1-MCS0	153	6715	-3.67	-4.84	-1.20	0.00	5.81	4.61	5.00
11be EHT20	NSS1-MCS0	181	6855	-3.51	-4.59	-1.01	0.00	5.81	4.80	5.00
11be EHT40	NSS1-MCS0	123	6565	-3.55	-4.21	-0.86	0.00	5.81	4.95	5.00
11be EHT40	NSS1-MCS0	155	6725	-3.66	-4.66	-1.12	0.00	5.81	4.69	5.00
11be EHT40	NSS1-MCS0	179	6845	-3.56	-4.40	-0.95	0.00	5.81	4.86	5.00
11be EHT80	NSS1-MCS0	135	6625	-3.76	-4.18	-0.96	0.00	5.81	4.85	5.00
11be EHT80	NSS1-MCS0	151	6705	-3.71	-4.14	-0.91	0.00	5.81	4.90	5.00
11be EHT80	NSS1-MCS0	167	6785	-3.44	-4.80	-1.06	0.00	5.81	4.75	5.00
11be EHT160	NSS1-MCS0	143	6665	-4.20	-3.75	-0.96	0.00	5.81	4.85	5.00



U-NII-8

Modulation Type	Data Rate	CH	Freq. (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT-9	ANT-10					
11be EHT20	NSS1-MCS0	189	6895	-2.95	-3.60	-0.25	0.00	5.16	4.91	5.00
11be EHT20	NSS1-MCS0	213	7015	-3.32	-3.79	-0.54	0.00	5.16	4.62	5.00
11be EHT20	NSS1-MCS0	229	7095	-3.20	-3.91	-0.53	0.00	5.16	4.63	5.00
11be EHT20	NSS1-MCS0	233	7115	-8.51	-9.45	-5.94	0.00	5.16	-0.78	5.00
11be EHT40	NSS1-MCS0	195	6925	-3.45	-3.63	-0.53	0.00	5.16	4.63	5.00
11be EHT40	NSS1-MCS0	211	7005	-3.40	-3.51	-0.44	0.00	5.16	4.72	5.00
11be EHT40	NSS1-MCS0	227	7085	-2.84	-3.62	-0.20	0.00	5.16	4.96	5.00
11be EHT80	NSS1-MCS0	199	6945	-3.46	-3.47	-0.45	0.00	5.16	4.71	5.00
11be EHT80	NSS1-MCS0	215	7025	-3.02	-3.84	-0.40	0.00	5.16	4.76	5.00
11be EHT160	NSS1-MCS0	207	6985	-4.24	-4.07	-1.14	0.00	5.16	4.02	5.00

Straddle Channel

Maximum EIRP PSD (Within 6425-6525MHz band)										
Setting	Modulation Type	Data Rate	Freq. (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT-9	ANT-10					
13	11be EHT40	NSS1-MCS0	6525	-4.05	-4.50	-1.25	0.00	5.99	4.74	5.00
15.5	11be EHT80	NSS1-MCS0	6545	-4.83	-5.37	-2.08	0.00	5.99	3.91	5.00
18	11be EHT160	NSS1-MCS0	6505	-4.21	-4.54	-1.36	0.00	5.99	4.63	5.00

Maximum EIRP PSD (Extends across 6525MHz band)										
Setting	Modulation Type	Data Rate	Freq. (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT-9	ANT-10					
13	11be EHT40	NSS1-MCS0	6525	-4.48	-4.41	-1.43	0.00	5.81	4.38	5.00
15.5	11be EHT80	NSS1-MCS0	6545	-4.08	-4.15	-1.10	0.00	5.81	4.71	5.00
18	11be EHT160	NSS1-MCS0	6505	-5.60	-6.36	-2.95	0.00	5.81	2.86	5.00





Straddle Channel

Maximum EIRP PSD (Within 6525-6875MHz band)										
Setting	Modulation Type	Data Rate	Freq. (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT-9	ANT-10					
11	11be EHT20	NSS1-MCS0	6875	-3.69	-4.64	-1.13	0.00	5.81	4.68	5.00
14	11be EHT40	NSS1-MCS0	6885	-4.17	-4.65	-1.39	0.00	5.81	4.42	5.00
16	11be EHT80	NSS1-MCS0	6865	-3.83	-4.49	-1.13	0.00	5.81	4.68	5.00
19	11be EHT160	NSS1-MCS0	6825	-3.54	-4.54	-1.00	0.00	5.81	4.81	5.00


Maximum EIRP PSD (Extends across 6875MHz band)										
Setting	Modulation Type	Data Rate	Freq. (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT-9	ANT-10					
11	11be EHT20	NSS1-MCS0	6875	-3.36	-4.16	-0.73	0.00	5.16	4.43	5.00
14	11be EHT40	NSS1-MCS0	6885	-3.17	-3.68	-0.41	0.00	5.16	4.75	5.00
16	11be EHT80	NSS1-MCS0	6865	-4.90	-5.25	-2.06	0.00	5.16	3.10	5.00
19	11be EHT160	NSS1-MCS0	6825	-5.51	-7.07	-3.21	0.00	5.16	1.95	5.00




U-NII-5, ANT-9

Modulation Type: 802.11be EHT20
CH01Modulation Type: 802.11be EHT40
CH03


CH45




CH43



CH93




CH91






U-NII-5, ANT-9


Modulation Type: 802.11be EHT80
CH07




Modulation Type: 802.11be EHT160
CH15




CH39




CH47



CH87




CH79






U-NII-6, ANT-9


Modulation Type: 802.11be EHT20
CH97




Modulation Type: 802.11be EHT40
CH99




CH105



CH107




CH113






U-NII-6, ANT-9
Modulation Type: 802.11be EHT80
CH103






U-NII-7, ANT-9


Modulation Type: 802.11be EHT20
CH117




Modulation Type: 802.11be EHT40
CH123




CH153




CH155



CH181



CH179






U-NII-7, ANT-9


Modulation Type: 802.11be EHT80

CH135




Modulation Type: 802.11be EHT160


CH143



CH151




CH167






U-NII-8, ANT-9


Modulation Type: 802.11be EHT20
CH189




Modulation Type: 802.11be EHT20
CH233



CH213





CH229







U-NII-8, ANT-9

Modulation Type: 802.11be EHT40
CH195Modulation Type: 802.11be EHT80
CH195


CH211



CH215




CH227






U-NII-8, ANT-9
Modulation Type: 802.11be EHT160
CH207







Straddle Channel, ANT-9
Within 6425-6525MHz band
Modulation Type: 802.11be EHT40
CH115




Extends across 6525MHz band
Modulation Type: 802.11be EHT40
CH115




Modulation Type: 802.11be EHT80
CH119




Modulation Type: 802.11be EHT80
CH119



Modulation Type: 802.11be EHT160
CH111





Modulation Type: 802.11be EHT160
CH111






Straddle Channel, ANT-9
Within 6525-6875MHz band
Modulation Type: 802.11be EHT20
CH185


Modulation Type: 802.11be EHT160
CH175



Modulation Type: 802.11be EHT40
CH187





Modulation Type: 802.11be EHT80
CH183






Straddle Channel, ANT-9
Extends across 6875MHz band
Modulation Type: 802.11be EHT20
CH185


Modulation Type: 802.11be EHT160
CH175



Modulation Type: 802.11be EHT40
CH187




Modulation Type: 802.11be EHT80
CH183






U-NII-5, ANT-10


Modulation Type: 802.11be EHT20
CH01




Modulation Type: 802.11be EHT40
CH03




CH45




CH43



CH93





CH91







U-NII-5, ANT-10

Modulation Type: 802.11be EHT80
CH07Modulation Type: 802.11be EHT160
CH15


CH39




CH47



CH87





CH79







U-NII-6, ANT-10

Modulation Type: 802.11be EHT20
CH97Modulation Type: 802.11be EHT40
CH99


CH105



CH107




CH113






U-NII-6, ANT-10
Modulation Type: 802.11be EHT80
CH103






U-NII-7, ANT-10


Modulation Type: 802.11be EHT20
CH117




Modulation Type: 802.11be EHT40
CH123




CH153




CH155



CH181




CH179







U-NII-7, ANT-10
Modulation Type: 802.11be EHT80
CH135




Modulation Type: 802.11be EHT160
CH143



CH151




CH167






U-NII-8, ANT-10


Modulation Type: 802.11be EHT20
CH189




Modulation Type: 802.11be EHT20
CH233



CH213





CH229







U-NII-8, ANT-10

Modulation Type: 802.11be EHT40
CH195Modulation Type: 802.11be EHT80
CH199


CH211



CH215




CH227






U-NII-8, ANT-10
Modulation Type: 802.11be EHT160
CH207







Straddle Channel, ANT-10
Within 6425-6525MHz band
Modulation Type: 802.11be EHT40
CH115




Extends across 6525MHz band
Modulation Type: 802.11be EHT40
CH115




Modulation Type: 802.11be EHT80
CH119




Modulation Type: 802.11be EHT80
CH119



Modulation Type: 802.11be EHT160
CH111





Modulation Type: 802.11be EHT160
CH111






Straddle Channel, ANT-10
Within 6525-6875MHz band
Modulation Type: 802.11be EHT20
CH185


Modulation Type: 802.11be EHT160
CH175



Modulation Type: 802.11be EHT40
CH187





Modulation Type: 802.11be EHT80
CH183






Straddle Channel, ANT-10
Extends across 6875MHz band
Modulation Type: 802.11be EHT20
CH185

Modulation Type: 802.11be EHT160
CH175



Modulation Type: 802.11be EHT40
CH187



Modulation Type: 802.11be EHT80
CH183

