

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B7_5MHz_EIRP

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	23.00	1.66	24.66	<=33.01	Pass
			13	22.94	1.66	24.60	<=33.01	Pass
			24	22.92	1.66	24.58	<=33.01	Pass
		12	0	22.01	1.66	23.67	<=33.01	Pass
			6	21.92	1.66	23.58	<=33.01	Pass
			13	21.81	1.66	23.47	<=33.01	Pass
		25	0	21.93	1.66	23.59	<=33.01	Pass
	2535	1	0	22.85	1.66	24.51	<=33.01	Pass
			13	22.77	1.66	24.43	<=33.01	Pass
			24	22.72	1.66	24.38	<=33.01	Pass
		12	0	21.80	1.66	23.46	<=33.01	Pass
			6	21.79	1.66	23.45	<=33.01	Pass
			13	21.81	1.66	23.47	<=33.01	Pass
		25	0	21.82	1.66	23.48	<=33.01	Pass
	2567.5	1	0	22.83	1.66	24.49	<=33.01	Pass
			13	22.69	1.66	24.35	<=33.01	Pass
			24	22.74	1.66	24.40	<=33.01	Pass
		12	0	21.77	1.66	23.43	<=33.01	Pass
			6	21.72	1.66	23.38	<=33.01	Pass
			13	21.72	1.66	23.38	<=33.01	Pass
		25	0	21.73	1.66	23.39	<=33.01	Pass
16QAM	2502.5	1	0	21.84	1.66	23.50	<=33.01	Pass
			13	21.86	1.66	23.52	<=33.01	Pass
			24	21.80	1.66	23.46	<=33.01	Pass
		12	0	21.10	1.66	22.76	<=33.01	Pass
			6	21.03	1.66	22.69	<=33.01	Pass
			13	20.92	1.66	22.58	<=33.01	Pass
		25	0	21.08	1.66	22.74	<=33.01	Pass
	2535	1	0	22.10	1.66	23.76	<=33.01	Pass
			13	22.13	1.66	23.79	<=33.01	Pass
			24	22.18	1.66	23.84	<=33.01	Pass
		12	0	20.80	1.66	22.46	<=33.01	Pass
			6	20.79	1.66	22.45	<=33.01	Pass
			13	20.81	1.66	22.47	<=33.01	Pass
		25	0	20.81	1.66	22.47	<=33.01	Pass
	2567.5	1	0	21.78	1.66	23.44	<=33.01	Pass
			13	21.60	1.66	23.26	<=33.01	Pass
			24	21.65	1.66	23.31	<=33.01	Pass
		12	0	20.75	1.66	22.41	<=33.01	Pass
			6	20.71	1.66	22.37	<=33.01	Pass
			13	20.70	1.66	22.36	<=33.01	Pass
		25	0	20.77	1.66	22.43	<=33.01	Pass
64QAM	2502.5	1	0	21.17	1.66	22.83	<=33.01	Pass
			13	21.11	1.66	22.77	<=33.01	Pass
			24	21.14	1.66	22.80	<=33.01	Pass
		12	0	20.06	1.66	21.72	<=33.01	Pass
			6	20.03	1.66	21.69	<=33.01	Pass
			13	19.90	1.66	21.56	<=33.01	Pass
		25	0	20.06	1.66	21.72	<=33.01	Pass
	2535	1	0	21.05	1.66	22.71	<=33.01	Pass
			13	20.93	1.66	22.59	<=33.01	Pass
			24	20.89	1.66	22.55	<=33.01	Pass
		12	0	19.93	1.66	21.59	<=33.01	Pass
			6	19.90	1.66	21.56	<=33.01	Pass

			13	19.92	1.66	21.58	<=33.01	Pass
		25	0	19.77	1.66	21.43	<=33.01	Pass
	2567.5	1	0	20.73	1.66	22.39	<=33.01	Pass
			13	20.69	1.66	22.35	<=33.01	Pass
			24	20.64	1.66	22.30	<=33.01	Pass
		12	0	19.69	1.66	21.35	<=33.01	Pass
			6	19.68	1.66	21.34	<=33.01	Pass
			13	19.64	1.66	21.30	<=33.01	Pass
		25	0	19.74	1.66	21.40	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B7_10MHz_EIRP

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	23.18	1.66	24.84	<=33.01	Pass
			25	22.86	1.66	24.52	<=33.01	Pass
			49	23.05	1.66	24.71	<=33.01	Pass
		25	0	21.95	1.66	23.61	<=33.01	Pass
			13	21.86	1.66	23.52	<=33.01	Pass
			25	21.95	1.66	23.61	<=33.01	Pass
		50	0	21.98	1.66	23.64	<=33.01	Pass
	2535	1	0	22.96	1.66	24.62	<=33.01	Pass
			25	22.72	1.66	24.38	<=33.01	Pass
			49	22.96	1.66	24.62	<=33.01	Pass
		25	0	21.74	1.66	23.40	<=33.01	Pass
			13	21.79	1.66	23.45	<=33.01	Pass
			25	21.79	1.66	23.45	<=33.01	Pass
		50	0	21.79	1.66	23.45	<=33.01	Pass
	2565	1	0	22.99	1.66	24.65	<=33.01	Pass
			25	22.75	1.66	24.41	<=33.01	Pass
			49	22.71	1.66	24.37	<=33.01	Pass
		25	0	21.82	1.66	23.48	<=33.01	Pass
			13	21.76	1.66	23.42	<=33.01	Pass
			25	21.74	1.66	23.40	<=33.01	Pass
		50	0	21.72	1.66	23.38	<=33.01	Pass
16QAM	2505	1	0	22.70	1.66	24.36	<=33.01	Pass
			25	22.39	1.66	24.05	<=33.01	Pass
			49	22.59	1.66	24.25	<=33.01	Pass
		25	0	21.06	1.66	22.72	<=33.01	Pass
			13	20.98	1.66	22.64	<=33.01	Pass
			25	20.96	1.66	22.62	<=33.01	Pass
		50	0	20.94	1.66	22.60	<=33.01	Pass
	2535	1	0	22.19	1.66	23.85	<=33.01	Pass
			25	21.99	1.66	23.65	<=33.01	Pass
			49	22.04	1.66	23.70	<=33.01	Pass
		25	0	20.78	1.66	22.44	<=33.01	Pass
			13	20.78	1.66	22.44	<=33.01	Pass
			25	20.77	1.66	22.43	<=33.01	Pass
		50	0	20.79	1.66	22.45	<=33.01	Pass
	2565	1	0	22.03	1.66	23.69	<=33.01	Pass
			25	21.84	1.66	23.50	<=33.01	Pass
			49	21.86	1.66	23.52	<=33.01	Pass
		25	0	20.93	1.66	22.59	<=33.01	Pass
			13	20.82	1.66	22.48	<=33.01	Pass
			25	20.79	1.66	22.45	<=33.01	Pass
		50	0	20.73	1.66	22.39	<=33.01	Pass
64QAM	2505	1	0	21.38	1.66	23.04	<=33.01	Pass
			25	21.02	1.66	22.68	<=33.01	Pass
			49	21.26	1.66	22.92	<=33.01	Pass
		25	0	19.99	1.66	21.65	<=33.01	Pass

		50	13	19.86	1.66	21.52	<=33.01	Pass
			25	19.87	1.66	21.53	<=33.01	Pass
			0	20.15	1.66	21.81	<=33.01	Pass
	2535	1	0	20.98	1.66	22.64	<=33.01	Pass
			25	20.91	1.66	22.57	<=33.01	Pass
			49	20.98	1.66	22.64	<=33.01	Pass
		25	0	19.88	1.66	21.54	<=33.01	Pass
			13	19.89	1.66	21.55	<=33.01	Pass
			25	19.91	1.66	21.57	<=33.01	Pass
		50	0	19.78	1.66	21.44	<=33.01	Pass
	2565	1	0	20.87	1.66	22.53	<=33.01	Pass
			25	20.57	1.66	22.23	<=33.01	Pass
			49	20.47	1.66	22.13	<=33.01	Pass
		25	0	19.88	1.66	21.54	<=33.01	Pass
			13	19.81	1.66	21.47	<=33.01	Pass
			25	19.78	1.66	21.44	<=33.01	Pass
		50	0	19.78	1.66	21.44	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B7_15MHz_EIRP

Band: 7 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	22.80	1.66	24.46	<=33.01	Pass
			38	22.74	1.66	24.40	<=33.01	Pass
			74	22.68	1.66	24.34	<=33.01	Pass
		36	0	21.84	1.66	23.50	<=33.01	Pass
			18	21.87	1.66	23.53	<=33.01	Pass
			39	21.90	1.66	23.56	<=33.01	Pass
		75	0	21.75	1.66	23.41	<=33.01	Pass
	2535	1	0	22.79	1.66	24.45	<=33.01	Pass
			38	22.82	1.66	24.48	<=33.01	Pass
			74	22.79	1.66	24.45	<=33.01	Pass
		36	0	21.87	1.66	23.53	<=33.01	Pass
			18	21.89	1.66	23.55	<=33.01	Pass
			39	21.89	1.66	23.55	<=33.01	Pass
		75	0	21.95	1.66	23.61	<=33.01	Pass
	2562.5	1	0	22.65	1.66	24.31	<=33.01	Pass
			38	22.75	1.66	24.41	<=33.01	Pass
			74	22.63	1.66	24.29	<=33.01	Pass
		36	0	21.88	1.66	23.54	<=33.01	Pass
			18	21.89	1.66	23.55	<=33.01	Pass
			39	21.83	1.66	23.49	<=33.01	Pass
		75	0	21.86	1.66	23.52	<=33.01	Pass
16QAM	2507.5	1	0	22.35	1.66	24.01	<=33.01	Pass
			38	22.22	1.66	23.88	<=33.01	Pass
			74	22.29	1.66	23.95	<=33.01	Pass
		36	0	20.86	1.66	22.52	<=33.01	Pass
			18	20.84	1.66	22.50	<=33.01	Pass
			39	20.89	1.66	22.55	<=33.01	Pass
		75	0	20.89	1.66	22.55	<=33.01	Pass
	2535	1	0	22.03	1.66	23.69	<=33.01	Pass
			38	22.11	1.66	23.77	<=33.01	Pass
			74	21.98	1.66	23.64	<=33.01	Pass
		36	0	20.86	1.66	22.52	<=33.01	Pass
			18	20.89	1.66	22.55	<=33.01	Pass
			39	20.91	1.66	22.57	<=33.01	Pass
		75	0	20.97	1.66	22.63	<=33.01	Pass
	2562.5	1	0	22.06	1.66	23.72	<=33.01	Pass
			38	22.20	1.66	23.86	<=33.01	Pass
			74	22.01	1.66	23.67	<=33.01	Pass

64QAM	2507.5	36	0	20.87	1.66	22.53	<=33.01	Pass
			18	20.87	1.66	22.53	<=33.01	Pass
			39	20.88	1.66	22.54	<=33.01	Pass
		75	0	20.84	1.66	22.50	<=33.01	Pass
			0	20.94	1.66	22.60	<=33.01	Pass
			38	21.04	1.66	22.70	<=33.01	Pass
		1	74	20.94	1.66	22.60	<=33.01	Pass
			0	19.86	1.66	21.52	<=33.01	Pass
			18	19.89	1.66	21.55	<=33.01	Pass
	2535	36	39	19.88	1.66	21.54	<=33.01	Pass
			0	20.03	1.66	21.69	<=33.01	Pass
			74	20.90	1.66	22.56	<=33.01	Pass
		1	0	21.01	1.66	22.67	<=33.01	Pass
			38	20.88	1.66	22.54	<=33.01	Pass
			74	20.90	1.66	22.56	<=33.01	Pass
		36	0	19.95	1.66	21.61	<=33.01	Pass
			18	19.97	1.66	21.63	<=33.01	Pass
			39	19.94	1.66	21.60	<=33.01	Pass
	2562.5	75	0	19.91	1.66	21.57	<=33.01	Pass
			0	21.13	1.66	22.79	<=33.01	Pass
			38	21.17	1.66	22.83	<=33.01	Pass
		1	74	20.95	1.66	22.61	<=33.01	Pass
			0	19.83	1.66	21.49	<=33.01	Pass
			18	19.82	1.66	21.48	<=33.01	Pass
		36	39	19.79	1.66	21.45	<=33.01	Pass
			0	19.83	1.66	21.49	<=33.01	Pass
			74	20.95	1.66	22.61	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B7_20MHz_EIRP

Band: 7 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	22.65	1.66	24.31	<=33.01	Pass
			50	22.87	1.66	24.53	<=33.01	Pass
			99	22.81	1.66	24.47	<=33.01	Pass
		50	0	21.82	1.66	23.48	<=33.01	Pass
			25	21.93	1.66	23.59	<=33.01	Pass
			50	21.89	1.66	23.55	<=33.01	Pass
		100	0	21.81	1.66	23.47	<=33.01	Pass
			0	22.74	1.66	24.40	<=33.01	Pass
			50	22.83	1.66	24.49	<=33.01	Pass
	2535	1	99	22.78	1.66	24.44	<=33.01	Pass
			0	21.89	1.66	23.55	<=33.01	Pass
			25	21.89	1.66	23.55	<=33.01	Pass
		50	50	21.87	1.66	23.53	<=33.01	Pass
			0	21.95	1.66	23.61	<=33.01	Pass
			50	22.80	1.66	24.46	<=33.01	Pass
		100	0	22.77	1.66	24.43	<=33.01	Pass
			99	22.70	1.66	24.36	<=33.01	Pass
			0	21.84	1.66	23.50	<=33.01	Pass
	2560	1	25	21.83	1.66	23.49	<=33.01	Pass
			50	21.78	1.66	23.44	<=33.01	Pass
			0	21.79	1.66	23.45	<=33.01	Pass
		50	0	22.00	1.66	23.66	<=33.01	Pass
			50	22.25	1.66	23.91	<=33.01	Pass
			99	22.09	1.66	23.75	<=33.01	Pass
		100	0	20.86	1.66	22.52	<=33.01	Pass
			25	20.97	1.66	22.63	<=33.01	Pass
			50	20.91	1.66	22.57	<=33.01	Pass
16QAM	2510	1	0	20.71	1.66	22.37	<=33.01	Pass
			0	22.02	1.66	23.68	<=33.01	Pass
			50	22.20	1.66	23.86	<=33.01	Pass
	2535	1	0	22.00	1.66	23.66	<=33.01	Pass
			50	22.25	1.66	23.91	<=33.01	Pass
			99	22.09	1.66	23.75	<=33.01	Pass

		50		99	22.12	1.66	23.78	<=33.01	Pass
			0	20.83	1.66	22.49	<=33.01	Pass	
			25	20.86	1.66	22.52	<=33.01	Pass	
			50	20.85	1.66	22.51	<=33.01	Pass	
		100	0	20.89	1.66	22.55	<=33.01	Pass	
	2560	1	0	22.32	1.66	23.98	<=33.01	Pass	
			50	22.31	1.66	23.97	<=33.01	Pass	
			99	22.29	1.66	23.95	<=33.01	Pass	
		50	0	20.84	1.66	22.50	<=33.01	Pass	
			25	20.76	1.66	22.42	<=33.01	Pass	
			50	20.91	1.66	22.57	<=33.01	Pass	
		100	0	20.80	1.66	22.46	<=33.01	Pass	
	64QAM	2510	1	0	20.80	1.66	22.46	<=33.01	Pass
50				21.09	1.66	22.75	<=33.01	Pass	
99				20.94	1.66	22.60	<=33.01	Pass	
50			0	19.91	1.66	21.57	<=33.01	Pass	
			25	19.96	1.66	21.62	<=33.01	Pass	
			50	19.92	1.66	21.58	<=33.01	Pass	
100			0	19.84	1.66	21.50	<=33.01	Pass	
2535		1	0	20.95	1.66	22.61	<=33.01	Pass	
			50	21.14	1.66	22.80	<=33.01	Pass	
			99	21.23	1.66	22.89	<=33.01	Pass	
		50	0	19.86	1.66	21.52	<=33.01	Pass	
			25	19.90	1.66	21.56	<=33.01	Pass	
			50	19.88	1.66	21.54	<=33.01	Pass	
		100	0	19.90	1.66	21.56	<=33.01	Pass	
2560		1	0	20.75	1.66	22.41	<=33.01	Pass	
			50	20.66	1.66	22.32	<=33.01	Pass	
			99	20.53	1.66	22.19	<=33.01	Pass	
		50	0	19.84	1.66	21.50	<=33.01	Pass	
			25	19.87	1.66	21.53	<=33.01	Pass	
			50	19.86	1.66	21.52	<=33.01	Pass	
		100	0	19.78	1.66	21.44	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Test Result

2.1.1 B7_10MHz

Band: 7 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2535	50	0	20	3.27	-2.243	-0.0009	-2.5 to 2.5	Pass
					3.85	-1.035	-0.0004	-2.5 to 2.5	Pass
					4.43	-3.643	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-4.049	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	-1.817	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-2.160	-0.0009	-2.5 to 2.5	Pass
				0	3.85	-3.947	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-4.157	-0.0016	-2.5 to 2.5	Pass
				30	3.85	-2.746	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-1.130	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-1.098	-0.0004	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band7_OBW


Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2535	25	0	4.563	/	Pass
	16QAM	2535	25	0	4.539	/	Pass
10	QPSK	2535	50	0	9.046	/	Pass
	16QAM	2535	50	0	9.052	/	Pass
15	QPSK	2535	75	0	13.577	/	Pass
	16QAM	2535	75	0	13.558	/	Pass
20	QPSK	2535	100	0	18.045	/	Pass
	16QAM	2535	100	0	18.139	/	Pass


3.1.2 Band7_XDB


Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2535	25	0	5.107	/	Pass
	16QAM	2535	25	0	5.051	/	Pass
10	QPSK	2535	50	0	10.202	/	Pass
	16QAM	2535	50	0	10.080	/	Pass
15	QPSK	2535	75	0	15.022	/	Pass
	16QAM	2535	75	0	14.958	/	Pass
20	QPSK	2535	100	0	19.719	/	Pass
	16QAM	2535	100	0	19.665	/	Pass


3.2 Test Graph

3.2.1 Band7_OBW












3.2.2 Band7_XDB




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV



Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result


4.1.1 B7_20MHz

Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	100	0	5.17	<=13	Pass
16QAM	2535	100	0	6.00	<=13	Pass
64QAM	2535	100	0	6.46	<=13	Pass

4.2 Test Graph

4.2.1 B7_20MHz





5. Spurious Emission

5.1 Test Result

5.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2567.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.3 B7_15MHz


Band: 7 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2562.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


5.1.4 B7_20MHz

Band: 7 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 B7_5MHz






Band7 5MHz QPSK LCH 2502.5MHz RB 25_0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.800	-39.89	-25	Pass
2490.5	2496	1	CHP	2	2496.000	-29.23	-13	Pass
2496	2499	1	CHP	3	2498.500	-22.95	-10	Pass
2499	2500	0.102	CHP	4	2499.900	-25.99	-10	Pass
2500	2505	0.102	CHP	/	/	/	/	/


Band7 5MHz QPSK MCH 2535MHz RB 1_0 NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV





Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV









5.2.2 B7_10MHz






Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-38.25	-25	Pass
2490.5	2496	1	CHP	2	2496.000	-27.48	-13	Pass
2496	2499	1	CHP	3	2498.425	-26.14	-10	Pass
2499	2500	0.204	CHP	4	2499.975	-28.18	-10	Pass
2500	2510	0.204	CHP	/	/	/	/	/


Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV





Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV









5.2.3 B7_15MHz







Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.490	-31.20	-25	Pass
2490.5	2496	1	CHP	2	2495.980	-25.03	-13	Pass
2496	2499	1	CHP	3	2497.060	-24.11	-10	Pass
2499	2500	0.3	/	4	2499.850	-26.08	-10	Pass
2500	2515	0.3	/	/	/	/	/	/

Band7_15MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV








Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV









5.2.4 B7_20MHz







Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.460	-31.74	-25	Pass
2490.5	2496	1	CHP	2	2495.850	-27.72	-13	Pass
2496	2499	1	CHP	3	2498.475	-26.52	-10	Pass
2499	2500	0.394	CHP	4	2499.980	-29.02	-10	Pass
2500	2520	0.394	CHP	/	/	/	/	/

Band7_20MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV








Band7_20MHz_QPSK_HCH_2560MHz_RB_1_0_NTNV



Band7_20MHz_QPSK_HCH_2560MHz_RB_1_0_NTNV







---End of Attachment---