

Test Band = LTE B2_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3059.625	46.83	-46.09	29.49	-65.03	-13.00	52.03	Horizontal
2	3702	48.95	-45.90	30.05	-62.16	-13.00	49.16	Horizontal
3	5553.375	48.68	-46.55	33.23	-59.90	-13.00	46.90	Horizontal
4	7404.375	45.34	-44.77	36.44	-58.25	-13.00	45.25	Horizontal
5	9255.375	42.60	-41.67	38.15	-56.18	-13.00	43.18	Horizontal
6	13576.875	39.84	-36.65	40.17	-51.89	-13.00	38.89	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	52.40	-45.90	30.05	-58.72	-13.00	45.72	Vertical
2	5553.375	47.04	-46.55	33.23	-61.54	-13.00	48.54	Vertical
3	6428.25	48.92	-45.29	35.16	-56.47	-13.00	43.47	Vertical
4	8406.375	42.66	-41.63	37.57	-56.66	-13.00	43.66	Vertical
5	11202.75	38.95	-37.10	39.16	-54.25	-13.00	41.25	Vertical
6	13597.5	39.84	-36.19	40.18	-51.44	-13.00	38.44	Vertical

Test Band = LTE B2_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	50.27	-46.28	30.17	-61.10	-13.00	48.10	Horizontal
2	5613	46.69	-46.13	33.37	-61.33	-13.00	48.33	Horizontal
3	7484.25	46.18	-43.56	36.49	-56.15	-13.00	43.15	Horizontal
4	9355.5	46.48	-41.21	38.17	-51.82	-13.00	38.82	Horizontal
5	11226.375	41.69	-37.58	39.15	-52.00	-13.00	39.00	Horizontal
6	13641.375	40.17	-36.49	40.19	-51.39	-13.00	38.39	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	54.14	-46.28	30.17	-57.23	-13.00	44.23	Vertical
2	5613.375	46.51	-46.13	33.37	-61.51	-13.00	48.51	Vertical
3	6502.875	47.76	-45.53	35.31	-57.72	-13.00	44.72	Vertical
4	7484.25	48.51	-43.56	36.49	-53.82	-13.00	40.82	Vertical
5	9355.5	44.05	-41.21	38.17	-54.25	-13.00	41.25	Vertical
6	13594.875	40.36	-36.25	40.18	-50.97	-13.00	37.97	Vertical

Test Band = LTE B2_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	49.73	-46.67	30.30	-61.90	-13.00	48.90	Horizontal
2	5673	49.35	-45.92	33.52	-58.32	-13.00	45.32	Horizontal
3	7564.125	49.39	-43.39	36.59	-52.67	-13.00	39.67	Horizontal
4	9456	43.78	-41.10	38.19	-54.39	-13.00	41.39	Horizontal
5	12106.875	39.26	-36.83	39.11	-53.72	-13.00	40.72	Horizontal
6	13578	39.88	-36.62	40.17	-51.83	-13.00	38.83	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3781.875	53.64	-46.67	30.30	-57.98	-13.00	44.98	Vertical
2	5673.375	50.49	-45.92	33.52	-57.18	-13.00	44.18	Vertical
3	6476.25	48.02	-45.45	35.25	-57.44	-13.00	44.44	Vertical
4	7564.5	47.92	-43.39	36.59	-54.14	-13.00	41.14	Vertical
5	9556.125	42.61	-40.98	38.21	-55.42	-13.00	42.42	Vertical
6	12154.5	39.39	-37.04	39.15	-53.76	-13.00	40.76	Vertical

Test Band = LTE B4_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	56.15	-46.99	29.42	-56.69	-13.00	43.69	Horizontal
2	5133	55.56	-45.89	33.03	-52.56	-13.00	39.56	Horizontal
3	6529.5	49.62	-45.49	35.35	-55.78	-13.00	42.78	Horizontal
4	8555.25	55.03	-42.17	37.70	-44.70	-13.00	31.70	Horizontal
5	12198.75	40.00	-37.23	39.20	-53.30	-13.00	40.30	Horizontal
6	13596.75	39.15	-36.21	40.18	-52.14	-13.00	39.14	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	51.28	-46.99	29.42	-61.56	-13.00	48.56	Vertical
2	5133	49.53	-45.89	33.03	-58.59	-13.00	45.59	Vertical
3	6433.5	47.61	-45.30	35.17	-57.79	-13.00	44.79	Vertical
4	8555.25	52.07	-42.17	37.70	-47.66	-13.00	34.66	Vertical
5	11194.5	38.70	-37.14	39.16	-54.53	-13.00	41.53	Vertical
6	13589.25	39.45	-36.38	40.18	-52.01	-13.00	39.01	Vertical

Test Band = LTE B4_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	52.70	-47.07	29.41	-60.22	-13.00	47.22	Horizontal
2	5170.5	53.53	-45.55	33.03	-54.25	-13.00	41.25	Horizontal
3	6460.5	48.27	-45.40	35.22	-57.16	-13.00	44.16	Horizontal
4	8618.25	52.90	-41.82	37.76	-46.43	-13.00	33.43	Horizontal
5	12102.75	39.23	-36.81	39.10	-53.74	-13.00	40.74	Horizontal
6	13642.5	39.81	-36.50	40.19	-51.76	-13.00	38.76	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	49.86	-47.07	29.41	-63.06	-13.00	50.06	Vertical
2	5170.5	49.20	-45.55	33.03	-58.58	-13.00	45.58	Vertical
3	6428.25	48.61	-45.29	35.16	-56.78	-13.00	43.78	Vertical
4	8618.25	53.83	-41.82	37.76	-45.50	-13.00	32.50	Vertical
5	11217	38.94	-37.39	39.16	-54.55	-13.00	41.55	Vertical
6	13654.5	39.79	-36.60	40.20	-51.88	-13.00	38.88	Vertical

Test Band = LTE B4_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3471.75	51.81	-47.15	29.41	-61.19	-13.00	48.19	Horizontal
2	5208	47.83	-45.34	33.04	-59.73	-13.00	46.73	Horizontal
3	6601.5	47.30	-45.38	35.48	-57.86	-13.00	44.86	Horizontal
4	6944.25	46.89	-45.06	36.10	-57.33	-13.00	44.33	Horizontal
5	8680.5	52.93	-42.24	37.81	-46.76	-13.00	33.76	Horizontal
6	13589.25	40.04	-36.38	40.18	-51.42	-13.00	38.42	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.5	48.86	-47.15	29.41	-64.15	-13.00	51.15	Vertical
2	5208	47.63	-45.34	33.04	-59.93	-13.00	46.93	Vertical
3	6524.25	47.51	-45.50	35.34	-57.90	-13.00	44.90	Vertical
4	8680.5	52.49	-42.24	37.81	-47.20	-13.00	34.20	Vertical
5	11206.5	39.01	-37.17	39.16	-54.27	-13.00	41.27	Vertical
6	13598.25	39.66	-36.18	40.18	-51.60	-13.00	38.60	Vertical

Test Band = LTE B5_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.1429	54.35	-48.79	25.20	-64.50	-13.00	51.50	Horizontal
2	2473.7143	52.15	-47.78	27.63	-63.26	-13.00	50.26	Horizontal
3	3248	39.19	-47.23	29.45	-73.85	-13.00	60.85	Horizontal
4	3968.5714	39.01	-47.01	30.90	-72.36	-13.00	59.36	Horizontal
5	5442.8571	38.81	-45.65	33.09	-69.01	-13.00	56.01	Horizontal
6	6596	40.82	-45.57	35.47	-64.54	-13.00	51.54	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.1429	53.80	-48.79	25.20	-65.05	-13.00	52.05	Vertical
2	2473.7143	52.78	-47.78	27.63	-62.63	-13.00	49.63	Vertical
3	3298.2857	40.72	-47.42	29.44	-72.52	-13.00	59.52	Vertical
4	4137.7143	39.20	-46.21	31.22	-71.04	-13.00	58.04	Vertical
5	5377.1429	38.73	-45.22	33.08	-68.67	-13.00	55.67	Vertical
6	6406.8571	38.67	-45.33	35.11	-66.80	-13.00	53.80	Vertical

Test Band = LTE B5_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1662.8571	58.38	-48.82	25.20	-60.50	-13.00	47.50	Horizontal
2	2494.8571	47.79	-47.49	27.69	-67.27	-13.00	54.27	Horizontal
3	3945.7143	38.68	-46.78	30.83	-72.54	-13.00	59.54	Horizontal
4	5177.1429	38.94	-45.31	33.04	-68.59	-13.00	55.59	Horizontal
5	5972.5714	38.81	-45.88	34.23	-68.10	-13.00	55.10	Horizontal
6	7038.8571	37.05	-44.22	36.22	-66.21	-13.00	53.21	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1662.8571	53.38	-48.82	25.20	-65.50	-13.00	52.50	Vertical
2	2494.8571	47.23	-47.49	27.69	-67.83	-13.00	54.83	Vertical
3	3878.8571	38.32	-46.48	30.61	-72.80	-13.00	59.80	Vertical
4	4983.4286	37.65	-46.04	32.96	-70.69	-13.00	57.69	Vertical
5	6056	39.35	-46.27	34.41	-67.77	-13.00	54.77	Vertical
6	7069.1429	37.91	-44.31	36.24	-65.42	-13.00	52.42	Vertical

Test Band = LTE B5_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1678.8571	56.85	-48.85	25.20	-62.06	-13.00	49.06	Horizontal
2	2518.8571	42.17	-47.57	27.77	-72.89	-13.00	59.89	Horizontal
3	3358.2857	39.94	-47.33	29.43	-73.22	-13.00	60.22	Horizontal
4	4197.7143	37.50	-45.86	31.32	-72.31	-13.00	59.31	Horizontal
5	5235.4286	39.54	-45.41	33.05	-68.09	-13.00	55.09	Horizontal
6	6763.4286	39.04	-44.51	35.77	-64.96	-13.00	51.96	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1678.8571	55.41	-48.85	25.20	-63.50	-13.00	50.50	Vertical
2	2518.8571	49.35	-47.57	27.77	-65.71	-13.00	52.71	Vertical
3	3580	38.59	-46.85	29.66	-73.86	-13.00	60.86	Vertical
4	4601.7143	38.59	-46.03	32.04	-70.66	-13.00	57.66	Vertical
5	6486.8571	41.31	-45.62	35.27	-64.30	-13.00	51.30	Vertical
6	7205.1429	49.66	-44.92	36.32	-54.19	-13.00	41.19	Vertical

Test Band = LTE B7_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5010.75	49.68	-45.84	33.00	-58.42	-25.00	33.42	Horizontal
2	6596.25	46.98	-45.40	35.47	-58.21	-25.00	33.21	Horizontal
3	7516.5	48.59	-43.34	36.52	-53.49	-25.00	28.49	Horizontal
4	9531	43.04	-41.09	38.21	-55.10	-25.00	30.10	Horizontal
5	12141	39.46	-36.98	39.14	-53.64	-25.00	28.64	Horizontal
6	13597.5	39.55	-36.19	40.18	-51.73	-25.00	26.73	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5011.5	46.08	-45.84	33.00	-62.02	-25.00	37.02	Vertical
2	6612.75	47.04	-45.25	35.50	-57.97	-25.00	32.97	Vertical
3	7516.5	51.08	-43.34	36.52	-51.00	-25.00	26.00	Vertical
4	10203	40.64	-39.16	38.48	-55.30	-25.00	30.30	Vertical
5	12184.5	39.50	-37.17	39.18	-53.75	-25.00	28.75	Vertical
6	13599	39.44	-36.16	40.18	-51.80	-25.00	26.80	Vertical

Test Band = LTE B7_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5052	50.57	-46.00	33.01	-57.68	-25.00	32.68	Horizontal
2	6486.75	46.28	-45.48	35.27	-59.19	-25.00	34.19	Horizontal
3	7578	50.27	-43.41	36.61	-51.79	-25.00	26.79	Horizontal
4	9561	43.04	-40.96	38.21	-54.96	-25.00	29.96	Horizontal
5	11610.75	38.29	-36.56	39.08	-54.45	-25.00	29.45	Horizontal
6	13578	39.86	-36.62	40.17	-51.85	-25.00	26.85	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5052	47.01	-46.00	33.01	-61.24	-25.00	36.24	Vertical
2	6516	46.11	-45.51	35.33	-59.33	-25.00	34.33	Vertical
3	7578	53.10	-43.41	36.61	-48.96	-25.00	23.96	Vertical
4	9577.5	42.50	-40.88	38.22	-55.43	-25.00	30.43	Vertical
5	12096	39.63	-36.86	39.10	-53.40	-25.00	28.40	Vertical
6	13609.5	39.47	-36.22	40.18	-51.83	-25.00	26.83	Vertical

Test Band = LTE B7_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5102.25	51.80	-46.16	33.02	-56.60	-25.00	31.60	Horizontal
2	6433.5	45.77	-45.30	35.17	-59.63	-25.00	34.63	Horizontal
3	7653	49.01	-43.36	36.71	-52.89	-25.00	27.89	Horizontal
4	10128	40.71	-39.28	38.42	-55.42	-25.00	30.42	Horizontal
5	12135	39.48	-36.95	39.14	-53.60	-25.00	28.60	Horizontal
6	13600.5	39.55	-36.14	40.18	-51.67	-25.00	26.67	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5102.25	47.76	-46.16	33.02	-60.64	-25.00	35.64	Vertical
2	6407.25	47.07	-45.21	35.11	-58.29	-25.00	33.29	Vertical
3	7653	51.29	-43.36	36.71	-50.61	-25.00	25.61	Vertical
4	9518.25	42.95	-41.15	38.20	-55.25	-25.00	30.25	Vertical
5	11196.75	38.88	-37.10	39.16	-54.32	-25.00	29.32	Vertical
6	13578.75	39.48	-36.61	40.17	-52.21	-25.00	27.21	Vertical

Test Band = LTE B12_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399.4286	65.32	-48.68	25.50	-53.12	-13.00	40.12	Horizontal
2	1896.5714	44.89	-47.98	25.78	-72.57	-13.00	59.57	Horizontal
3	2385.7143	57.18	-48.73	27.40	-59.41	-13.00	46.41	Horizontal
4	4156.5714	43.91	-46.10	31.25	-66.20	-13.00	53.20	Horizontal
5	5181.7143	45.06	-45.25	33.04	-62.41	-13.00	49.41	Horizontal
6	6601.7143	49.96	-45.55	35.48	-55.37	-13.00	42.37	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399.4286	61.05	-48.68	25.50	-57.39	-13.00	44.39	Vertical
2	2039.4286	45.53	-48.20	26.50	-71.43	-13.00	58.43	Vertical
3	2798.2857	48.39	-46.91	28.77	-65.01	-13.00	52.01	Vertical
4	3936.5714	44.56	-46.69	30.80	-66.60	-13.00	53.60	Vertical
5	4804	46.18	-46.02	32.53	-62.57	-13.00	49.57	Vertical
6	6484	49.17	-45.61	35.27	-56.43	-13.00	43.43	Vertical

Test Band = LTE B12_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406.2857	64.05	-48.67	25.49	-54.39	-13.00	41.39	Horizontal
2	1740	46.30	-48.67	25.20	-72.43	-13.00	59.43	Horizontal
3	2580	49.57	-48.07	27.99	-65.77	-13.00	52.77	Horizontal
4	3515.4286	45.62	-47.41	29.45	-67.60	-13.00	54.60	Horizontal
5	5390.2857	44.86	-45.06	33.08	-62.38	-13.00	49.38	Horizontal
6	6492	48.89	-45.64	35.28	-56.73	-13.00	43.73	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406.2857	60.70	-48.67	25.49	-57.74	-13.00	44.74	Vertical
2	2109.1429	50.12	-47.87	26.68	-66.33	-13.00	53.33	Vertical
3	2812	47.74	-46.96	28.82	-65.66	-13.00	52.66	Vertical
4	4182.8571	43.96	-45.95	31.29	-65.96	-13.00	52.96	Vertical
5	5176.5714	45.24	-45.31	33.04	-62.30	-13.00	49.30	Vertical
6	6553.7143	47.95	-45.62	35.40	-57.53	-13.00	44.53	Vertical

Test Band = LTE B12_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.1429	63.88	-48.66	25.48	-54.56	-13.00	41.56	Horizontal
2	2099.4286	48.45	-47.78	26.66	-67.94	-13.00	54.94	Horizontal
3	2826.2857	48.88	-47.04	28.87	-64.54	-13.00	51.54	Horizontal
4	3910.2857	44.65	-46.44	30.71	-66.34	-13.00	53.34	Horizontal
5	5353.1429	45.32	-45.49	33.07	-62.36	-13.00	49.36	Horizontal
6	6548	49.01	-45.62	35.39	-56.49	-13.00	43.49	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.1429	61.87	-48.66	25.48	-56.57	-13.00	43.57	Vertical
2	2119.4286	51.88	-47.98	26.71	-64.65	-13.00	51.65	Vertical
3	2826.2857	48.09	-47.04	28.87	-65.33	-13.00	52.33	Vertical
4	3900	44.60	-46.34	30.68	-66.32	-13.00	53.32	Vertical
5	4584.5714	44.93	-46.15	32.00	-64.48	-13.00	51.48	Vertical
6	6569.7143	46.64	-45.60	35.43	-58.79	-13.00	45.79	Vertical

Test Band = LTE B13_5M_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1554.2857	60.89	-48.61	25.27	-57.71	-13.00	44.71	Horizontal
2	2321.7143	58.33	-48.46	27.24	-58.15	-13.00	45.15	Horizontal
3	3109.1429	48.15	-46.70	29.48	-64.34	-13.00	51.34	Horizontal
4	4141.1429	44.37	-46.19	31.23	-65.85	-13.00	52.85	Horizontal
5	5206.8571	45.11	-45.10	33.04	-62.21	-13.00	49.21	Horizontal
6	7438.8571	46.77	-44.30	36.46	-56.32	-13.00	43.32	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1554.8571	54.61	-48.61	25.27	-63.99	-13.00	50.99	Vertical
2	2220.5714	47.89	-48.70	26.97	-69.10	-13.00	56.10	Vertical
3	3109.1429	46.12	-46.70	29.48	-66.37	-13.00	53.37	Vertical
4	3886.2857	44.87	-46.43	30.64	-66.18	-13.00	53.18	Vertical
5	4599.4286	44.89	-46.02	32.04	-64.36	-13.00	51.36	Vertical
6	6542.8571	46.65	-45.63	35.38	-58.86	-13.00	45.86	Vertical

Test Band = LTE B13_5M_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.4286	62.40	-48.62	25.26	-56.22	-40.00	16.22	Horizontal
2	2339.4286	52.24	-48.54	27.28	-64.27	-13.00	51.27	Horizontal
3	3119.4286	48.67	-46.74	29.48	-63.86	-13.00	50.86	Horizontal
4	4804.5714	57.96	-46.02	32.53	-50.79	-13.00	37.79	Horizontal
5	6449.7143	47.70	-45.48	35.20	-57.84	-13.00	44.84	Horizontal
6	7884	44.55	-42.94	37.04	-56.61	-13.00	43.61	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.4286	57.54	-48.62	25.26	-61.08	-40.00	21.08	Vertical
2	2321.7143	54.57	-48.46	27.24	-61.91	-13.00	48.91	Vertical
3	3119.4286	47.08	-46.74	29.48	-65.45	-13.00	52.45	Vertical
4	4586.2857	45.66	-46.14	32.01	-63.73	-13.00	50.73	Vertical
5	5418.2857	45.32	-45.25	33.08	-62.10	-13.00	49.10	Vertical
6	7063.4286	45.32	-44.30	36.24	-58.00	-13.00	45.00	Vertical

Test Band = LTE B13_5M_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5714	66.24	-48.63	25.25	-52.39	-40.00	12.39	Horizontal
2	2346.8571	51.67	-48.57	27.30	-64.85	-13.00	51.85	Horizontal
3	3129.1429	49.16	-46.78	29.47	-63.41	-13.00	50.41	Horizontal
4	4362.8571	44.37	-46.48	31.58	-65.79	-13.00	52.79	Horizontal
5	5206.8571	45.77	-45.10	33.04	-61.55	-13.00	48.55	Horizontal
6	6601.7143	45.50	-45.55	35.48	-59.83	-13.00	46.83	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5714	61.26	-48.63	25.25	-57.37	-40.00	17.37	Vertical
2	2320	48.61	-48.45	27.23	-67.87	-13.00	54.87	Vertical
3	3129.1429	47.36	-46.78	29.47	-65.21	-13.00	52.21	Vertical
4	4613.1429	45.24	-46.12	32.07	-64.07	-13.00	51.07	Vertical
5	6473.7143	47.00	-45.57	35.25	-58.59	-13.00	45.59	Vertical
6	7277.1429	52.10	-44.04	36.37	-50.83	-13.00	37.83	Vertical

Test Band = LTE B13_10M_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1554.8571	63.74	-48.61	25.27	-54.86	-13.00	41.86	Horizontal
2	2332.5714	53.73	-48.51	27.26	-62.77	-13.00	49.77	Horizontal
3	3180	48.44	-46.97	29.46	-64.33	-13.00	51.33	Horizontal
4	4429.7143	45.13	-46.47	31.69	-64.92	-13.00	51.92	Horizontal
5	5197.7143	45.20	-45.06	33.04	-62.08	-13.00	49.08	Horizontal
6	6590.8571	47.32	-45.58	35.46	-58.06	-13.00	45.06	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1554.8571	57.67	-48.61	25.27	-60.93	-13.00	47.93	Vertical
2	2332.5714	52.71	-48.51	27.26	-63.79	-13.00	50.79	Vertical
3	3110.2857	47.86	-46.71	29.48	-64.63	-13.00	51.63	Vertical
4	4578.8571	45.35	-46.20	31.99	-64.12	-13.00	51.12	Vertical
5	6454.8571	46.74	-45.50	35.21	-58.81	-13.00	45.81	Vertical
6	7278.8571	55.94	-44.02	36.37	-46.97	-13.00	33.97	Vertical

Test Band = LTE B17_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1409.1429	67.36	-48.66	25.49	-51.08	-13.00	38.08	Horizontal
2	2113.7143	49.92	-47.92	26.70	-66.56	-13.00	53.56	Horizontal
3	2818.2857	48.99	-47.00	28.85	-64.42	-13.00	51.42	Horizontal
4	3890.2857	44.06	-46.40	30.65	-66.95	-13.00	53.95	Horizontal
5	4804	60.89	-46.02	32.53	-47.86	-13.00	34.86	Horizontal
6	6558.8571	44.86	-45.61	35.41	-60.61	-13.00	47.61	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1409.1429	61.35	-48.66	25.49	-57.09	-13.00	44.09	Vertical
2	2113.7143	52.78	-47.92	26.70	-63.70	-13.00	50.70	Vertical
3	2818.2857	50.46	-47.00	28.85	-62.95	-13.00	49.95	Vertical
4	3861.7143	44.62	-46.59	30.56	-66.67	-13.00	53.67	Vertical
5	4799.4286	43.43	-46.01	32.52	-65.33	-13.00	52.33	Vertical
6	6481.7143	45.95	-45.60	35.26	-59.65	-13.00	46.65	Vertical

Test Band = LTE B17_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1411.4286	65.74	-48.66	25.48	-52.70	-13.00	39.70	Horizontal
2	2116.5714	47.96	-47.95	26.70	-68.54	-13.00	55.54	Horizontal
3	2822.2857	48.99	-47.02	28.86	-64.43	-13.00	51.43	Horizontal
4	3873.7143	43.78	-46.51	30.60	-67.39	-13.00	54.39	Horizontal
5	5181.1429	44.33	-45.26	33.04	-63.15	-13.00	50.15	Horizontal
6	6454.8571	44.84	-45.50	35.21	-60.71	-13.00	47.71	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1411.4286	61.01	-48.66	25.48	-57.43	-13.00	44.43	Vertical
2	2116.5714	50.21	-47.95	26.70	-66.29	-13.00	53.29	Vertical
3	2822.2857	50.38	-47.02	28.86	-63.04	-13.00	50.04	Vertical
4	3926.2857	43.99	-46.59	30.76	-67.10	-13.00	54.10	Vertical
5	5162.2857	44.26	-45.49	33.03	-63.45	-13.00	50.45	Vertical
6	6494.8571	46.55	-45.65	35.29	-59.07	-13.00	46.07	Vertical

Test Band = LTE B17_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.1429	67.28	-48.66	25.48	-51.16	-13.00	38.16	Horizontal
2	2120	48.02	-47.98	26.71	-68.51	-13.00	55.51	Horizontal
3	2819.4286	49.87	-47.00	28.85	-63.54	-13.00	50.54	Horizontal
4	3917.7143	44.49	-46.51	30.74	-66.55	-13.00	53.55	Horizontal
5	5158.8571	44.39	-45.53	33.03	-63.37	-13.00	50.37	Horizontal
6	6601.7143	47.88	-45.55	35.48	-57.45	-13.00	44.45	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.1429	62.51	-48.66	25.48	-55.93	-13.00	42.93	Vertical
2	2119.4286	48.07	-47.98	26.71	-68.46	-13.00	55.46	Vertical
3	2826.2857	49.67	-47.04	28.87	-63.75	-13.00	50.75	Vertical
4	4203.4286	43.70	-45.88	31.33	-66.12	-13.00	53.12	Vertical
5	5193.1429	44.12	-45.11	33.04	-63.21	-13.00	50.21	Vertical
6	6550.8571	46.80	-45.62	35.39	-58.69	-13.00	45.69	Vertical

Test Band = LTE B25_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	48.86	-45.90	30.05	-62.25	-13.00	49.25	Horizontal
2	5553.375	55.85	-46.55	33.23	-52.73	-13.00	39.73	Horizontal
3	7404.375	46.32	-44.77	36.44	-57.27	-13.00	44.27	Horizontal
4	10126.5	41.13	-39.28	38.41	-55.00	-13.00	42.00	Horizontal
5	12145.875	39.92	-37.00	39.15	-53.20	-13.00	40.20	Horizontal
6	14317.875	38.95	-36.18	40.08	-52.41	-13.00	39.41	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702.375	50.17	-45.90	30.05	-60.95	-13.00	47.95	Vertical
2	5553.375	50.79	-46.55	33.23	-57.79	-13.00	44.79	Vertical
3	6524.25	47.39	-45.50	35.34	-58.02	-13.00	45.02	Vertical
4	8908.5	42.82	-41.36	38.02	-55.78	-13.00	42.78	Vertical
5	11232	39.93	-37.70	39.15	-53.88	-13.00	40.88	Vertical
6	13639.125	39.93	-36.47	40.19	-51.61	-13.00	38.61	Vertical

Test Band = LTE B25_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	50.50	-46.28	30.17	-60.87	-13.00	47.87	Horizontal
2	5613.375	48.58	-46.13	33.37	-59.44	-13.00	46.44	Horizontal
3	7484.25	44.18	-43.56	36.49	-58.15	-13.00	45.15	Horizontal
4	10057.125	41.22	-40.39	38.35	-56.07	-13.00	43.07	Horizontal
5	12212.25	39.85	-37.39	39.21	-53.59	-13.00	40.59	Horizontal
6	13596	39.67	-36.23	40.18	-51.64	-13.00	38.64	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	53.64	-46.28	30.17	-57.73	-13.00	44.73	Vertical
2	5613	48.51	-46.13	33.37	-59.51	-13.00	46.51	Vertical
3	6601.5	45.83	-45.38	35.48	-59.33	-13.00	46.33	Vertical
4	9355.5	42.60	-41.21	38.17	-55.70	-13.00	42.70	Vertical
5	12088.125	39.83	-36.98	39.09	-53.33	-13.00	40.33	Vertical
6	14397.375	39.33	-36.35	40.02	-52.26	-13.00	39.26	Vertical

Test Band = LTE B25_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3792	50.63	-46.76	30.33	-61.06	-13.00	48.06	Horizontal
2	5208	45.22	-45.34	33.04	-62.34	-13.00	49.34	Horizontal
3	6484.125	46.05	-45.48	35.27	-59.42	-13.00	46.42	Horizontal
4	7584.75	48.57	-43.41	36.62	-53.48	-13.00	40.48	Horizontal
5	9480.375	46.38	-41.17	38.20	-51.86	-13.00	38.86	Horizontal
6	12988.875	39.59	-37.12	39.99	-52.80	-13.00	39.80	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3792	51.39	-46.76	30.33	-60.30	-13.00	47.30	Vertical
2	5206.125	44.92	-45.33	33.04	-62.63	-13.00	49.63	Vertical
3	6580.125	48.99	-45.43	35.44	-56.25	-13.00	43.25	Vertical
4	8956.5	42.18	-40.87	38.06	-55.89	-13.00	42.89	Vertical
5	11190	39.62	-37.21	39.16	-53.69	-13.00	40.69	Vertical
6	14332.875	39.02	-36.21	40.07	-52.39	-13.00	39.39	Vertical

Test Band = LTE B26_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.7143	59.82	-48.79	25.20	-59.03	-13.00	46.03	Horizontal
2	2474.2857	47.90	-47.77	27.63	-67.50	-13.00	54.50	Horizontal
3	3299.4286	39.09	-47.43	29.44	-74.16	-13.00	61.16	Horizontal
4	4803.4286	57.92	-46.02	32.53	-50.83	-13.00	37.83	Horizontal
5	6685.1429	38.01	-44.57	35.63	-66.18	-13.00	53.18	Horizontal
6	7962.2857	37.96	-43.25	37.15	-63.41	-13.00	50.41	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.7143	54.91	-48.79	25.20	-63.94	-13.00	50.94	Vertical
2	2474.2857	50.26	-47.77	27.63	-65.14	-13.00	52.14	Vertical
3	3299.4286	40.76	-47.43	29.44	-72.49	-13.00	59.49	Vertical
4	4991.4286	38.21	-46.02	32.98	-70.09	-13.00	57.09	Vertical
5	6229.1429	39.91	-45.93	34.76	-66.52	-13.00	53.52	Vertical
6	7944.5714	36.93	-43.16	37.12	-64.37	-13.00	51.37	Vertical

Test Band = LTE B26_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.4286	59.13	-48.81	25.20	-59.74	-13.00	46.74	Horizontal
2	2489.1429	47.99	-47.57	27.67	-67.17	-13.00	54.17	Horizontal
3	3853.7143	38.49	-46.64	30.53	-72.87	-13.00	59.87	Horizontal
4	5226.8571	38.87	-45.32	33.05	-68.66	-13.00	55.66	Horizontal
5	6377.1429	37.17	-45.31	35.05	-68.34	-13.00	55.34	Horizontal
6	7866.8571	37.27	-42.95	37.01	-63.92	-13.00	50.92	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.4286	56.68	-48.81	25.20	-62.19	-13.00	49.19	Vertical
2	2489.7143	50.47	-47.56	27.67	-64.68	-13.00	51.68	Vertical
3	3718.2857	37.59	-46.60	30.10	-74.18	-13.00	61.18	Vertical
4	5181.1429	38.36	-45.26	33.04	-69.12	-13.00	56.12	Vertical
5	6478.8571	41.18	-45.59	35.26	-64.41	-13.00	51.41	Vertical
6	7985.1429	36.85	-43.37	37.18	-64.60	-13.00	51.60	Vertical

Test Band = LTE B26_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1669.7143	58.27	-48.83	25.20	-60.62	-13.00	47.62	Horizontal
2	2504.5714	49.91	-47.46	27.72	-65.09	-13.00	52.09	Horizontal
3	3339.4286	39.51	-47.36	29.43	-73.68	-13.00	60.68	Horizontal
4	4131.4286	37.20	-46.24	31.21	-73.09	-13.00	60.09	Horizontal
5	5157.1429	38.82	-45.55	33.03	-68.96	-13.00	55.96	Horizontal
6	7030.8571	37.71	-44.20	36.22	-65.53	-13.00	52.53	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1669.7143	53.43	-48.83	25.20	-65.46	-13.00	52.46	Vertical
2	2504.5714	45.51	-47.46	27.72	-69.49	-13.00	56.49	Vertical
3	3339.4286	41.28	-47.36	29.43	-71.91	-13.00	58.91	Vertical
4	4199.4286	37.70	-45.85	31.32	-72.09	-13.00	59.09	Vertical
5	5152.5714	38.83	-45.60	33.03	-69.00	-13.00	56.00	Vertical
6	6486.8571	39.79	-45.62	35.27	-65.82	-13.00	52.82	Vertical

Test Band = LTE B26_ TM1 Part 90s**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1629.1429	70.87	-48.75	25.20	-47.94	-13.00	34.94	Horizontal
2	2443.4286	48.44	-48.20	27.55	-67.46	-13.00	54.46	Horizontal
3	3258.2857	47.00	-47.27	29.45	-66.08	-13.00	53.08	Horizontal
4	4602.2857	44.53	-46.04	32.05	-64.72	-13.00	51.72	Horizontal
5	5190.2857	44.18	-45.15	33.04	-63.19	-13.00	50.19	Horizontal
6	6786.8571	44.47	-44.56	35.82	-59.53	-13.00	46.53	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1629.1429	65.24	-48.75	25.20	-53.57	-13.00	40.57	Vertical
2	2443.4286	54.80	-48.20	27.55	-61.10	-13.00	48.10	Vertical
3	3258.2857	45.91	-47.27	29.45	-67.17	-13.00	54.17	Vertical
4	4148.5714	44.12	-46.14	31.24	-66.05	-13.00	53.05	Vertical
5	5222.8571	44.19	-45.28	33.04	-63.30	-13.00	50.30	Vertical
6	6606.8571	45.00	-45.49	35.49	-60.26	-13.00	47.26	Vertical

Test Band = LTE B66_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	55.89	-46.99	29.42	-56.95	-13.00	43.95	Horizontal
2	5133	51.52	-45.89	33.03	-56.60	-13.00	43.60	Horizontal
3	6540	47.25	-45.48	35.37	-58.12	-13.00	45.12	Horizontal
4	6844.5	47.96	-45.04	35.92	-56.42	-13.00	43.42	Horizontal
5	8555.25	56.57	-42.17	37.70	-43.16	-13.00	30.16	Horizontal
6	13588.5	39.43	-36.39	40.18	-52.05	-13.00	39.05	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	53.31	-46.99	29.42	-59.53	-13.00	46.53	Vertical
2	5133	50.99	-45.89	33.03	-57.13	-13.00	44.13	Vertical
3	6712.5	43.97	-44.30	35.68	-59.90	-13.00	46.90	Vertical
4	8555.25	52.50	-42.17	37.70	-47.23	-13.00	34.23	Vertical
5	11197.5	38.36	-37.08	39.16	-54.82	-13.00	41.82	Vertical
6	13597.5	39.01	-36.19	40.18	-52.27	-13.00	39.27	Vertical

Test Band = LTE B66_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	56.24	-47.06	29.47	-56.61	-13.00	43.61	Horizontal
2	5283	47.06	-45.81	33.06	-60.96	-13.00	47.96	Horizontal
3	7044	45.89	-44.36	36.23	-57.51	-13.00	44.51	Horizontal
4	8805	49.34	-41.58	37.92	-49.58	-13.00	36.58	Horizontal
5	11124	39.27	-38.35	39.18	-55.17	-13.00	42.17	Horizontal
6	13566.75	38.87	-36.87	40.17	-53.09	-13.00	40.09	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3522	53.20	-47.06	29.47	-59.65	-13.00	46.65	Vertical
2	5283	47.55	-45.81	33.06	-60.47	-13.00	47.47	Vertical
3	7044	44.94	-44.36	36.23	-58.46	-13.00	45.46	Vertical
4	8805	45.30	-41.58	37.92	-53.62	-13.00	40.62	Vertical
5	11620.5	38.75	-36.72	39.08	-54.15	-13.00	41.15	Vertical
6	13593	39.84	-36.29	40.18	-51.54	-13.00	38.54	Vertical

Test Band = LTE B66_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	55.76	-46.99	29.42	-57.08	-13.00	44.08	Horizontal
2	5133	47.30	-45.89	33.03	-60.82	-13.00	47.82	Horizontal
3	6540	46.33	-45.48	35.37	-59.04	-13.00	46.04	Horizontal
4	6844.5	47.25	-45.04	35.92	-57.13	-13.00	44.13	Horizontal
5	8555.25	54.38	-42.17	37.70	-45.35	-13.00	32.35	Horizontal
6	13639.5	39.39	-36.48	40.19	-52.15	-13.00	39.15	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	53.82	-46.99	29.42	-59.02	-13.00	46.02	Vertical
2	5133	50.78	-45.89	33.03	-57.34	-13.00	44.34	Vertical
3	6412.5	47.01	-45.23	35.13	-58.36	-13.00	45.36	Vertical
4	8555.25	51.88	-42.17	37.70	-47.85	-13.00	34.85	Vertical
5	11250	39.10	-38.07	39.15	-55.08	-13.00	42.08	Vertical
6	14268.75	38.66	-36.43	40.11	-52.92	-13.00	39.92	Vertical

Test Band = LTE B41_ TM1**Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4993.5	54.85	-45.82	32.98	-53.25	-25.00	28.25	Horizontal
2	6301.5	44.28	-45.36	34.90	-61.43	-25.00	36.43	Horizontal
3	7491.75	48.80	-43.45	36.50	-53.41	-25.00	28.41	Horizontal
4	9988.5	46.89	-41.61	38.30	-51.68	-25.00	26.68	Horizontal
5	12134.25	39.47	-36.95	39.13	-53.61	-25.00	28.61	Horizontal
6	13596.75	39.06	-36.21	40.18	-52.23	-25.00	27.23	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4994.25	53.24	-45.82	32.99	-54.86	-25.00	29.86	Vertical
2	6479.25	46.48	-45.46	35.26	-58.98	-25.00	33.98	Vertical
3	7491	54.87	-43.46	36.49	-47.35	-25.00	22.35	Vertical
4	9987.75	42.40	-41.59	38.30	-56.16	-25.00	31.16	Vertical
5	11562	38.47	-36.82	39.09	-54.52	-25.00	29.52	Vertical
6	13649.25	40.04	-36.56	40.19	-51.58	-25.00	26.58	Vertical

Test Band = LTE B41_ TM1**Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3897	44.43	-46.48	30.67	-66.64	-25.00	41.64	Horizontal
2	5168.25	62.66	-45.57	33.03	-45.14	-25.00	20.14	Horizontal
3	6729.75	43.54	-44.34	35.71	-60.35	-25.00	35.35	Horizontal
4	7752	59.96	-43.05	36.85	-41.49	-25.00	16.49	Horizontal
5	10336.5	45.12	-39.82	38.60	-51.36	-25.00	26.36	Horizontal
6	13644	39.66	-36.51	40.19	-51.92	-25.00	26.92	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3879.75	44.87	-46.54	30.62	-66.32	-25.00	41.32	Vertical
2	5168.25	62.12	-45.57	33.03	-45.68	-25.00	20.68	Vertical
3	6368.25	44.00	-45.24	35.04	-61.47	-25.00	36.47	Vertical
4	7752	57.87	-43.05	36.85	-43.58	-25.00	18.58	Vertical
5	10336.5	42.31	-39.82	38.60	-54.17	-25.00	29.17	Vertical
6	13589.25	39.32	-36.38	40.18	-52.14	-25.00	27.14	Vertical

Test Band = LTE B41_ TM1**Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4181.25	44.09	-45.87	31.29	-65.75	-25.00	40.75	Horizontal
2	5342.25	52.85	-45.63	33.07	-54.97	-25.00	29.97	Horizontal
3	6740.25	43.54	-44.37	35.73	-60.36	-25.00	35.36	Horizontal
4	8013	51.97	-43.22	37.21	-49.30	-25.00	24.30	Horizontal
5	10684.5	42.31	-39.90	38.92	-53.93	-25.00	28.93	Horizontal
6	13595.25	39.39	-36.24	40.18	-51.94	-25.00	26.94	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4176.75	43.95	-45.90	31.28	-65.92	-25.00	40.92	Vertical
2	5342.25	56.41	-45.63	33.07	-51.41	-25.00	26.41	Vertical
3	6508.5	47.51	-45.52	35.32	-57.95	-25.00	32.95	Vertical
4	8013.75	58.14	-43.22	37.21	-43.13	-25.00	18.13	Vertical
5	10684.5	41.89	-39.90	38.92	-54.35	-25.00	29.35	Vertical
6	13355.25	41.16	-38.22	40.11	-52.21	-25.00	27.21	Vertical

---End of Attachment---