



|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 73             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:01 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5220MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 48.150                 | 51.444               | -25.850         | 74.000         | -3.294      | PK   |
| 2  | *    | 15660.000       | 52.794                 | 51.783               | -21.206         | 74.000         | 1.011       | PK   |




|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 74             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:01 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5220MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 48.554                 | 51.848               | -25.446         | 74.000         | -3.294      | PK   |
| 2  | *    | 15660.000       | 52.113                 | 51.102               | -21.887         | 74.000         | 1.011       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 75             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 48.420                 | 51.699               | -25.580         | 74.000         | -3.279      | PK   |
| 2  | *    | 15720.000       | 52.096                 | 50.576               | -21.904         | 74.000         | 1.520       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 76             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 48.430                 | 51.709               | -25.570         | 74.000         | -3.279      | PK   |
| 2  | *    | 15720.000       | 52.611                 | 51.091               | -21.389         | 74.000         | 1.520       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 77             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 48.178                 | 51.417               | -25.822         | 74.000         | -3.239      | PK   |
| 2  | *    | 15780.000       | 52.076                 | 50.818               | -21.924         | 74.000         | 1.257       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 78             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 48.019                 | 51.258               | -25.981         | 74.000         | -3.239      | PK   |
| 2  | *    | 15780.000       | 51.881                 | 50.623               | -22.119         | 74.000         | 1.257       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 79             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5300MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 48.420                 | 51.122               | -25.580         | 74.000         | -2.702      | PK   |
| 2  | *    | 15900.000       | 52.647                 | 50.580               | -21.353         | 74.000         | 2.067       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 80             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5300MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 48.706                 | 51.408               | -25.294         | 74.000         | -2.702      | PK   |
| 2  | *    | 15900.000       | 52.000                 | 49.933               | -22.000         | 74.000         | 2.067       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 81             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 48.021                 | 51.385               | -25.979         | 74.000         | -3.364      | PK   |
| 2  | *    | 15960.000       | 50.405                 | 49.272               | -23.595         | 74.000         | 1.133       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 82             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 47.581                 | 50.945               | -26.419         | 74.000         | -3.364      | PK   |
| 2  | *    | 15960.000       | 50.440                 | 49.307               | -23.560         | 74.000         | 1.133       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 83             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 49.204                 | 51.987               | -24.796         | 74.000         | -2.783      | PK   |
| 2  | *    | 16500.000       | 52.334                 | 50.392               | -21.666         | 74.000         | 1.942       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 84             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 49.171                 | 51.954               | -24.829         | 74.000         | -2.783      | PK   |
| 2  | *    | 16500.000       | 51.648                 | 49.706               | -22.352         | 74.000         | 1.942       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 85             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 50.624                 | 51.809               | -23.376         | 74.000         | -1.185      | PK   |
| 2  | *    | 16740.000       | 52.907                 | 48.849               | -21.093         | 74.000         | 4.058       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 86             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 51.320                 | 52.505               | -22.680         | 74.000         | -1.185      | PK   |
| 2  | *    | 16740.000       | 52.002                 | 47.944               | -21.998         | 74.000         | 4.058       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 87             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 51.493                 | 52.535               | -22.507         | 74.000         | -1.042      | PK   |
| 2  | *    | 17100.000       | 51.901                 | 47.114               | -22.099         | 74.000         | 4.787       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 88             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 50.903                 | 51.945               | -23.097         | 74.000         | -1.042      | PK   |
| 2  | *    | 17100.000       | 52.890                 | 48.103               | -21.110         | 74.000         | 4.787       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 23             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 50.841                 | 51.365               | -23.159         | 74.000         | -0.524      | PK   |
| 2  | *    | 17235.000       | 52.008                 | 46.571               | -21.992         | 74.000         | 5.437       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 24             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 50.782                 | 51.306               | -23.218         | 74.000         | -0.524      | PK   |
| 2  | *    | 17235.000       | 52.975                 | 47.538               | -21.025         | 74.000         | 5.437       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 25             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 50.517                 | 51.706               | -23.483         | 74.000         | -1.189      | PK   |
| 2  | *    | 17355.000       | 52.293                 | 47.831               | -21.707         | 74.000         | 4.461       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 26             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 49.710                 | 50.899               | -24.290         | 74.000         | -1.189      | PK   |
| 2  | *    | 17355.000       | 52.123                 | 47.661               | -21.877         | 74.000         | 4.461       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 27             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 49.590                 | 51.266               | -24.410         | 74.000         | -1.676      | PK   |
| 2  | *    | 17475.000       | 52.438                 | 48.244               | -21.562         | 74.000         | 4.195       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 28             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 48.833                 | 50.509               | -25.167         | 74.000         | -1.676      | PK   |
| 2  | *    | 17475.000       | 52.199                 | 48.005               | -21.801         | 74.000         | 4.195       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 89             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 51.230                 | 54.435               | -22.770         | 74.000         | -3.205      | PK   |
| 2  | *    | 15570.000       | 52.097                 | 51.803               | -21.903         | 74.000         | 0.294       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 90             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 49.368                 | 52.573               | -24.632         | 74.000         | -3.205      | PK   |
| 2  | *    | 15570.000       | 51.935                 | 51.641               | -22.065         | 74.000         | 0.294       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 91             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:02 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 50.197                 | 53.537               | -23.803         | 74.000         | -3.341      | PK   |
| 2  | *    | 15690.000       | 51.756                 | 51.480               | -22.244         | 74.000         | 0.276       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 92             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 49.761                 | 53.101               | -24.239         | 74.000         | -3.341      | PK   |
| 2  | *    | 15690.000       | 52.711                 | 52.435               | -21.289         | 74.000         | 0.276       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 93             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10540.000       | 47.318                 | 50.528               | -26.682         | 74.000         | -3.210      | PK   |
| 2  | *    | 15810.000       | 51.910                 | 50.844               | -22.090         | 74.000         | 1.066       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 94             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10540.000       | 48.028                 | 51.238               | -25.972         | 74.000         | -3.210      | PK   |
| 2  | *    | 15810.000       | 51.602                 | 50.536               | -22.398         | 74.000         | 1.066       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 95             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10620.000       | 49.933                 | 53.149               | -24.067         | 74.000         | -3.217      | PK   |
| 2  | *    | 15930.000       | 51.601                 | 50.410               | -22.399         | 74.000         | 1.191       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 96             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10620.000       | 48.416                 | 51.632               | -25.584         | 74.000         | -3.217      | PK   |
| 2  | *    | 15930.000       | 50.592                 | 49.401               | -23.408         | 74.000         | 1.191       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 97             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11020.000       | 49.819                 | 51.921               | -24.181         | 74.000         | -2.102      | PK   |
| 2  | *    | 16530.000       | 52.687                 | 48.409               | -21.313         | 74.000         | 4.278       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 98             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11020.000       | 50.052                 | 52.154               | -23.948         | 74.000         | -2.102      | PK   |
| 2  | *    | 16530.000       | 51.475                 | 47.197               | -22.525         | 74.000         | 4.278       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 99             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11180.000       | 49.990                 | 52.223               | -24.010         | 74.000         | -2.234      | PK   |
| 2  | *    | 16770.000       | 52.319                 | 47.314               | -21.681         | 74.000         | 5.005       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 100            |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11180.000       | 49.639                 | 51.872               | -24.361         | 74.000         | -2.234      | PK   |
| 2  | *    | 16770.000       | 51.859                 | 46.854               | -22.141         | 74.000         | 5.005       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 101            |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11340.000       | 49.426                 | 50.797               | -24.574         | 74.000         | -1.371      | PK   |
| 2  | *    | 17010.000       | 52.537                 | 48.372               | -21.463         | 74.000         | 4.165       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 102            |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11340.000       | 50.339                 | 51.710               | -23.661         | 74.000         | -1.371      | PK   |
| 2  | *    | 17010.000       | 51.678                 | 47.513               | -22.322         | 74.000         | 4.165       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 29             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 50.876                 | 52.154               | -23.124         | 74.000         | -1.278      | PK   |
| 2  | *    | 17265.000       | 52.038                 | 48.625               | -21.962         | 74.000         | 3.412       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 30             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 51.310                 | 52.588               | -22.690         | 74.000         | -1.278      | PK   |
| 2  | *    | 17265.000       | 52.257                 | 48.844               | -21.743         | 74.000         | 3.412       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 31             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 52.008                 | 51.907               | -21.992         | 74.000         | 0.101       | PK   |
| 2  | *    | 17385.000       | 52.069                 | 48.737               | -21.931         | 74.000         | 3.332       | PK   |

|                                                                     |                          |
|---------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                   | Page No.: 32             |
| Engineer: Pengchengyang                                             |                          |
| Site: AC5                                                           | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                  | Polarity: Vertical       |
| EUT: POS                                                            | Power: 120 Vac / 60 Hz   |
| Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 52.956                 | 52.855               | -21.044         | 74.000         | 0.101       | PK   |
| 2  | *    | 17385.000       | 52.984                 | 49.652               | -21.016         | 74.000         | 3.332       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 103            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 49.274                 | 52.680               | -24.726         | 74.000         | -3.406      | PK   |
| 2  | *    | 15540.000       | 52.455                 | 51.412               | -21.545         | 74.000         | 1.043       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 104            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 49.708                 | 53.114               | -24.292         | 74.000         | -3.406      | PK   |
| 2  | *    | 15540.000       | 52.780                 | 51.737               | -21.220         | 74.000         | 1.043       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 105            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5220MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 49.024                 | 52.318               | -24.976         | 74.000         | -3.294      | PK   |
| 2  | *    | 15660.000       | 51.496                 | 50.485               | -22.504         | 74.000         | 1.011       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 106            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5220MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 48.755                 | 52.049               | -25.245         | 74.000         | -3.294      | PK   |
| 2  | *    | 15660.000       | 52.818                 | 51.807               | -21.182         | 74.000         | 1.011       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 107            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 48.680                 | 51.959               | -25.320         | 74.000         | -3.279      | PK   |
| 2  | *    | 15720.000       | 52.313                 | 50.793               | -21.687         | 74.000         | 1.520       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 108            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:03 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 48.132                 | 51.411               | -25.868         | 74.000         | -3.279      | PK   |
| 2  | *    | 15720.000       | 52.073                 | 50.553               | -21.927         | 74.000         | 1.520       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 109            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 47.638                 | 50.877               | -26.362         | 74.000         | -3.239      | PK   |
| 2  | *    | 15780.000       | 51.737                 | 50.479               | -22.263         | 74.000         | 1.257       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 110            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 48.383                 | 51.622               | -25.617         | 74.000         | -3.239      | PK   |
| 2  | *    | 15780.000       | 52.205                 | 50.947               | -21.795         | 74.000         | 1.257       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 111            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5300MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 48.467                 | 51.169               | -25.533         | 74.000         | -2.702      | PK   |
| 2  | *    | 15900.000       | 52.925                 | 50.858               | -21.075         | 74.000         | 2.067       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 112            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5300MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 47.914                 | 50.616               | -26.086         | 74.000         | -2.702      | PK   |
| 2  | *    | 15900.000       | 52.387                 | 50.320               | -21.613         | 74.000         | 2.067       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 113            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 48.442                 | 51.806               | -25.558         | 74.000         | -3.364      | PK   |
| 2  | *    | 15960.000       | 50.637                 | 49.504               | -23.363         | 74.000         | 1.133       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 114            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 48.037                 | 51.401               | -25.963         | 74.000         | -3.364      | PK   |
| 2  | *    | 15960.000       | 51.650                 | 50.517               | -22.350         | 74.000         | 1.133       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 115            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 49.546                 | 51.434               | -24.454         | 74.000         | -1.888      | PK   |
| 2  | *    | 16500.000       | 52.089                 | 47.156               | -21.911         | 74.000         | 4.933       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 116            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 50.097                 | 51.985               | -23.903         | 74.000         | -1.888      | PK   |
| 2  | *    | 16500.000       | 52.269                 | 47.336               | -21.731         | 74.000         | 4.933       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 117            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 50.033                 | 51.218               | -23.967         | 74.000         | -1.185      | PK   |
| 2  | *    | 16740.000       | 52.440                 | 48.382               | -21.560         | 74.000         | 4.058       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 118            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 49.670                 | 50.855               | -24.330         | 74.000         | -1.185      | PK   |
| 2  | *    | 16740.000       | 51.891                 | 47.833               | -22.109         | 74.000         | 4.058       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 119            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 11400.000       | 52.512                 | 53.554               | -21.488         | 74.000         | -1.042      | PK   |
| 2  |      | 17100.000       | 52.205                 | 47.418               | -21.795         | 74.000         | 4.787       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 120            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 51.354                 | 52.396               | -22.646         | 74.000         | -1.042      | PK   |
| 2  | *    | 17100.000       | 51.782                 | 46.995               | -22.218         | 74.000         | 4.787       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 33             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 51.109                 | 51.633               | -22.891         | 74.000         | -0.524      | PK   |
| 2  | *    | 17235.000       | 52.567                 | 47.130               | -21.433         | 74.000         | 5.437       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 34             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 51.235                 | 51.759               | -22.765         | 74.000         | -0.524      | PK   |
| 2  | *    | 17235.000       | 52.391                 | 46.954               | -21.609         | 74.000         | 5.437       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 35             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 11570.000       | 51.686                 | 52.875               | -22.314         | 74.000         | -1.189      | PK   |
| 2  |      | 17355.000       | 51.383                 | 46.921               | -22.617         | 74.000         | 4.461       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 36             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 50.525                 | 51.714               | -23.475         | 74.000         | -1.189      | PK   |
| 2  | *    | 17355.000       | 51.955                 | 47.493               | -22.045         | 74.000         | 4.461       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 37             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 48.337                 | 50.013               | -25.663         | 74.000         | -1.676      | PK   |
| 2  | *    | 17475.000       | 52.508                 | 48.314               | -21.492         | 74.000         | 4.195       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 38             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 49.121                 | 50.797               | -24.879         | 74.000         | -1.676      | PK   |
| 2  | *    | 17475.000       | 52.491                 | 48.297               | -21.509         | 74.000         | 4.195       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 121            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 49.872                 | 53.077               | -24.128         | 74.000         | -3.205      | PK   |
| 2  | *    | 15570.000       | 52.168                 | 51.874               | -21.832         | 74.000         | 0.294       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 122            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 48.941                 | 52.146               | -25.059         | 74.000         | -3.205      | PK   |
| 2  | *    | 15570.000       | 51.208                 | 50.914               | -22.792         | 74.000         | 0.294       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 123            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 48.414                 | 51.754               | -25.586         | 74.000         | -3.341      | PK   |
| 2  | *    | 15690.000       | 51.612                 | 51.336               | -22.388         | 74.000         | 0.276       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 124            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 48.982                 | 52.322               | -25.018         | 74.000         | -3.341      | PK   |
| 2  | *    | 15690.000       | 51.068                 | 50.792               | -22.932         | 74.000         | 0.276       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 125            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10540.000       | 48.915                 | 52.125               | -25.085         | 74.000         | -3.210      | PK   |
| 2  | *    | 15810.000       | 52.156                 | 51.090               | -21.844         | 74.000         | 1.066       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 126            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10540.000       | 47.583                 | 50.793               | -26.417         | 74.000         | -3.210      | PK   |
| 2  | *    | 15810.000       | 52.822                 | 51.756               | -21.178         | 74.000         | 1.066       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 127            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10620.000       | 48.934                 | 52.150               | -25.066         | 74.000         | -3.217      | PK   |
| 2  | *    | 15930.000       | 50.561                 | 49.370               | -23.439         | 74.000         | 1.191       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 128            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10620.000       | 47.920                 | 51.136               | -26.080         | 74.000         | -3.217      | PK   |
| 2  | *    | 15930.000       | 51.204                 | 50.013               | -22.796         | 74.000         | 1.191       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 129            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11020.000       | 49.824                 | 51.926               | -24.176         | 74.000         | -2.102      | PK   |
| 2  | *    | 16530.000       | 52.702                 | 48.424               | -21.298         | 74.000         | 4.278       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 130            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11020.000       | 49.786                 | 51.888               | -24.214         | 74.000         | -2.102      | PK   |
| 2  | *    | 16530.000       | 52.740                 | 48.462               | -21.260         | 74.000         | 4.278       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 131            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11180.000       | 49.463                 | 51.696               | -24.537         | 74.000         | -2.234      | PK   |
| 2  | *    | 16770.000       | 52.453                 | 47.448               | -21.547         | 74.000         | 5.005       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 132            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11180.000       | 49.108                 | 51.341               | -24.892         | 74.000         | -2.234      | PK   |
| 2  | *    | 16770.000       | 51.407                 | 46.402               | -22.593         | 74.000         | 5.005       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 133            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11340.000       | 50.881                 | 52.252               | -23.119         | 74.000         | -1.371      | PK   |
| 2  | *    | 17010.000       | 52.370                 | 48.205               | -21.630         | 74.000         | 4.165       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 134            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11340.000       | 49.429                 | 50.800               | -24.571         | 74.000         | -1.371      | PK   |
| 2  | *    | 17010.000       | 51.839                 | 47.674               | -22.161         | 74.000         | 4.165       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 39             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 50.881                 | 52.159               | -23.119         | 74.000         | -1.278      | PK   |
| 2  | *    | 17265.000       | 51.631                 | 48.218               | -22.369         | 74.000         | 3.412       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 40             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 50.848                 | 52.126               | -23.152         | 74.000         | -1.278      | PK   |
| 2  | *    | 17265.000       | 51.118                 | 47.705               | -22.882         | 74.000         | 3.412       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 41             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 50.245                 | 50.144               | -23.755         | 74.000         | 0.101       | PK   |
| 2  | *    | 17385.000       | 52.094                 | 48.762               | -21.906         | 74.000         | 3.332       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 42             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 11590.000       | 52.723                 | 52.622               | -21.277         | 74.000         | 0.101       | PK   |
| 2  |      | 17385.000       | 51.410                 | 48.078               | -22.590         | 74.000         | 3.332       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 135            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 51.169                 | 54.165               | -22.831         | 74.000         | -2.996      | PK   |
| 2  | *    | 15630.000       | 52.819                 | 51.587               | -21.181         | 74.000         | 1.232       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 136            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 49.901                 | 52.897               | -24.099         | 74.000         | -2.996      | PK   |
| 2  | *    | 15630.000       | 52.980                 | 51.748               | -21.020         | 74.000         | 1.232       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 137            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10580.000       | 48.033                 | 51.049               | -25.967         | 74.000         | -3.015      | PK   |
| 2  | *    | 15870.000       | 52.077                 | 50.222               | -21.923         | 74.000         | 1.855       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 138            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10580.000       | 48.319                 | 51.335               | -25.681         | 74.000         | -3.015      | PK   |
| 2  | *    | 15870.000       | 52.642                 | 50.787               | -21.358         | 74.000         | 1.855       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 139            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11060.000       | 49.392                 | 51.537               | -24.608         | 74.000         | -2.145      | PK   |
| 2  | *    | 16590.000       | 52.037                 | 47.849               | -21.963         | 74.000         | 4.189       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 140            |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11060.000       | 48.371                 | 50.516               | -25.629         | 74.000         | -2.145      | PK   |
| 2  | *    | 16590.000       | 51.922                 | 47.734               | -22.078         | 74.000         | 4.189       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 43             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Horizontal     |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) with ANT1+ANT2 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 50.270                 | 51.830               | -23.730         | 74.000         | -1.560      | PK   |
| 2  | *    | 17325.000       | 52.941                 | 49.391               | -21.059         | 74.000         | 3.549       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                                    | Page No.: 44             |
| Engineer: Pengchengyang                                              |                          |
| Site: AC5                                                            | Time: 2024/01/27 - 11:07 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                   | Polarity: Vertical       |
| EUT: POS                                                             | Power: 120 Vac / 60 Hz   |
| Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) with ANT1+ANT2 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 50.281                 | 51.841               | -23.719         | 74.000         | -1.560      | PK   |
| 2  | *    | 17325.000       | 52.088                 | 48.538               | -21.912         | 74.000         | 3.549       | PK   |

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~40GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. If the test result on peak is lower than average limit, then average measurement needn't be performed.
5. We have evaluated SISO, MIMO mode, shown in the report is the worst data.


The worst case of Simultaneous Radiated Emission:

|                                                                |                          |
|----------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                              | Page No.: 13             |
| Engineer: Pengchengyang                                        |                          |
| Site: AC5                                                      | Time: 2024/02/22 - 10:44 |
| Limit: FCC_Part15.209_RE(3m)                                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                             | Polarity: Horizontal     |
| EUT: POS                                                       | Power:120 Vac / 60 Hz    |
| Note: Mode 1 : Transmit at 2402MHz by DH5 & 5180MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 4804.000        | 40.636                 | 53.546               | -33.364         | 74.000         | -12.910     | PK   |
| 2  |      | 7206.000        | 44.124                 | 51.675               | -29.876         | 74.000         | -7.552      | PK   |
| 3  |      | 9608.000        | 46.944                 | 51.750               | -27.056         | 74.000         | -4.805      | PK   |
| 4  |      | 10360.000       | 49.100                 | 51.971               | -24.900         | 74.000         | -2.871      | PK   |
| 5  | *    | 15540.000       | 51.280                 | 49.069               | -22.720         | 74.000         | 2.212       | PK   |


|                                                                |                          |
|----------------------------------------------------------------|--------------------------|
| Profile: 2390387R                                              | Page No.: 14             |
| Engineer: Pengchengyang                                        |                          |
| Site: AC5                                                      | Time: 2024/02/22 - 10:44 |
| Limit: FCC_Part15.209_RE(3m)                                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                             | Polarity: Vertical       |
| EUT: POS                                                       | Power:120 Vac / 60 Hz    |
| Note: Mode 1 : Transmit at 2402MHz by DH5 & 5180MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 4804.000        | 40.765                 | 53.675               | -33.235         | 74.000         | -12.910     | PK   |
| 2  |      | 7206.000        | 45.224                 | 52.775               | -28.776         | 74.000         | -7.552      | PK   |
| 3  |      | 9608.000        | 46.820                 | 51.626               | -27.180         | 74.000         | -4.805      | PK   |
| 4  |      | 10360.000       | 48.685                 | 51.556               | -25.315         | 74.000         | -2.871      | PK   |
| 5  | *    | 15540.000       | 51.621                 | 49.410               | -22.379         | 74.000         | 2.212       | PK   |


The worst case of Radiated Emission below 1GHz:

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 2390387R                             | Page No.: 67             |
| Engineer: Pengchengyang                       |                          |
| Site: AC2                                     | Time: 2024/01/17 - 08:29 |
| Limit: FCC_Part 15.209                        | Margin: 0                |
| Probe: CBL6112D_27613(30-1000MHz)             | Polarity: Horizontal     |
| EUT: POS                                      | Power: 120 Vac / 60 Hz   |
| Note: Mode 1 : Transmit at 5180MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 43.216          | 21.823                 | 3.937                | -18.177         | 40.000         | 17.885      | QP   |
| 2  |      | 112.692         | 21.264                 | 2.109                | -22.236         | 43.500         | 19.155      | QP   |
| 3  |      | 163.739         | 20.844                 | 3.952                | -22.656         | 43.500         | 16.892      | QP   |
| 4  |      | 270.924         | 24.711                 | 4.393                | -21.289         | 46.000         | 20.318      | QP   |
| 5  |      | 441.644         | 27.853                 | 3.384                | -18.147         | 46.000         | 24.469      | QP   |
| 6  | *    | 927.008         | 34.350                 | 4.172                | -11.650         | 46.000         | 30.178      | QP   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 2390387R                             | Page No.: 68             |
| Engineer: Pengchengyang                       |                          |
| Site: AC2                                     | Time: 2024/01/17 - 08:29 |
| Limit: FCC_Part 15.209                        | Margin: 0                |
| Probe: CBL6112D_27613(30-1000MHz)             | Polarity: Vertical       |
| EUT: POS                                      | Power: 120 Vac / 60 Hz   |
| Note: Mode 1 : Transmit at 5180MHz by 802.11a |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 57.766          | 16.877                 | 3.579                | -23.123         | 40.000         | 13.297      | QP   |
| 2  |      | 104.326         | 21.321                 | 2.732                | -22.179         | 43.500         | 18.588      | QP   |
| 3  |      | 175.742         | 19.600                 | 3.027                | -23.900         | 43.500         | 16.573      | QP   |
| 4  |      | 263.043         | 24.540                 | 3.832                | -21.460         | 46.000         | 20.708      | QP   |
| 5  |      | 486.628         | 28.821                 | 3.472                | -17.179         | 46.000         | 25.349      | QP   |
| 6  | *    | 776.536         | 31.854                 | 2.884                | -14.146         | 46.000         | 28.970      | QP   |

Note:

- " \* ", means this data is the worst emission level.
- Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

## Appendix C: Emission bandwidth and occupied bandwidth

Emission Bandwidth :

| TestMode   | Antenna | Frequency[MHz] | 26db EBW [MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|------------|---------|----------------|----------------|----------|----------|------------|---------|
| 11A        | Ant1    | 5180           | 22.680         | 5168.600 | 5191.280 | N/A        | Pass    |
|            |         | 5220           | 21.480         | 5209.600 | 5231.080 | N/A        | Pass    |
|            |         | 5240           | 21.280         | 5229.520 | 5250.800 | N/A        | Pass    |
|            |         | 5260           | 21.360         | 5249.640 | 5271.000 | N/A        | Pass    |
|            |         | 5300           | 21.640         | 5289.440 | 5311.080 | N/A        | Pass    |
|            |         | 5320           | 22.480         | 5309.040 | 5331.520 | N/A        | Pass    |
|            |         | 5500           | 21.160         | 5489.520 | 5510.680 | N/A        | Pass    |
|            |         | 5580           | 22.120         | 5568.960 | 5591.080 | N/A        | Pass    |
|            |         | 5700           | 22.440         | 5688.800 | 5711.240 | N/A        | Pass    |
|            |         | 5745           | 22.400         | 5734.160 | 5756.560 | N/A        | Pass    |
|            |         | 5785           | 21.080         | 5774.640 | 5795.720 | N/A        | Pass    |
|            |         | 5825           | 21.440         | 5814.560 | 5836.000 | N/A        | Pass    |
| 11N20SISO  | Ant1    | 5180           | 22.000         | 5168.920 | 5190.920 | N/A        | Pass    |
|            |         | 5220           | 22.800         | 5208.680 | 5231.480 | N/A        | Pass    |
|            |         | 5240           | 23.120         | 5228.520 | 5251.640 | N/A        | Pass    |
|            |         | 5260           | 22.120         | 5248.880 | 5271.000 | N/A        | Pass    |
|            |         | 5300           | 22.160         | 5289.160 | 5311.320 | N/A        | Pass    |
|            |         | 5320           | 23.040         | 5308.680 | 5331.720 | N/A        | Pass    |
|            |         | 5500           | 22.160         | 5488.960 | 5511.120 | N/A        | Pass    |
|            |         | 5580           | 21.720         | 5569.120 | 5590.840 | N/A        | Pass    |
|            |         | 5700           | 22.240         | 5688.920 | 5711.160 | N/A        | Pass    |
|            |         | 5745           | 22.480         | 5733.600 | 5756.080 | N/A        | Pass    |
|            |         | 5785           | 23.320         | 5773.400 | 5796.720 | N/A        | Pass    |
|            |         | 5825           | 21.760         | 5814.040 | 5835.800 | N/A        | Pass    |
| 11N40SISO  | Ant1    | 5190           | 41.200         | 5169.520 | 5210.720 | N/A        | Pass    |
|            |         | 5230           | 41.120         | 5209.440 | 5250.560 | N/A        | Pass    |
|            |         | 5270           | 41.200         | 5249.840 | 5291.040 | N/A        | Pass    |
|            |         | 5310           | 42.000         | 5289.280 | 5331.280 | N/A        | Pass    |
|            |         | 5510           | 41.360         | 5489.440 | 5530.800 | N/A        | Pass    |
|            |         | 5590           | 41.840         | 5568.880 | 5610.720 | N/A        | Pass    |
|            |         | 5670           | 41.440         | 5649.440 | 5690.880 | N/A        | Pass    |
|            |         | 5755           | 41.360         | 5734.520 | 5775.880 | N/A        | Pass    |
|            |         | 5795           | 41.440         | 5774.280 | 5815.720 | N/A        | Pass    |
| 11AC20SISO | Ant1    | 5180           | 22.920         | 5168.600 | 5191.520 | N/A        | Pass    |
|            |         | 5220           | 21.640         | 5209.520 | 5231.160 | N/A        | Pass    |
|            |         | 5240           | 22.240         | 5228.680 | 5250.920 | N/A        | Pass    |
|            |         | 5260           | 23.440         | 5248.320 | 5271.760 | N/A        | Pass    |
|            |         | 5300           | 22.320         | 5288.680 | 5311.000 | N/A        | Pass    |
|            |         | 5320           | 22.120         | 5308.680 | 5330.800 | N/A        | Pass    |
|            |         | 5500           | 22.840         | 5488.640 | 5511.480 | N/A        | Pass    |
|            |         | 5580           | 23.880         | 5568.440 | 5592.320 | N/A        | Pass    |
|            |         | 5700           | 23.040         | 5688.680 | 5711.720 | N/A        | Pass    |
|            |         | 5745           | 21.960         | 5733.920 | 5755.880 | N/A        | Pass    |
|            |         | 5785           | 21.760         | 5774.040 | 5795.800 | N/A        | Pass    |
|            |         | 5825           | 22.960         | 5813.880 | 5836.840 | N/A        | Pass    |

|            |      |      |        |          |          |     |      |
|------------|------|------|--------|----------|----------|-----|------|
| 11AC40SISO | Ant1 | 5190 | 41.600 | 5169.280 | 5210.880 | N/A | Pass |
|            |      | 5230 | 41.680 | 5209.360 | 5251.040 | N/A | Pass |
|            |      | 5270 | 41.760 | 5249.040 | 5290.800 | N/A | Pass |
|            |      | 5310 | 41.760 | 5289.440 | 5331.200 | N/A | Pass |
|            |      | 5510 | 41.440 | 5489.440 | 5530.880 | N/A | Pass |
|            |      | 5590 | 41.200 | 5569.760 | 5610.960 | N/A | Pass |
|            |      | 5670 | 41.360 | 5649.680 | 5691.040 | N/A | Pass |
|            |      | 5755 | 40.960 | 5734.840 | 5775.800 | N/A | Pass |
| 11AC80SISO | Ant1 | 5795 | 41.440 | 5774.440 | 5815.880 | N/A | Pass |
|            |      | 5210 | 83.840 | 5168.720 | 5252.560 | N/A | Pass |
|            |      | 5290 | 83.200 | 5249.040 | 5332.240 | N/A | Pass |
|            |      | 5530 | 83.040 | 5488.880 | 5571.920 | N/A | Pass |
|            |      | 5610 | 83.840 | 5568.720 | 5652.560 | N/A | Pass |
|            |      | 5775 | 81.280 | 5734.680 | 5815.960 | N/A | Pass |

Note: We have evaluated SISO, MIMO mode, shown in the report is the worst data.


11A\_Ant1\_5180




11A\_Ant1\_5220



11A\_Ant1\_5240




11A\_Ant1\_5260




11A\_Ant1\_5300



11A\_Ant1\_5320



11A\_Ant1\_5500




11A\_Ant1\_5580



11A\_Ant1\_5700




11A\_Ant1\_5745



11A\_Ant1\_5785




11A\_Ant1\_5825



11N20SISO\_Ant1\_5180



11N20SISO\_Ant1\_5220



11N20SISO\_Ant1\_5240



11N20SISO\_Ant1\_5260



11N20SISO\_Ant1\_5300



11N20SISO\_Ant1\_5320