

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 115 of 139

### Body worn:

| Test position   |            | SARmax (W/kg)          |                               |                               |                               |                      |                      |                      |                      |                      |                             |
|-----------------|------------|------------------------|-------------------------------|-------------------------------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------------------------|
|                 |            | MAX. WWAN<br>SAR(W/kg) | WLAN2.4G<br>Ant1<br>SAR(W/kg) | WLAN2.4G<br>Ant5<br>SAR(W/kg) | WLAN2.4G<br>MIMO<br>SAR(W/kg) | WLAN5G<br>Ant1(W/kg) | WLAN5G<br>Ant5(W/kg) | WLAN<br>5GMIMO(W/kg) | BT Ant1<br>SAR(W/kg) | BT Ant5<br>SAR(W/kg) | WLAN<br>6GMIMO<br>SAR(W/kg) |
|                 |            | 1                      | 2                             | 3                             | 4                             | 5                    | 6                    | 7                    | 8                    | 9                    | 10                          |
| GSM1900         | Front side | 0.349                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.126                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| GSM1900         | Front side | 0.460                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.111                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| WCDMA B2        | Front side | 0.792                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.282                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| WCDMA B4        | Front side | 0.694                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.160                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| WCDMA B5        | Front side | 0.351                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.135                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B5          | Front side | 0.379                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.133                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B7          | Front side | 0.477                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.222                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B12         | Front side | 0.282                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.072                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B13         | Front side | 0.239                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.052                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B14         | Front side | 0.238                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.083                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B25         | Front side | 0.301                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.111                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B41         | Front side | 0.213                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.106                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B42         | Front side | 0.166                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.095                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B43         | Front side | 0.184                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.125                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B48         | Front side | 0.164                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.107                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B66         | Front side | 0.391                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.106                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| LTE B71         | Front side | 0.028                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.024                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| N12             | Front side | 0.322                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.000                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| N25             | Front side | 0.466                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.120                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| N41             | Front side | 0.389                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.331                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| N48             | Front side | 0.256                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.162                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| N66             | Front side | 0.814                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.225                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| N71             | Front side | 0.035                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.017                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| N77 Part<br>27Q | Front side | 0.285                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.191                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |
| N77 Part<br>27O | Front side | 0.186                  | 0.104                         | 0.057                         | 0.104                         | 0.141                | 0.046                | 0.129                | 0.015                | 0.002                | 0.022                       |
|                 | Back side  | 0.166                  | 0.271                         | 0.238                         | 0.271                         | 0.137                | 0.066                | 0.136                | 0.042                | 0.036                | 0.052                       |

| Test position |            | Summed SAR |       |       |       |       |        |       |       |         |          |
|---------------|------------|------------|-------|-------|-------|-------|--------|-------|-------|---------|----------|
|               |            | 1+2+9      | 1+3+8 | 1+2+6 | 1+3+5 | 1+4+7 | 1+4+10 | 1+5+9 | 1+6+8 | 1+7+8+9 | 1+8+9+10 |
| GSM1900       | Front side | 0.455      | 0.421 | 0.499 | 0.547 | 0.582 | 0.475  | 0.492 | 0.410 | 0.495   | 0.388    |
|               | Back side  | 0.433      | 0.406 | 0.463 | 0.501 | 0.533 | 0.449  | 0.299 | 0.234 | 0.340   | 0.256    |
| GSM1900       | Front side | 0.566      | 0.532 | 0.610 | 0.658 | 0.693 | 0.586  | 0.603 | 0.521 | 0.606   | 0.499    |
|               | Back side  | 0.418      | 0.391 | 0.448 | 0.486 | 0.518 | 0.434  | 0.284 | 0.219 | 0.325   | 0.241    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 116 of 139

|              |            |       |       |       |       |       |       |       |       |       |       |
|--------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| WCDMA B2     | Front side | 0.898 | 0.864 | 0.942 | 0.990 | 1.025 | 0.918 | 0.935 | 0.853 | 0.938 | 0.831 |
|              | Back side  | 0.589 | 0.562 | 0.619 | 0.657 | 0.689 | 0.605 | 0.455 | 0.390 | 0.496 | 0.412 |
| WCDMA B4     | Front side | 0.800 | 0.766 | 0.844 | 0.892 | 0.927 | 0.820 | 0.837 | 0.755 | 0.840 | 0.733 |
|              | Back side  | 0.467 | 0.440 | 0.497 | 0.535 | 0.567 | 0.483 | 0.333 | 0.268 | 0.374 | 0.290 |
| WCDMA B5     | Front side | 0.457 | 0.423 | 0.501 | 0.549 | 0.584 | 0.477 | 0.494 | 0.412 | 0.497 | 0.390 |
|              | Back side  | 0.442 | 0.415 | 0.472 | 0.510 | 0.542 | 0.458 | 0.308 | 0.243 | 0.349 | 0.265 |
| LTE B5       | Front side | 0.485 | 0.451 | 0.529 | 0.577 | 0.612 | 0.505 | 0.522 | 0.440 | 0.525 | 0.418 |
|              | Back side  | 0.440 | 0.413 | 0.470 | 0.508 | 0.540 | 0.456 | 0.306 | 0.241 | 0.347 | 0.263 |
| LTE B7       | Front side | 0.583 | 0.549 | 0.627 | 0.675 | 0.710 | 0.603 | 0.620 | 0.538 | 0.623 | 0.516 |
|              | Back side  | 0.529 | 0.502 | 0.559 | 0.597 | 0.629 | 0.545 | 0.395 | 0.330 | 0.436 | 0.352 |
| LTE B12      | Front side | 0.388 | 0.354 | 0.432 | 0.480 | 0.515 | 0.408 | 0.425 | 0.343 | 0.428 | 0.321 |
|              | Back side  | 0.379 | 0.352 | 0.409 | 0.447 | 0.479 | 0.395 | 0.245 | 0.180 | 0.286 | 0.202 |
| LTE B13      | Front side | 0.345 | 0.311 | 0.389 | 0.437 | 0.472 | 0.365 | 0.382 | 0.300 | 0.385 | 0.278 |
|              | Back side  | 0.359 | 0.332 | 0.389 | 0.427 | 0.459 | 0.375 | 0.225 | 0.160 | 0.266 | 0.182 |
| LTE B14      | Front side | 0.344 | 0.310 | 0.388 | 0.436 | 0.471 | 0.364 | 0.381 | 0.299 | 0.384 | 0.277 |
|              | Back side  | 0.390 | 0.363 | 0.420 | 0.458 | 0.490 | 0.406 | 0.256 | 0.191 | 0.297 | 0.213 |
| LTE B25      | Front side | 0.407 | 0.373 | 0.451 | 0.499 | 0.534 | 0.427 | 0.444 | 0.362 | 0.447 | 0.340 |
|              | Back side  | 0.418 | 0.391 | 0.448 | 0.486 | 0.518 | 0.434 | 0.284 | 0.219 | 0.325 | 0.241 |
| LTE B41      | Front side | 0.319 | 0.285 | 0.363 | 0.411 | 0.446 | 0.339 | 0.356 | 0.274 | 0.359 | 0.252 |
|              | Back side  | 0.413 | 0.386 | 0.443 | 0.481 | 0.513 | 0.429 | 0.279 | 0.214 | 0.320 | 0.236 |
| LTE B42      | Front side | 0.272 | 0.238 | 0.316 | 0.364 | 0.399 | 0.292 | 0.309 | 0.227 | 0.312 | 0.205 |
|              | Back side  | 0.402 | 0.375 | 0.432 | 0.470 | 0.502 | 0.418 | 0.268 | 0.203 | 0.309 | 0.225 |
| LTE B43      | Front side | 0.290 | 0.256 | 0.334 | 0.382 | 0.417 | 0.310 | 0.327 | 0.245 | 0.330 | 0.223 |
|              | Back side  | 0.432 | 0.405 | 0.462 | 0.500 | 0.532 | 0.448 | 0.298 | 0.233 | 0.339 | 0.255 |
| LTE B48      | Front side | 0.270 | 0.236 | 0.314 | 0.362 | 0.397 | 0.290 | 0.307 | 0.225 | 0.310 | 0.203 |
|              | Back side  | 0.414 | 0.387 | 0.444 | 0.482 | 0.514 | 0.430 | 0.280 | 0.215 | 0.321 | 0.237 |
| LTE B66      | Front side | 0.497 | 0.463 | 0.541 | 0.589 | 0.624 | 0.517 | 0.534 | 0.452 | 0.537 | 0.430 |
|              | Back side  | 0.413 | 0.386 | 0.443 | 0.481 | 0.513 | 0.429 | 0.279 | 0.214 | 0.320 | 0.236 |
| LTE B71      | Front side | 0.134 | 0.100 | 0.178 | 0.226 | 0.261 | 0.154 | 0.171 | 0.089 | 0.174 | 0.067 |
|              | Back side  | 0.331 | 0.304 | 0.361 | 0.399 | 0.431 | 0.347 | 0.197 | 0.132 | 0.238 | 0.154 |
| N12          | Front side | 0.428 | 0.394 | 0.472 | 0.520 | 0.555 | 0.448 | 0.465 | 0.383 | 0.468 | 0.361 |
|              | Back side  | 0.307 | 0.280 | 0.337 | 0.375 | 0.407 | 0.323 | 0.173 | 0.108 | 0.214 | 0.130 |
| N25          | Front side | 0.572 | 0.538 | 0.616 | 0.664 | 0.699 | 0.592 | 0.609 | 0.527 | 0.612 | 0.505 |
|              | Back side  | 0.427 | 0.400 | 0.457 | 0.495 | 0.527 | 0.443 | 0.293 | 0.228 | 0.334 | 0.250 |
| N41          | Front side | 0.495 | 0.461 | 0.539 | 0.587 | 0.622 | 0.515 | 0.532 | 0.450 | 0.535 | 0.428 |
|              | Back side  | 0.638 | 0.611 | 0.668 | 0.706 | 0.738 | 0.654 | 0.504 | 0.439 | 0.545 | 0.461 |
| N48          | Front side | 0.362 | 0.328 | 0.406 | 0.454 | 0.489 | 0.382 | 0.399 | 0.317 | 0.402 | 0.295 |
|              | Back side  | 0.469 | 0.442 | 0.499 | 0.537 | 0.569 | 0.485 | 0.335 | 0.270 | 0.376 | 0.292 |
| N66          | Front side | 0.920 | 0.886 | 0.964 | 1.012 | 1.047 | 0.940 | 0.957 | 0.875 | 0.960 | 0.853 |
|              | Back side  | 0.532 | 0.505 | 0.562 | 0.600 | 0.632 | 0.548 | 0.398 | 0.333 | 0.439 | 0.355 |
| N71          | Front side | 0.141 | 0.107 | 0.185 | 0.233 | 0.268 | 0.161 | 0.178 | 0.096 | 0.181 | 0.074 |
|              | Back side  | 0.324 | 0.297 | 0.354 | 0.392 | 0.424 | 0.340 | 0.190 | 0.125 | 0.231 | 0.147 |
| N77 Part 27Q | Front side | 0.391 | 0.357 | 0.435 | 0.483 | 0.518 | 0.411 | 0.428 | 0.346 | 0.431 | 0.324 |
|              | Back side  | 0.498 | 0.471 | 0.528 | 0.566 | 0.598 | 0.514 | 0.364 | 0.299 | 0.405 | 0.321 |
| N77 Part 27O | Front side | 0.292 | 0.258 | 0.336 | 0.384 | 0.419 | 0.312 | 0.329 | 0.247 | 0.332 | 0.225 |
|              | Back side  | 0.473 | 0.446 | 0.503 | 0.541 | 0.573 | 0.489 | 0.339 | 0.274 | 0.380 | 0.296 |

| Test position            |            | SARmax (W/kg)       |                         |                         |                         |                   |                   |                   |                   |                   |                       |
|--------------------------|------------|---------------------|-------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----------------------|
|                          |            | MAX. WWAN SAR(W/kg) | WLAN2.4G Ant1 SAR(W/kg) | WLAN2.4G Ant5 SAR(W/kg) | WLAN2.4G MIMO SAR(W/kg) | WLAN5G Ant1(W/kg) | WLAN5G Ant5(W/kg) | WLAN 5GMIMO(W/kg) | BT Ant1 SAR(W/kg) | BT Ant5 SAR(W/kg) | WLAN 6GMIMO SAR(W/kg) |
|                          |            | 1                   | 2                       | 3                       | 4                       | 5                 | 6                 | 7                 | 8                 | 9                 | 10                    |
| DC_12A_n25A (DC_12A_n2A) | Front side | 0.480               | 0.104                   | 0.057                   | 0.104                   | 0.141             | 0.046             | 0.129             | 0.015             | 0.002             | 0.022                 |
|                          | Back side  | 0.323               | 0.271                   | 0.238                   | 0.271                   | 0.137             | 0.066             | 0.136             | 0.042             | 0.036             | 0.052                 |
| DC_12A_n66A              | Front side | 0.453               | 0.104                   | 0.057                   | 0.104                   | 0.141             | 0.046             | 0.129             | 0.015             | 0.002             | 0.022                 |
|                          | Back side  | 0.259               | 0.271                   | 0.238                   | 0.271                   | 0.137             | 0.066             | 0.136             | 0.042             | 0.036             | 0.052                 |
| DC_12A_n77A (Part27Q)    | Front side | 0.567               | 0.104                   | 0.057                   | 0.104                   | 0.141             | 0.046             | 0.129             | 0.015             | 0.002             | 0.022                 |
|                          | Back side  | 0.263               | 0.271                   | 0.238                   | 0.271                   | 0.137             | 0.066             | 0.136             | 0.042             | 0.036             | 0.052                 |
| DC_12A_n77A (Part27O)    | Front side | 0.468               | 0.104                   | 0.057                   | 0.104                   | 0.141             | 0.046             | 0.129             | 0.015             | 0.002             | 0.022                 |
|                          | Back side  | 0.238               | 0.271                   | 0.238                   | 0.271                   | 0.137             | 0.066             | 0.136             | 0.042             | 0.036             | 0.052                 |
| DC_13A_n2A               | Front side | 0.437               | 0.104                   | 0.057                   | 0.104                   | 0.141             | 0.046             | 0.129             | 0.015             | 0.002             | 0.022                 |
|                          | Back side  | 0.303               | 0.271                   | 0.238                   | 0.271                   | 0.137             | 0.066             | 0.136             | 0.042             | 0.036             | 0.052                 |
| DC_13A_n66A              | Front side | 0.410               | 0.104                   | 0.057                   | 0.104                   | 0.141             | 0.046             | 0.129             | 0.015             | 0.002             | 0.022                 |
|                          | Back side  | 0.239               | 0.271                   | 0.238                   | 0.271                   | 0.137             | 0.066             | 0.136             | 0.042             | 0.036             | 0.052                 |
| DC_13A_n77A (Part27Q)    | Front side | 0.524               | 0.104                   | 0.057                   | 0.104                   | 0.141             | 0.046             | 0.129             | 0.015             | 0.002             | 0.022                 |
|                          | Back side  | 0.243               | 0.271                   | 0.238                   | 0.271                   | 0.137             | 0.066             | 0.136             | 0.042             | 0.036             | 0.052                 |
| DC_13A_n77A              | Front side | 0.425               | 0.104                   | 0.057                   | 0.104                   | 0.141             | 0.046             | 0.129             | 0.015             | 0.002             | 0.022                 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 117 of 139

|                          |            |       |       |       |       |       |       |       |       |       |       |
|--------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| (Part270)                | Back side  | 0.218 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_14A_n2A               | Front side | 0.436 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.334 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_14A_n66A              | Front side | 0.409 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.270 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_14A_n77A<br>(Part27Q) | Front side | 0.523 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.274 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_14A_n77A<br>(Part270) | Front side | 0.424 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.249 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_2A_n41A               | Front side | 0.690 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.442 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_2A_n48A               | Front side | 0.557 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.273 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_2A_n5A                | Front side | 0.589 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.111 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_2A_n66A               | Front side | 0.472 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.298 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_2A_n71A               | Front side | 0.336 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.128 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_48A_n25A              | Front side | 0.630 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.227 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_48A_n5A               | Front side | 0.452 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.107 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_48A_n66A              | Front side | 0.978 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.332 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_5A_n2A                | Front side | 0.577 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.384 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_5A_n66A               | Front side | 0.550 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.320 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_5A_n77A<br>(Part27Q)  | Front side | 0.664 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.324 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_5A_n77A<br>(Part270)  | Front side | 0.565 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.299 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_66A_n25A              | Front side | 0.857 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.460 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_66A_n48A              | Front side | 0.560 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.214 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_66A_n5A               | Front side | 0.679 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.209 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_66A_n71A              | Front side | 0.426 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.226 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_66A_n77A<br>(Part27Q) | Front side | 0.676 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.400 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |
| DC_66A_n77A<br>(Part270) | Front side | 0.577 | 0.104 | 0.057 | 0.104 | 0.141 | 0.046 | 0.129 | 0.015 | 0.002 | 0.022 |
|                          | Back side  | 0.375 | 0.271 | 0.238 | 0.271 | 0.137 | 0.066 | 0.136 | 0.042 | 0.036 | 0.052 |

| Test position               |            | Summed SAR |       |       |       |       |        |       |       |         |          |
|-----------------------------|------------|------------|-------|-------|-------|-------|--------|-------|-------|---------|----------|
|                             |            | 1+2+9      | 1+3+8 | 1+2+6 | 1+3+5 | 1+4+7 | 1+4+10 | 1+5+9 | 1+6+8 | 1+7+8+9 | 1+8+9+10 |
| DC_12A_n25A<br>(DC_12A_n2A) | Front side | 0.586      | 0.552 | 0.630 | 0.678 | 0.713 | 0.606  | 0.623 | 0.541 | 0.626   | 0.519    |
|                             | Back side  | 0.630      | 0.603 | 0.660 | 0.698 | 0.730 | 0.646  | 0.496 | 0.431 | 0.537   | 0.453    |
| DC_12A_n66A                 | Front side | 0.559      | 0.525 | 0.603 | 0.651 | 0.686 | 0.579  | 0.596 | 0.514 | 0.599   | 0.492    |
|                             | Back side  | 0.566      | 0.539 | 0.596 | 0.634 | 0.666 | 0.582  | 0.432 | 0.367 | 0.473   | 0.389    |
| DC_12A_n77A<br>(Part27Q)    | Front side | 0.673      | 0.639 | 0.717 | 0.765 | 0.800 | 0.693  | 0.710 | 0.628 | 0.713   | 0.606    |
|                             | Back side  | 0.570      | 0.543 | 0.600 | 0.638 | 0.670 | 0.586  | 0.436 | 0.371 | 0.477   | 0.393    |
| DC_12A_n77A<br>(Part270)    | Front side | 0.574      | 0.540 | 0.618 | 0.666 | 0.701 | 0.594  | 0.611 | 0.529 | 0.614   | 0.507    |
|                             | Back side  | 0.545      | 0.518 | 0.575 | 0.613 | 0.645 | 0.561  | 0.411 | 0.346 | 0.452   | 0.368    |
| DC_13A_n2A                  | Front side | 0.543      | 0.509 | 0.587 | 0.635 | 0.670 | 0.563  | 0.580 | 0.498 | 0.583   | 0.476    |
|                             | Back side  | 0.610      | 0.583 | 0.640 | 0.678 | 0.710 | 0.626  | 0.476 | 0.411 | 0.517   | 0.433    |
| DC_13A_n66A                 | Front side | 0.516      | 0.482 | 0.560 | 0.608 | 0.643 | 0.536  | 0.553 | 0.471 | 0.556   | 0.449    |
|                             | Back side  | 0.546      | 0.519 | 0.576 | 0.614 | 0.646 | 0.562  | 0.412 | 0.347 | 0.453   | 0.369    |
| DC_13A_n77A<br>(Part27Q)    | Front side | 0.630      | 0.596 | 0.674 | 0.722 | 0.757 | 0.650  | 0.667 | 0.585 | 0.670   | 0.563    |
|                             | Back side  | 0.550      | 0.523 | 0.580 | 0.618 | 0.650 | 0.566  | 0.416 | 0.351 | 0.457   | 0.373    |
| DC_13A_n77A<br>(Part270)    | Front side | 0.531      | 0.497 | 0.575 | 0.623 | 0.658 | 0.551  | 0.568 | 0.486 | 0.571   | 0.464    |
|                             | Back side  | 0.525      | 0.498 | 0.555 | 0.593 | 0.625 | 0.541  | 0.391 | 0.326 | 0.432   | 0.348    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 118 of 139

|                          |            |       |       |       |       |       |       |       |       |       |       |
|--------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| DC_14A_n2A               | Front side | 0.542 | 0.508 | 0.586 | 0.634 | 0.669 | 0.562 | 0.579 | 0.497 | 0.582 | 0.475 |
|                          | Back side  | 0.641 | 0.614 | 0.671 | 0.709 | 0.741 | 0.657 | 0.507 | 0.442 | 0.548 | 0.464 |
| DC_14A_n66A              | Front side | 0.515 | 0.481 | 0.559 | 0.607 | 0.642 | 0.535 | 0.552 | 0.470 | 0.555 | 0.448 |
|                          | Back side  | 0.577 | 0.550 | 0.607 | 0.645 | 0.677 | 0.593 | 0.443 | 0.378 | 0.484 | 0.400 |
| DC_14A_n77A<br>(Part27Q) | Front side | 0.629 | 0.595 | 0.673 | 0.721 | 0.756 | 0.649 | 0.666 | 0.584 | 0.669 | 0.562 |
|                          | Back side  | 0.581 | 0.554 | 0.611 | 0.649 | 0.681 | 0.597 | 0.447 | 0.382 | 0.488 | 0.404 |
| DC_14A_n77A<br>(Part27O) | Front side | 0.530 | 0.496 | 0.574 | 0.622 | 0.657 | 0.550 | 0.567 | 0.485 | 0.570 | 0.463 |
|                          | Back side  | 0.556 | 0.529 | 0.586 | 0.624 | 0.656 | 0.572 | 0.422 | 0.357 | 0.463 | 0.379 |
| DC_2A_n41A               | Front side | 0.796 | 0.762 | 0.840 | 0.888 | 0.923 | 0.816 | 0.833 | 0.751 | 0.836 | 0.729 |
|                          | Back side  | 0.749 | 0.722 | 0.779 | 0.817 | 0.849 | 0.765 | 0.615 | 0.550 | 0.656 | 0.572 |
| DC_2A_n48A               | Front side | 0.663 | 0.629 | 0.707 | 0.755 | 0.790 | 0.683 | 0.700 | 0.618 | 0.703 | 0.596 |
|                          | Back side  | 0.580 | 0.553 | 0.610 | 0.648 | 0.680 | 0.596 | 0.446 | 0.381 | 0.487 | 0.403 |
| DC_2A_n5A                | Front side | 0.695 | 0.661 | 0.739 | 0.787 | 0.822 | 0.715 | 0.732 | 0.650 | 0.735 | 0.628 |
|                          | Back side  | 0.418 | 0.391 | 0.448 | 0.486 | 0.518 | 0.434 | 0.284 | 0.219 | 0.325 | 0.241 |
| DC_2A_n66A               | Front side | 0.578 | 0.544 | 0.622 | 0.670 | 0.705 | 0.598 | 0.615 | 0.533 | 0.618 | 0.511 |
|                          | Back side  | 0.605 | 0.578 | 0.635 | 0.673 | 0.705 | 0.621 | 0.471 | 0.406 | 0.512 | 0.428 |
| DC_2A_n71A               | Front side | 0.442 | 0.408 | 0.486 | 0.534 | 0.569 | 0.462 | 0.479 | 0.397 | 0.482 | 0.375 |
|                          | Back side  | 0.435 | 0.408 | 0.465 | 0.503 | 0.535 | 0.451 | 0.301 | 0.236 | 0.342 | 0.258 |
| DC_48A_n25A              | Front side | 0.736 | 0.702 | 0.780 | 0.828 | 0.863 | 0.756 | 0.773 | 0.691 | 0.776 | 0.669 |
|                          | Back side  | 0.534 | 0.507 | 0.564 | 0.602 | 0.634 | 0.550 | 0.400 | 0.335 | 0.441 | 0.357 |
| DC_48A_n5A               | Front side | 0.558 | 0.524 | 0.602 | 0.650 | 0.685 | 0.578 | 0.595 | 0.513 | 0.598 | 0.491 |
|                          | Back side  | 0.414 | 0.387 | 0.444 | 0.482 | 0.514 | 0.430 | 0.280 | 0.215 | 0.321 | 0.237 |
| DC_48A_n66A              | Front side | 1.084 | 1.050 | 1.128 | 1.176 | 1.211 | 1.104 | 1.121 | 1.039 | 1.124 | 1.017 |
|                          | Back side  | 0.639 | 0.612 | 0.669 | 0.707 | 0.739 | 0.655 | 0.505 | 0.440 | 0.546 | 0.462 |
| DC_5A_n2A                | Front side | 0.683 | 0.649 | 0.727 | 0.775 | 0.810 | 0.703 | 0.720 | 0.638 | 0.723 | 0.616 |
|                          | Back side  | 0.691 | 0.664 | 0.721 | 0.759 | 0.791 | 0.707 | 0.557 | 0.492 | 0.598 | 0.514 |
| DC_5A_n66A               | Front side | 0.656 | 0.622 | 0.700 | 0.748 | 0.783 | 0.676 | 0.693 | 0.611 | 0.696 | 0.589 |
|                          | Back side  | 0.627 | 0.600 | 0.657 | 0.695 | 0.727 | 0.643 | 0.493 | 0.428 | 0.534 | 0.450 |
| DC_5A_n77A<br>(Part27Q)  | Front side | 0.770 | 0.736 | 0.814 | 0.862 | 0.897 | 0.790 | 0.807 | 0.725 | 0.810 | 0.703 |
|                          | Back side  | 0.631 | 0.604 | 0.661 | 0.699 | 0.731 | 0.647 | 0.497 | 0.432 | 0.538 | 0.454 |
| DC_5A_n77A<br>(Part27O)  | Front side | 0.671 | 0.637 | 0.715 | 0.763 | 0.798 | 0.691 | 0.708 | 0.626 | 0.711 | 0.604 |
|                          | Back side  | 0.606 | 0.579 | 0.636 | 0.674 | 0.706 | 0.622 | 0.472 | 0.407 | 0.513 | 0.429 |
| DC_66A_n25A              | Front side | 0.963 | 0.929 | 1.007 | 1.055 | 1.090 | 0.983 | 1.000 | 0.918 | 1.003 | 0.896 |
|                          | Back side  | 0.767 | 0.740 | 0.797 | 0.835 | 0.867 | 0.783 | 0.633 | 0.568 | 0.674 | 0.590 |
| DC_66A_n48A              | Front side | 0.666 | 0.632 | 0.710 | 0.758 | 0.793 | 0.686 | 0.703 | 0.621 | 0.706 | 0.599 |
|                          | Back side  | 0.521 | 0.494 | 0.551 | 0.589 | 0.621 | 0.537 | 0.387 | 0.322 | 0.428 | 0.344 |
| DC_66A_n5A               | Front side | 0.785 | 0.751 | 0.829 | 0.877 | 0.912 | 0.805 | 0.822 | 0.740 | 0.825 | 0.718 |
|                          | Back side  | 0.516 | 0.489 | 0.546 | 0.584 | 0.616 | 0.532 | 0.382 | 0.317 | 0.423 | 0.339 |
| DC_66A_n71A              | Front side | 0.532 | 0.498 | 0.576 | 0.624 | 0.659 | 0.552 | 0.569 | 0.487 | 0.572 | 0.465 |
|                          | Back side  | 0.533 | 0.506 | 0.563 | 0.601 | 0.633 | 0.549 | 0.399 | 0.334 | 0.440 | 0.356 |
| DC_66A_n77A<br>(Part27Q) | Front side | 0.782 | 0.748 | 0.826 | 0.874 | 0.909 | 0.802 | 0.819 | 0.737 | 0.822 | 0.715 |
|                          | Back side  | 0.707 | 0.680 | 0.737 | 0.775 | 0.807 | 0.723 | 0.573 | 0.508 | 0.614 | 0.530 |
| DC_66A_n77A<br>(Part27O) | Front side | 0.683 | 0.649 | 0.727 | 0.775 | 0.810 | 0.703 | 0.720 | 0.638 | 0.723 | 0.616 |
|                          | Back side  | 0.682 | 0.655 | 0.712 | 0.750 | 0.782 | 0.698 | 0.548 | 0.483 | 0.589 | 0.505 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 119 of 139

### Hotspot:

| Test position |            | SARmax (W/kg)          |                               |                               |                               |                      |                      |                      |                      |                      |
|---------------|------------|------------------------|-------------------------------|-------------------------------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
|               |            | MAX. WWAN<br>SAR(W/kg) | WLAN2.4G<br>Ant1<br>SAR(W/kg) | WLAN2.4G<br>Ant5<br>SAR(W/kg) | WLAN2.4G<br>MIMO<br>SAR(W/kg) | WLAN5G<br>Ant1(W/kg) | WLAN5G<br>Ant5(W/kg) | WLAN<br>5GMIMO(W/kg) | BT Ant1<br>SAR(W/kg) | BT Ant5<br>SAR(W/kg) |
|               |            | 1                      | 2                             | 3                             | 4                             | 5                    | 6                    | 7                    | 8                    | 9                    |
| GSM1900       | Front side | 0.349                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.126                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.376                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 0.175                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| GSM1900       | Front side | 0.460                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.111                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.217                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 1.164                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| WCDMA B2      | Front side | 0.488                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.120                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.244                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 1.346                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| WCDMA B4      | Front side | 0.519                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.116                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.273                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 1.140                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| WCDMA B5      | Front side | 0.351                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.135                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.375                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 0.191                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| LTE B5        | Front side | 0.379                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.133                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.428                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 0.211                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| LTE B7        | Front side | 0.477                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.222                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.323                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 1.152                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| LTE B12       | Front side | 0.282                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.072                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.198                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 0.238                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| LTE B13       | Front side | 0.239                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.052                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.165                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 0.163                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| LTE B14       | Front side | 0.238                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.083                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.167                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 0.145                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| LTE B25       | Front side | 0.166                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.042                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.076                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 0.499                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| LTE B41       | Front side | 0.213                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|               | Back side  | 0.106                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|               | Left side  | 0.189                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|               | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|               | Top side   | 0.662                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| LTE B42       | Front side | 0.104                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 120 of 139

|              |            |       |       |       |       |       |       |       |       |       |
|--------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|              | Back side  | 0.059 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.000 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.514 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.000 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.130 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| LTE B43      | Back side  | 0.068 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.000 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.552 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.000 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.119 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| LTE B48      | Back side  | 0.077 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.000 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.476 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.000 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.240 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| LTE B66      | Back side  | 0.051 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.105 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.602 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.028 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| LTE B71      | Back side  | 0.024 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.021 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.045 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.322 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| N12          | Back side  | 0.000 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.148 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.208 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.466 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| N25          | Back side  | 0.120 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.114 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.749 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.183 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| N41          | Back side  | 0.091 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.164 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.572 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.169 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| N48          | Back side  | 0.108 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.000 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.667 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.000 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.151 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| N66          | Back side  | 0.032 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.066 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.378 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.035 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| N71          | Back side  | 0.017 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.003 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.049 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.112 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| N77 Part 27Q | Back side  | 0.106 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.000 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.401 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.000 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.106 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| N77 Part 27O | Back side  | 0.094 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|              | Left side  | 0.000 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|              | Right side | 0.436 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|              | Top side   | 0.000 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|              | Front side | 0.106 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 121 of 139

| Test position |            | Summed SAR |       |       |       |       |       |       |         |
|---------------|------------|------------|-------|-------|-------|-------|-------|-------|---------|
|               |            | 1+2+9      | 1+3+8 | 1+2+6 | 1+3+5 | 1+4+7 | 1+5+9 | 1+6+8 | 1+7+8+9 |
| GSM1900       | Front side | 0.437      | 0.421 | 0.468 | 0.498 | 0.425 | 0.443 | 0.397 | 0.426   |
|               | Back side  | 0.386      | 0.406 | 0.391 | 0.462 | 0.228 | 0.260 | 0.209 | 0.298   |
|               | Left side  | 0.488      | 0.645 | 0.576 | 0.645 | 0.670 | 0.488 | 0.576 | 0.762   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 0.254      | 0.204 | 0.254 | 0.405 | 0.295 | 0.401 | 0.200 | 0.316   |
| GSM1900       | Front side | 0.548      | 0.532 | 0.579 | 0.609 | 0.536 | 0.554 | 0.508 | 0.537   |
|               | Back side  | 0.371      | 0.391 | 0.376 | 0.447 | 0.213 | 0.245 | 0.194 | 0.283   |
|               | Left side  | 0.329      | 0.486 | 0.417 | 0.486 | 0.511 | 0.329 | 0.417 | 0.603   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 1.243      | 1.193 | 1.243 | 1.394 | 1.284 | 1.390 | 1.189 | 1.305   |
| WCDMA B2      | Front side | 0.576      | 0.560 | 0.607 | 0.637 | 0.564 | 0.582 | 0.536 | 0.565   |
|               | Back side  | 0.380      | 0.400 | 0.385 | 0.456 | 0.222 | 0.254 | 0.203 | 0.292   |
|               | Left side  | 0.356      | 0.513 | 0.444 | 0.513 | 0.538 | 0.356 | 0.444 | 0.630   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 1.425      | 1.375 | 1.425 | 1.576 | 1.466 | 1.572 | 1.371 | 1.487   |
| WCDMA B4      | Front side | 0.607      | 0.591 | 0.638 | 0.668 | 0.595 | 0.613 | 0.567 | 0.596   |
|               | Back side  | 0.376      | 0.396 | 0.381 | 0.452 | 0.218 | 0.250 | 0.199 | 0.288   |
|               | Left side  | 0.385      | 0.542 | 0.473 | 0.542 | 0.567 | 0.385 | 0.473 | 0.659   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 1.219      | 1.169 | 1.219 | 1.370 | 1.260 | 1.366 | 1.165 | 1.281   |
| WCDMA B5      | Front side | 0.439      | 0.423 | 0.470 | 0.500 | 0.427 | 0.445 | 0.399 | 0.428   |
|               | Back side  | 0.395      | 0.415 | 0.400 | 0.471 | 0.237 | 0.269 | 0.218 | 0.307   |
|               | Left side  | 0.487      | 0.644 | 0.575 | 0.644 | 0.669 | 0.487 | 0.575 | 0.761   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 0.270      | 0.220 | 0.270 | 0.421 | 0.311 | 0.417 | 0.216 | 0.332   |
| LTE B5        | Front side | 0.467      | 0.451 | 0.498 | 0.528 | 0.455 | 0.473 | 0.427 | 0.456   |
|               | Back side  | 0.393      | 0.413 | 0.398 | 0.469 | 0.235 | 0.267 | 0.216 | 0.305   |
|               | Left side  | 0.540      | 0.697 | 0.628 | 0.697 | 0.722 | 0.540 | 0.628 | 0.814   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 0.290      | 0.240 | 0.290 | 0.441 | 0.331 | 0.437 | 0.236 | 0.352   |
| LTE B7        | Front side | 0.565      | 0.549 | 0.596 | 0.626 | 0.553 | 0.571 | 0.525 | 0.554   |
|               | Back side  | 0.482      | 0.502 | 0.487 | 0.558 | 0.324 | 0.356 | 0.305 | 0.394   |
|               | Left side  | 0.435      | 0.592 | 0.523 | 0.592 | 0.617 | 0.435 | 0.523 | 0.709   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 1.231      | 1.181 | 1.231 | 1.382 | 1.272 | 1.378 | 1.177 | 1.293   |
| LTE B12       | Front side | 0.370      | 0.354 | 0.401 | 0.431 | 0.358 | 0.376 | 0.330 | 0.359   |
|               | Back side  | 0.332      | 0.352 | 0.337 | 0.408 | 0.174 | 0.206 | 0.155 | 0.244   |
|               | Left side  | 0.310      | 0.467 | 0.398 | 0.467 | 0.492 | 0.310 | 0.398 | 0.584   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 0.317      | 0.267 | 0.317 | 0.468 | 0.358 | 0.464 | 0.263 | 0.379   |
| LTE B13       | Front side | 0.327      | 0.311 | 0.358 | 0.388 | 0.315 | 0.333 | 0.287 | 0.316   |
|               | Back side  | 0.312      | 0.332 | 0.317 | 0.388 | 0.154 | 0.186 | 0.135 | 0.224   |
|               | Left side  | 0.277      | 0.434 | 0.365 | 0.434 | 0.459 | 0.277 | 0.365 | 0.551   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 0.242      | 0.192 | 0.242 | 0.393 | 0.283 | 0.389 | 0.188 | 0.304   |
| LTE B14       | Front side | 0.326      | 0.310 | 0.357 | 0.387 | 0.314 | 0.332 | 0.286 | 0.315   |
|               | Back side  | 0.343      | 0.363 | 0.348 | 0.419 | 0.185 | 0.217 | 0.166 | 0.255   |
|               | Left side  | 0.279      | 0.436 | 0.367 | 0.436 | 0.461 | 0.279 | 0.367 | 0.553   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 0.224      | 0.174 | 0.224 | 0.375 | 0.265 | 0.371 | 0.170 | 0.286   |
| LTE B25       | Front side | 0.254      | 0.238 | 0.285 | 0.315 | 0.242 | 0.260 | 0.214 | 0.243   |
|               | Back side  | 0.302      | 0.322 | 0.307 | 0.378 | 0.144 | 0.176 | 0.125 | 0.214   |
|               | Left side  | 0.188      | 0.345 | 0.276 | 0.345 | 0.370 | 0.188 | 0.276 | 0.462   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 0.578      | 0.528 | 0.578 | 0.729 | 0.619 | 0.725 | 0.524 | 0.640   |
| LTE B41       | Front side | 0.301      | 0.285 | 0.332 | 0.362 | 0.289 | 0.307 | 0.261 | 0.290   |
|               | Back side  | 0.366      | 0.386 | 0.371 | 0.442 | 0.208 | 0.240 | 0.189 | 0.278   |
|               | Left side  | 0.301      | 0.458 | 0.389 | 0.458 | 0.483 | 0.301 | 0.389 | 0.575   |
|               | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|               | Top side   | 0.741      | 0.691 | 0.741 | 0.892 | 0.782 | 0.888 | 0.687 | 0.803   |
| LTE B42       | Front side | 0.192      | 0.176 | 0.223 | 0.253 | 0.180 | 0.198 | 0.152 | 0.181   |
|               | Back side  | 0.319      | 0.339 | 0.324 | 0.395 | 0.161 | 0.193 | 0.142 | 0.231   |
|               | Left side  | 0.112      | 0.269 | 0.200 | 0.269 | 0.294 | 0.112 | 0.200 | 0.386   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 122 of 139

|              |            |       |       |       |       |       |       |       |       |
|--------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|
| LTE B43      | Right side | 1.091 | 0.694 | 1.091 | 0.682 | 0.673 | 0.681 | 0.693 | 0.851 |
|              | Top side   | 0.079 | 0.029 | 0.079 | 0.230 | 0.120 | 0.226 | 0.025 | 0.141 |
|              | Front side | 0.218 | 0.202 | 0.249 | 0.279 | 0.206 | 0.224 | 0.178 | 0.207 |
|              | Back side  | 0.328 | 0.348 | 0.333 | 0.404 | 0.170 | 0.202 | 0.151 | 0.240 |
|              | Left side  | 0.112 | 0.269 | 0.200 | 0.269 | 0.294 | 0.112 | 0.200 | 0.386 |
| LTE B48      | Right side | 1.129 | 0.732 | 1.129 | 0.720 | 0.711 | 0.719 | 0.731 | 0.889 |
|              | Top side   | 0.079 | 0.029 | 0.079 | 0.230 | 0.120 | 0.226 | 0.025 | 0.141 |
|              | Front side | 0.207 | 0.191 | 0.238 | 0.268 | 0.195 | 0.213 | 0.167 | 0.196 |
|              | Back side  | 0.337 | 0.357 | 0.342 | 0.413 | 0.179 | 0.211 | 0.160 | 0.249 |
|              | Left side  | 0.112 | 0.269 | 0.200 | 0.269 | 0.294 | 0.112 | 0.200 | 0.386 |
| LTE B66      | Right side | 1.053 | 0.656 | 1.053 | 0.644 | 0.635 | 0.643 | 0.655 | 0.813 |
|              | Top side   | 0.079 | 0.029 | 0.079 | 0.230 | 0.120 | 0.226 | 0.025 | 0.141 |
|              | Front side | 0.328 | 0.312 | 0.359 | 0.389 | 0.316 | 0.334 | 0.288 | 0.317 |
|              | Back side  | 0.311 | 0.331 | 0.316 | 0.387 | 0.153 | 0.185 | 0.134 | 0.223 |
|              | Left side  | 0.217 | 0.374 | 0.305 | 0.374 | 0.399 | 0.217 | 0.305 | 0.491 |
| LTE B71      | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|              | Top side   | 0.681 | 0.631 | 0.681 | 0.832 | 0.722 | 0.828 | 0.627 | 0.743 |
|              | Front side | 0.116 | 0.100 | 0.147 | 0.177 | 0.104 | 0.122 | 0.076 | 0.105 |
|              | Back side  | 0.284 | 0.304 | 0.289 | 0.360 | 0.126 | 0.158 | 0.107 | 0.196 |
|              | Left side  | 0.133 | 0.290 | 0.221 | 0.290 | 0.315 | 0.133 | 0.221 | 0.407 |
| N12          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|              | Top side   | 0.124 | 0.074 | 0.124 | 0.275 | 0.165 | 0.271 | 0.070 | 0.186 |
|              | Front side | 0.410 | 0.394 | 0.441 | 0.471 | 0.398 | 0.416 | 0.370 | 0.399 |
|              | Back side  | 0.260 | 0.280 | 0.265 | 0.336 | 0.102 | 0.134 | 0.083 | 0.172 |
|              | Left side  | 0.260 | 0.417 | 0.348 | 0.417 | 0.442 | 0.260 | 0.348 | 0.534 |
| N25          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|              | Top side   | 0.287 | 0.237 | 0.287 | 0.438 | 0.328 | 0.434 | 0.233 | 0.349 |
|              | Front side | 0.554 | 0.538 | 0.585 | 0.615 | 0.542 | 0.560 | 0.514 | 0.543 |
|              | Back side  | 0.380 | 0.400 | 0.385 | 0.456 | 0.222 | 0.254 | 0.203 | 0.292 |
|              | Left side  | 0.226 | 0.383 | 0.314 | 0.383 | 0.408 | 0.226 | 0.314 | 0.500 |
| N41          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|              | Top side   | 0.828 | 0.778 | 0.828 | 0.979 | 0.869 | 0.975 | 0.774 | 0.890 |
|              | Front side | 0.271 | 0.255 | 0.302 | 0.332 | 0.259 | 0.277 | 0.231 | 0.260 |
|              | Back side  | 0.351 | 0.371 | 0.356 | 0.427 | 0.193 | 0.225 | 0.174 | 0.263 |
|              | Left side  | 0.276 | 0.433 | 0.364 | 0.433 | 0.458 | 0.276 | 0.364 | 0.550 |
| N48          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|              | Top side   | 0.651 | 0.601 | 0.651 | 0.802 | 0.692 | 0.798 | 0.597 | 0.713 |
|              | Front side | 0.257 | 0.241 | 0.288 | 0.318 | 0.245 | 0.263 | 0.217 | 0.246 |
|              | Back side  | 0.368 | 0.388 | 0.373 | 0.444 | 0.210 | 0.242 | 0.191 | 0.280 |
|              | Left side  | 0.112 | 0.269 | 0.200 | 0.269 | 0.294 | 0.112 | 0.200 | 0.386 |
| N66          | Right side | 1.244 | 0.847 | 1.244 | 0.835 | 0.826 | 0.834 | 0.846 | 1.004 |
|              | Top side   | 0.079 | 0.029 | 0.079 | 0.230 | 0.120 | 0.226 | 0.025 | 0.141 |
|              | Front side | 0.239 | 0.223 | 0.270 | 0.300 | 0.227 | 0.245 | 0.199 | 0.228 |
|              | Back side  | 0.292 | 0.312 | 0.297 | 0.368 | 0.134 | 0.166 | 0.115 | 0.204 |
|              | Left side  | 0.178 | 0.335 | 0.266 | 0.335 | 0.360 | 0.178 | 0.266 | 0.452 |
| N71          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|              | Top side   | 0.457 | 0.407 | 0.457 | 0.608 | 0.498 | 0.604 | 0.403 | 0.519 |
|              | Front side | 0.123 | 0.107 | 0.154 | 0.184 | 0.111 | 0.129 | 0.083 | 0.112 |
|              | Back side  | 0.277 | 0.297 | 0.282 | 0.353 | 0.119 | 0.151 | 0.100 | 0.189 |
|              | Left side  | 0.115 | 0.272 | 0.203 | 0.272 | 0.297 | 0.115 | 0.203 | 0.389 |
| N77 Part 27Q | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|              | Top side   | 0.128 | 0.078 | 0.128 | 0.279 | 0.169 | 0.275 | 0.074 | 0.190 |
|              | Front side | 0.200 | 0.184 | 0.231 | 0.261 | 0.188 | 0.206 | 0.160 | 0.189 |
|              | Back side  | 0.366 | 0.386 | 0.371 | 0.442 | 0.208 | 0.240 | 0.189 | 0.278 |
|              | Left side  | 0.112 | 0.269 | 0.200 | 0.269 | 0.294 | 0.112 | 0.200 | 0.386 |
| N77 Part 27O | Right side | 0.978 | 0.581 | 0.978 | 0.569 | 0.560 | 0.568 | 0.580 | 0.738 |
|              | Top side   | 0.079 | 0.029 | 0.079 | 0.230 | 0.120 | 0.226 | 0.025 | 0.141 |
|              | Front side | 0.194 | 0.178 | 0.225 | 0.255 | 0.182 | 0.200 | 0.154 | 0.183 |
|              | Back side  | 0.354 | 0.374 | 0.359 | 0.430 | 0.196 | 0.228 | 0.177 | 0.266 |
|              | Left side  | 0.112 | 0.269 | 0.200 | 0.269 | 0.294 | 0.112 | 0.200 | 0.386 |
|              | Right side | 1.013 | 0.616 | 1.013 | 0.604 | 0.595 | 0.603 | 0.615 | 0.773 |
|              | Top side   | 0.079 | 0.029 | 0.079 | 0.230 | 0.120 | 0.226 | 0.025 | 0.141 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 123 of 139

| Test position               |            | SARmax (W/kg)          |                               |                               |                               |                      |                      |                      |                      |                      |
|-----------------------------|------------|------------------------|-------------------------------|-------------------------------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
|                             |            | MAX. WWAN<br>SAR(W/kg) | WLAN2.4G<br>Ant1<br>SAR(W/kg) | WLAN2.4G<br>Ant5<br>SAR(W/kg) | WLAN2.4G<br>MIMO<br>SAR(W/kg) | WLAN5G<br>Ant1(W/kg) | WLAN5G<br>Ant5(W/kg) | WLAN<br>5GMIMO(W/kg) | BT Ant1<br>SAR(W/kg) | BT Ant5<br>SAR(W/kg) |
|                             |            | 1                      | 2                             | 3                             | 4                             | 5                    | 6                    | 7                    | 8                    | 9                    |
| DC_12A_n25A<br>(DC_12A_n2A) | Front side | 0.480                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.323                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.713                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.238                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_12A_n66A                 | Front side | 0.453                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.259                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.532                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.238                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_12A_n77A<br>(Part27Q)    | Front side | 0.394                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.178                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.198                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.401                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.238                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_12A_n77A<br>(Part27O)    | Front side | 0.388                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.166                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.198                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.436                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.238                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_13A_n2A                  | Front side | 0.437                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.303                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.680                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.163                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_13A_n66A                 | Front side | 0.410                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.239                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.499                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.163                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_13A_n77A<br>(Part27Q)    | Front side | 0.351                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.158                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.165                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.401                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.163                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_13A_n77A<br>(Part27O)    | Front side | 0.345                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.146                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.165                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.436                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.163                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_14A_n2A                  | Front side | 0.436                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.334                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.682                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.145                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_14A_n66A                 | Front side | 0.409                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.270                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.501                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.000                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.145                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_14A_n77A<br>(Part27Q)    | Front side | 0.350                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.189                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.167                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.401                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.145                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_14A_n77A<br>(Part27O)    | Front side | 0.344                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |
|                             | Back side  | 0.177                  | 0.224                         | 0.238                         | 0.008                         | 0.098                | 0.041                | 0.094                | 0.042                | 0.036                |
|                             | Left side  | 0.167                  | 0.000                         | 0.269                         | 0.020                         | 0.000                | 0.200                | 0.274                | 0.000                | 0.112                |
|                             | Right side | 0.436                  | 0.577                         | 0.001                         | 0.001                         | 0.167                | 0.000                | 0.158                | 0.179                | 0.000                |
|                             | Top side   | 0.145                  | 0.079                         | 0.004                         | 0.004                         | 0.226                | 0.000                | 0.116                | 0.025                | 0.000                |
| DC_2A_n41A                  | Front side | 0.349                  | 0.086                         | 0.057                         | 0.016                         | 0.092                | 0.033                | 0.060                | 0.015                | 0.002                |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 124 of 139

|                         |            |       |       |       |       |       |       |       |       |       |
|-------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                         | Back side  | 0.340 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.314 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 1.071 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.335 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_2A_n48A              | Back side  | 0.150 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.076 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.667 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.499 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.454 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_2A_n5A               | Back side  | 0.046 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.517 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.744 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.337 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_2A_n66A              | Back side  | 0.229 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.410 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.499 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.201 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_2A_n71A              | Back side  | 0.063 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.153 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.548 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.585 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_48A_n25A             | Back side  | 0.197 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.114 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.476 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.749 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.407 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_48A_n5A              | Back side  | 0.077 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.367 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.476 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.245 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.270 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_48A_n66A             | Back side  | 0.109 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.066 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.476 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.378 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.577 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_5A_n2A               | Back side  | 0.384 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.943 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.211 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.550 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_5A_n66A              | Back side  | 0.320 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.762 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.000 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.211 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.491 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_5A_n77A<br>(Part27Q) | Back side  | 0.239 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.428 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.401 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.211 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.485 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_5A_n77A<br>(Part27O) | Back side  | 0.227 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.428 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.436 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 0.211 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.706 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_66A_n25A             | Back side  | 0.460 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 1.044 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.062 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                         | Top side   | 1.351 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                         | Front side | 0.409 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
| DC_66A_n48A             | Back side  | 0.159 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                         | Left side  | 0.105 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                         | Right side | 0.667 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 125 of 139

|                          |            |       |       |       |       |       |       |       |       |       |
|--------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                          | Top side   | 0.602 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
| DC_66A_n5A               | Front side | 0.528 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
|                          | Back side  | 0.209 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                          | Left side  | 0.896 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                          | Right side | 0.062 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
| DC_66A_n71A              | Top side   | 0.847 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                          | Front side | 0.275 | 0.086 | 0.057 | 0.016 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
|                          | Back side  | 0.226 | 0.224 | 0.238 | 0.008 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                          | Left side  | 0.532 | 0.000 | 0.269 | 0.020 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
| DC_66A_n77A<br>(Part27Q) | Right side | 0.062 | 0.577 | 0.001 | 0.001 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                          | Top side   | 0.651 | 0.079 | 0.004 | 0.004 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                          | Front side | 0.352 | 0.224 | 0.238 | 0.016 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
|                          | Back side  | 0.315 | 0.000 | 0.269 | 0.008 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
| DC_66A_n77A<br>(Part27O) | Left side  | 0.529 | 0.577 | 0.001 | 0.020 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                          | Right side | 0.463 | 0.079 | 0.004 | 0.001 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                          | Top side   | 0.602 | 0.086 | 0.057 | 0.004 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |
|                          | Front side | 0.346 | 0.224 | 0.238 | 0.016 | 0.098 | 0.041 | 0.094 | 0.042 | 0.036 |
| DC_66A_n77A<br>(Part27O) | Back side  | 0.303 | 0.000 | 0.269 | 0.008 | 0.000 | 0.200 | 0.274 | 0.000 | 0.112 |
|                          | Left side  | 0.529 | 0.577 | 0.001 | 0.020 | 0.167 | 0.000 | 0.158 | 0.179 | 0.000 |
|                          | Right side | 0.498 | 0.079 | 0.004 | 0.001 | 0.226 | 0.000 | 0.116 | 0.025 | 0.000 |
|                          | Top side   | 0.602 | 0.086 | 0.057 | 0.004 | 0.092 | 0.033 | 0.060 | 0.015 | 0.002 |

| Test position               |            | Summed SAR |       |       |       |       |       |       |         |
|-----------------------------|------------|------------|-------|-------|-------|-------|-------|-------|---------|
|                             |            | 1+2+9      | 1+3+8 | 1+2+6 | 1+3+5 | 1+4+7 | 1+5+9 | 1+6+8 | 1+7+8+9 |
| DC_12A_n25A<br>(DC_12A_n2A) | Front side | 0.568      | 0.552 | 0.599 | 0.629 | 0.556 | 0.574 | 0.528 | 0.557   |
|                             | Back side  | 0.583      | 0.603 | 0.588 | 0.659 | 0.425 | 0.457 | 0.406 | 0.495   |
|                             | Left side  | 0.825      | 0.982 | 0.913 | 0.982 | 1.007 | 0.825 | 0.913 | 1.099   |
|                             | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
| DC_12A_n66A                 | Top side   | 0.317      | 0.267 | 0.317 | 0.468 | 0.358 | 0.464 | 0.263 | 0.379   |
|                             | Front side | 0.541      | 0.525 | 0.572 | 0.602 | 0.529 | 0.547 | 0.501 | 0.530   |
|                             | Back side  | 0.519      | 0.539 | 0.524 | 0.595 | 0.361 | 0.393 | 0.342 | 0.431   |
|                             | Left side  | 0.644      | 0.801 | 0.732 | 0.801 | 0.826 | 0.644 | 0.732 | 0.918   |
| DC_12A_n77A<br>(Part27Q)    | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|                             | Top side   | 0.317      | 0.267 | 0.317 | 0.468 | 0.358 | 0.464 | 0.263 | 0.379   |
|                             | Front side | 0.482      | 0.466 | 0.513 | 0.543 | 0.470 | 0.488 | 0.442 | 0.471   |
|                             | Back side  | 0.438      | 0.458 | 0.443 | 0.514 | 0.280 | 0.312 | 0.261 | 0.350   |
| DC_12A_n77A<br>(Part27O)    | Left side  | 0.310      | 0.467 | 0.398 | 0.467 | 0.492 | 0.310 | 0.398 | 0.584   |
|                             | Right side | 0.978      | 0.581 | 0.978 | 0.569 | 0.560 | 0.568 | 0.580 | 0.738   |
|                             | Top side   | 0.317      | 0.267 | 0.317 | 0.468 | 0.358 | 0.464 | 0.263 | 0.379   |
|                             | Front side | 0.476      | 0.460 | 0.507 | 0.537 | 0.464 | 0.482 | 0.436 | 0.465   |
| DC_13A_n2A                  | Back side  | 0.426      | 0.446 | 0.431 | 0.502 | 0.268 | 0.300 | 0.249 | 0.338   |
|                             | Left side  | 0.310      | 0.467 | 0.398 | 0.467 | 0.492 | 0.310 | 0.398 | 0.584   |
|                             | Right side | 1.013      | 0.616 | 1.013 | 0.604 | 0.595 | 0.603 | 0.615 | 0.773   |
|                             | Top side   | 0.317      | 0.267 | 0.317 | 0.468 | 0.358 | 0.464 | 0.263 | 0.379   |
| DC_13A_n66A                 | Front side | 0.525      | 0.509 | 0.556 | 0.586 | 0.513 | 0.531 | 0.485 | 0.514   |
|                             | Back side  | 0.563      | 0.583 | 0.568 | 0.639 | 0.405 | 0.437 | 0.386 | 0.475   |
|                             | Left side  | 0.792      | 0.949 | 0.880 | 0.949 | 0.974 | 0.792 | 0.880 | 1.066   |
|                             | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
| DC_13A_n77A<br>(Part27Q)    | Top side   | 0.242      | 0.192 | 0.242 | 0.393 | 0.283 | 0.389 | 0.188 | 0.304   |
|                             | Front side | 0.498      | 0.482 | 0.529 | 0.559 | 0.486 | 0.504 | 0.458 | 0.487   |
|                             | Back side  | 0.499      | 0.519 | 0.504 | 0.575 | 0.341 | 0.373 | 0.322 | 0.411   |
|                             | Left side  | 0.611      | 0.768 | 0.699 | 0.768 | 0.793 | 0.611 | 0.699 | 0.885   |
| DC_13A_n77A<br>(Part27O)    | Right side | 0.577      | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337   |
|                             | Top side   | 0.242      | 0.192 | 0.242 | 0.393 | 0.283 | 0.389 | 0.188 | 0.304   |
|                             | Front side | 0.439      | 0.423 | 0.470 | 0.500 | 0.427 | 0.445 | 0.399 | 0.428   |
|                             | Back side  | 0.418      | 0.438 | 0.423 | 0.494 | 0.260 | 0.292 | 0.241 | 0.330   |
| DC_13A_n77A<br>(Part27O)    | Left side  | 0.277      | 0.434 | 0.365 | 0.434 | 0.459 | 0.277 | 0.365 | 0.551   |
|                             | Right side | 0.978      | 0.581 | 0.978 | 0.569 | 0.560 | 0.568 | 0.580 | 0.738   |
|                             | Top side   | 0.242      | 0.192 | 0.242 | 0.393 | 0.283 | 0.389 | 0.188 | 0.304   |
|                             | Front side | 0.433      | 0.417 | 0.464 | 0.494 | 0.421 | 0.439 | 0.393 | 0.422   |
| DC_13A_n77A<br>(Part27O)    | Back side  | 0.406      | 0.426 | 0.411 | 0.482 | 0.248 | 0.280 | 0.229 | 0.318   |
|                             | Left side  | 0.277      | 0.434 | 0.365 | 0.434 | 0.459 | 0.277 | 0.365 | 0.551   |
|                             | Right side | 1.013      | 0.616 | 1.013 | 0.604 | 0.595 | 0.603 | 0.615 | 0.773   |
|                             | Top side   | 0.242      | 0.192 | 0.242 | 0.393 | 0.283 | 0.389 | 0.188 | 0.304   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 126 of 139

|                          |            |       |       |       |       |       |       |       |       |
|--------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|
| DC_14A_n2A               | Front side | 0.524 | 0.508 | 0.555 | 0.585 | 0.512 | 0.530 | 0.484 | 0.513 |
|                          | Back side  | 0.594 | 0.614 | 0.599 | 0.670 | 0.436 | 0.468 | 0.417 | 0.506 |
|                          | Left side  | 0.794 | 0.951 | 0.882 | 0.951 | 0.976 | 0.794 | 0.882 | 1.068 |
|                          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|                          | Top side   | 0.224 | 0.174 | 0.224 | 0.375 | 0.265 | 0.371 | 0.170 | 0.286 |
| DC_14A_n66A              | Front side | 0.497 | 0.481 | 0.528 | 0.558 | 0.485 | 0.503 | 0.457 | 0.486 |
|                          | Back side  | 0.530 | 0.550 | 0.535 | 0.606 | 0.372 | 0.404 | 0.353 | 0.442 |
|                          | Left side  | 0.613 | 0.770 | 0.701 | 0.770 | 0.795 | 0.613 | 0.701 | 0.887 |
|                          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|                          | Top side   | 0.224 | 0.174 | 0.224 | 0.375 | 0.265 | 0.371 | 0.170 | 0.286 |
| DC_14A_n77A<br>(Part27Q) | Front side | 0.438 | 0.422 | 0.469 | 0.499 | 0.426 | 0.444 | 0.398 | 0.427 |
|                          | Back side  | 0.449 | 0.469 | 0.454 | 0.525 | 0.291 | 0.323 | 0.272 | 0.361 |
|                          | Left side  | 0.279 | 0.436 | 0.367 | 0.436 | 0.461 | 0.279 | 0.367 | 0.553 |
|                          | Right side | 0.978 | 0.581 | 0.978 | 0.569 | 0.560 | 0.568 | 0.580 | 0.738 |
|                          | Top side   | 0.224 | 0.174 | 0.224 | 0.375 | 0.265 | 0.371 | 0.170 | 0.286 |
| DC_14A_n77A<br>(Part27O) | Front side | 0.432 | 0.416 | 0.463 | 0.493 | 0.420 | 0.438 | 0.392 | 0.421 |
|                          | Back side  | 0.437 | 0.457 | 0.442 | 0.513 | 0.279 | 0.311 | 0.260 | 0.349 |
|                          | Left side  | 0.279 | 0.436 | 0.367 | 0.436 | 0.461 | 0.279 | 0.367 | 0.553 |
|                          | Right side | 1.013 | 0.616 | 1.013 | 0.604 | 0.595 | 0.603 | 0.615 | 0.773 |
|                          | Top side   | 0.224 | 0.174 | 0.224 | 0.375 | 0.265 | 0.371 | 0.170 | 0.286 |
| DC_2A_n41A               | Front side | 0.437 | 0.421 | 0.468 | 0.498 | 0.425 | 0.443 | 0.397 | 0.426 |
|                          | Back side  | 0.600 | 0.620 | 0.605 | 0.676 | 0.442 | 0.474 | 0.423 | 0.512 |
|                          | Left side  | 0.426 | 0.583 | 0.514 | 0.583 | 0.608 | 0.426 | 0.514 | 0.700 |
|                          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|                          | Top side   | 1.150 | 1.100 | 1.150 | 1.301 | 1.191 | 1.297 | 1.096 | 1.212 |
| DC_2A_n48A               | Front side | 0.423 | 0.407 | 0.454 | 0.484 | 0.411 | 0.429 | 0.383 | 0.412 |
|                          | Back side  | 0.410 | 0.430 | 0.415 | 0.486 | 0.252 | 0.284 | 0.233 | 0.322 |
|                          | Left side  | 0.188 | 0.345 | 0.276 | 0.345 | 0.370 | 0.188 | 0.276 | 0.462 |
|                          | Right side | 1.244 | 0.847 | 1.244 | 0.835 | 0.826 | 0.834 | 0.846 | 1.004 |
|                          | Top side   | 0.578 | 0.528 | 0.578 | 0.729 | 0.619 | 0.725 | 0.524 | 0.640 |
| DC_2A_n5A                | Front side | 0.542 | 0.526 | 0.573 | 0.603 | 0.530 | 0.548 | 0.502 | 0.531 |
|                          | Back side  | 0.306 | 0.326 | 0.311 | 0.382 | 0.148 | 0.180 | 0.129 | 0.218 |
|                          | Left side  | 0.629 | 0.786 | 0.717 | 0.786 | 0.811 | 0.629 | 0.717 | 0.903 |
|                          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|                          | Top side   | 0.823 | 0.773 | 0.823 | 0.974 | 0.864 | 0.970 | 0.769 | 0.885 |
| DC_2A_n66A               | Front side | 0.425 | 0.409 | 0.456 | 0.486 | 0.413 | 0.431 | 0.385 | 0.414 |
|                          | Back side  | 0.489 | 0.509 | 0.494 | 0.565 | 0.331 | 0.363 | 0.312 | 0.401 |
|                          | Left side  | 0.522 | 0.679 | 0.610 | 0.679 | 0.704 | 0.522 | 0.610 | 0.796 |
|                          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|                          | Top side   | 0.578 | 0.528 | 0.578 | 0.729 | 0.619 | 0.725 | 0.524 | 0.640 |
| DC_2A_n71A               | Front side | 0.289 | 0.273 | 0.320 | 0.350 | 0.277 | 0.295 | 0.249 | 0.278 |
|                          | Back side  | 0.323 | 0.343 | 0.328 | 0.399 | 0.165 | 0.197 | 0.146 | 0.235 |
|                          | Left side  | 0.265 | 0.422 | 0.353 | 0.422 | 0.447 | 0.265 | 0.353 | 0.539 |
|                          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|                          | Top side   | 0.627 | 0.577 | 0.627 | 0.778 | 0.668 | 0.774 | 0.573 | 0.689 |
| DC_48A_n25A              | Front side | 0.673 | 0.657 | 0.704 | 0.734 | 0.661 | 0.679 | 0.633 | 0.662 |
|                          | Back side  | 0.457 | 0.477 | 0.462 | 0.533 | 0.299 | 0.331 | 0.280 | 0.369 |
|                          | Left side  | 0.226 | 0.383 | 0.314 | 0.383 | 0.408 | 0.226 | 0.314 | 0.500 |
|                          | Right side | 1.053 | 0.656 | 1.053 | 0.644 | 0.635 | 0.643 | 0.655 | 0.813 |
|                          | Top side   | 0.828 | 0.778 | 0.828 | 0.979 | 0.869 | 0.975 | 0.774 | 0.890 |
| DC_48A_n5A               | Front side | 0.495 | 0.479 | 0.526 | 0.556 | 0.483 | 0.501 | 0.455 | 0.484 |
|                          | Back side  | 0.337 | 0.357 | 0.342 | 0.413 | 0.179 | 0.211 | 0.160 | 0.249 |
|                          | Left side  | 0.479 | 0.636 | 0.567 | 0.636 | 0.661 | 0.479 | 0.567 | 0.753 |
|                          | Right side | 1.053 | 0.656 | 1.053 | 0.644 | 0.635 | 0.643 | 0.655 | 0.813 |
|                          | Top side   | 0.324 | 0.274 | 0.324 | 0.475 | 0.365 | 0.471 | 0.270 | 0.386 |
| DC_48A_n66A              | Front side | 0.358 | 0.342 | 0.389 | 0.419 | 0.346 | 0.364 | 0.318 | 0.347 |
|                          | Back side  | 0.369 | 0.389 | 0.374 | 0.445 | 0.211 | 0.243 | 0.192 | 0.281 |
|                          | Left side  | 0.178 | 0.335 | 0.266 | 0.335 | 0.360 | 0.178 | 0.266 | 0.452 |
|                          | Right side | 1.053 | 0.656 | 1.053 | 0.644 | 0.635 | 0.643 | 0.655 | 0.813 |
|                          | Top side   | 0.457 | 0.407 | 0.457 | 0.608 | 0.498 | 0.604 | 0.403 | 0.519 |
| DC_5A_n2A                | Front side | 0.665 | 0.649 | 0.696 | 0.726 | 0.653 | 0.671 | 0.625 | 0.654 |
|                          | Back side  | 0.644 | 0.664 | 0.649 | 0.720 | 0.486 | 0.518 | 0.467 | 0.556 |
|                          | Left side  | 1.055 | 1.212 | 1.143 | 1.212 | 1.237 | 1.055 | 1.143 | 1.329 |
|                          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|                          | Top side   | 0.290 | 0.240 | 0.290 | 0.441 | 0.331 | 0.437 | 0.236 | 0.352 |
| DC_5A_n66A               | Front side | 0.638 | 0.622 | 0.669 | 0.699 | 0.626 | 0.644 | 0.598 | 0.627 |
|                          | Back side  | 0.580 | 0.600 | 0.585 | 0.656 | 0.422 | 0.454 | 0.403 | 0.492 |
|                          | Left side  | 0.874 | 1.031 | 0.962 | 1.031 | 1.056 | 0.874 | 0.962 | 1.148 |



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 127 of 139

|                          |            |       |       |       |       |       |       |       |       |
|--------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|
|                          | Right side | 0.577 | 0.180 | 0.577 | 0.168 | 0.159 | 0.167 | 0.179 | 0.337 |
|                          | Top side   | 0.290 | 0.240 | 0.290 | 0.441 | 0.331 | 0.437 | 0.236 | 0.352 |
| DC_5A_n77A<br>(Part27Q)  | Front side | 0.579 | 0.563 | 0.610 | 0.640 | 0.567 | 0.585 | 0.539 | 0.568 |
|                          | Back side  | 0.499 | 0.519 | 0.504 | 0.575 | 0.341 | 0.373 | 0.322 | 0.411 |
|                          | Left side  | 0.540 | 0.697 | 0.628 | 0.697 | 0.722 | 0.540 | 0.628 | 0.814 |
|                          | Right side | 0.978 | 0.581 | 0.978 | 0.569 | 0.560 | 0.568 | 0.580 | 0.738 |
|                          | Top side   | 0.290 | 0.240 | 0.290 | 0.441 | 0.331 | 0.437 | 0.236 | 0.352 |
| DC_5A_n77A<br>(Part27O)  | Front side | 0.573 | 0.557 | 0.604 | 0.634 | 0.561 | 0.579 | 0.533 | 0.562 |
|                          | Back side  | 0.487 | 0.507 | 0.492 | 0.563 | 0.329 | 0.361 | 0.310 | 0.399 |
|                          | Left side  | 0.540 | 0.697 | 0.628 | 0.697 | 0.722 | 0.540 | 0.628 | 0.814 |
|                          | Right side | 1.013 | 0.616 | 1.013 | 0.604 | 0.595 | 0.603 | 0.615 | 0.773 |
|                          | Top side   | 0.290 | 0.240 | 0.290 | 0.441 | 0.331 | 0.437 | 0.236 | 0.352 |
| DC_66A_n25A              | Front side | 0.794 | 0.778 | 0.825 | 0.855 | 0.782 | 0.800 | 0.754 | 0.783 |
|                          | Back side  | 0.720 | 0.740 | 0.725 | 0.796 | 0.562 | 0.594 | 0.543 | 0.632 |
|                          | Left side  | 1.156 | 1.313 | 1.244 | 1.313 | 1.338 | 1.156 | 1.244 | 1.430 |
|                          | Right side | 0.639 | 0.242 | 0.639 | 0.230 | 0.221 | 0.229 | 0.241 | 0.399 |
|                          | Top side   | 1.430 | 1.380 | 1.430 | 1.581 | 1.471 | 1.577 | 1.376 | 1.492 |
| DC_66A_n48A              | Front side | 0.497 | 0.481 | 0.528 | 0.558 | 0.485 | 0.503 | 0.457 | 0.486 |
|                          | Back side  | 0.419 | 0.439 | 0.424 | 0.495 | 0.261 | 0.293 | 0.242 | 0.331 |
|                          | Left side  | 0.217 | 0.374 | 0.305 | 0.374 | 0.399 | 0.217 | 0.305 | 0.491 |
|                          | Right side | 1.244 | 0.847 | 1.244 | 0.835 | 0.826 | 0.834 | 0.846 | 1.004 |
|                          | Top side   | 0.681 | 0.631 | 0.681 | 0.832 | 0.722 | 0.828 | 0.627 | 0.743 |
| DC_66A_n5A               | Front side | 0.616 | 0.600 | 0.647 | 0.677 | 0.604 | 0.622 | 0.576 | 0.605 |
|                          | Back side  | 0.469 | 0.489 | 0.474 | 0.545 | 0.311 | 0.343 | 0.292 | 0.381 |
|                          | Left side  | 1.008 | 1.165 | 1.096 | 1.165 | 1.190 | 1.008 | 1.096 | 1.282 |
|                          | Right side | 0.639 | 0.242 | 0.639 | 0.230 | 0.221 | 0.229 | 0.241 | 0.399 |
|                          | Top side   | 0.926 | 0.876 | 0.926 | 1.077 | 0.967 | 1.073 | 0.872 | 0.988 |
| DC_66A_n71A              | Front side | 0.363 | 0.347 | 0.394 | 0.424 | 0.351 | 0.369 | 0.323 | 0.352 |
|                          | Back side  | 0.486 | 0.506 | 0.491 | 0.562 | 0.328 | 0.360 | 0.309 | 0.398 |
|                          | Left side  | 0.644 | 0.801 | 0.732 | 0.801 | 0.826 | 0.644 | 0.732 | 0.918 |
|                          | Right side | 0.639 | 0.242 | 0.639 | 0.230 | 0.221 | 0.229 | 0.241 | 0.399 |
|                          | Top side   | 0.730 | 0.680 | 0.730 | 0.881 | 0.771 | 0.877 | 0.676 | 0.792 |
| DC_66A_n77A<br>(Part27Q) | Front side | 0.612 | 0.632 | 0.617 | 0.688 | 0.462 | 0.486 | 0.435 | 0.524 |
|                          | Back side  | 0.427 | 0.584 | 0.515 | 0.584 | 0.597 | 0.427 | 0.515 | 0.701 |
|                          | Left side  | 1.106 | 0.709 | 1.106 | 0.697 | 0.707 | 0.696 | 0.708 | 0.866 |
|                          | Right side | 0.542 | 0.492 | 0.542 | 0.693 | 0.580 | 0.689 | 0.488 | 0.604 |
|                          | Top side   | 0.690 | 0.674 | 0.721 | 0.751 | 0.666 | 0.696 | 0.650 | 0.679 |
| DC_66A_n77A<br>(Part27O) | Front side | 0.606 | 0.626 | 0.611 | 0.682 | 0.456 | 0.480 | 0.429 | 0.518 |
|                          | Back side  | 0.415 | 0.572 | 0.503 | 0.572 | 0.585 | 0.415 | 0.503 | 0.689 |
|                          | Left side  | 1.106 | 0.709 | 1.106 | 0.697 | 0.707 | 0.696 | 0.708 | 0.866 |
|                          | Right side | 0.577 | 0.527 | 0.577 | 0.728 | 0.615 | 0.724 | 0.523 | 0.639 |
|                          | Top side   | 0.690 | 0.674 | 0.721 | 0.751 | 0.666 | 0.696 | 0.650 | 0.679 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 128 of 139

## Product specific 10g SAR:

| Test position |            | SARmax (W/kg)          |                            |                            |                            |                   |                   |                    |                      |                      |                           |
|---------------|------------|------------------------|----------------------------|----------------------------|----------------------------|-------------------|-------------------|--------------------|----------------------|----------------------|---------------------------|
|               |            | MAX. WWAN<br>SAR(W/kg) | WLAN2.4G Ant1<br>SAR(W/kg) | WLAN2.4G Ant5<br>SAR(W/kg) | WLAN2.4G MIMO<br>SAR(W/kg) | WLAN5G Ant1(W/kg) | WLAN5G Ant5(W/kg) | WLAN 5G MIMO(W/kg) | BT Ant1<br>SAR(W/kg) | BT Ant5<br>SAR(W/kg) | WLAN 6G MIMO<br>SAR(W/kg) |
|               |            | 1                      | 2                          | 3                          | 4                          | 5                 | 6                 | 7                  | 8                    | 9                    | 10                        |
| GSM1900       | Front side | 0.653                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.201                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.678                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 0.587                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| GSM1900       | Front side | 0.857                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.120                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.378                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 2.060                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| WCDMA B2      | Front side | 1.170                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.170                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.579                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 2.816                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| WCDMA B4      | Front side | 1.404                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.120                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.748                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 3.249                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| WCDMA B5      | Front side | 0.559                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.194                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.657                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 0.625                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| LTE B5        | Front side | 0.630                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.192                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.789                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 0.712                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| LTE B7        | Front side | 0.516                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.071                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.626                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 1.731                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| LTE B12       | Front side | 0.460                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.101                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.475                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 0.492                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| LTE B13       | Front side | 0.274                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.083                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.263                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 0.363                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| LTE B14       | Front side | 0.262                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.080                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.259                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 0.371                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| LTE B25       | Front side | 0.927                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.273                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.819                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 1.284                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| LTE B41       | Front side | 0.169                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |
|               | Back side  | 0.028                  | 0.417                      | 0.360                      | 0.016                      | 0.070             | 0.025             | 0.055              | 0.103                | 0.154                | 0.015                     |
|               | Left side  | 0.227                  | 0.000                      | 0.485                      | 0.042                      | 0.000             | 0.243             | 0.359              | 0.000                | 0.207                | 0.312                     |
|               | Right side | 0.000                  | 1.065                      | 0.001                      | 0.001                      | 0.384             | 0.000             | 0.518              | 0.263                | 0.000                | 0.043                     |
|               | Top side   | 0.711                  | 0.276                      | 0.007                      | 0.007                      | 0.501             | 0.000             | 0.370              | 0.068                | 0.000                | 0.022                     |
| LTE B42       | Front side | 0.273                  | 0.267                      | 0.059                      | 0.034                      | 0.165             | 0.093             | 0.163              | 0.066                | 0.025                | 0.051                     |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 129 of 139

|              |            |       |       |       |       |       |       |       |       |       |       |
|--------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|              | Back side  | 0.155 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.000 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 0.921 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 0.000 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.261 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| LTE B43      | Back side  | 0.222 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.000 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 0.978 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 0.000 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.224 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| LTE B48      | Back side  | 0.178 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.000 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 0.798 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 0.000 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.591 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| LTE B66      | Back side  | 0.080 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.281 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 1.430 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.073 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| LTE B71      | Back side  | 0.010 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.063 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 0.157 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.396 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| N12          | Back side  | 0.102 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.452 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 0.486 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.573 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| N25          | Back side  | 0.084 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.250 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 1.470 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.374 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| N41          | Back side  | 0.063 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.505 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 1.577 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.420 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| N48          | Back side  | 0.335 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.000 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 1.501 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 0.000 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.000 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| N66          | Back side  | 0.175 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.616 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 3.138 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.088 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| N71          | Back side  | 0.012 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.076 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 0.189 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.587 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| N77 Part 27Q | Back side  | 0.362 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.000 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 1.987 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 0.000 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|              | Front side | 0.458 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
| N77 Part 27O | Back side  | 0.433 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|              | Left side  | 0.000 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|              | Right side | 1.798 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|              | Top side   | 0.000 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 130 of 139

| Test position |            | Summed SAR |       |       |       |       |        |       |       |         |          |
|---------------|------------|------------|-------|-------|-------|-------|--------|-------|-------|---------|----------|
|               |            | 1+2+9      | 1+3+8 | 1+2+6 | 1+3+5 | 1+4+7 | 1+4+10 | 1+5+9 | 1+6+8 | 1+7+8+9 | 1+8+9+10 |
| GSM1900       | Front side | 0.945      | 0.986 | 1.013 | 0.877 | 0.850 | 0.738  | 0.843 | 0.812 | 0.907   | 0.795    |
|               | Back side  | 0.772      | 0.721 | 0.643 | 0.631 | 0.272 | 0.232  | 0.425 | 0.329 | 0.513   | 0.473    |
|               | Left side  | 0.885      | 0.678 | 0.921 | 1.163 | 1.079 | 1.032  | 0.885 | 0.921 | 1.244   | 1.197    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 0.863      | 0.931 | 0.863 | 1.095 | 0.964 | 0.616  | 1.088 | 0.655 | 1.025   | 0.677    |
| GSM1900       | Front side | 1.149      | 1.190 | 1.217 | 1.081 | 1.054 | 0.942  | 1.047 | 1.016 | 1.111   | 0.999    |
|               | Back side  | 0.691      | 0.640 | 0.562 | 0.550 | 0.191 | 0.151  | 0.344 | 0.248 | 0.432   | 0.392    |
|               | Left side  | 0.585      | 0.378 | 0.621 | 0.863 | 0.779 | 0.732  | 0.585 | 0.621 | 0.944   | 0.897    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 2.336      | 2.404 | 2.336 | 2.568 | 2.437 | 2.089  | 2.561 | 2.128 | 2.498   | 2.150    |
| WCDMA B2      | Front side | 1.462      | 1.503 | 1.530 | 1.394 | 1.367 | 1.255  | 1.360 | 1.329 | 1.424   | 1.312    |
|               | Back side  | 0.741      | 0.690 | 0.612 | 0.600 | 0.241 | 0.201  | 0.394 | 0.298 | 0.482   | 0.442    |
|               | Left side  | 0.786      | 0.579 | 0.822 | 1.064 | 0.980 | 0.933  | 0.786 | 0.822 | 1.145   | 1.098    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 3.092      | 3.160 | 3.092 | 3.324 | 3.193 | 2.845  | 3.317 | 2.884 | 3.254   | 2.906    |
| WCDMA B4      | Front side | 1.696      | 1.737 | 1.764 | 1.628 | 1.601 | 1.489  | 1.594 | 1.563 | 1.658   | 1.546    |
|               | Back side  | 0.691      | 0.640 | 0.562 | 0.550 | 0.191 | 0.151  | 0.344 | 0.248 | 0.432   | 0.392    |
|               | Left side  | 0.955      | 0.748 | 0.991 | 1.233 | 1.149 | 1.102  | 0.955 | 0.991 | 1.314   | 1.267    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 3.525      | 3.593 | 3.525 | 3.757 | 3.626 | 3.278  | 3.750 | 3.317 | 3.687   | 3.339    |
| WCDMA B5      | Front side | 0.851      | 0.892 | 0.919 | 0.783 | 0.756 | 0.644  | 0.749 | 0.718 | 0.813   | 0.701    |
|               | Back side  | 0.765      | 0.714 | 0.636 | 0.624 | 0.265 | 0.225  | 0.418 | 0.322 | 0.506   | 0.466    |
|               | Left side  | 0.864      | 0.657 | 0.900 | 1.142 | 1.058 | 1.011  | 0.864 | 0.900 | 1.223   | 1.176    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 0.901      | 0.969 | 0.901 | 1.133 | 1.002 | 0.654  | 1.126 | 0.693 | 1.063   | 0.715    |
| LTE B5        | Front side | 0.922      | 0.963 | 0.990 | 0.854 | 0.827 | 0.715  | 0.820 | 0.789 | 0.884   | 0.772    |
|               | Back side  | 0.763      | 0.712 | 0.634 | 0.622 | 0.263 | 0.223  | 0.416 | 0.320 | 0.504   | 0.464    |
|               | Left side  | 0.996      | 0.789 | 1.032 | 1.274 | 1.190 | 1.143  | 0.996 | 1.032 | 1.355   | 1.308    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 0.988      | 1.056 | 0.988 | 1.220 | 1.089 | 0.741  | 1.213 | 0.780 | 1.150   | 0.802    |
| LTE B7        | Front side | 0.808      | 0.849 | 0.876 | 0.740 | 0.713 | 0.601  | 0.706 | 0.675 | 0.770   | 0.658    |
|               | Back side  | 0.642      | 0.591 | 0.513 | 0.501 | 0.142 | 0.102  | 0.295 | 0.199 | 0.383   | 0.343    |
|               | Left side  | 0.833      | 0.626 | 0.869 | 1.111 | 1.027 | 0.980  | 0.833 | 0.869 | 1.192   | 1.145    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 2.007      | 2.075 | 2.007 | 2.239 | 2.108 | 1.760  | 2.232 | 1.799 | 2.169   | 1.821    |
| LTE B12       | Front side | 0.752      | 0.793 | 0.820 | 0.684 | 0.657 | 0.545  | 0.650 | 0.619 | 0.714   | 0.602    |
|               | Back side  | 0.672      | 0.621 | 0.543 | 0.531 | 0.172 | 0.132  | 0.325 | 0.229 | 0.413   | 0.373    |
|               | Left side  | 0.682      | 0.475 | 0.718 | 0.960 | 0.876 | 0.829  | 0.682 | 0.718 | 1.041   | 0.994    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 0.768      | 0.836 | 0.768 | 1.000 | 0.869 | 0.521  | 0.993 | 0.560 | 0.930   | 0.582    |
| LTE B13       | Front side | 0.566      | 0.607 | 0.634 | 0.498 | 0.471 | 0.359  | 0.464 | 0.433 | 0.528   | 0.416    |
|               | Back side  | 0.654      | 0.603 | 0.525 | 0.513 | 0.154 | 0.114  | 0.307 | 0.211 | 0.395   | 0.355    |
|               | Left side  | 0.470      | 0.263 | 0.506 | 0.748 | 0.664 | 0.617  | 0.470 | 0.506 | 0.829   | 0.782    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 0.639      | 0.707 | 0.639 | 0.871 | 0.740 | 0.392  | 0.864 | 0.431 | 0.801   | 0.453    |
| LTE B14       | Front side | 0.554      | 0.595 | 0.622 | 0.486 | 0.459 | 0.347  | 0.452 | 0.421 | 0.516   | 0.404    |
|               | Back side  | 0.651      | 0.600 | 0.522 | 0.510 | 0.151 | 0.111  | 0.304 | 0.208 | 0.392   | 0.352    |
|               | Left side  | 0.466      | 0.259 | 0.502 | 0.744 | 0.660 | 0.613  | 0.466 | 0.502 | 0.825   | 0.778    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 0.647      | 0.715 | 0.647 | 0.879 | 0.748 | 0.400  | 0.872 | 0.439 | 0.809   | 0.461    |
| LTE B25       | Front side | 1.219      | 1.260 | 1.287 | 1.151 | 1.124 | 1.012  | 1.117 | 1.086 | 1.181   | 1.069    |
|               | Back side  | 0.844      | 0.793 | 0.715 | 0.703 | 0.344 | 0.304  | 0.497 | 0.401 | 0.585   | 0.545    |
|               | Left side  | 1.026      | 0.819 | 1.062 | 1.304 | 1.220 | 1.173  | 1.026 | 1.062 | 1.385   | 1.338    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 1.560      | 1.628 | 1.560 | 1.792 | 1.661 | 1.313  | 1.785 | 1.352 | 1.722   | 1.374    |
| LTE B41       | Front side | 0.461      | 0.502 | 0.529 | 0.393 | 0.366 | 0.254  | 0.359 | 0.328 | 0.423   | 0.311    |
|               | Back side  | 0.599      | 0.548 | 0.470 | 0.458 | 0.099 | 0.059  | 0.252 | 0.156 | 0.340   | 0.300    |
|               | Left side  | 0.434      | 0.227 | 0.470 | 0.712 | 0.628 | 0.581  | 0.434 | 0.470 | 0.793   | 0.746    |
|               | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|               | Top side   | 0.987      | 1.055 | 0.987 | 1.219 | 1.088 | 0.740  | 1.212 | 0.779 | 1.149   | 0.801    |
| LTE B42       | Front side | 0.565      | 0.606 | 0.633 | 0.497 | 0.470 | 0.358  | 0.463 | 0.432 | 0.527   | 0.415    |
|               | Back side  | 0.726      | 0.675 | 0.597 | 0.585 | 0.226 | 0.186  | 0.379 | 0.283 | 0.467   | 0.427    |
|               | Left side  | 0.207      | 0.000 | 0.243 | 0.485 | 0.401 | 0.354  | 0.207 | 0.243 | 0.566   | 0.519    |



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SGS-CSTC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 131 of 139

|              |            |       |       |       |       |       |       |       |       |       |       |
|--------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| LTE B43      | Right side | 1.986 | 2.249 | 1.986 | 1.306 | 1.440 | 0.965 | 1.305 | 1.184 | 1.702 | 1.227 |
|              | Top side   | 0.276 | 0.344 | 0.276 | 0.508 | 0.377 | 0.029 | 0.501 | 0.068 | 0.438 | 0.090 |
|              | Front side | 0.553 | 0.594 | 0.621 | 0.485 | 0.458 | 0.346 | 0.451 | 0.420 | 0.515 | 0.403 |
|              | Back side  | 0.793 | 0.742 | 0.664 | 0.652 | 0.293 | 0.253 | 0.446 | 0.350 | 0.534 | 0.494 |
|              | Left side  | 0.207 | 0.000 | 0.243 | 0.485 | 0.401 | 0.354 | 0.207 | 0.243 | 0.566 | 0.519 |
| LTE B48      | Right side | 2.043 | 2.306 | 2.043 | 1.363 | 1.497 | 1.022 | 1.362 | 1.241 | 1.759 | 1.284 |
|              | Top side   | 0.276 | 0.344 | 0.276 | 0.508 | 0.377 | 0.029 | 0.501 | 0.068 | 0.438 | 0.090 |
|              | Front side | 0.516 | 0.557 | 0.584 | 0.448 | 0.421 | 0.309 | 0.414 | 0.383 | 0.478 | 0.366 |
|              | Back side  | 0.749 | 0.698 | 0.620 | 0.608 | 0.249 | 0.209 | 0.402 | 0.306 | 0.490 | 0.450 |
|              | Left side  | 0.207 | 0.000 | 0.243 | 0.485 | 0.401 | 0.354 | 0.207 | 0.243 | 0.566 | 0.519 |
| LTE B66      | Right side | 1.863 | 2.126 | 1.863 | 1.183 | 1.317 | 0.842 | 1.182 | 1.061 | 1.579 | 1.104 |
|              | Top side   | 0.276 | 0.344 | 0.276 | 0.508 | 0.377 | 0.029 | 0.501 | 0.068 | 0.438 | 0.090 |
|              | Front side | 0.883 | 0.924 | 0.951 | 0.815 | 0.788 | 0.676 | 0.781 | 0.750 | 0.845 | 0.733 |
|              | Back side  | 0.651 | 0.600 | 0.522 | 0.510 | 0.151 | 0.111 | 0.304 | 0.208 | 0.392 | 0.352 |
|              | Left side  | 0.488 | 0.281 | 0.524 | 0.766 | 0.682 | 0.635 | 0.488 | 0.524 | 0.847 | 0.800 |
| LTE B71      | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|              | Top side   | 1.706 | 1.774 | 1.706 | 1.938 | 1.807 | 1.459 | 1.931 | 1.498 | 1.868 | 1.520 |
|              | Front side | 0.365 | 0.406 | 0.433 | 0.297 | 0.270 | 0.158 | 0.263 | 0.232 | 0.327 | 0.215 |
|              | Back side  | 0.581 | 0.530 | 0.452 | 0.440 | 0.081 | 0.041 | 0.234 | 0.138 | 0.322 | 0.282 |
|              | Left side  | 0.270 | 0.063 | 0.306 | 0.548 | 0.464 | 0.417 | 0.270 | 0.306 | 0.629 | 0.582 |
| N12          | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|              | Top side   | 0.433 | 0.501 | 0.433 | 0.665 | 0.534 | 0.186 | 0.658 | 0.225 | 0.595 | 0.247 |
|              | Front side | 0.688 | 0.729 | 0.756 | 0.620 | 0.593 | 0.481 | 0.586 | 0.555 | 0.650 | 0.538 |
|              | Back side  | 0.673 | 0.622 | 0.544 | 0.532 | 0.173 | 0.133 | 0.326 | 0.230 | 0.414 | 0.374 |
|              | Left side  | 0.659 | 0.452 | 0.695 | 0.937 | 0.853 | 0.806 | 0.659 | 0.695 | 1.018 | 0.971 |
| N25          | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|              | Top side   | 0.762 | 0.830 | 0.762 | 0.994 | 0.863 | 0.515 | 0.987 | 0.554 | 0.924 | 0.576 |
|              | Front side | 0.865 | 0.906 | 0.933 | 0.797 | 0.770 | 0.658 | 0.763 | 0.732 | 0.827 | 0.715 |
|              | Back side  | 0.655 | 0.604 | 0.526 | 0.514 | 0.155 | 0.115 | 0.308 | 0.212 | 0.396 | 0.356 |
|              | Left side  | 0.457 | 0.250 | 0.493 | 0.735 | 0.651 | 0.604 | 0.457 | 0.493 | 0.816 | 0.769 |
| N41          | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|              | Top side   | 1.746 | 1.814 | 1.746 | 1.978 | 1.847 | 1.499 | 1.971 | 1.538 | 1.908 | 1.560 |
|              | Front side | 0.666 | 0.707 | 0.734 | 0.598 | 0.571 | 0.459 | 0.564 | 0.533 | 0.628 | 0.516 |
|              | Back side  | 0.634 | 0.583 | 0.505 | 0.493 | 0.134 | 0.094 | 0.287 | 0.191 | 0.375 | 0.335 |
|              | Left side  | 0.712 | 0.505 | 0.748 | 0.990 | 0.906 | 0.859 | 0.712 | 0.748 | 1.071 | 1.024 |
| N48          | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|              | Top side   | 1.853 | 1.921 | 1.853 | 2.085 | 1.954 | 1.606 | 2.078 | 1.645 | 2.015 | 1.667 |
|              | Front side | 0.712 | 0.753 | 0.780 | 0.644 | 0.617 | 0.505 | 0.610 | 0.579 | 0.674 | 0.562 |
|              | Back side  | 0.906 | 0.855 | 0.777 | 0.765 | 0.406 | 0.366 | 0.559 | 0.463 | 0.647 | 0.607 |
|              | Left side  | 0.207 | 0.000 | 0.243 | 0.485 | 0.401 | 0.354 | 0.207 | 0.243 | 0.566 | 0.519 |
| N66          | Right side | 2.566 | 2.829 | 2.566 | 1.886 | 2.020 | 1.545 | 1.885 | 1.764 | 2.282 | 1.807 |
|              | Top side   | 0.276 | 0.344 | 0.276 | 0.508 | 0.377 | 0.029 | 0.501 | 0.068 | 0.438 | 0.090 |
|              | Front side | 0.292 | 0.333 | 0.360 | 0.224 | 0.197 | 0.085 | 0.190 | 0.159 | 0.254 | 0.142 |
|              | Back side  | 0.746 | 0.695 | 0.617 | 0.605 | 0.246 | 0.206 | 0.399 | 0.303 | 0.487 | 0.447 |
|              | Left side  | 0.823 | 0.616 | 0.859 | 1.101 | 1.017 | 0.970 | 0.823 | 0.859 | 1.182 | 1.135 |
| N71          | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|              | Top side   | 3.414 | 3.482 | 3.414 | 3.646 | 3.515 | 3.167 | 3.639 | 3.206 | 3.576 | 3.228 |
|              | Front side | 0.380 | 0.421 | 0.448 | 0.312 | 0.285 | 0.173 | 0.278 | 0.247 | 0.342 | 0.230 |
|              | Back side  | 0.583 | 0.532 | 0.454 | 0.442 | 0.083 | 0.043 | 0.236 | 0.140 | 0.324 | 0.284 |
|              | Left side  | 0.283 | 0.076 | 0.319 | 0.561 | 0.477 | 0.430 | 0.283 | 0.319 | 0.642 | 0.595 |
| N77 Part 27Q | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|              | Top side   | 0.465 | 0.533 | 0.465 | 0.697 | 0.566 | 0.218 | 0.690 | 0.257 | 0.627 | 0.279 |
|              | Front side | 0.879 | 0.920 | 0.947 | 0.811 | 0.784 | 0.672 | 0.777 | 0.746 | 0.841 | 0.729 |
|              | Back side  | 0.933 | 0.882 | 0.804 | 0.792 | 0.433 | 0.393 | 0.586 | 0.490 | 0.674 | 0.634 |
|              | Left side  | 0.207 | 0.000 | 0.243 | 0.485 | 0.401 | 0.354 | 0.207 | 0.243 | 0.566 | 0.519 |
| N77 Part 27O | Right side | 3.052 | 3.315 | 3.052 | 2.372 | 2.506 | 2.031 | 2.371 | 2.250 | 2.768 | 2.293 |
|              | Top side   | 0.276 | 0.344 | 0.276 | 0.508 | 0.377 | 0.029 | 0.501 | 0.068 | 0.438 | 0.090 |
|              | Front side | 0.750 | 0.791 | 0.818 | 0.682 | 0.655 | 0.543 | 0.648 | 0.617 | 0.712 | 0.600 |
|              | Back side  | 1.004 | 0.953 | 0.875 | 0.863 | 0.504 | 0.464 | 0.657 | 0.561 | 0.745 | 0.705 |
|              | Left side  | 0.207 | 0.000 | 0.243 | 0.485 | 0.401 | 0.354 | 0.207 | 0.243 | 0.566 | 0.519 |
|              | Right side | 2.863 | 3.126 | 2.863 | 2.183 | 2.317 | 1.842 | 2.182 | 2.061 | 2.579 | 2.104 |
|              | Top side   | 0.276 | 0.344 | 0.276 | 0.508 | 0.377 | 0.029 | 0.501 | 0.068 | 0.438 | 0.090 |

| Test position | SARmax (W/kg)       |                         |                         |                         |                   |                   |                   |                   |                   |                       |
|---------------|---------------------|-------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----------------------|
|               | MAX. WWAN SAR(W/kg) | WLAN2.4G Ant1 SAR(W/kg) | WLAN2.4G Ant5 SAR(W/kg) | WLAN2.4G MIMO SAR(W/kg) | WLAN5G Ant1(W/kg) | WLAN5G Ant5(W/kg) | WLAN 5GMIMO(W/kg) | BT Ant1 SAR(W/kg) | BT Ant5 SAR(W/kg) | WLAN 6GMIMO SAR(W/kg) |



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SZSAR-TRF-01) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 132 of 139

|                             |            | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    |
|-----------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| DC_12A_n25A<br>(DC_12A_n2A) | Front side | 0.838 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.455 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 1.795 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.492 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_12A_n66A                 | Front side | 0.475 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.124 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 0.591 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.492 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_12A_n77A<br>(Part27Q)    | Front side | 1.047 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.463 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 0.475 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 1.987 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.492 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_12A_n77A<br>(Part27O)    | Front side | 0.918 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.534 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 0.475 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 1.798 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.492 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_13A_n2A                  | Front side | 0.652 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.437 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 1.583 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.363 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_13A_n66A                 | Front side | 0.289 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.106 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 0.379 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.363 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_13A_n77A<br>(Part27Q)    | Front side | 0.861 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.445 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 0.263 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 1.987 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.363 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_13A_n77A<br>(Part27O)    | Front side | 0.732 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.516 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 0.263 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 1.798 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.363 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_14A_n2A                  | Front side | 0.640 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.434 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 1.579 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.371 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_14A_n66A                 | Front side | 0.277 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.103 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 0.375 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.371 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_14A_n77A<br>(Part27Q)    | Front side | 0.849 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.442 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 0.259 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 1.987 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.371 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_14A_n77A<br>(Part27O)    | Front side | 0.720 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.513 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 0.259 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                             | Right side | 1.798 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                             | Top side   | 0.371 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_2A_n41A                  | Front side | 1.110 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                             | Back side  | 0.364 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                             | Left side  | 0.983 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 133 of 139

|                         |            |       |       |       |       |       |       |       |       |       |       |
|-------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                         | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 1.856 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_2A_n48A              | Front side | 1.347 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.608 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 0.819 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 1.501 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 1.284 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_2A_n5A               | Front side | 1.401 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.273 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 1.594 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 1.917 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_2A_n66A              | Front side | 0.942 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.296 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 0.935 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 1.284 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_2A_n71A              | Front side | 1.015 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.285 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 0.895 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 1.473 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_48A_n25A             | Front side | 0.797 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.262 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 0.250 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 0.798 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 1.470 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_48A_n5A              | Front side | 0.698 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.178 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 0.775 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 0.798 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 0.633 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_48A_n66A             | Front side | 0.224 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.353 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 0.616 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 0.798 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 3.138 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_5A_n2A               | Front side | 0.757 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.487 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 1.748 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 0.211 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_5A_n66A              | Front side | 0.394 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.156 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 0.544 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 0.000 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 0.211 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_5A_n77A<br>(Part27Q) | Front side | 0.966 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.495 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 0.428 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 1.987 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 0.211 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_5A_n77A<br>(Part27O) | Front side | 0.837 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.566 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 0.428 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 1.798 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 0.211 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_66A_n25A             | Front side | 1.164 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.563 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
|                         | Left side  | 1.849 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                         | Right side | 0.062 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                         | Top side   | 2.900 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
| DC_66A_n48A             | Front side | 1.011 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                         | Back side  | 0.415 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 134 of 139

|                          |            |       |       |       |       |       |       |       |       |       |       |
|--------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| DC_66A_n5A               | Left side  | 0.281 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                          | Right side | 1.501 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                          | Top side   | 1.430 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|                          | Front side | 1.065 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                          | Back side  | 0.231 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
| DC_66A_n71A              | Left side  | 1.648 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                          | Right side | 0.123 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                          | Top side   | 2.063 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|                          | Front side | 0.679 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                          | Back side  | 0.243 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
| DC_66A_n77A<br>(Part27Q) | Left side  | 0.949 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                          | Right side | 0.123 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                          | Top side   | 1.619 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|                          | Front side | 1.178 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                          | Back side  | 0.593 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
| DC_66A_n77A<br>(Part27Q) | Left side  | 0.873 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                          | Right side | 2.110 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                          | Top side   | 1.430 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|                          | Front side | 1.049 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                          | Back side  | 0.664 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |
| DC_66A_n77A<br>(Part27Q) | Left side  | 0.873 | 0.000 | 0.485 | 0.042 | 0.000 | 0.243 | 0.359 | 0.000 | 0.207 | 0.312 |
|                          | Right side | 1.921 | 1.065 | 0.001 | 0.001 | 0.384 | 0.000 | 0.518 | 0.263 | 0.000 | 0.043 |
|                          | Top side   | 1.430 | 0.276 | 0.007 | 0.007 | 0.501 | 0.000 | 0.370 | 0.068 | 0.000 | 0.022 |
|                          | Front side | 1.049 | 0.267 | 0.059 | 0.034 | 0.165 | 0.093 | 0.163 | 0.066 | 0.025 | 0.051 |
|                          | Back side  | 0.664 | 0.417 | 0.360 | 0.016 | 0.070 | 0.025 | 0.055 | 0.103 | 0.154 | 0.015 |

| Test position               |            | Summed SAR |       |       |       |       |        |       |       |         |          |
|-----------------------------|------------|------------|-------|-------|-------|-------|--------|-------|-------|---------|----------|
|                             |            | 1+2+9      | 1+3+8 | 1+2+6 | 1+3+5 | 1+4+7 | 1+4+10 | 1+5+9 | 1+6+8 | 1+7+8+9 | 1+8+9+10 |
| DC_12A_n25A<br>(DC_12A_n2A) | Front side | 1.130      | 1.171 | 1.198 | 1.062 | 1.035 | 0.923  | 1.028 | 0.997 | 1.092   | 0.980    |
|                             | Back side  | 1.026      | 0.975 | 0.897 | 0.885 | 0.526 | 0.486  | 0.679 | 0.583 | 0.767   | 0.727    |
|                             | Left side  | 2.002      | 1.795 | 2.038 | 2.280 | 2.196 | 2.149  | 2.002 | 2.038 | 2.361   | 2.314    |
|                             | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|                             | Top side   | 0.768      | 0.836 | 0.768 | 1.000 | 0.869 | 0.521  | 0.993 | 0.560 | 0.930   | 0.582    |
| DC_12A_n66A                 | Front side | 0.767      | 0.808 | 0.835 | 0.699 | 0.672 | 0.560  | 0.665 | 0.634 | 0.729   | 0.617    |
|                             | Back side  | 0.695      | 0.644 | 0.566 | 0.554 | 0.195 | 0.155  | 0.348 | 0.252 | 0.436   | 0.396    |
|                             | Left side  | 0.798      | 0.591 | 0.834 | 1.076 | 0.992 | 0.945  | 0.798 | 0.834 | 1.157   | 1.110    |
|                             | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|                             | Top side   | 0.768      | 0.836 | 0.768 | 1.000 | 0.869 | 0.521  | 0.993 | 0.560 | 0.930   | 0.582    |
| DC_12A_n77A<br>(Part27Q)    | Front side | 1.339      | 1.380 | 1.407 | 1.271 | 1.244 | 1.132  | 1.237 | 1.206 | 1.301   | 1.189    |
|                             | Back side  | 1.034      | 0.983 | 0.905 | 0.893 | 0.534 | 0.494  | 0.687 | 0.591 | 0.775   | 0.735    |
|                             | Left side  | 0.682      | 0.475 | 0.718 | 0.960 | 0.876 | 0.829  | 0.682 | 0.718 | 1.041   | 0.994    |
|                             | Right side | 3.052      | 3.315 | 3.052 | 2.372 | 2.506 | 2.031  | 2.371 | 2.250 | 2.768   | 2.293    |
|                             | Top side   | 0.768      | 0.836 | 0.768 | 1.000 | 0.869 | 0.521  | 0.993 | 0.560 | 0.930   | 0.582    |
| DC_12A_n77A<br>(Part27Q)    | Front side | 1.210      | 1.251 | 1.278 | 1.142 | 1.115 | 1.003  | 1.108 | 1.077 | 1.172   | 1.060    |
|                             | Back side  | 1.105      | 1.054 | 0.976 | 0.964 | 0.605 | 0.565  | 0.758 | 0.662 | 0.846   | 0.806    |
|                             | Left side  | 0.682      | 0.475 | 0.718 | 0.960 | 0.876 | 0.829  | 0.682 | 0.718 | 1.041   | 0.994    |
|                             | Right side | 2.863      | 3.126 | 2.863 | 2.183 | 2.317 | 1.842  | 2.182 | 2.061 | 2.579   | 2.104    |
|                             | Top side   | 0.768      | 0.836 | 0.768 | 1.000 | 0.869 | 0.521  | 0.993 | 0.560 | 0.930   | 0.582    |
| DC_13A_n2A                  | Front side | 0.944      | 0.985 | 1.012 | 0.876 | 0.849 | 0.737  | 0.842 | 0.811 | 0.906   | 0.794    |
|                             | Back side  | 1.008      | 0.957 | 0.879 | 0.867 | 0.508 | 0.468  | 0.661 | 0.565 | 0.749   | 0.709    |
|                             | Left side  | 1.790      | 1.583 | 1.826 | 2.068 | 1.984 | 1.937  | 1.790 | 1.826 | 2.149   | 2.102    |
|                             | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|                             | Top side   | 0.639      | 0.707 | 0.639 | 0.871 | 0.740 | 0.392  | 0.864 | 0.431 | 0.801   | 0.453    |
| DC_13A_n66A                 | Front side | 0.581      | 0.622 | 0.649 | 0.513 | 0.486 | 0.374  | 0.479 | 0.448 | 0.543   | 0.431    |
|                             | Back side  | 0.677      | 0.626 | 0.548 | 0.536 | 0.177 | 0.137  | 0.330 | 0.234 | 0.418   | 0.378    |
|                             | Left side  | 0.586      | 0.379 | 0.622 | 0.864 | 0.780 | 0.733  | 0.586 | 0.622 | 0.945   | 0.898    |
|                             | Right side | 1.065      | 1.328 | 1.065 | 0.385 | 0.519 | 0.044  | 0.384 | 0.263 | 0.781   | 0.306    |
|                             | Top side   | 0.639      | 0.707 | 0.639 | 0.871 | 0.740 | 0.392  | 0.864 | 0.431 | 0.801   | 0.453    |
| DC_13A_n77A<br>(Part27Q)    | Front side | 1.153      | 1.194 | 1.221 | 1.085 | 1.058 | 0.946  | 1.051 | 1.020 | 1.115   | 1.003    |
|                             | Back side  | 1.016      | 0.965 | 0.887 | 0.875 | 0.516 | 0.476  | 0.669 | 0.573 | 0.757   | 0.717    |
|                             | Left side  | 0.470      | 0.263 | 0.506 | 0.748 | 0.664 | 0.617  | 0.470 | 0.506 | 0.829   | 0.782    |
|                             | Right side | 3.052      | 3.315 | 3.052 | 2.372 | 2.506 | 2.031  | 2.371 | 2.250 | 2.768   | 2.293    |
|                             | Top side   | 0.639      | 0.707 | 0.639 | 0.871 | 0.740 | 0.392  | 0.864 | 0.431 | 0.801   | 0.453    |
| DC_13A_n77A                 | Front side | 1.024      | 1.065 | 1.092 | 0.956 | 0.929 | 0.817  | 0.922 | 0.891 | 0.986   | 0.874    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 135 of 139

|                       |            |       |       |       |       |       |       |       |       |       |       |
|-----------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| (Part27O)             | Back side  | 1.087 | 1.036 | 0.958 | 0.946 | 0.587 | 0.547 | 0.740 | 0.644 | 0.828 | 0.788 |
|                       | Left side  | 0.470 | 0.263 | 0.506 | 0.748 | 0.664 | 0.617 | 0.470 | 0.506 | 0.829 | 0.782 |
|                       | Right side | 2.863 | 3.126 | 2.863 | 2.183 | 2.317 | 1.842 | 2.182 | 2.061 | 2.579 | 2.104 |
|                       | Top side   | 0.639 | 0.707 | 0.639 | 0.871 | 0.740 | 0.392 | 0.864 | 0.431 | 0.801 | 0.453 |
| DC_14A_n2A            | Front side | 0.932 | 0.973 | 1.000 | 0.864 | 0.837 | 0.725 | 0.830 | 0.799 | 0.894 | 0.782 |
|                       | Back side  | 1.005 | 0.954 | 0.876 | 0.864 | 0.505 | 0.465 | 0.658 | 0.562 | 0.746 | 0.706 |
|                       | Left side  | 1.786 | 1.579 | 1.822 | 2.064 | 1.980 | 1.933 | 1.786 | 1.822 | 2.145 | 2.098 |
|                       | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
| DC_14A_n66A           | Top side   | 0.647 | 0.715 | 0.647 | 0.879 | 0.748 | 0.400 | 0.872 | 0.439 | 0.809 | 0.461 |
|                       | Front side | 0.569 | 0.610 | 0.637 | 0.501 | 0.474 | 0.362 | 0.467 | 0.436 | 0.531 | 0.419 |
|                       | Back side  | 0.674 | 0.623 | 0.545 | 0.533 | 0.174 | 0.134 | 0.327 | 0.231 | 0.415 | 0.375 |
|                       | Left side  | 0.582 | 0.375 | 0.618 | 0.860 | 0.776 | 0.729 | 0.582 | 0.618 | 0.941 | 0.894 |
| DC_14A_n77A (Part27Q) | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|                       | Top side   | 0.647 | 0.715 | 0.647 | 0.879 | 0.748 | 0.400 | 0.872 | 0.439 | 0.809 | 0.461 |
|                       | Front side | 1.141 | 1.182 | 1.209 | 1.073 | 1.046 | 0.934 | 1.039 | 1.008 | 1.103 | 0.991 |
|                       | Back side  | 1.013 | 0.962 | 0.884 | 0.872 | 0.513 | 0.473 | 0.666 | 0.570 | 0.754 | 0.714 |
| DC_14A_n77A (Part27O) | Left side  | 0.466 | 0.259 | 0.502 | 0.744 | 0.660 | 0.613 | 0.466 | 0.502 | 0.825 | 0.778 |
|                       | Right side | 3.052 | 3.315 | 3.052 | 2.372 | 2.506 | 2.031 | 2.371 | 2.250 | 2.768 | 2.293 |
|                       | Top side   | 0.647 | 0.715 | 0.647 | 0.879 | 0.748 | 0.400 | 0.872 | 0.439 | 0.809 | 0.461 |
|                       | Front side | 1.012 | 1.053 | 1.080 | 0.944 | 0.917 | 0.805 | 0.910 | 0.879 | 0.974 | 0.862 |
| DC_2A_n41A            | Back side  | 1.084 | 1.033 | 0.955 | 0.943 | 0.584 | 0.544 | 0.737 | 0.641 | 0.825 | 0.785 |
|                       | Left side  | 0.466 | 0.259 | 0.502 | 0.744 | 0.660 | 0.613 | 0.466 | 0.502 | 0.825 | 0.778 |
|                       | Right side | 2.863 | 3.126 | 2.863 | 2.183 | 2.317 | 1.842 | 2.182 | 2.061 | 2.579 | 2.104 |
|                       | Top side   | 0.647 | 0.715 | 0.647 | 0.879 | 0.748 | 0.400 | 0.872 | 0.439 | 0.809 | 0.461 |
| DC_2A_n48A            | Front side | 1.402 | 1.443 | 1.470 | 1.334 | 1.307 | 1.195 | 1.300 | 1.269 | 1.364 | 1.252 |
|                       | Back side  | 0.935 | 0.884 | 0.806 | 0.794 | 0.435 | 0.395 | 0.588 | 0.492 | 0.676 | 0.636 |
|                       | Left side  | 1.190 | 0.983 | 1.226 | 1.468 | 1.384 | 1.337 | 1.190 | 1.226 | 1.549 | 1.502 |
|                       | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
| DC_2A_n5A             | Top side   | 2.132 | 2.200 | 2.132 | 2.364 | 2.233 | 1.885 | 2.357 | 1.924 | 2.294 | 1.946 |
|                       | Front side | 1.639 | 1.680 | 1.707 | 1.571 | 1.544 | 1.432 | 1.537 | 1.506 | 1.601 | 1.489 |
|                       | Back side  | 1.179 | 1.128 | 1.050 | 1.038 | 0.679 | 0.639 | 0.832 | 0.736 | 0.920 | 0.880 |
|                       | Left side  | 1.026 | 0.819 | 1.062 | 1.304 | 1.220 | 1.173 | 1.026 | 1.062 | 1.385 | 1.338 |
| DC_2A_n66A            | Right side | 2.566 | 2.829 | 2.566 | 1.886 | 2.020 | 1.545 | 1.885 | 1.764 | 2.282 | 1.807 |
|                       | Top side   | 1.560 | 1.628 | 1.560 | 1.792 | 1.661 | 1.313 | 1.785 | 1.352 | 1.722 | 1.374 |
|                       | Front side | 1.693 | 1.734 | 1.761 | 1.625 | 1.598 | 1.486 | 1.591 | 1.560 | 1.655 | 1.543 |
|                       | Back side  | 0.844 | 0.793 | 0.715 | 0.703 | 0.344 | 0.304 | 0.497 | 0.401 | 0.585 | 0.545 |
| DC_2A_n71A            | Left side  | 1.801 | 1.594 | 1.837 | 2.079 | 1.995 | 1.948 | 1.801 | 1.837 | 2.160 | 2.113 |
|                       | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|                       | Top side   | 2.193 | 2.261 | 2.193 | 2.425 | 2.294 | 1.946 | 2.418 | 1.985 | 2.355 | 2.007 |
|                       | Front side | 1.234 | 1.275 | 1.302 | 1.166 | 1.139 | 1.027 | 1.132 | 1.101 | 1.196 | 1.084 |
| DC_48A_n25A           | Back side  | 0.867 | 0.816 | 0.738 | 0.726 | 0.367 | 0.327 | 0.520 | 0.424 | 0.608 | 0.568 |
|                       | Left side  | 1.142 | 0.935 | 1.178 | 1.420 | 1.336 | 1.289 | 1.142 | 1.178 | 1.501 | 1.454 |
|                       | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|                       | Top side   | 1.560 | 1.628 | 1.560 | 1.792 | 1.661 | 1.313 | 1.785 | 1.352 | 1.722 | 1.374 |
| DC_48A_n5A            | Front side | 1.307 | 1.348 | 1.375 | 1.239 | 1.212 | 1.100 | 1.205 | 1.174 | 1.269 | 1.157 |
|                       | Back side  | 0.856 | 0.805 | 0.727 | 0.715 | 0.356 | 0.316 | 0.509 | 0.413 | 0.597 | 0.557 |
|                       | Left side  | 1.102 | 0.895 | 1.138 | 1.380 | 1.296 | 1.249 | 1.102 | 1.138 | 1.461 | 1.414 |
|                       | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
| DC_48A_n66A           | Top side   | 1.749 | 1.817 | 1.749 | 1.981 | 1.850 | 1.502 | 1.974 | 1.541 | 1.911 | 1.563 |
|                       | Front side | 1.089 | 1.130 | 1.157 | 1.021 | 0.994 | 0.882 | 0.987 | 0.956 | 1.051 | 0.939 |
|                       | Back side  | 0.833 | 0.782 | 0.704 | 0.692 | 0.333 | 0.293 | 0.486 | 0.390 | 0.574 | 0.534 |
|                       | Left side  | 0.457 | 0.250 | 0.493 | 0.735 | 0.651 | 0.604 | 0.457 | 0.493 | 0.816 | 0.769 |
| DC_5A_n2A             | Right side | 1.863 | 2.126 | 1.863 | 1.183 | 1.317 | 0.842 | 1.182 | 1.061 | 1.579 | 1.104 |
|                       | Top side   | 1.746 | 1.814 | 1.746 | 1.978 | 1.847 | 1.499 | 1.971 | 1.538 | 1.908 | 1.560 |
|                       | Front side | 0.990 | 1.031 | 1.058 | 0.922 | 0.895 | 0.783 | 0.888 | 0.857 | 0.952 | 0.840 |
|                       | Back side  | 0.749 | 0.698 | 0.620 | 0.608 | 0.249 | 0.209 | 0.402 | 0.306 | 0.490 | 0.450 |
| DC_48A_n71A           | Left side  | 0.982 | 0.775 | 1.018 | 1.260 | 1.176 | 1.129 | 0.982 | 1.018 | 1.341 | 1.294 |
|                       | Right side | 1.863 | 2.126 | 1.863 | 1.183 | 1.317 | 0.842 | 1.182 | 1.061 | 1.579 | 1.104 |
|                       | Top side   | 0.909 | 0.977 | 0.909 | 1.141 | 1.010 | 0.662 | 1.134 | 0.701 | 1.071 | 0.723 |
|                       | Front side | 0.516 | 0.557 | 0.584 | 0.448 | 0.421 | 0.309 | 0.414 | 0.383 | 0.478 | 0.366 |
| DC_48A_n86A           | Back side  | 0.924 | 0.873 | 0.795 | 0.783 | 0.424 | 0.384 | 0.577 | 0.481 | 0.665 | 0.625 |
|                       | Left side  | 0.823 | 0.616 | 0.859 | 1.101 | 1.017 | 0.970 | 0.823 | 0.859 | 1.182 | 1.135 |
|                       | Right side | 1.863 | 2.126 | 1.863 | 1.183 | 1.317 | 0.842 | 1.182 | 1.061 | 1.579 | 1.104 |
|                       | Top side   | 3.414 | 3.482 | 3.414 | 3.646 | 3.515 | 3.167 | 3.639 | 3.206 | 3.576 | 3.228 |
| DC_5A_n2A             | Front side | 1.049 | 1.090 | 1.117 | 0.981 | 0.954 | 0.842 | 0.947 | 0.916 | 1.011 | 0.899 |
|                       | Back side  | 1.058 | 1.007 | 0.929 | 0.917 | 0.558 | 0.518 | 0.711 | 0.615 | 0.799 | 0.759 |
|                       | Left side  | 1.955 | 1.748 | 1.991 | 2.233 | 2.149 | 2.102 | 1.955 | 1.991 | 2.314 | 2.267 |
|                       | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 136 of 139

|                          |            |       |       |       |       |       |       |       |       |       |       |
|--------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                          | Top side   | 0.487 | 0.555 | 0.487 | 0.719 | 0.588 | 0.240 | 0.712 | 0.279 | 0.649 | 0.301 |
| DC_5A_n66A               | Front side | 0.686 | 0.727 | 0.754 | 0.618 | 0.591 | 0.479 | 0.584 | 0.553 | 0.648 | 0.536 |
|                          | Back side  | 0.727 | 0.676 | 0.598 | 0.586 | 0.227 | 0.187 | 0.380 | 0.284 | 0.468 | 0.428 |
|                          | Left side  | 0.751 | 0.544 | 0.787 | 1.029 | 0.945 | 0.898 | 0.751 | 0.787 | 1.110 | 1.063 |
|                          | Right side | 1.065 | 1.328 | 1.065 | 0.385 | 0.519 | 0.044 | 0.384 | 0.263 | 0.781 | 0.306 |
|                          | Top side   | 0.487 | 0.555 | 0.487 | 0.719 | 0.588 | 0.240 | 0.712 | 0.279 | 0.649 | 0.301 |
| DC_5A_n77A<br>(Part27Q)  | Front side | 1.258 | 1.299 | 1.326 | 1.190 | 1.163 | 1.051 | 1.156 | 1.125 | 1.220 | 1.108 |
|                          | Back side  | 1.066 | 1.015 | 0.937 | 0.925 | 0.566 | 0.526 | 0.719 | 0.623 | 0.807 | 0.767 |
|                          | Left side  | 0.635 | 0.428 | 0.671 | 0.913 | 0.829 | 0.782 | 0.635 | 0.671 | 0.994 | 0.947 |
|                          | Right side | 3.052 | 3.315 | 3.052 | 2.372 | 2.506 | 2.031 | 2.371 | 2.250 | 2.768 | 2.293 |
|                          | Top side   | 0.487 | 0.555 | 0.487 | 0.719 | 0.588 | 0.240 | 0.712 | 0.279 | 0.649 | 0.301 |
| DC_5A_n77A<br>(Part27O)  | Front side | 1.129 | 1.170 | 1.197 | 1.061 | 1.034 | 0.922 | 1.027 | 0.996 | 1.091 | 0.979 |
|                          | Back side  | 1.137 | 1.086 | 1.008 | 0.996 | 0.637 | 0.597 | 0.790 | 0.694 | 0.878 | 0.838 |
|                          | Left side  | 0.635 | 0.428 | 0.671 | 0.913 | 0.829 | 0.782 | 0.635 | 0.671 | 0.994 | 0.947 |
|                          | Right side | 2.863 | 3.126 | 2.863 | 2.183 | 2.317 | 1.842 | 2.182 | 2.061 | 2.579 | 2.104 |
|                          | Top side   | 0.487 | 0.555 | 0.487 | 0.719 | 0.588 | 0.240 | 0.712 | 0.279 | 0.649 | 0.301 |
| DC_66A_n25A              | Front side | 1.456 | 1.497 | 1.524 | 1.388 | 1.361 | 1.249 | 1.354 | 1.323 | 1.418 | 1.306 |
|                          | Back side  | 1.134 | 1.083 | 1.005 | 0.993 | 0.634 | 0.594 | 0.787 | 0.691 | 0.875 | 0.835 |
|                          | Left side  | 2.056 | 1.849 | 2.092 | 2.334 | 2.250 | 2.203 | 2.056 | 2.092 | 2.415 | 2.368 |
|                          | Right side | 1.127 | 1.390 | 1.127 | 0.447 | 0.581 | 0.106 | 0.446 | 0.325 | 0.843 | 0.368 |
|                          | Top side   | 3.176 | 3.244 | 3.176 | 3.408 | 3.277 | 2.929 | 3.401 | 2.968 | 3.338 | 2.990 |
| DC_66A_n48A              | Front side | 1.303 | 1.344 | 1.371 | 1.235 | 1.208 | 1.096 | 1.201 | 1.170 | 1.265 | 1.153 |
|                          | Back side  | 0.986 | 0.935 | 0.857 | 0.845 | 0.486 | 0.446 | 0.639 | 0.543 | 0.727 | 0.687 |
|                          | Left side  | 0.488 | 0.281 | 0.524 | 0.766 | 0.682 | 0.635 | 0.488 | 0.524 | 0.847 | 0.800 |
|                          | Right side | 2.566 | 2.829 | 2.566 | 1.886 | 2.020 | 1.545 | 1.885 | 1.764 | 2.282 | 1.807 |
|                          | Top side   | 1.706 | 1.774 | 1.706 | 1.938 | 1.807 | 1.459 | 1.931 | 1.498 | 1.868 | 1.520 |
| DC_66A_n5A               | Front side | 1.357 | 1.398 | 1.425 | 1.289 | 1.262 | 1.150 | 1.255 | 1.224 | 1.319 | 1.207 |
|                          | Back side  | 0.802 | 0.751 | 0.673 | 0.661 | 0.302 | 0.262 | 0.455 | 0.359 | 0.543 | 0.503 |
|                          | Left side  | 1.855 | 1.648 | 1.891 | 2.133 | 2.049 | 2.002 | 1.855 | 1.891 | 2.214 | 2.167 |
|                          | Right side | 1.188 | 1.451 | 1.188 | 0.508 | 0.642 | 0.167 | 0.507 | 0.386 | 0.904 | 0.429 |
|                          | Top side   | 2.339 | 2.407 | 2.339 | 2.571 | 2.440 | 2.092 | 2.564 | 2.131 | 2.501 | 2.153 |
| DC_66A_n71A              | Front side | 0.971 | 1.012 | 1.039 | 0.903 | 0.876 | 0.764 | 0.869 | 0.838 | 0.933 | 0.821 |
|                          | Back side  | 0.814 | 0.763 | 0.685 | 0.673 | 0.314 | 0.274 | 0.467 | 0.371 | 0.555 | 0.515 |
|                          | Left side  | 1.156 | 0.949 | 1.192 | 1.434 | 1.350 | 1.303 | 1.156 | 1.192 | 1.515 | 1.468 |
|                          | Right side | 1.188 | 1.451 | 1.188 | 0.508 | 0.642 | 0.167 | 0.507 | 0.386 | 0.904 | 0.429 |
|                          | Top side   | 1.895 | 1.963 | 1.895 | 2.127 | 1.996 | 1.648 | 2.120 | 1.687 | 2.057 | 1.709 |
| DC_66A_n77A<br>(Part27Q) | Front side | 1.470 | 1.511 | 1.538 | 1.402 | 1.375 | 1.263 | 1.368 | 1.337 | 1.432 | 1.320 |
|                          | Back side  | 1.164 | 1.113 | 1.035 | 1.023 | 0.664 | 0.624 | 0.817 | 0.721 | 0.905 | 0.865 |
|                          | Left side  | 1.080 | 0.873 | 1.116 | 1.358 | 1.274 | 1.227 | 1.080 | 1.116 | 1.439 | 1.392 |
|                          | Right side | 3.175 | 3.438 | 3.175 | 2.495 | 2.629 | 2.154 | 2.494 | 2.373 | 2.891 | 2.416 |
|                          | Top side   | 1.706 | 1.774 | 1.706 | 1.938 | 1.807 | 1.459 | 1.931 | 1.498 | 1.868 | 1.520 |
| DC_66A_n77A<br>(Part27O) | Front side | 1.341 | 1.382 | 1.409 | 1.273 | 1.246 | 1.134 | 1.239 | 1.208 | 1.303 | 1.191 |
|                          | Back side  | 1.235 | 1.184 | 1.106 | 1.094 | 0.735 | 0.695 | 0.888 | 0.792 | 0.976 | 0.936 |
|                          | Left side  | 1.080 | 0.873 | 1.116 | 1.358 | 1.274 | 1.227 | 1.080 | 1.116 | 1.439 | 1.392 |
|                          | Right side | 2.986 | 3.249 | 2.986 | 2.306 | 2.440 | 1.965 | 2.305 | 2.184 | 2.702 | 2.227 |
|                          | Top side   | 1.706 | 1.774 | 1.706 | 1.938 | 1.807 | 1.459 | 1.931 | 1.498 | 1.868 | 1.520 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 9. Equipment list

| Test Platform                       |                                      | SPEAG DASY8 Professional & SPEAG DASY5 Professional                                                        |               |               |                  |                         |
|-------------------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------------|---------------|---------------|------------------|-------------------------|
| Description                         |                                      | Dasy8:SAR Test System (Frequency range 10MHz-10GHz)<br>Dasy5:SAR Test System (Frequency range 300MHz-6GHz) |               |               |                  |                         |
| Software Reference                  |                                      | Measurement Software: cDASY8 V16.2.4.2524;<br>DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)                 |               |               |                  |                         |
| Hardware Reference                  |                                      |                                                                                                            |               |               |                  |                         |
| Equipment                           |                                      | Manufacturer                                                                                               | Model         | Serial Number | Calibration Date | Due date of calibration |
| <input checked="" type="checkbox"/> | DAE                                  | SPEAG                                                                                                      | DAE4ip        | 1826          | 2023-12-27       | 2024-12-26              |
| <input checked="" type="checkbox"/> | DAE                                  | SPEAG                                                                                                      | DAE4          | 1327          | 2023-11-17       | 2024-11-16              |
| <input checked="" type="checkbox"/> | E-Field Probe                        | SPEAG                                                                                                      | EX3DV4        | 7735          | 2023-10-17       | 2024-10-16              |
| <input checked="" type="checkbox"/> | E-Field Probe                        | SPEAG                                                                                                      | EX3DV4        | 7767          | 2023-10-26       | 2024-10-25              |
| <input checked="" type="checkbox"/> | Twin Phantom                         | SPEAG                                                                                                      | Twin-SAM V8.0 | 2155          | NCR              | NCR                     |
| <input checked="" type="checkbox"/> | Twin Phantom                         | SPEAG                                                                                                      | QD000P40CD    | 1769          | NCR              | NCR                     |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D750V3        | 1214          | 2022-02-07       | 2024-02-06              |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D835V2        | 4d161         | 2023-08-25       | 2026-08-24              |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D1750V2       | 1038          | 2021-12-16       | 2024-12-15              |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D1950V3       | 1218          | 2023-05-04       | 2026-05-03              |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D2450V2       | 922           | 2023-08-28       | 2026-08-27              |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D2600V2       | 1187          | 2022-02-03       | 2025-02-02              |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D3500V2       | 1133          | 2022-02-08       | 2025-02-07              |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D3700V2       | 1108          | 2022-02-07       | 2025-02-06              |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D3900V2       | 1083          | 2023-02-08       | 2025-02-07              |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D5GHzV2       | 1174          | 2023-08-23       | 2026-08-22              |
| <input checked="" type="checkbox"/> | Validation Kits                      | SPEAG                                                                                                      | D6.5GHzV2     | 1102          | 2023-09-11       | 2026-09-10              |
| <input checked="" type="checkbox"/> | DAK-3.5 probe                        | SPEAG                                                                                                      | DAK-3.5       | 1102          | N/A              | N/A                     |
| <input checked="" type="checkbox"/> | Universal Radio Communication Tester | R&S                                                                                                        | CMW500        | 111637        | 2023-09-13       | 2024-09-12              |
| <input checked="" type="checkbox"/> | RF Bi-Directional Coupler            | Agilent                                                                                                    | 86205-60001   | MY31400031    | NCR              | NCR                     |
| <input checked="" type="checkbox"/> | Signal Generator                     | R&S                                                                                                        | SMB100A       | 182393        | 2024-02-04       | 2025-02-03              |
| <input checked="" type="checkbox"/> | Preamplifier                         | Qiji                                                                                                       | YX28980933    | 202104001     | NCR              | NCR                     |
| <input checked="" type="checkbox"/> | Power Sensor                         | Keysight                                                                                                   | U2002H        | 121251        | 2023-09-13       | 2024-09-12              |
| <input checked="" type="checkbox"/> | Attenuator                           | SHX                                                                                                        | TS2-3dB       | 30704         | NCR              | NCR                     |
| <input checked="" type="checkbox"/> | Coaxial low pass filter              | Mini-Circuits                                                                                              | VLF-2500(+)   | NA            | NCR              | NCR                     |
| <input checked="" type="checkbox"/> | Coaxial low pass filter              | Microlab Fxr                                                                                               | LA-F13        | NA            | NCR              | NCR                     |
| <input checked="" type="checkbox"/> | DC POWER SUPPLY                      | SAKO                                                                                                       | SK1730SL5A    | NA            | NCR              | NCR                     |
| <input checked="" type="checkbox"/> | Speed reading thermometer            | LKM                                                                                                        | DTM3000       | NA            | 2023-09-15       | 2024-09-14              |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 138 of 139

|                                     |                                    |         |         |    |            |            |
|-------------------------------------|------------------------------------|---------|---------|----|------------|------------|
| <input checked="" type="checkbox"/> | Humidity and Temperature Indicator | MingGao | MingGao | NA | 2023-09-15 | 2024-09-14 |
|-------------------------------------|------------------------------------|---------|---------|----|------------|------------|

Note: All the equipment are within the valid period when the tests are performed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SZSAR-TRF-01) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

### 10. Calibration certificate

Please see the Appendix C

### 11. Photographs

Please see the Appendix D

## Appendix A: Detailed System Check Results

## Appendix B: Detailed Test Results

## Appendix C: Calibration certificate

## Appendix D: Photographs

## Appendix E: Measurement of RF Conducted Power

--- End of report ---

