

ANNEX VI. NAVIGATION SYSTEM

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMInc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 14:02:28

TESTED BY: *[Signature]*

APPROVED BY: *[Signature]*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 0000000000011000001
Reported Latitude: N31 34
Reported Longitude: W110 20
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 12
Delta Longitude (min): 0
Delta Longitude (sec): 48
Spare (127-132): 000000

Corrected latitude: N31 34 12
Corrected longitude: W110 20 48

Location Message Number/Input: ϕ ^(c)

N 31° 34' 12"

W 110° 20' 46"

Time Message Sent: 1350

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 14:21:33

TESTED BY: *[Signature]*

APPROVED BY: *[Signature]*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N31 34
Reported Longitude: W110 20
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 12
Delta Longitude (min): 0
Delta Longitude (sec): 48
Spare (127-132): 000000

Corrected latitude: N31 34 12
Corrected longitude: W110 20 48

Location Message Number/Input: *(f)*

N31° 34' 12"

W110° 20' 46"

Time Message Sent: *1350*

Removed 1420

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinC MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 14:25:01

TESTED BY: *J. C. Holt*

APPROVED BY: *Edwin Ang*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N127 0
Reported Longitude: E255 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 12
Delta Longitude (min): 0
Delta Longitude (sec): 48
Spare (127-132): 000000

Corrected latitude: N127 0 12
Corrected longitude: E255 0 48

Location Message Number/Input: *φ* ⁽⁹⁾

Time Message Sent: *1424 (re-started w/no GPS input)*

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 14:40:24

TESTED BY: J.C. [Signature]

APPROVED BY: [Signature]

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N90 0
Reported Longitude: E0 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N90 0 0
Corrected longitude: E0 0 0

Location Message Number/Input: 1 N90° 0' 0" E0° 0' 0"

Time Message Sent: 1438

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA

MANU: MMinC MODEL NO: MBT-40600 SERIAL NO: 097

BEACON CERTIFICATION TEST RESULTS -

MEASUREMENT DATE: 17 Feb 1999 TIME: 14:44:31

TESTED BY: J. C. [Signature]

APPROVED BY: [Signature]

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: S90 0
Reported Longitude: E0 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: S90 0 0
Corrected longitude: E0 0 0

Location Message Number/Input: 2 S90°0'0" E0°0'0"

Time Message Sent: 1442

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHEUCA, ARIZONA
MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 14:47:41

TESTED BY: *J. C. [Signature]*

APPROVED BY: *[Signature]*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N78 18
Reported Longitude: W104 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N78 18 0
Corrected longitude: W104 0 0

Location Message Number/Input: 5

N78° 18' 0"

W104° 0' 0"

Time Message Sent: 1445

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA

MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097

BEACON CERTIFICATION TEST RESULTS -

MEASUREMENT DATE: 17 Feb 1998 TIME: 14:50:17

TESTED BY: J. C. [Signature]

APPROVED BY: Edwin [Signature]

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: S60 0
Reported Longitude: E140 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: S60 0 0

Corrected longitude: E140 0 0

Location Message Number/Input: 4 S60° 0' 0" E140° 0' 0'

Time Message Sent: 1448

USMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 14:53:21

TESTED BY: J C Holt

APPROVED BY: Edwin Ruiz

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N0 0
Reported Longitude: W21 28
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N0 0 0
Corrected longitude: W21 28 0

Location Message Number/Input: 5

N0° 0' 0"

W21° 28' 0'

Time Message Sent: 1451

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinC MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 14:58:37

TESTED BY: J. C. Hunt

APPROVED BY: Edwin A. King

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N0 0
Reported Longitude: E0 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N0 0 0
Corrected longitude: E0 0 0

Location Message Number/Input: 6 N0° 0' 0" E0° 0' 0"

Time Message Sent: 1456

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMInc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 15:02:49

TESTED BY: J C 7/10

APPROVED BY: Edwin Dwyer

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N0 0
Reported Longitude: W180 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N0 0 0
Corrected longitude: W180 0 0

Location Message Number/Input: 7

N0° 0' 0"

W180° 0' 0"

Time Message Sent: 1500

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 15:05:55

TESTED BY: *J. C. Holt*

APPROVED BY: *Edwin Ray*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N77 30
Reported Longitude: W44 50
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N77 30 0
Corrected longitude: W44 50 0

Location Message Number/Input: 8 N 77° 30' 00" W 44° 50' 00"
Time Message Sent: 1503

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 15:09:04

TESTED BY: J. C. Whit

APPROVED BY: Edwin King

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N64 0
Reported Longitude: W154 34
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N64 0 0
Corrected longitude: W154 34 0

Location Message Number/Input: 9

N 64° 00' 00"

W 154° 34' 00"

Time Message Sent: 1507

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 15:12:06

TESTED BY: *J. C. [Signature]*

APPROVED BY: *Edwin [Signature]*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N19 42
Reported Longitude: W104 28
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): -1
Delta Latitude (sec): 0
Delta Longitude (min): -1
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N19 41 0
Corrected longitude: W104 27 0

Location Message Number/Input: 10 N19°41'00" W104°27'00"

Time Message Sent: 1510

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 15:14:52

TESTED BY: *J. C. [Signature]*

APPROVED BY: *Edwin [Signature]*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N18 46
Reported Longitude: W157 10
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): -1
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N18 45 0
Corrected longitude: W157 10 0

Location Message Number/Input: 11 N18°45'00" W157°10'00"

Time Message Sent: 1512

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinC MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 15:17:36

TESTED BY: *J. C. Holt*

APPROVED BY: *Edwin A. King*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N53 46
Reported Longitude: E21 28
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): -1
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N53 45 0
Corrected longitude: E21 28 0

Location Message Number/Input: 12

N53°45'00"

E21°28'00"

Time Message Sent: 1515

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17, Feb 1999 TIME: 15:20:19

TESTED BY: J.C. [Signature]

APPROVED BY: [Signature]

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N38 8
Reported Longitude: W101 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N38 8 0
Corrected longitude: W101 0 0

Location Message Number/Input: 13

N 38° 08' 00"

W 101° 00' 00"

Time Message Sent: 1518

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA

MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097

BEACON CERTIFICATION TEST RESULTS -

MEASUREMENT DATE: 17 Feb 1999 TIME: 15:23:14

TESTED BY: *J. C. [Signature]*

APPROVED BY: *Edwin [Signature]*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N51 0
Reported Longitude: E0 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N51 0 0
Corrected longitude: E0 0 0

Location Message Number/Input: 14

N 51° 00' 00"

E 00° 00' 00"

Time Message Sent: 1521

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097
BEACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 15:26:00

TESTED BY: J. C. White

APPROVED BY: Edwin Long

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: S30 28
Reported Longitude: E121 22
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): -1
Delta Latitude (sec): 0
Delta Longitude (min): -1
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: S30 27 0
Corrected longitude: E121 21 0

Location Message Number/Input: 15

S30° 27' 00"

E121° 21' 00"

Time Message Sent: 1524

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA

MANU: MMinC MODEL NO: MBT-40600 SERIAL NO: 097

BEACON CERTIFICATION TEST RESULTS -

MEASUREMENT DATE: 17 Feb 1999 TIME: 15:28:42

TESTED BY: *J C [Signature]*

APPROVED BY: *Edwin [Signature]*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: S3 0
Reported Longitude: W60 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: S3 0 0
Corrected longitude: W60 0 0

Location Message Number/Input: 16

S03°00'00"

W60°00'00"

Time Message Sent: 1526

SMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA
ANU: MMinC MODEL NO: MBT-40600 SERIAL NO: 097
EACON CERTIFICATION TEST RESULTS -
MEASUREMENT DATE: 17 Feb 1999 TIME: 15:31:25

TESTED BY: J. C. [Signature] APPROVED BY: Edwin [Signature]

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: S36 32
Reported Longitude: E174 28
Position Data Source Flag: 1
Pare (108): 1
Coming Device Flag: 0
Additional Data Flag: 1
Pare (111,112):
1
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): -1
Delta Longitude (sec): 0
Pare (127-132): 000000

Corrected latitude: S36 32 0
Corrected longitude: E174 27 0

Location Message Number/Input: 17 S36°32'00" E174°27'00"
Time Message Sent: 1529

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA

MANU: MMinc MODEL NO: MBT-40600 SERIAL NO: 097

BEACON CERTIFICATION TEST RESULTS -

MEASUREMENT DATE: 17 Feb 1999 TIME: 15:34:20

TESTED BY: J. C. Hunt

APPROVED BY: Edwin R. King

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: S0 2
Reported Longitude: E34 28
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): -1
Delta Latitude (sec): 0
Delta Longitude (min): -1
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: S0 1 0
Corrected longitude: E34 27 0

Location Message Number/Input: 18

S00°01'00"

E34°27'00"

Time Message Sent: 1532

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA

MANU: MMinC MODEL NO: MBT-40600 SERIAL NO: 097

BEACON CERTIFICATION TEST RESULTS -

MEASUREMENT DATE: 17 Feb 1999 TIME: 15:37:12

TESTED BY: *JC 7/2*

APPROVED BY: *Edwin Ruiz*

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: N12 18
Reported Longitude: W70 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): -1
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: N12 17 0
Corrected longitude: W70 0 0

Location Message Number/Input: 19 N12°17'00" W70°00'00"

Time Message Sent: 1535

WSMR ELECTRONIC PROVING GROUND, US ARMY, FORT HUACHUCA, ARIZONA

MANU: MMInc MODEL NO: MBT-40600 SERIAL NO: 097

BEACON CERTIFICATION TEST RESULTS -

MEASUREMENT DATE: 17 Feb 1999 TIME: 15:44:42

TESTED BY: H. C. 7L

APPROVED BY: Edwin

MESSAGE DATA:

Message Format: 1
Protocol Flag: 0
Country Code: 0101101110
Protocol Code: 1011
Serial Number: 000000000001100001
Reported Latitude: S67 0
Reported Longitude: E164 0
Position Data Source Flag: 1
Spare (108): 1
Homing Device Flag: 0
Additional Data Flag: 1
Spare (111,112):
01
Delta Latitude (min): 0
Delta Latitude (sec): 0
Delta Longitude (min): 0
Delta Longitude (sec): 0
Spare (127-132): 000000

Corrected latitude: S67 0 0
Corrected longitude: E164 0 0

Location Message Number/Input: 20 S67°00'00" E164°00'00"

Time Message Sent: 1542