

ANNEX A - MEASUREMENT RESULTS

1	Maximum Output Power	2
2	Field Strength of Spurious Radiation Measurement.....	29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1 MAXIMUM OUTPUT POWER

5G NR Band n2 : 1850 to 1910 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH) / Frequency(MHz)			Channel (ARFCH)/ Frequency(MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	370500	376000	381500	370500	376000	381500
					1852.50	1880.00	1907.50	1852.50	1880.00	1907.50
5	15	DFT-s PI/2 BPSK	1	1	22.56	22.64	22.51	25.05	25.13	25.00
			1	23	22.52	22.39	22.34	25.01	24.88	24.83
			12	6	22.49	22.44	22.33	24.98	24.93	24.82
			25	0	21.95	21.93	21.89	24.44	24.42	24.38
		DFT-s QPSK	1	1	22.52	22.49	22.50	25.01	24.98	24.99
			1	23	22.36	22.46	22.41	24.85	24.95	24.90
			12	6	22.10	22.41	22.40	24.59	24.90	24.89
			25	0	21.47	21.40	21.38	23.96	23.89	23.87
		DFT-s 16QAM	1	1	21.61	21.24	21.26	24.10	23.73	23.75
		DFT-s 64QAM	1	1	19.93	20.01	20.28	22.42	22.50	22.77
		DFT-s 256QAM	1	1	18.28	17.95	18.26	20.77	20.44	20.75
		CP QPSK	1	1	20.84	21.47	21.17	23.33	23.96	23.66
		CP 16QAM	1	1	20.69	20.93	20.04	23.18	23.42	22.53
		CP 64QAM	1	1	18.78	18.43	18.55	21.27	20.92	21.04
		CP 256QAM	1	1	16.70	15.73	15.81	19.19	18.22	18.30
5G NR Band n2 : 1850 to 1910 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency(MHz)			Channel (ARFCH)/ Frequency(MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	371000	376000	381000	371000	376000	381000
					1855.00	1880.00	1905.00	1855.00	1880.00	1905.00
10	15	DFT-s PI/2 BPSK	1	1	22.66	22.60	22.42	25.15	25.09	24.91
			1	50	22.62	22.50	22.38	25.11	24.99	24.87
			25	12	22.57	22.39	22.35	25.06	24.88	24.84
			50	0	21.92	21.95	21.88	24.41	24.44	24.37
		DFT-s QPSK	1	1	22.60	22.55	22.49	25.09	25.04	24.98
			1	50	22.45	22.50	22.43	24.94	24.99	24.92
			25	12	22.40	22.49	22.38	24.89	24.98	24.87
			50	0	21.42	21.52	21.43	23.91	24.01	23.92
		DFT-s 16QAM	1	1	21.41	21.53	21.50	23.90	24.02	23.99
		DFT-s 64QAM	1	1	19.89	20.05	19.71	22.38	22.54	22.20
		DFT-s 256QAM	1	1	18.49	17.98	17.93	20.98	20.47	20.42
		CP QPSK	1	1	21.05	20.82	20.62	23.54	23.31	23.11
		CP 16QAM	1	1	20.84	20.08	20.46	23.33	22.57	22.95
		CP 64QAM	1	1	18.56	18.86	18.99	21.05	21.35	21.48
		CP 256QAM	1	1	15.98	16.13	15.58	18.47	18.62	18.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n2 : 1850 to 1910 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	371500	376000	380500	371500	376000	380500
					1857.50	1880.00	1902.50	1857.50	1880.00	1902.50
15	15	DFT-s PI/2 BPSK	1	1	22.60	22.50	22.63	25.09	24.99	25.12
			1	77	22.53	22.41	22.54	25.02	24.90	25.03
			36	18	22.34	22.38	22.46	24.83	24.87	24.95
			75	0	22.02	21.91	21.98	24.51	24.40	24.47
		DFT-s QPSK	1	1	22.59	22.45	22.48	25.08	24.94	24.97
			1	77	22.58	22.40	22.28	25.07	24.89	24.77
			36	18	22.28	22.19	22.13	24.77	24.68	24.62
			75	0	21.50	21.46	21.49	23.99	23.95	23.98
		DFT-s 16QAM	1	1	21.72	21.70	21.38	24.21	24.19	23.87
		DFT-s 64QAM	1	1	20.56	20.06	20.29	23.05	22.55	22.78
		DFT-s 256QAM	1	1	18.41	18.19	18.04	20.90	20.68	20.53
		CP QPSK	1	1	20.99	21.13	20.94	23.48	23.62	23.43
		CP 16QAM	1	1	20.13	20.61	20.42	22.62	23.10	22.91
		CP 64QAM	1	1	18.87	18.85	18.88	21.36	21.34	21.37
		CP 256QAM	1	1	16.43	16.19	16.53	18.92	18.68	19.02
5G NR Band n2 : 1850 to 1910 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	372000	376000	380000	372000	376000	380000
					1860.00	1880.00	1900.00	1860.00	1880.00	1900.00
20	15	DFT-s PI/2 BPSK	1	1	22.67	22.47	22.49	25.16	24.96	24.98
			1	104	22.56	22.45	22.40	25.05	24.94	24.89
			50	25	22.51	22.42	22.44	25.00	24.91	24.93
			100	0	22.05	21.89	21.90	24.54	24.38	24.39
		DFT-s QPSK	1	1	22.65	22.46	22.48	25.14	24.95	24.97
			1	104	22.60	22.44	22.45	25.09	24.93	24.94
			50	25	22.54	22.38	22.24	25.03	24.87	24.73
			100	0	21.53	21.39	21.38	24.02	23.88	23.87
		DFT-s 16QAM	1	1	21.85	21.81	21.57	24.34	24.30	24.06
		DFT-s 64QAM	1	1	20.00	20.31	19.59	22.49	22.80	22.08
		DFT-s 256QAM	1	1	18.02	17.93	17.99	20.51	20.42	20.48
		CP QPSK	1	1	21.50	21.05	20.91	23.99	23.54	23.40
		CP 16QAM	1	1	20.49	20.76	20.55	22.98	23.25	23.04
		CP 64QAM	1	1	19.32	19.32	19.11	21.81	21.81	21.60
		CP 256QAM	1	1	16.11	16.00	15.89	18.60	18.49	18.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n5 : 824 to 849 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.28		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			7		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	165300	167300	169300	165300	167300	169300
					826.50	836.50	846.50	826.50	836.50	846.50
5	15	DFT-s PI/2 BPSK	1	1	23.04	23.07	22.88	21.17	21.20	21.01
			1	23	22.88	22.79	22.77	20.98	20.92	20.90
			12	6	22.85	22.76	22.65	20.49	20.89	20.78
			25	0	22.36	22.33	22.31	20.49	20.46	20.44
		DFT-s QPSK	1	1	22.91	22.88	22.83	21.04	21.01	20.96
			1	23	22.81	22.77	22.81	20.94	20.90	20.94
			12	6	22.54	22.70	22.76	20.67	20.83	20.89
			25	0	21.86	21.77	21.79	19.99	19.90	19.92
		DFT-s 16QAM	1	1	21.97	21.67	21.73	20.10	19.80	19.86
		DFT-s 64QAM	1	1	20.54	20.44	20.80	18.67	18.57	18.93
		DFT-s 256QAM	1	1	18.62	18.36	18.76	16.75	16.49	16.89
		CP QPSK	1	1	21.71	21.96	21.72	19.84	20.09	19.85
		CP 16QAM	1	1	21.15	21.33	20.62	19.28	19.46	18.75
		CP 64QAM	1	1	19.26	18.96	19.06	17.39	17.09	17.19
		CP 256QAM	1	1	17.16	16.20	16.40	15.29	14.33	14.53
5G NR Band n5 : 824 to 849 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.28		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			7		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	165800	167300	168800	165800	167300	168800
					829.00	836.50	844.00	829.00	836.50	844.00
10	15	DFT-s PI/2 BPSK	1	1	23.08	22.94	23.02	21.21	21.07	21.15
			1	50	23.07	22.80	22.86	21.20	20.93	20.99
			25	12	22.85	22.77	22.75	20.98	20.90	20.88
			50	0	22.37	22.36	22.38	20.50	20.49	20.51
		DFT-s QPSK	1	1	22.90	22.90	22.95	21.03	21.03	21.08
			1	50	22.84	22.89	22.86	20.97	21.02	20.99
			25	12	22.75	22.80	22.77	20.88	20.93	20.90
			50	0	21.87	21.83	21.87	20.00	19.96	20.00
		DFT-s 16QAM	1	1	21.75	21.90	21.94	19.88	20.03	20.07
		DFT-s 64QAM	1	1	20.23	20.46	20.15	18.36	18.59	18.28
		DFT-s 256QAM	1	1	18.89	18.41	18.52	17.02	16.54	16.65
		CP QPSK	1	1	21.58	21.19	21.10	19.71	19.32	19.23
		CP 16QAM	1	1	21.19	20.45	20.93	19.32	18.58	19.06
		CP 64QAM	1	1	18.88	19.19	19.42	17.01	17.32	17.55
		CP 256QAM	1	1	16.48	16.61	16.19	14.61	14.74	14.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n5 : 824 to 849 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.28		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			7		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	166300	167300	168300	166300	167300	168300
					831.50	836.50	841.50	831.50	836.50	841.50
15	15	DFT-s PI/2 BPSK	1	1	22.88	22.97	22.89	21.01	21.10	21.02
			1	77	22.74	22.86	22.83	20.87	20.99	20.96
			36	18	22.70	22.69	22.71	20.83	20.82	20.84
			75	0	22.36	22.39	22.31	20.49	20.52	20.44
		DFT-s QPSK	1	1	22.86	22.91	22.85	20.99	21.04	20.98
			1	77	22.85	22.66	22.72	20.98	20.79	20.85
			36	18	22.74	22.32	22.66	20.87	20.45	20.79
			75	0	21.84	21.91	21.84	19.97	20.04	19.97
		DFT-s 16QAM	1	1	21.97	21.96	21.78	20.10	20.09	19.91
		DFT-s 64QAM	1	1	20.82	20.42	20.56	18.95	18.55	18.69
		DFT-s 256QAM	1	1	18.80	18.67	18.44	16.93	16.80	16.57
		CP QPSK	1	1	21.12	21.21	21.70	19.25	19.34	19.83
		CP 16QAM	1	1	20.44	20.93	20.66	18.57	19.06	18.79
		CP 64QAM	1	1	19.14	19.15	19.21	17.27	17.28	17.34
		CP 256QAM	1	1	16.85	16.70	17.01	14.98	14.83	15.14
5G NR Band n5 : 824 to 849 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.28		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			7		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	166800	167300	167800	166800	167300	167800
					834.00	836.50	839.00	834.00	836.50	839.00
20	15	DFT-s PI/2 BPSK	1	1	22.98	22.88	22.87	21.11	21.01	21.00
			1	104	22.80	22.82	22.80	20.93	20.95	20.93
			50	25	22.74	22.61	22.77	20.87	20.74	20.90
			100	0	22.32	22.35	22.37	20.45	20.48	20.50
		DFT-s QPSK	1	1	22.89	22.83	22.84	21.02	20.96	20.97
			1	104	22.84	22.80	22.80	20.97	20.93	20.93
			50	25	22.79	22.76	22.65	20.92	20.89	20.78
			100	0	21.83	21.77	21.83	19.96	19.90	19.96
		DFT-s 16QAM	1	1	22.08	22.02	21.86	20.21	20.15	19.99
		DFT-s 64QAM	1	1	20.30	20.47	19.95	18.43	18.60	18.08
		DFT-s 256QAM	1	1	18.56	18.38	18.61	16.69	16.51	16.74
		CP QPSK	1	1	21.00	21.22	21.31	19.13	19.35	19.44
		CP 16QAM	1	1	20.71	20.92	20.84	18.84	19.05	18.97
		CP 64QAM	1	1	19.56	19.56	19.44	17.69	17.69	17.57
		CP 256QAM	1	1	16.68	16.54	16.51	14.81	14.67	14.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n7 : 2500 to 2570 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	500500	507000	513500	500500	507000	513500
					2502.50	2535.00	2567.50	2502.50	2535.00	2567.50
5	15	DFT-s PI/2 BPSK	1	1	22.39	22.35	22.53	23.38	23.34	23.52
			1	23	22.27	22.07	22.36	23.26	23.06	23.35
			12	6	22.22	22.15	22.29	23.21	23.14	23.28
			25	0	21.88	21.73	21.83	22.87	22.72	22.82
		DFT-s QPSK	1	1	22.37	22.22	22.27	23.36	23.21	23.26
			1	23	22.17	22.13	22.19	23.16	23.12	23.18
			12	6	22.14	21.96	22.16	23.13	22.95	23.15
			25	0	21.37	21.26	21.36	22.36	22.25	22.35
		DFT-s 16QAM	1	1	21.25	21.23	21.28	22.24	22.22	22.27
		DFT-s 64QAM	1	1	20.07	19.53	20.31	21.06	20.52	21.30
		DFT-s 256QAM	1	1	17.07	17.07	18.02	18.06	18.06	19.01
		CP QPSK	1	1	21.16	21.14	20.34	22.15	22.13	21.33
		CP 16QAM	1	1	20.23	20.05	20.24	21.22	21.04	21.23
		CP 64QAM	1	1	18.25	19.14	18.68	19.24	20.13	19.67
CP 256QAM	1	1	15.71	15.39	16.10	16.70	16.38	17.09		
5G NR Band n7 : 2500 to 2570 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	501000	507000	513000	501000	507000	513000
					2505.00	2535.00	2565.00	2505.00	2535.00	2565.00
10	15	DFT-s PI/2 BPSK	1	1	22.51	22.27	22.36	23.50	23.26	23.35
			1	50	22.36	22.24	22.25	23.35	23.23	23.24
			25	12	22.21	22.18	22.13	23.20	23.17	23.12
			50	0	21.85	21.80	21.88	22.84	22.79	22.87
		DFT-s QPSK	1	1	22.48	22.25	22.33	23.47	23.24	23.32
			1	50	22.39	22.16	22.19	23.38	23.15	23.18
			25	12	22.28	21.97	22.10	23.27	22.96	23.09
			50	0	21.41	21.29	21.36	22.40	22.28	22.35
		DFT-s 16QAM	1	1	21.21	21.36	21.42	22.20	22.35	22.41
		DFT-s 64QAM	1	1	20.31	19.86	19.20	21.30	20.85	20.19
		DFT-s 256QAM	1	1	17.54	17.95	17.37	18.53	18.94	18.36
		CP QPSK	1	1	21.05	21.04	20.75	22.04	22.03	21.74
		CP 16QAM	1	1	20.37	20.47	20.22	21.36	21.46	21.21
		CP 64QAM	1	1	18.64	18.57	18.51	19.63	19.56	19.50
CP 256QAM	1	1	15.38	15.96	16.12	16.37	16.95	17.11		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n7 : 2500 to 2570 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	501500	507000	512500	501500	507000	512500
					2507.50	2535.00	2562.50	2507.50	2535.00	2562.50
15	15	DFT-s PI/2 BPSK	1	1	22.49	22.44	22.32	23.48	23.43	23.31
			1	77	22.35	22.40	22.29	23.34	23.39	23.28
			36	18	22.30	22.32	22.16	23.29	23.31	23.15
			75	0	21.82	21.73	21.76	22.81	22.72	22.75
		DFT-s QPSK	1	1	22.35	22.41	22.25	23.34	23.40	23.24
			1	77	22.21	22.35	22.13	23.20	23.34	23.12
			36	18	22.24	22.32	22.35	23.23	23.31	23.34
			75	0	21.38	21.22	21.26	22.37	22.21	22.25
		DFT-s 16QAM	1	1	21.40	21.58	21.35	22.39	22.57	22.34
		DFT-s 64QAM	1	1	19.98	19.87	19.99	20.97	20.86	20.98
		DFT-s 256QAM	1	1	17.82	18.08	17.82	18.81	19.07	18.81
		CP QPSK	1	1	20.32	20.68	20.59	21.31	21.67	21.58
		CP 16QAM	1	1	20.06	19.83	20.13	21.05	20.82	21.12
		CP 64QAM	1	1	18.33	18.60	18.76	19.32	19.59	19.75
		CP 256QAM	1	1	15.08	15.69	15.52	16.07	16.68	16.51
5G NR Band n7 : 2500 to 2570 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	502000	507000	512000	502000	507000	512000
					2510.00	2535.00	2560.00	2510.00	2535.00	2560.00
20	15	DFT-s PI/2 BPSK	1	1	22.45	22.36	22.42	23.44	23.35	23.41
			1	104	22.36	22.18	22.21	23.35	23.17	23.20
			50	25	22.14	21.95	22.13	23.13	22.94	23.12
			100	0	21.91	21.68	21.77	22.90	22.67	22.76
		DFT-s QPSK	1	1	22.44	22.31	22.29	23.43	23.30	23.28
			1	104	22.41	22.29	22.26	23.40	23.28	23.25
			50	25	22.38	22.21	22.16	23.37	23.20	23.15
			100	0	21.39	21.16	21.24	22.38	22.15	22.23
		DFT-s 16QAM	1	1	21.48	21.13	21.39	22.47	22.12	22.38
		DFT-s 64QAM	1	1	19.93	19.85	19.45	20.92	20.84	20.44
		DFT-s 256QAM	1	1	17.94	17.82	17.34	18.93	18.81	18.33
		CP QPSK	1	1	21.00	20.78	21.07	21.99	21.77	22.06
		CP 16QAM	1	1	20.41	20.31	20.49	21.40	21.30	21.48
		CP 64QAM	1	1	18.81	18.96	18.53	19.80	19.95	19.52
		CP 256QAM	1	1	15.58	15.82	15.66	16.57	16.81	16.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n12 : 699 to 716 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-2.18		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	140300	141500	142700	140300	141500	142700
					701.50	707.50	713.50	701.50	707.50	713.50
5	15	DFT-s PI/2 BPSK	1	1	22.97	22.96	22.78	18.64	18.63	18.45
			1	23	22.89	22.86	22.69	18.56	18.53	18.36
			12	6	22.84	22.80	22.64	18.51	18.47	18.31
			25	0	22.33	22.35	22.16	18.00	18.02	17.83
		DFT-s QPSK	1	1	22.90	22.93	22.75	18.57	18.60	18.42
			1	23	22.87	22.86	22.62	18.54	18.53	18.29
			12	6	22.63	22.61	22.51	18.30	18.28	18.18
			25	0	21.93	21.85	21.78	17.60	17.52	17.45
		DFT-s 16QAM	1	1	21.82	21.79	21.75	17.49	17.46	17.42
		DFT-s 64QAM	1	1	20.07	20.78	20.20	15.74	16.45	15.87
		DFT-s 256QAM	1	1	17.93	18.66	17.91	13.60	14.33	13.58
		CP QPSK	1	1	21.00	21.55	21.45	16.67	17.22	17.12
		CP 16QAM	1	1	20.92	20.81	20.99	16.59	16.48	16.66
		CP 64QAM	1	1	19.77	19.30	19.43	15.44	14.97	15.10
		CP 256QAM	1	1	16.11	16.77	16.55	11.78	12.44	12.22
5G NR Band n12 : 699 to 716 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-2.18		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	140800	141500	142200	140800	141500	142200
					704.00	707.50	711.00	704.00	707.50	711.00
10	15	DFT-s PI/2 BPSK	1	1	22.89	22.90	22.76	18.56	18.57	18.43
			1	50	22.83	22.84	22.49	18.50	18.51	18.16
			25	12	22.69	22.57	22.51	18.36	18.24	18.18
			50	0	22.43	22.43	22.30	18.10	18.10	17.97
		DFT-s QPSK	1	1	22.86	22.73	22.75	18.53	18.40	18.42
			1	50	22.69	22.57	22.63	18.36	18.24	18.30
			25	12	22.57	22.39	22.13	18.24	18.06	17.80
			50	0	21.90	21.94	21.83	17.57	17.61	17.50
		DFT-s 16QAM	1	1	22.00	21.96	21.55	17.67	17.63	17.22
		DFT-s 64QAM	1	1	20.57	19.73	20.16	16.24	15.40	15.83
		DFT-s 256QAM	1	1	18.54	18.08	18.20	14.21	13.75	13.87
		CP QPSK	1	1	21.04	21.74	21.48	16.71	17.41	17.15
		CP 16QAM	1	1	21.10	20.80	20.60	16.77	16.47	16.27
		CP 64QAM	1	1	19.27	18.92	19.33	14.94	14.59	15.00
		CP 256QAM	1	1	16.57	16.47	16.63	12.24	12.14	12.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n12 : 699 to 716 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-2.18		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	141300	141500	141700	141300	141500	141700
					706.50	707.50	708.50	706.50	707.50	708.50
15	15	DFT-s PI/2 BPSK	1	1	22.96	22.89	22.90	18.63	18.56	18.57
			1	77	22.91	22.82	22.61	18.58	18.49	18.28
			36	18	22.87	22.60	22.35	18.54	18.27	18.02
			75	0	22.40	22.38	22.36	18.07	18.05	18.03
		DFT-s QPSK	1	1	22.91	22.80	22.79	18.58	18.47	18.46
			1	77	22.89	22.62	22.61	18.56	18.29	18.28
			36	18	22.83	22.57	22.58	18.50	18.24	18.25
			75	0	21.83	21.86	21.76	17.50	17.53	17.43
		DFT-s 16QAM	1	1	22.23	22.00	21.95	17.90	17.67	17.62
		DFT-s 64QAM	1	1	20.55	20.62	20.10	16.22	16.29	15.77
		DFT-s 256QAM	1	1	18.78	18.67	18.37	14.45	14.34	14.04
		CP QPSK	1	1	20.77	21.54	21.73	16.44	17.21	17.40
		CP 16QAM	1	1	20.18	20.77	21.48	15.85	16.44	17.15
		CP 64QAM	1	1	18.99	19.38	19.69	14.66	15.05	15.36
		CP 256QAM	1	1	16.12	16.28	17.04	11.79	11.95	12.71
5G NR Band n13 : 777 to 787 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-2.18		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	155900	156400	156900	155900	156400	156900
					779.50	782.00	784.50	779.50	782.00	784.50
5	15	DFT-s PI/2 BPSK	1	1	22.90	22.71	22.62	18.57	18.38	18.29
			1	23	22.60	22.57	22.60	18.27	18.24	18.27
			12	6	22.75	22.51	22.48	18.42	18.18	18.15
			25	0	22.23	22.26	22.22	17.90	17.93	17.89
		DFT-s QPSK	1	1	22.82	22.80	22.74	18.49	18.47	18.41
			1	23	22.80	22.52	22.49	18.47	18.19	18.16
			12	6	22.61	22.57	22.55	18.28	18.24	18.22
			25	0	21.82	21.70	21.72	17.49	17.37	17.39
		DFT-s 16QAM	1	1	21.82	21.70	21.61	17.49	17.37	17.28
		DFT-s 64QAM	1	1	21.03	20.56	20.06	16.70	16.23	15.73
		DFT-s 256QAM	1	1	18.83	17.62	17.82	14.50	13.29	13.49
		CP QPSK	1	1	21.18	21.13	21.08	16.85	16.80	16.75
		CP 16QAM	1	1	20.60	20.72	20.79	16.27	16.39	16.46
		CP 64QAM	1	1	19.35	18.92	19.73	15.02	14.59	15.40
		CP 256QAM	1	1	16.70	16.24	16.48	12.37	11.91	12.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n13 : 777 to 787 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-2.18		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3			Mid			Mid	
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset		156400			156400	
						782.00			782.00	
10	15	DFT-s PI/2 BPSK	1	1		22.80			18.47	
			1	50		22.77			18.44	
			25	12		22.51			18.18	
			50	0		22.30			17.97	
		DFT-s QPSK	1	1		22.61			18.28	
			1	50		22.47			18.14	
			25	12		22.35			18.02	
			50	0		21.82			17.49	
		DFT-s 16QAM	1	1		21.83			17.50	
		DFT-s 64QAM	1	1		19.88			15.55	
		DFT-s 256QAM	1	1		18.00			13.67	
		CP QPSK	1	1		21.80			17.47	
		CP 16QAM	1	1		21.01			16.68	
		CP 64QAM	1	1		19.29			14.96	
		CP 256QAM	1	1		16.79			12.46	
5G NR Band n14 : 788 to 798 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-2.18		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	158100	158600	159100	158100	158600	159100
					790.50	793.00	795.50	790.50	793.00	795.50
5	15	DFT-s PI/2 BPSK	1	1	22.91	22.86	22.97	18.58	18.53	18.64
			1	23	22.65	22.79	22.86	18.32	18.46	18.53
			12	6	22.49	22.75	22.73	18.16	18.42	18.40
			25	0	22.18	22.20	22.23	17.85	17.87	17.90
		DFT-s QPSK	1	1	22.82	22.83	22.96	18.49	18.50	18.63
			1	23	22.71	22.62	22.69	18.38	18.29	18.36
			12	6	22.68	22.46	22.65	18.35	18.13	18.32
			25	0	21.64	21.71	21.65	17.31	17.38	17.32
		DFT-s 16QAM	1	1	22.13	21.86	21.71	17.80	17.53	17.38
		DFT-s 64QAM	1	1	20.21	20.43	20.35	15.88	16.10	16.02
		DFT-s 256QAM	1	1	19.18	18.60	18.49	14.85	14.27	14.16
		CP QPSK	1	1	21.35	20.98	21.26	17.02	16.65	16.93
		CP 16QAM	1	1	20.84	21.14	21.25	16.51	16.81	16.92
		CP 64QAM	1	1	19.20	19.33	19.24	14.87	15.00	14.91
		CP 256QAM	1	1	16.52	17.13	16.27	12.19	12.80	11.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n14 : 788 to 798 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-2.18		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3			Mid		Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset		158600			158600	
						793.00			793.00	
10	15	DFT-s PI/2 BPSK	1	1		22.95			18.62	
			1	50		22.79			18.46	
			25	12		22.65			18.32	
			50	0		22.32			17.99	
		DFT-s QPSK	1	1		22.89			18.56	
			1	50		22.76			18.43	
			25	12		22.54			18.21	
			50	0		21.86			17.53	
		DFT-s 16QAM	1	1		22.04			17.71	
		DFT-s 64QAM	1	1		20.40			16.07	
		DFT-s 256QAM	1	1		18.58			14.25	
		CP QPSK	1	1		21.57			17.24	
		CP 16QAM	1	1		21.04			16.71	
		CP 64QAM	1	1		19.61			15.28	
		CP 256QAM	1	1		16.22			11.89	
5G NR Band n25 : 1850 to 1915 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	370500	376500	382500	370500	376500	382500
					1852.50	1882.50	1912.50	1852.50	1882.50	1912.50
5	15	DFT-s PI/2 BPSK	1	1	22.69	22.51	22.44	25.18	25.00	24.93
			1	23	22.49	22.46	22.33	24.98	24.95	24.82
			12	6	22.36	22.41	22.29	24.85	24.90	24.78
			25	0	21.93	21.89	21.85	24.42	24.38	24.34
		DFT-s QPSK	1	1	22.67	22.50	22.37	25.16	24.99	24.86
			1	23	22.48	22.36	22.33	24.97	24.85	24.82
			12	6	22.43	22.19	22.26	24.92	24.68	24.75
			25	0	21.45	21.30	21.31	23.94	23.79	23.80
		DFT-s 16QAM	1	1	21.93	21.41	21.00	24.42	23.90	23.49
		DFT-s 64QAM	1	1	19.77	20.05	19.77	22.26	22.54	22.26
		DFT-s 256QAM	1	1	18.67	18.18	17.72	21.16	20.67	20.21
		CP QPSK	1	1	20.95	20.80	21.27	23.44	23.29	23.76
		CP 16QAM	1	1	20.37	20.60	20.49	22.86	23.09	22.98
		CP 64QAM	1	1	18.75	18.73	17.98	21.24	21.22	20.47
		CP 256QAM	1	1	15.89	16.59	15.41	18.38	19.08	17.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n25 : 1850 to 1915 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	371000	376500	382000	371000	376500	382000
					1855.00	1882.50	1910.00	1855.00	1882.50	1910.00
10	15	DFT-s PI/2 BPSK	1	1	22.61	22.65	22.46	25.10	25.14	24.95
			1	50	22.51	22.63	22.21	25.00	25.12	24.70
			25	12	22.49	22.31	22.10	24.98	24.80	24.59
			50	0	21.95	21.78	21.78	24.44	24.27	24.27
		DFT-s QPSK	1	1	22.46	22.48	22.31	24.95	24.97	24.80
			1	50	22.39	22.36	22.25	24.88	24.85	24.74
			25	12	22.35	22.27	22.29	24.84	24.76	24.78
			50	0	21.45	21.34	21.27	23.94	23.83	23.76
		DFT-s 16QAM	1	1	21.51	21.33	21.26	24.00	23.82	23.75
		DFT-s 64QAM	1	1	20.01	19.76	19.90	22.50	22.25	22.39
		DFT-s 256QAM	1	1	17.89	18.34	17.77	20.38	20.83	20.26
		CP QPSK	1	1	21.21	20.63	20.73	23.70	23.12	23.22
		CP 16QAM	1	1	20.74	20.75	20.08	23.23	23.24	22.57
		CP 64QAM	1	1	18.93	18.46	18.78	21.42	20.95	21.27
		CP 256QAM	1	1	15.62	15.90	15.97	18.11	18.39	18.46
5G NR Band n25 : 1850 to 1915 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	371500	376500	381500	371500	376500	381500
					1857.50	1882.50	1907.50	1857.50	1882.50	1907.50
15	15	DFT-s PI/2 BPSK	1	1	22.71	22.54	22.41	25.20	25.03	24.90
			1	77	22.54	22.41	22.34	25.03	24.90	24.83
			36	18	22.49	22.10	22.23	24.98	24.59	24.72
			75	0	21.94	21.83	21.85	24.43	24.32	24.34
		DFT-s QPSK	1	1	22.57	22.44	22.31	25.06	24.93	24.80
			1	77	22.55	22.39	22.21	25.04	24.88	24.70
			36	18	22.33	22.38	22.01	24.82	24.87	24.50
			75	0	21.45	21.36	21.37	23.94	23.85	23.86
		DFT-s 16QAM	1	1	21.71	21.56	21.34	24.20	24.05	23.83
		DFT-s 64QAM	1	1	20.12	20.35	19.78	22.61	22.84	22.27
		DFT-s 256QAM	1	1	17.86	18.30	17.99	20.35	20.79	20.48
		CP QPSK	1	1	20.66	20.78	20.74	23.15	23.27	23.23
		CP 16QAM	1	1	20.53	20.05	20.49	23.02	22.54	22.98
		CP 64QAM	1	1	18.85	18.82	18.68	21.34	21.31	21.17
		CP 256QAM	1	1	15.56	16.56	16.12	18.05	19.05	18.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n25 : 1850 to 1915 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	372000	376500	381000	372000	376500	381000
					1860.00	1882.50	1905.00	1860.00	1882.50	1905.00
20	15	DFT-s PI/2 BPSK	1	1	22.54	22.52	22.46	25.03	25.01	24.95
			1	104	22.46	22.36	22.34	24.95	24.85	24.83
			50	25	22.33	22.22	22.30	24.82	24.71	24.79
			100	0	21.96	21.86	21.76	24.45	24.35	24.25
		DFT-s QPSK	1	1	22.46	22.47	22.41	24.95	24.96	24.90
			1	104	22.44	22.38	22.38	24.93	24.87	24.87
			50	25	22.39	22.30	22.28	24.88	24.79	24.77
			100	0	21.44	21.36	21.32	23.93	23.85	23.81
		DFT-s 16QAM	1	1	21.49	21.68	21.48	23.98	24.17	23.97
		DFT-s 64QAM	1	1	19.97	19.90	19.89	22.46	22.39	22.38
		DFT-s 256QAM	1	1	17.73	17.91	17.58	20.22	20.40	20.07
		CP QPSK	1	1	20.98	21.20	20.77	23.47	23.69	23.26
		CP 16QAM	1	1	20.47	20.31	20.34	22.96	22.80	22.83
		CP 64QAM	1	1	18.98	19.12	18.91	21.47	21.61	21.40
		CP 256QAM	1	1	15.62	15.99	15.70	18.11	18.48	18.19
5G NR Band n26 Part 90s: 814 to 824 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-2.18		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			100		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	163300	163800	164300	163300	163800	164300
					816.50	819.00	821.50	816.50	819.00	821.50
5	15	DFT-s PI/2 BPSK	1	1	22.67	22.58	22.71	18.34	18.25	18.38
			1	23	22.64	22.52	22.55	18.31	18.19	18.22
			12	6	22.55	22.36	22.53	18.22	18.03	18.20
			25	0	21.98	21.99	22.01	17.65	17.66	17.68
		DFT-s QPSK	1	1	22.45	22.62	22.53	18.12	18.29	18.20
			1	23	22.31	22.56	22.45	17.98	18.23	18.12
			12	6	22.24	22.46	22.37	17.91	18.13	18.04
			25	0	21.98	21.90	21.98	17.65	17.57	17.65
		DFT-s 16QAM	1	1	21.90	22.03	21.87	17.57	17.70	17.54
		DFT-s 64QAM	1	1	20.33	21.09	20.44	16.00	16.76	16.11
		DFT-s 256QAM	1	1	17.95	18.82	18.00	13.62	14.49	13.67
		CP QPSK	1	1	21.92	21.78	21.44	17.59	17.45	17.11
		CP 16QAM	1	1	20.94	21.03	20.90	16.61	16.70	16.57
		CP 64QAM	1	1	19.82	19.40	19.47	15.49	15.07	15.14
		CP 256QAM	1	1	16.48	16.88	16.49	12.15	12.55	12.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n26 Part 90s: 814 to 824 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-2.18		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			100		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset		163800			163800	
						819.00			819.00	
10	15	DFT-s PI/2 BPSK	1	1		22.56			18.23	
			1	50		22.48			18.15	
			25	12		22.42			18.09	
			50	0		22.02			17.69	
		DFT-s QPSK	1	1		22.51			18.18	
			1	50		22.48			18.15	
			25	12		22.37			18.04	
			50	0		21.95			17.62	
		DFT-s 16QAM	1	1		22.02			17.69	
		DFT-s 64QAM	1	1		20.87			16.54	
		DFT-s 256QAM	1	1		18.61			14.28	
		CP QPSK	1	1		21.55			17.22	
		CP 16QAM	1	1		21.22			16.89	
		CP 64QAM	1	1		19.77			15.44	
		CP 256QAM	1	1		16.44			12.11	
5G NR Band n26 : 824 to 849 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.28		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			7		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	165300	167300	169300	165300	167300	169300
					826.50	836.50	846.50	826.50	836.50	846.50
5	15	DFT-s PI/2 BPSK	1	1	22.90	22.94	22.91	21.03	21.07	21.04
			1	23	22.81	22.92	22.87	20.94	21.05	21.00
			12	6	22.72	22.90	22.65	20.85	21.03	20.78
			25	0	22.36	22.31	22.31	20.49	20.44	20.44
		DFT-s QPSK	1	1	22.89	22.91	22.86	21.02	21.04	20.99
			1	23	22.73	22.76	22.83	20.86	20.89	20.96
			12	6	22.68	22.49	22.68	20.81	20.62	20.81
			25	0	21.89	21.80	21.82	20.02	19.93	19.95
		DFT-s 16QAM	1	1	21.84	21.94	21.84	19.97	20.07	19.97
		DFT-s 64QAM	1	1	20.23	20.95	20.39	18.36	19.08	18.52
		DFT-s 256QAM	1	1	17.95	18.67	17.94	16.08	16.80	16.07
		CP QPSK	1	1	21.02	21.11	21.66	19.15	19.24	19.79
		CP 16QAM	1	1	20.81	20.91	20.98	18.94	19.04	19.11
		CP 64QAM	1	1	19.75	19.36	19.56	17.88	17.49	17.69
		CP 256QAM	1	1	16.40	16.82	16.61	14.53	14.95	14.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n26 : 824 to 849 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.28		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			7		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	165800	167300	168800	165800	167300	168800
					829.00	836.50	844.00	829.00	836.50	844.00
10	15	DFT-s PI/2 BPSK	1	1	22.89	22.83	22.91	21.02	20.96	21.04
			1	50	22.70	22.77	22.88	20.83	20.90	21.01
			25	12	22.69	22.65	22.52	20.82	20.78	20.65
			50	0	22.44	22.39	22.41	20.57	20.52	20.54
		DFT-s QPSK	1	1	22.86	22.81	22.61	20.99	20.94	20.74
			1	50	22.72	22.50	22.55	20.85	20.63	20.68
			25	12	22.44	22.18	22.51	20.57	20.31	20.64
			50	0	21.92	21.88	21.95	20.05	20.01	20.08
		DFT-s 16QAM	1	1	21.93	22.01	21.56	20.06	20.14	19.69
		DFT-s 64QAM	1	1	20.84	20.00	20.31	18.97	18.13	18.44
		DFT-s 256QAM	1	1	18.75	18.19	18.39	16.88	16.32	16.52
		CP QPSK	1	1	21.39	21.86	21.44	19.52	19.99	19.57
		CP 16QAM	1	1	20.89	21.14	20.64	19.02	19.27	18.77
		CP 64QAM	1	1	19.46	19.37	19.50	17.59	17.50	17.63
		CP 256QAM	1	1	16.90	16.97	16.86	15.03	15.10	14.99
5G NR Band n26 : 824 to 849 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.28		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			7		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	166300	167300	168300	166300	167300	168300
					831.50	836.50	841.50	831.50	836.50	841.50
15	15	DFT-s PI/2 BPSK	1	1	22.91	22.92	22.90	21.04	21.05	21.03
			1	77	22.90	22.89	22.89	21.03	21.02	21.02
			36	18	22.85	22.72	22.87	20.98	20.85	21.00
			75	0	22.43	22.46	22.35	20.56	20.59	20.48
		DFT-s QPSK	1	1	22.89	22.91	22.89	21.02	21.04	21.02
			1	77	22.86	22.90	22.82	20.99	21.03	20.95
			36	18	22.83	22.72	22.63	20.96	20.85	20.76
			75	0	21.92	21.95	21.89	20.05	20.08	20.02
		DFT-s 16QAM	1	1	22.41	22.15	22.05	20.54	20.28	20.18
		DFT-s 64QAM	1	1	20.62	20.67	20.04	18.75	18.80	18.17
		DFT-s 256QAM	1	1	18.87	18.75	18.53	17.00	16.88	16.66
		CP QPSK	1	1	21.39	21.11	21.68	19.52	19.24	19.81
		CP 16QAM	1	1	20.58	20.72	21.41	18.71	18.85	19.54
		CP 64QAM	1	1	19.32	19.34	19.80	17.45	17.47	17.93
		CP 256QAM	1	1	16.69	16.43	17.32	14.82	14.56	15.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n26 : 824 to 849 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			0.28		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			7		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	166800	167300	167800	166800	167300	167800
					834.00	836.50	839.00	834.00	836.50	839.00
20	15	DFT-s PI/2 BPSK	1	1	22.92	22.93	22.90	21.05	21.06	21.03
			1	104	22.91	22.90	22.85	21.04	21.03	20.98
			50	25	22.86	22.88	22.81	20.99	21.01	20.94
			100	0	22.41	22.40	22.39	20.54	20.53	20.52
		DFT-s QPSK	1	1	22.91	22.89	22.88	21.04	21.02	21.01
			1	104	22.89	22.82	22.87	21.02	20.95	21.00
			50	25	22.71	22.85	22.81	20.84	20.98	20.94
			100	0	21.87	21.86	21.90	20.00	19.99	20.03
		DFT-s 16QAM	1	1	22.25	22.19	22.18	20.38	20.32	20.31
		DFT-s 64QAM	1	1	20.21	20.82	20.78	18.34	18.95	18.91
		DFT-s 256QAM	1	1	18.53	18.71	18.68	16.66	16.84	16.81
		CP QPSK	1	1	21.53	21.36	21.45	19.66	19.49	19.58
		CP 16QAM	1	1	21.21	21.16	21.10	19.34	19.29	19.23
		CP 64QAM	1	1	19.50	19.71	19.68	17.63	17.84	17.81
		CP 256QAM	1	1	16.77	17.17	17.13	14.90	15.30	15.26
5G NR Band n30 : 2305 to 2315 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			0.25		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	461500	462000	462500	461500	462000	462500
					2307.50	2310.00	2312.50	2307.50	2310.00	2312.50
5	15	DFT-s PI/2 BPSK	1	1	21.50	21.69	21.49	22.49	22.68	22.48
			1	23	21.47	21.60	21.40	22.46	22.59	22.39
			12	6	21.45	21.49	21.35	22.44	22.48	22.34
			25	0	20.91	20.84	20.37	21.90	21.83	21.36
		DFT-s QPSK	1	1	21.47	21.55	21.46	22.46	22.54	22.45
			1	23	21.46	21.44	21.42	22.45	22.43	22.41
			12	6	21.40	21.32	21.35	22.39	22.31	22.34
			25	0	20.41	20.30	20.31	21.40	21.29	21.30
		DFT-s 16QAM	1	1	20.43	20.79	20.56	21.42	21.78	21.55
		DFT-s 64QAM	1	1	18.97	18.90	19.10	19.96	19.89	20.09
		DFT-s 256QAM	1	1	16.59	17.80	17.16	17.58	18.79	18.15
		CP QPSK	1	1	20.11	20.19	19.82	21.10	21.18	20.81
		CP 16QAM	1	1	19.53	19.49	19.79	20.52	20.48	20.78
		CP 64QAM	1	1	18.01	17.84	17.90	19.00	18.83	18.89
		CP 256QAM	1	1	15.03	15.12	15.81	16.02	16.11	16.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n30 : 2305 to 2315 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			0.25		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset		462000			462000	
						2310.00			2310.00	
10	15	DFT-s PI/2 BPSK	1	1		21.70			22.69	
			1	50		21.38			22.37	
			25	12		21.36			22.35	
			50	0		20.88			21.87	
		DFT-s QPSK	1	1		21.49			22.48	
			1	50		21.45			22.44	
			25	12		21.37			22.36	
			50	0		20.40			21.39	
		DFT-s 16QAM	1	1		20.65			21.64	
		DFT-s 64QAM	1	1		19.08			20.07	
		DFT-s 256QAM	1	1		17.01			18.00	
		CP QPSK	1	1		19.57			20.56	
		CP 16QAM	1	1		19.27			20.26	
		CP 64QAM	1	1		18.11			19.10	
CP 256QAM	1	1		15.35			16.34			
5G NR Band n38: 2570 to 2620 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	515000	519000	523000	515000	519000	523000
					2575.00	2595.00	2615.00	2575.00	2595.00	2615.00
10	30	DFT-s PI/2 BPSK	1	1	22.71	22.58	22.53	23.70	23.57	23.52
			1	22	22.65	22.54	22.50	23.64	23.53	23.49
			12	6	22.56	22.52	22.45	23.55	23.51	23.44
			24	0	22.06	22.05	22.01	23.05	23.04	23.00
		DFT-s QPSK	1	1	22.70	22.53	22.47	23.69	23.52	23.46
			1	22	22.53	22.35	22.37	23.52	23.34	23.36
			12	6	22.51	22.30	22.29	23.50	23.29	23.28
			24	0	21.55	21.52	21.49	22.54	22.51	22.48
		DFT-s 16QAM	1	1	21.16	21.17	21.08	22.15	22.16	22.07
		DFT-s 64QAM	1	1	20.00	19.79	19.62	20.99	20.78	20.61
		DFT-s 256QAM	1	1	18.10	17.18	17.69	19.09	18.17	18.68
		CP QPSK	1	1	20.84	20.93	21.07	21.83	21.92	22.06
		CP 16QAM	1	1	20.12	20.36	20.32	21.11	21.35	21.31
		CP 64QAM	1	1	18.81	18.61	18.94	19.80	19.60	19.93
CP 256QAM	1	1	16.26	15.86	15.64	17.25	16.85	16.63		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n38: 2570 to 2620 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	515500	519000	522500	515500	519000	522500
					2577.50	2595.00	2612.50	2577.50	2595.00	2612.50
15	30	DFT-s PI/2 BPSK	1	1	22.70	22.72	22.83	23.69	23.71	23.82
			1	36	22.67	22.64	22.61	23.66	23.63	23.60
			18	9	22.43	22.61	22.52	23.42	23.60	23.51
			36	0	22.15	22.09	21.99	23.14	23.08	22.98
		DFT-s QPSK	1	1	22.62	22.56	22.56	23.61	23.55	23.55
			1	36	22.45	22.41	22.49	23.44	23.40	23.48
			18	9	22.34	22.33	22.29	23.33	23.32	23.28
			36	0	21.58	21.58	21.52	22.57	22.57	22.51
		DFT-s 16QAM	1	1	21.19	21.35	21.17	22.18	22.34	22.16
		DFT-s 64QAM	1	1	19.20	20.00	19.62	20.19	20.99	20.61
		DFT-s 256QAM	1	1	17.27	17.95	17.56	18.26	18.94	18.55
		CP QPSK	1	1	20.92	20.60	20.47	21.91	21.59	21.46
		CP 16QAM	1	1	19.99	20.06	20.49	20.98	21.05	21.48
		CP 64QAM	1	1	18.18	19.03	18.70	19.17	20.02	19.69
		CP 256QAM	1	1	15.28	15.57	15.83	16.27	16.56	16.82
5G NR Band n38: 2570 to 2620 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	516000	519000	522000	516000	519000	522000
					2580.00	2595.00	2610.00	2580.00	2595.00	2610.00
20	30	DFT-s PI/2 BPSK	1	1	22.70	22.61	22.60	23.69	23.60	23.59
			1	49	22.65	22.57	22.53	23.64	23.56	23.52
			25	12	22.58	22.54	22.50	23.57	23.53	23.49
			50	0	22.11	22.10	22.07	23.10	23.09	23.06
		DFT-s QPSK	1	1	22.58	22.55	22.55	23.57	23.54	23.54
			1	49	22.56	22.54	22.46	23.55	23.53	23.45
			25	12	22.51	22.47	22.34	23.50	23.46	23.33
			50	0	21.57	21.55	21.51	22.56	22.54	22.50
		DFT-s 16QAM	1	1	21.48	21.34	21.36	22.47	22.33	22.35
		DFT-s 64QAM	1	1	19.76	19.71	20.09	20.75	20.70	21.08
		DFT-s 256QAM	1	1	17.95	17.77	17.81	18.94	18.76	18.80
		CP QPSK	1	1	21.07	21.02	21.06	22.06	22.01	22.05
		CP 16QAM	1	1	20.52	20.48	20.43	21.51	21.47	21.42
		CP 64QAM	1	1	18.65	18.41	18.89	19.64	19.40	19.88
		CP 256QAM	1	1	15.89	15.72	15.96	16.88	16.71	16.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n41 : 2496 to 2690 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	500202	518604	537000	500202	518604	537000
					2501.01	2593.02	2685.00	2501.01	2593.02	2685.00
10	30	DFT-s PI/2 BPSK	1	1	22.65	22.79	22.47	23.64	23.78	23.46
			1	22	22.61	22.67	22.39	23.60	23.66	23.38
			12	6	22.46	22.64	22.28	23.45	23.63	23.27
			24	0	22.12	22.16	21.85	23.11	23.15	22.84
		DFT-s QPSK	1	1	22.62	22.69	22.36	23.61	23.68	23.35
			1	22	22.59	22.61	22.35	23.58	23.60	23.34
			12	6	22.57	22.34	22.22	23.56	23.33	23.21
			24	0	21.56	21.66	21.44	22.55	22.65	22.43
		DFT-s 16QAM	1	1	21.34	21.35	20.70	22.33	22.34	21.69
		DFT-s 64QAM	1	1	20.25	20.73	19.86	21.24	21.72	20.85
		DFT-s 256QAM	1	1	17.19	17.19	17.23	18.18	18.18	18.22
		CP QPSK	1	1	20.89	20.89	20.36	21.88	21.88	21.35
		CP 16QAM	1	1	20.22	20.22	19.90	21.21	21.21	20.89
		CP 64QAM	1	1	18.48	18.48	18.57	19.47	19.47	19.56
		CP 256QAM	1	1	15.58	15.58	15.31	16.57	16.57	16.30
5G NR Band n41 : 2496 to 2690 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	500700	518604	536496	500700	518604	536496
					2503.50	2593.02	2682.48	2503.50	2593.02	2682.48
15	30	DFT-s PI/2 BPSK	1	1	22.76	22.84	22.68	23.75	23.83	23.67
			1	36	22.67	22.66	22.48	23.66	23.65	23.47
			18	9	22.59	22.65	22.45	23.58	23.64	23.44
			36	0	22.17	22.15	22.17	23.16	23.14	23.16
		DFT-s QPSK	1	1	22.69	22.68	22.64	23.68	23.67	23.63
			1	36	22.65	22.64	22.54	23.64	23.63	23.53
			18	9	22.59	22.50	22.51	23.58	23.49	23.50
			36	0	21.67	21.73	21.65	22.66	22.72	22.64
		DFT-s 16QAM	1	1	20.97	21.47	20.95	21.96	22.46	21.94
		DFT-s 64QAM	1	1	20.10	19.75	20.01	21.09	20.74	21.00
		DFT-s 256QAM	1	1	17.32	17.32	17.68	18.31	18.31	18.67
		CP QPSK	1	1	20.89	20.89	20.74	21.88	21.88	21.73
		CP 16QAM	1	1	20.24	20.24	19.83	21.23	21.23	20.82
		CP 64QAM	1	1	18.56	18.56	18.94	19.55	19.55	19.93
		CP 256QAM	1	1	15.74	15.74	15.55	16.73	16.73	16.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n41 : 2496 to 2690 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.99		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			2		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	501204	518604	535998	501204	518604	535998
					2506.02	2593.02	2679.99	2506.02	2593.02	2679.99
20	30	DFT-s PI/2 BPSK	1	1	22.71	22.73	22.61	23.70	23.72	23.60
			1	49	22.65	22.68	22.49	23.64	23.67	23.48
			25	12	22.58	22.60	22.46	23.57	23.59	23.45
			50	0	22.06	22.16	21.95	23.05	23.15	22.94
		DFT-s QPSK	1	1	22.69	22.66	22.49	23.68	23.65	23.48
			1	49	22.59	22.65	22.38	23.58	23.64	23.37
			25	12	22.55	22.63	22.33	23.54	23.62	23.32
			50	0	21.63	21.55	21.42	22.62	22.54	22.41
		DFT-s 16QAM	1	1	21.37	21.38	20.94	22.36	22.37	21.93
		DFT-s 64QAM	1	1	20.25	20.11	19.51	21.24	21.10	20.50
		DFT-s 256QAM	1	1	17.50	17.50	17.47	18.49	18.49	18.46
		CP QPSK	1	1	20.98	20.98	20.43	21.97	21.97	21.42
		CP 16QAM	1	1	20.34	20.11	19.80	21.33	21.10	20.79
		CP 64QAM	1	1	18.68	18.68	18.54	19.67	19.67	19.53
		CP 256QAM	1	1	15.35	15.35	15.58	16.34	16.34	16.57
5G NR Band n66 : 1710 to 1780 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	342500	349000	355500	342500	349000	355500
					1712.50	1745.00	1777.50	1712.50	1745.00	1777.50
5	15	DFT-s PI/2 BPSK	1	1	22.90	22.71	22.79	25.39	25.20	25.28
			1	23	22.83	22.69	22.40	25.32	25.18	24.89
			12	6	22.47	22.58	22.23	24.96	25.07	24.72
			25	0	22.25	22.16	21.90	24.74	24.65	24.39
		DFT-s QPSK	1	1	22.85	22.64	22.58	25.34	25.13	25.07
			1	23	22.74	22.56	22.46	25.23	25.05	24.95
			12	6	22.72	22.49	22.40	25.21	24.98	24.89
			25	0	21.79	21.66	21.37	24.28	24.15	23.86
		DFT-s 16QAM	1	1	21.96	21.59	21.57	24.45	24.08	24.06
		DFT-s 64QAM	1	1	20.44	20.30	20.63	22.93	22.79	23.12
		DFT-s 256QAM	1	1	18.70	18.37	18.48	21.19	20.86	20.97
		CP QPSK	1	1	21.33	21.20	20.99	23.82	23.69	23.48
		CP 16QAM	1	1	21.08	21.25	20.24	23.57	23.74	22.73
		CP 64QAM	1	1	19.41	19.21	18.95	21.90	21.70	21.44
		CP 256QAM	1	1	17.20	16.22	16.30	19.69	18.71	18.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n66 : 1710 to 1780 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	343000	349000	355000	343000	349000	355000
					1715.00	1745.00	1775.00	1715.00	1745.00	1775.00
10	15	DFT-s PI/2 BPSK	1	1	22.82	23.00	22.58	25.31	25.49	25.07
			1	50	22.58	22.54	22.42	25.07	25.03	24.91
			25	12	22.47	22.68	22.38	24.96	25.17	24.87
			50	0	22.31	22.17	21.94	24.80	24.66	24.43
		DFT-s QPSK	1	1	22.81	22.71	22.53	25.30	25.20	25.02
			1	50	22.74	22.75	22.38	25.23	25.24	24.87
			25	12	22.61	22.72	22.31	25.10	25.21	24.80
			50	0	21.87	21.72	21.42	24.36	24.21	23.91
		DFT-s 16QAM	1	1	21.53	21.72	21.76	24.02	24.21	24.25
		DFT-s 64QAM	1	1	20.27	20.45	20.05	22.76	22.94	22.54
		DFT-s 256QAM	1	1	18.20	18.19	18.11	20.69	20.68	20.60
		CP QPSK	1	1	21.03	21.50	21.24	23.52	23.99	23.73
		CP 16QAM	1	1	20.67	20.32	20.69	23.16	22.81	23.18
		CP 64QAM	1	1	19.54	19.21	19.19	22.03	21.70	21.68
		CP 256QAM	1	1	16.69	16.34	15.79	19.18	18.83	18.28
5G NR Band n66 : 1710 to 1780 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	343500	349000	354500	343500	349000	354500
					1717.50	1745.00	1772.50	1717.50	1745.00	1772.50
15	15	DFT-s PI/2 BPSK	1	1	22.91	22.82	22.55	25.40	25.31	25.04
			1	77	22.72	22.74	22.47	25.21	25.23	24.96
			36	18	22.68	22.63	22.20	25.17	25.12	24.69
			75	0	22.23	22.07	22.01	24.72	24.56	24.50
		DFT-s QPSK	1	1	22.71	22.87	22.52	25.20	25.36	25.01
			1	77	22.68	22.66	22.47	25.17	25.15	24.96
			36	18	22.52	22.51	22.46	25.01	25.00	24.95
			75	0	21.71	21.62	21.51	24.20	24.11	24.00
		DFT-s 16QAM	1	1	21.96	21.86	21.75	24.45	24.35	24.24
		DFT-s 64QAM	1	1	19.90	20.32	20.59	22.39	22.81	23.08
		DFT-s 256QAM	1	1	18.21	17.88	18.53	20.70	20.37	21.02
		CP QPSK	1	1	20.98	21.39	21.15	23.47	23.88	23.64
		CP 16QAM	1	1	20.73	20.95	20.41	23.22	23.44	22.90
		CP 64QAM	1	1	19.00	19.55	19.15	21.49	22.04	21.64
		CP 256QAM	1	1	16.44	16.07	16.74	18.93	18.56	19.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n66 : 1710 to 1780 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	344000	349000	354000	344000	349000	354000
					1720.00	1745.00	1770.00	1720.00	1745.00	1770.00
20	15	DFT-s PI/2 BPSK	1	1	22.76	22.72	22.51	25.25	25.21	25.00
			1	104	22.70	22.63	22.41	25.19	25.12	24.90
			50	25	22.65	22.54	22.48	25.14	25.03	24.97
			100	0	22.11	22.12	22.00	24.60	24.61	24.49
		DFT-s QPSK	1	1	22.71	22.71	22.50	25.20	25.20	24.99
			1	104	22.69	22.68	22.42	25.18	25.17	24.91
			50	25	22.50	22.63	22.38	24.99	25.12	24.87
			100	0	21.68	21.60	21.55	24.17	24.09	24.04
		DFT-s 16QAM	1	1	22.04	21.70	21.93	24.53	24.19	24.42
		DFT-s 64QAM	1	1	20.52	20.33	20.13	23.01	22.82	22.62
		DFT-s 256QAM	1	1	18.23	18.04	18.26	20.72	20.53	20.75
		CP QPSK	1	1	21.53	21.05	20.78	24.02	23.54	23.27
		CP 16QAM	1	1	20.94	20.66	20.45	23.43	23.15	22.94
		CP 64QAM	1	1	19.49	19.43	19.31	21.98	21.92	21.80
		CP 256QAM	1	1	16.67	15.90	16.21	19.16	18.39	18.70
5G NR Band n70 : 1695 to 1710 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	339500	340500	341500	339500	340500	341500
					1697.50	1702.50	1707.50	1697.50	1702.50	1707.50
5	15	DFT-s PI/2 BPSK	1	1	22.90	22.84	22.75	25.39	25.33	25.24
			1	23	22.67	22.75	22.56	25.16	25.24	25.05
			12	6	22.58	22.64	22.46	25.07	25.13	24.95
			25	0	22.05	22.12	22.11	24.54	24.61	24.60
		DFT-s QPSK	1	1	22.81	22.83	22.64	25.30	25.32	25.13
			1	23	22.62	22.77	22.45	25.11	25.26	24.94
			12	6	22.54	22.64	22.17	25.03	25.13	24.66
			25	0	21.60	21.53	21.64	24.09	24.02	24.13
		DFT-s 16QAM	1	1	21.54	21.85	21.65	24.03	24.34	24.14
		DFT-s 64QAM	1	1	20.78	20.93	20.36	23.27	23.42	22.85
		DFT-s 256QAM	1	1	17.62	18.70	17.53	20.11	21.19	20.02
		CP QPSK	1	1	21.26	21.36	21.13	23.75	23.85	23.62
		CP 16QAM	1	1	20.93	20.44	20.76	23.42	22.93	23.25
		CP 64QAM	1	1	19.22	19.17	18.89	21.71	21.66	21.38
		CP 256QAM	1	1	16.57	16.57	16.17	19.06	19.06	18.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n70 : 1695 to 1710 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	340000	340500	341000	340000	340500	341000
					1700.00	1702.50	1705.00	1700.00	1702.50	1705.00
10	15	DFT-s PI/2 BPSK	1	1	22.72	22.63	22.63	25.21	25.12	25.12
			1	50	22.50	22.57	22.36	24.99	25.06	24.85
			25	12	22.45	22.46	22.30	24.94	24.95	24.79
			50	0	22.24	22.09	22.28	24.73	24.58	24.77
		DFT-s QPSK	1	1	22.68	22.60	22.62	25.17	25.09	25.11
			1	50	22.42	22.51	22.58	24.91	25.00	25.07
			25	12	22.41	22.37	22.40	24.90	24.86	24.89
			50	0	21.74	21.64	21.64	24.23	24.13	24.13
		DFT-s 16QAM	1	1	21.78	21.74	21.31	24.27	24.23	23.80
		DFT-s 64QAM	1	1	20.63	19.67	20.15	23.12	22.16	22.64
		DFT-s 256QAM	1	1	18.47	17.85	18.08	20.96	20.34	20.57
		CP QPSK	1	1	21.33	21.23	21.03	23.82	23.72	23.52
		CP 16QAM	1	1	20.70	20.49	20.40	23.19	22.98	22.89
		CP 64QAM	1	1	19.18	18.72	19.26	21.67	21.21	21.75
CP 256QAM	1	1	16.51	16.30	16.49	19.00	18.79	18.98		
5G NR Band n70 : 1695 to 1710 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			2.49		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset		340500			340500	
						1702.50			1702.50	
15	15	DFT-s PI/2 BPSK	1	1		22.95			25.44	
			1	77		22.91			25.40	
			36	18		22.64			25.13	
			75	0		22.09			24.58	
		DFT-s QPSK	1	1		22.84			25.33	
			1	77		22.68			25.17	
			36	18		22.65			25.14	
			75	0		21.69			24.18	
		DFT-s 16QAM	1	1		22.13			24.62	
		DFT-s 64QAM	1	1		20.39			22.88	
		DFT-s 256QAM	1	1		18.65			21.14	
		CP QPSK	1	1		20.56			23.05	
		CP 16QAM	1	1		20.02			22.51	
		CP 64QAM	1	1		18.85			21.34	
CP 256QAM	1	1		16.07			18.56			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n71 : 663 to 698 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-0.16		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	133100	136100	139100	133100	136100	139100
					665.50	680.50	695.50	665.50	680.50	695.50
5	15	DFT-s PI/2 BPSK	1	1	22.94	23.06	23.00	20.63	20.75	20.69
			1	23	22.87	23.01	22.86	20.56	20.70	20.55
			12	6	22.86	22.97	22.81	20.55	20.66	20.50
			25	0	22.37	22.45	22.28	20.06	20.14	19.97
		DFT-s QPSK	1	1	22.93	22.93	22.94	20.62	20.62	20.63
			1	23	22.90	22.89	22.87	20.59	20.58	20.56
			12	6	22.62	22.90	22.80	20.31	20.59	20.49
			25	0	21.89	21.95	21.78	19.58	19.64	19.47
		DFT-s 16QAM	1	1	22.01	22.04	22.33	19.70	19.73	20.02
		DFT-s 64QAM	1	1	20.52	20.58	20.47	18.21	18.27	18.16
		DFT-s 256QAM	1	1	18.77	18.09	19.26	16.46	15.78	16.95
		CP QPSK	1	1	21.77	21.83	21.76	19.46	19.52	19.45
		CP 16QAM	1	1	20.99	21.15	21.13	18.68	18.84	18.82
		CP 64QAM	1	1	19.40	19.73	19.47	17.09	17.42	17.16
		CP 256QAM	1	1	17.00	16.67	16.72	14.69	14.36	14.41
5G NR Band n71 : 663 to 698 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-0.16		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	133600	136100	138600	133600	136100	138600
					668.00	680.50	693.00	668.00	680.50	693.00
10	15	DFT-s PI/2 BPSK	1	1	22.97	22.99	22.96	20.66	20.68	20.65
			1	50	22.75	22.71	22.91	20.44	20.40	20.60
			25	12	22.74	22.57	22.88	20.43	20.26	20.57
			50	0	22.51	22.47	22.39	20.20	20.16	20.08
		DFT-s QPSK	1	1	22.94	22.97	22.95	20.63	20.66	20.64
			1	50	22.64	22.69	22.89	20.33	20.38	20.58
			25	12	22.51	22.60	22.85	20.20	20.29	20.54
			50	0	22.01	21.97	21.95	19.70	19.66	19.64
		DFT-s 16QAM	1	1	21.97	21.61	21.96	19.66	19.30	19.65
		DFT-s 64QAM	1	1	19.97	20.36	20.77	17.66	18.05	18.46
		DFT-s 256QAM	1	1	18.13	18.30	18.60	15.82	15.99	16.29
		CP QPSK	1	1	21.85	21.31	21.51	19.54	19.00	19.20
		CP 16QAM	1	1	21.13	20.75	21.16	18.82	18.44	18.85
		CP 64QAM	1	1	19.43	19.77	19.65	17.12	17.46	17.34
		CP 256QAM	1	1	16.86	17.19	16.41	14.55	14.88	14.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n71 : 663 to 698 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-0.16		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	134100	136100	138100	134100	136100	138100
					670.50	680.50	690.50	670.50	680.50	690.50
15	15	DFT-s PI/2 BPSK	1	1	23.00	22.98	23.12	20.69	20.67	20.81
			1	77	22.98	22.87	22.99	20.67	20.56	20.68
			36	18	22.95	22.86	22.87	20.64	20.55	20.56
			75	0	22.49	22.39	22.44	20.18	20.08	20.13
		DFT-s QPSK	1	1	22.99	22.94	22.96	20.68	20.63	20.65
			1	77	22.93	22.90	22.92	20.62	20.59	20.61
			36	18	22.91	22.87	22.79	20.60	20.56	20.48
			75	0	21.97	21.88	21.93	19.66	19.57	19.62
		DFT-s 16QAM	1	1	22.11	22.14	22.05	19.80	19.83	19.74
		DFT-s 64QAM	1	1	20.77	20.08	20.59	18.46	17.77	18.28
		DFT-s 256QAM	1	1	18.85	18.56	18.42	16.54	16.25	16.11
		CP QPSK	1	1	21.20	22.00	21.30	18.89	19.69	18.99
		CP 16QAM	1	1	20.77	21.34	20.99	18.46	19.03	18.68
		CP 64QAM	1	1	19.37	19.73	19.71	17.06	17.42	17.40
		CP 256QAM	1	1	16.46	17.15	16.35	14.15	14.84	14.04
5G NR Band n71 : 663 to 698 MHz					Conducted Average (dBm)			ERP (dBm)		
Antenna Gain(dBi)			-0.16		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
ERP Limit (W)			3		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	134600	136100	137600	134600	136100	137600
					673.00	680.50	688.00	673.00	680.50	688.00
20	15	DFT-s PI/2 BPSK	1	1	22.96	22.88	22.91	20.65	20.57	20.60
			1	104	22.93	22.84	22.84	20.62	20.53	20.53
			50	25	22.91	22.78	22.74	20.60	20.47	20.43
			100	0	22.42	22.37	22.42	20.11	20.06	20.11
		DFT-s QPSK	1	1	22.94	22.95	22.90	20.63	20.64	20.59
			1	104	22.85	22.92	22.89	20.54	20.61	20.58
			50	25	22.76	22.76	22.81	20.45	20.45	20.50
			100	0	21.96	21.88	21.96	19.65	19.57	19.65
		DFT-s 16QAM	1	1	22.24	22.17	21.92	19.93	19.86	19.61
		DFT-s 64QAM	1	1	20.29	20.81	20.63	17.98	18.50	18.32
		DFT-s 256QAM	1	1	18.56	18.74	18.49	16.25	16.43	16.18
		CP QPSK	1	1	21.51	21.50	21.29	19.20	19.19	18.98
		CP 16QAM	1	1	21.29	21.15	21.04	18.98	18.84	18.73
		CP 64QAM	1	1	19.48	19.70	19.73	17.17	17.39	17.42
		CP 256QAM	1	1	16.70	17.17	16.36	14.39	14.86	14.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n77_Part27: 3450 to 3550 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.41		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	630334	633334	636332	630334	633334	636332
					3455.01	3500.01	3544.98	3455.01	3500.01	3544.98
10	30	DFT-s PI/2 BPSK	1	1	22.82	22.80	22.14	23.23	23.21	22.55
			1	22	22.64	22.16	22.03	23.05	22.57	22.44
			12	6	22.18	21.83	21.97	22.59	22.24	22.38
			24	0	22.16	21.70	21.48	22.57	22.11	21.89
		DFT-s QPSK	1	1	22.67	22.40	21.98	23.08	22.81	22.39
			1	22	22.62	22.15	21.94	23.03	22.56	22.35
			12	6	22.60	22.00	21.90	23.01	22.41	22.31
			24	0	21.66	21.14	20.98	22.07	21.55	21.39
		DFT-s 16QAM	1	1	21.68	21.15	20.71	22.09	21.56	21.12
		DFT-s 64QAM	1	1	20.24	19.59	19.54	20.65	20.00	19.95
		DFT-s 256QAM	1	1	18.41	17.76	17.44	18.82	18.17	17.85
		CP QPSK	1	1	21.51	20.60	20.58	21.92	21.01	20.99
		CP 16QAM	1	1	20.72	20.31	20.17	21.13	20.72	20.58
		CP 64QAM	1	1	19.39	18.87	18.46	19.80	19.28	18.87
		CP 256QAM	1	1	16.71	16.43	15.50	17.12	16.84	15.91
5G NR Band n77_Part27: 3450 to 3550 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.41		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	630500	633334	636166	630500	633334	636166
					3457.50	3500.01	3542.49	3457.50	3500.01	3542.49
15	30	DFT-s PI/2 BPSK	1	1	22.95	22.73	22.38	23.36	23.14	22.79
			1	36	22.69	22.19	22.09	23.10	22.60	22.50
			18	9	22.62	22.07	21.99	23.03	22.48	22.40
			36	0	22.15	21.65	21.45	22.56	22.06	21.86
		DFT-s QPSK	1	1	22.68	22.34	22.00	23.09	22.75	22.41
			1	36	22.15	22.21	21.99	22.56	22.62	22.40
			18	9	21.75	22.19	21.89	22.16	22.60	22.30
			36	0	21.63	21.22	21.01	22.04	21.63	21.42
		DFT-s 16QAM	1	1	21.55	21.41	20.90	21.96	21.82	21.31
		DFT-s 64QAM	1	1	20.08	19.71	19.43	20.49	20.12	19.84
		DFT-s 256QAM	1	1	18.14	17.80	17.29	18.55	18.21	17.70
		CP QPSK	1	1	21.32	21.14	20.42	21.73	21.55	20.83
		CP 16QAM	1	1	21.08	20.70	20.48	21.49	21.11	20.89
		CP 64QAM	1	1	19.27	18.88	18.38	19.68	19.29	18.79
		CP 256QAM	1	1	16.65	16.05	15.12	17.06	16.46	15.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n77_Part27: 3450 to 3550 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.41		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	630668	633334	636000	630668	633334	636000
					3460.02	3500.01	3540.00	3460.02	3500.01	3540.00
20	30	DFT-s PI/2 BPSK	1	1	22.59	22.55	22.34	23.00	22.96	22.75
			1	49	22.54	22.21	21.95	22.95	22.62	22.36
			25	12	22.49	22.05	21.94	22.90	22.46	22.35
			50	0	22.07	21.66	21.44	22.48	22.07	21.85
		DFT-s QPSK	1	1	22.52	22.34	22.09	22.93	22.75	22.50
			1	49	22.50	22.20	21.93	22.91	22.61	22.34
			25	12	22.46	21.84	21.95	22.87	22.25	22.36
			50	0	21.61	21.17	21.01	22.02	21.58	21.42
		DFT-s 16QAM	1	1	21.45	21.53	20.75	21.86	21.94	21.16
		DFT-s 64QAM	1	1	19.86	20.01	19.61	20.27	20.42	20.02
		DFT-s 256QAM	1	1	18.07	17.85	17.38	18.48	18.26	17.79
		CP QPSK	1	1	20.82	20.37	20.61	21.23	20.78	21.02
		CP 16QAM	1	1	20.53	20.48	19.81	20.94	20.89	20.22
		CP 64QAM	1	1	18.92	18.91	18.57	19.33	19.32	18.98
		CP 256QAM	1	1	16.19	15.46	15.35	16.60	15.87	15.76
5G NR Band n77_Part27: 3700 to 3980 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.41		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	647000	656000	665000	647000	656000	665000
					3705.00	3840.00	3975.00	3705.00	3840.00	3975.00
10	30	DFT-s PI/2 BPSK	1	1	22.51	22.39	22.67	22.92	22.80	23.08
			1	22	22.11	22.34	22.46	22.52	22.75	22.87
			12	6	21.92	22.16	22.43	22.33	22.57	22.84
			24	0	21.66	21.91	21.98	22.07	22.32	22.39
		DFT-s QPSK	1	1	22.30	22.36	22.48	22.71	22.77	22.89
			1	22	22.26	22.35	22.46	22.67	22.76	22.87
			12	6	22.11	22.30	22.42	22.52	22.71	22.83
			24	0	21.10	21.39	21.47	21.51	21.80	21.88
		DFT-s 16QAM	1	1	21.29	21.38	21.06	21.70	21.79	21.47
		DFT-s 64QAM	1	1	19.56	20.19	20.07	19.97	20.60	20.48
		DFT-s 256QAM	1	1	17.71	18.02	17.69	18.12	18.43	18.10
		CP QPSK	1	1	20.64	21.25	20.94	21.05	21.66	21.35
		CP 16QAM	1	1	20.14	20.33	20.56	20.55	20.74	20.97
		CP 64QAM	1	1	18.33	19.18	18.84	18.74	19.59	19.25
		CP 256QAM	1	1	15.50	16.43	16.04	15.91	16.84	16.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR Band n77_Part27: 3700 to 3980 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.41		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	647168	656000	664832	647168	656000	664832
					3707.52	3840.00	3972.48	3707.52	3840.00	3972.48
15	30	DFT-s PI/2 BPSK	1	1	22.35	22.40	22.52	22.76	22.81	22.93
			1	36	22.29	22.32	22.26	22.70	22.73	22.67
			18	9	22.06	22.10	22.08	22.47	22.51	22.49
			36	0	21.75	21.81	22.02	22.16	22.22	22.43
		DFT-s QPSK	1	1	22.29	22.32	22.24	22.70	22.73	22.65
			1	36	22.23	22.26	22.17	22.64	22.67	22.58
			18	9	22.17	22.15	22.07	22.58	22.56	22.48
			36	0	21.27	21.31	21.47	21.68	21.72	21.88
		DFT-s 16QAM	1	1	21.30	21.15	21.17	21.71	21.56	21.58
		DFT-s 64QAM	1	1	20.19	19.88	19.66	20.60	20.29	20.07
		DFT-s 256QAM	1	1	18.06	17.68	17.88	18.47	18.09	18.29
		CP QPSK	1	1	20.73	20.38	20.50	21.14	20.79	20.91
		CP 16QAM	1	1	20.31	19.88	20.12	20.72	20.29	20.53
		CP 64QAM	1	1	19.09	18.60	18.89	19.50	19.01	19.30
		CP 256QAM	1	1	15.77	15.33	15.97	16.18	15.74	16.38
5G NR Band n77_Part27: 3700 to 3980 MHz					Conducted Average (dBm)			EIRP (dBm)		
Antenna Gain(dBi)			0.41		Channel (ARFCH)/ Frequency (MHz)			Channel (ARFCH)/ Frequency (MHz)		
EIRP Limit (W)			1		Low	Mid	High	Low	Mid	High
BW (MHz)	SCS (kHz)	Modulation	RB Allocation	RB Offset	647334	656000	664666	647334	656000	664666
					3710.01	3840.00	3969.99	3710.01	3840.00	3969.99
20	30	DFT-s PI/2 BPSK	1	1	22.28	22.31	22.56	22.69	22.72	22.97
			1	49	22.17	22.15	22.46	22.58	22.56	22.87
			25	12	21.95	21.99	22.38	22.36	22.40	22.79
			50	0	21.74	21.82	22.00	22.15	22.23	22.41
		DFT-s QPSK	1	1	22.24	22.30	22.48	22.65	22.71	22.89
			1	49	22.20	22.23	22.35	22.61	22.64	22.76
			25	12	22.16	22.08	22.12	22.57	22.49	22.53
			50	0	21.19	21.29	21.47	21.60	21.70	21.88
		DFT-s 16QAM	1	1	21.15	21.19	21.37	21.56	21.60	21.78
		DFT-s 64QAM	1	1	20.05	19.86	19.80	20.46	20.27	20.21
		DFT-s 256QAM	1	1	17.75	17.75	17.72	18.16	18.16	18.13
		CP QPSK	1	1	20.87	20.84	20.85	21.28	21.25	21.26
		CP 16QAM	1	1	20.31	20.33	19.98	20.72	20.74	20.39
		CP 64QAM	1	1	18.80	18.87	18.81	19.21	19.28	19.22
		CP 256QAM	1	1	15.27	16.06	15.69	15.68	16.47	16.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Report Number :TERF2507002434ER

Operation Mode :NR n5

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :829 MHz


Test Site :SAC 1

Test Date :2025-08-18

Temp./Humi. :23.5°C/55%

Antenna Pol. :Vertical

Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.550	-58.69	-47.20	-10.26	-1.22	-13.00	-45.69
107.600	-54.12	-53.32	1.11	-1.90	-13.00	-41.12
134.760	-59.16	-57.70	0.67	-2.13	-13.00	-46.16
208.480	-64.85	-68.93	6.71	-2.63	-13.00	-51.85
225.940	-67.54	-72.21	7.41	-2.74	-13.00	-54.54
477.170	-63.96	-66.47	6.50	-3.99	-13.00	-50.96
1658.000	-59.01	-60.86	9.30	-7.44	-13.00	-46.01
2487.000	-54.79	-56.16	10.53	-9.17	-13.00	-41.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2507002434ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :829 MHz

Test Site :SAC 1
 Test Date :2025-08-18
 Temp./Humi. :23.5°C/55%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
43.580	-62.73	-51.15	-10.37	-1.21	-13.00	-49.73
109.540	-56.94	-56.05	1.02	-1.92	-13.00	-43.94
136.700	-55.05	-53.65	0.74	-2.14	-13.00	-42.05
198.780	-65.48	-69.21	6.30	-2.57	-13.00	-52.48
285.110	-70.32	-73.36	6.13	-3.09	-13.00	-57.32
479.110	-67.87	-70.41	6.53	-4.00	-13.00	-54.87
1658.000	-59.21	-61.07	9.30	-7.44	-13.00	-46.21
2487.000	-56.15	-57.51	10.53	-9.17	-13.00	-43.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2507002434ER
 Operation Mode :NR n38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2612.5 MHz

Test Site :SAC 1
 Test Date :2025-08-18
 Temp./Humi. :23.5°C/55%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
43.580	-58.62	-47.05	-10.37	-1.21	-25.00	-33.62
106.630	-53.51	-52.78	1.16	-1.89	-25.00	-28.51
205.570	-68.77	-72.75	6.59	-2.61	-25.00	-43.77
305.480	-73.95	-77.09	6.32	-3.19	-25.00	-48.95
416.060	-68.49	-71.33	6.57	-3.72	-25.00	-43.49
494.630	-64.10	-66.65	6.61	-4.06	-25.00	-39.10
5225.000	-51.19	-50.38	12.70	-13.50	-25.00	-26.19
7837.500	-45.41	-40.05	11.35	-16.71	-25.00	-20.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2507002434ER
Operation Mode :NR n38
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :2612.5 MHz

Test Site :SAC 1
Test Date :2025-08-18
Temp./Humi. :23.5°C/55%
Antenna Pol. :Horizontal
Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
43.580	-61.34	-49.76	-10.37	-1.21	-25.00	-36.34
107.600	-57.91	-57.12	1.11	-1.90	-25.00	-32.91
136.700	-55.50	-54.09	0.74	-2.14	-25.00	-30.50
264.740	-69.78	-73.21	6.39	-2.96	-25.00	-44.78
389.870	-71.19	-74.14	6.55	-3.60	-25.00	-46.19
446.130	-67.54	-69.98	6.30	-3.85	-25.00	-42.54
5225.000	-50.85	-50.04	12.70	-13.50	-25.00	-25.85
7837.500	-45.78	-40.42	11.35	-16.71	-25.00	-20.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2507002434ER
Operation Mode :NR n66
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1745 MHz

Test Site :SAC 1
Test Date :2025-08-18
Temp./Humi. :23.5°C/55%
Antenna Pol. :Vertical
Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
43.580	-60.67	-49.09	-10.37	-1.21	-13.00	-47.67
78.500	-62.53	-59.68	-1.23	-1.63	-13.00	-49.53
107.600	-54.51	-53.72	1.11	-1.90	-13.00	-41.51
133.790	-60.19	-58.85	0.78	-2.12	-13.00	-47.19
412.180	-71.23	-74.11	6.59	-3.71	-13.00	-58.23
488.810	-64.64	-67.13	6.53	-4.04	-13.00	-51.64
3490.000	-53.72	-55.21	12.44	-10.95	-13.00	-40.72
5235.000	-49.66	-48.92	12.78	-13.52	-13.00	-36.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2507002434ER
Operation Mode :NR n66
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1745 MHz

Test Site :SAC 1
Test Date :2025-08-18
Temp./Humi. :23.5°C/55%
Antenna Pol. :Horizontal
Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
43.580	-65.17	-53.59	-10.37	-1.21	-13.00	-52.17
109.540	-57.12	-56.23	1.02	-1.92	-13.00	-44.12
139.610	-55.72	-54.14	0.59	-2.17	-13.00	-42.72
196.840	-66.89	-70.51	6.18	-2.56	-13.00	-53.89
399.570	-70.69	-73.60	6.56	-3.66	-13.00	-57.69
481.050	-69.06	-71.60	6.55	-4.00	-13.00	-56.06
3490.000	-53.50	-54.99	12.44	-10.95	-13.00	-40.50
5235.000	-50.68	-49.94	12.78	-13.52	-13.00	-37.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2507002434ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3457.5 MHz

Test Site :SAC 1
 Test Date :2025-08-18
 Temp./Humi. :23.5°C/55%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
43.580	-58.43	-46.86	-10.37	-1.21	-13.00	-45.43
78.500	-62.27	-59.42	-1.23	-1.63	-13.00	-49.27
107.600	-54.11	-53.32	1.11	-1.90	-13.00	-41.11
133.790	-58.96	-57.62	0.78	-2.12	-13.00	-45.96
296.750	-73.95	-77.05	6.24	-3.14	-13.00	-60.95
481.050	-62.54	-65.08	6.55	-4.00	-13.00	-49.54
6915.000	-45.87	-42.04	11.81	-15.64	-13.00	-32.87
10372.500	-42.83	-35.05	11.56	-19.33	-13.00	-29.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2507002434ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3457.5 MHz

Test Site :SAC 1
 Test Date :2025-08-18
 Temp./Humi. :23.5°C/55%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
43.580	-62.23	-50.65	-10.37	-1.21	-13.00	-49.23
109.540	-57.91	-57.02	1.02	-1.92	-13.00	-44.91
137.670	-55.19	-53.71	0.67	-2.15	-13.00	-42.19
274.440	-69.14	-72.34	6.22	-3.03	-13.00	-56.14
431.580	-65.12	-67.79	6.47	-3.80	-13.00	-52.12
480.080	-65.77	-68.32	6.55	-4.00	-13.00	-52.77
6915.000	-47.24	-43.41	11.81	-15.64	-13.00	-34.24
10372.500	-41.52	-33.74	11.56	-19.33	-13.00	-28.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2507002434ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3975 MHz

Test Site :SAC 1
 Test Date :2025-08-18
 Temp./Humi. :23.5°C/55%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
43.580	-57.97	-46.39	-10.37	-1.21	-13.00	-44.97
106.630	-53.46	-52.73	1.16	-1.89	-13.00	-40.46
134.760	-59.60	-58.14	0.67	-2.13	-13.00	-46.60
186.170	-67.96	-70.30	4.83	-2.49	-13.00	-54.96
426.730	-66.83	-69.56	6.50	-3.77	-13.00	-53.83
489.780	-62.39	-64.88	6.53	-4.04	-13.00	-49.39
7950.000	-26.14	-20.39	11.10	-16.85	-13.00	-13.14
11925.000	-41.66	-33.76	12.90	-20.79	-13.00	-28.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2507002434ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :3975 MHz

Test Site :SAC 1
 Test Date :2025-08-18
 Temp./Humi. :23.5°C/55%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
43.580	-61.58	-50.00	-10.37	-1.21	-13.00	-48.58
107.600	-56.76	-55.96	1.11	-1.90	-13.00	-43.76
137.670	-55.34	-53.87	0.67	-2.15	-13.00	-42.34
274.440	-70.00	-73.20	6.22	-3.03	-13.00	-57.00
391.810	-71.49	-74.40	6.52	-3.61	-13.00	-58.49
430.610	-66.26	-68.96	6.49	-3.79	-13.00	-53.26
7950.000	-34.20	-28.46	11.10	-16.85	-13.00	-21.20
11925.000	-41.61	-33.72	12.90	-20.79	-13.00	-28.61

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group