Band48_5MHz_QPSK_RB1_0_CH56715



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6775 GHz	3.6825 GHz	1.000 MHz	3.682220000 GHz	-48.72 dBm	-23.72 dB
2	2	3.6825 GHz	3.6915 GHz	1.000 MHz	3.691014000 GHz	-29.78 dBm	-16.78 dB
3	3	3.6915 GHz	3.6925 GHz	51.00 kHz	3.691875000 GHz	-34.17 dBm	-21.17 dB
4	4	3.6925 GHz	3.7025 GHz	1.000 MHz	3.695520000 GHz	23.60 dBm	-6.197 dB
5	5	3.7025 GHz	3.7035 GHz	51.00 kHz	3.702875000 GHz	-44.98 dBm	-31.98 dB
6	6	3.7035 GHz	3.7100 GHz	1.000 MHz	3.704494500 GHz	-28.90 dBm	-15.90 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710525000 GHz	-49.68 dBm	-24.68 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.728040000 GHz	-50.21 dBm	-10.21 dB

Band48_10MHz_QPSK_RB1_0_CH55290



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.529170000 GHz	-52.44 dBm	-12.44 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539440000 GHz	-49.49 dBm	-24.49 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548838000 GHz	-21.74 dBm	-8.738 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549860000 GHz	-19.94 dBm	-6.937 dB
5	5	3.5500 GHz	3.5600 GHz	1.000 MHz	3.550330000 GHz	23.83 dBm	-6.165 dB
6	6	3.5600 GHz	3.5610 GHz	100.0 kHz	3.560085000 GHz	-50.37 dBm	-37.37 dB
7	7	3.5610 GHz	3.5700 GHz	1.000 MHz	3.564127500 GHz	-36.93 dBm	-23.93 dB
8	8	3.5700 GHz	3.5750 GHz	1.000 MHz	3.571615000 GHz	-52.35 dBm	-27.35 dB

Band48_5MHz_QPSK_RB1_24_CH56715



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6775 GHz	3.6825 GHz	1.000 MHz	3.679515000 GHz	-50.36 dBm	-25.36 dB
2	2	3.6825 GHz	3.6915 GHz	1.000 MHz	3.690906000 GHz	-47.11 dBm	-34.11 dB
3	3	3.6915 GHz	3.6925 GHz	51.00 kHz	3.691875000 GHz	-47.05 dBm	-34.05 dB
4	4	3.6925 GHz	3.7025 GHz	1.000 MHz	3.699600000 GHz	21.76 dBm	-8.237 dB
5	5	3.7025 GHz	3.7035 GHz	51.00 kHz	3.702875000 GHz	-36.00 dBm	-23.00 dB
6	6	3.7035 GHz	3.7100 GHz	1.000 MHz	3.703500000 GHz	-18.50 dBm	-5.496 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.716425000 GHz	-37.83 dBm	-12.83 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.721370000 GHz	-49.58 dBm	-9.583 dB

Band48_10MHz_QPSK_RB1_49_CH55290



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.528780000 GHz	-52.51 dBm	-12.51 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539820000 GHz	-51.12 dBm	-26.12 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548505000 GHz	-49.00 dBm	-36.00 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549615000 GHz	-48.57 dBm	-35.57 dB
5	5	3.5500 GHz	3.5600 GHz	1.000 MHz	3.559450000 GHz	22.90 dBm	-7.102 dB
6	6	3.5600 GHz	3.5610 GHz	100.0 kHz	3.560140000 GHz	-17.28 dBm	-4.282 dB
7	7	3.5610 GHz	3.5700 GHz	1.000 MHz	3.561022500 GHz	-15.21 dBm	-2.209 dB
8	8	3.5700 GHz	3.5750 GHz	1.000 MHz	3.571255000 GHz	-33.84 dBm	-8.844 dB

Band48_5MHz_QPSK_RB25_0_CH56715



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6775 GHz	3.6825 GHz	1.000 MHz	3.682075000 GHz	-46.99 dBm	-21.99 dB
2	2	3.6825 GHz	3.6915 GHz	1.000 MHz	3.689709000 GHz	-33.60 dBm	-20.60 dB
3	3	3.6915 GHz	3.6925 GHz	51.00 kHz	3.691875000 GHz	-35.09 dBm	-22.09 dB
4	4	3.6925 GHz	3.7025 GHz	1.000 MHz	3.699250000 GHz	16.36 dBm	-13.64 dB
5	5	3.7025 GHz	3.7035 GHz	51.00 kHz	3.702875000 GHz	-34.81 dBm	-21.81 dB
6	6	3.7035 GHz	3.7100 GHz	1.000 MHz	3.704104500 GHz	-25.91 dBm	-12.91 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.711150000 GHz	-40.32 dBm	-15.32 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.726780000 GHz	-50.04 dBm	-10.04 dB

Band48_10MHz_QPSK_RB50_0_CH55290



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.528565000 GHz	-52.15 dBm	-12.15 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.537300000 GHz	-31.78 dBm	-6.778 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548343000 GHz	-23.43 dBm	-10.43 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549967500 GHz	-25.71 dBm	-12.71 dB
5	5	3.5500 GHz	3.5600 GHz	1.000 MHz	3.552290000 GHz	14.13 dBm	-15.87 dB
6	6	3.5600 GHz	3.5610 GHz	100.0 kHz	3.560002500 GHz	-25.76 dBm	-12.76 dB
7	7	3.5610 GHz	3.5700 GHz	1.000 MHz	3.561832500 GHz	-24.89 dBm	-11.89 dB
8	8	3.5700 GHz	3.5750 GHz	1.000 MHz	3.570070000 GHz	-33.74 dBm	-8.740 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band48_10MHz_QPSK_RB1_0_CH55990



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6050 GHz	3.6100 GHz	1.000 MHz	3.609390000 GHz	-48.64 dBm	-23.64 dB
2	2	3.6100 GHz	3.6190 GHz	1.000 MHz	3.618838000 GHz	-17.53 dBm	-4.535 dB
3	3	3.6190 GHz	3.6200 GHz	100.0 kHz	3.619860000 GHz	-21.45 dBm	-8.454 dB
4	4	3.6200 GHz	3.6300 GHz	1.000 MHz	3.620320000 GHz	23.79 dBm	-6.211 dB
5	5	3.6300 GHz	3.6310 GHz	100.0 kHz	3.630247500 GHz	-49.64 dBm	-36.64 dB
6	6	3.6310 GHz	3.6400 GHz	1.000 MHz	3.636886000 GHz	-34.22 dBm	-21.22 dB
7	7	3.6400 GHz	3.6450 GHz	1.000 MHz	3.640062500 GHz	-50.64 dBm	-25.64 dB

Band48_10MHz_QPSK_RB1_0_CH56690



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6750 GHz	3.6800 GHz	1.000 MHz	3.679170000 GHz	-48.11 dBm	-23.11 dB
2	2	3.6800 GHz	3.6890 GHz	1.000 MHz	3.688145000 GHz	-20.22 dBm	-7.221 dB
3	3	3.6890 GHz	3.6900 GHz	100.0 kHz	3.689860000 GHz	-19.93 dBm	-6.929 dB
4	4	3.6900 GHz	3.7000 GHz	1.000 MHz	3.690330000 GHz	23.34 dBm	-6.660 dB
5	5	3.7000 GHz	3.7010 GHz	100.0 kHz	3.700717500 GHz	-49.70 dBm	-36.70 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.702665000 GHz	-34.27 dBm	-21.27 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.713175000 GHz	-50.12 dBm	-25.12 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720150000 GHz	-50.07 dBm	-10.07 dB

Band48_10MHz_QPSK_RB1_49_CH55990



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6050 GHz	3.6100 GHz	1.000 MHz	3.609720000 GHz	-50.64 dBm	-25.64 dB
2	2	3.6100 GHz	3.6190 GHz	1.000 MHz	3.618514000 GHz	-48.31 dBm	-35.31 dB
3	3	3.6190 GHz	3.6200 GHz	100.0 kHz	3.619940000 GHz	-47.73 dBm	-34.73 dB
4	4	3.6200 GHz	3.6300 GHz	1.000 MHz	3.629440000 GHz	22.81 dBm	-7.186 dB
5	5	3.6300 GHz	3.6310 GHz	100.0 kHz	3.630140000 GHz	-22.14 dBm	-9.144 dB
6	6	3.6310 GHz	3.6400 GHz	1.000 MHz	3.635149000 GHz	-20.88 dBm	-7.884 dB
7	7	3.6400 GHz	3.6450 GHz	1.000 MHz	3.641237500 GHz	-37.34 dBm	-12.34 dB

Band48_10MHz_QPSK_RB1_49_CH56690



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6750 GHz	3.6800 GHz	1.000 MHz	3.679720000 GHz	-49.88 dBm	-24.88 dB
2	2	3.6800 GHz	3.6890 GHz	1.000 MHz	3.687497000 GHz	-48.11 dBm	-35.11 dB
3	3	3.6890 GHz	3.6900 GHz	100.0 kHz	3.689757500 GHz	-49.08 dBm	-36.08 dB
4	4	3.6900 GHz	3.7000 GHz	1.000 MHz	3.699440000 GHz	22.18 dBm	-7.820 dB
5	5	3.7000 GHz	3.7010 GHz	100.0 kHz	3.700140000 GHz	-17.73 dBm	-4.730 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.702845000 GHz	-16.34 dBm	-3.337 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.716500000 GHz	-38.79 dBm	-13.79 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720610000 GHz	-49.65 dBm	-9.646 dB

Band48_10MHz_QPSK_RB50_0_CH55990



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6050 GHz	3.6100 GHz	1.000 MHz	3.608650000 GHz	-30.79 dBm	-5.789 dB
2	2	3.6100 GHz	3.6190 GHz	1.000 MHz	3.618505000 GHz	-27.27 dBm	-14.27 dB
3	3	3.6190 GHz	3.6200 GHz	100.0 kHz	3.619967500 GHz	-26.13 dBm	-13.13 dB
4	4	3.6200 GHz	3.6300 GHz	1.000 MHz	3.622290000 GHz	14.06 dBm	-15.94 dB
5	5	3.6300 GHz	3.6310 GHz	100.0 kHz	3.630002500 GHz	-26.98 dBm	-13.98 dB
6	6	3.6310 GHz	3.6400 GHz	1.000 MHz	3.633727000 GHz	-25.64 dBm	-12.64 dB
7	7	3.6400 GHz	3.6450 GHz	1.000 MHz	3.640775000 GHz	-36.17 dBm	-11.17 dB

Band48_10MHz_QPSK_RB50_0_CH56690



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6750 GHz	3.6800 GHz	1.000 MHz	3.678650000 GHz	-31.10 dBm	-6.098 dB
2	2	3.6800 GHz	3.6890 GHz	1.000 MHz	3.685913000 GHz	-23.61 dBm	-10.61 dB
3	3	3.6890 GHz	3.6900 GHz	100.0 kHz	3.689967500 GHz	-26.63 dBm	-13.63 dB
4	4	3.6900 GHz	3.7000 GHz	1.000 MHz	3.692290000 GHz	13.75 dBm	-16.25 dB
5	5	3.7000 GHz	3.7010 GHz	100.0 kHz	3.700002500 GHz	-27.04 dBm	-14.04 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701855000 GHz	-27.22 dBm	-14.22 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710925000 GHz	-36.37 dBm	-11.37 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720650000 GHz	-49.42 dBm	-9.424 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band48_15MHz_QPSK_RB1_0_CH55315



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.529735000 GHz	-52.95 dBm	-12.95 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539940000 GHz	-46.24 dBm	-21.24 dB
3	3	3.5400 GHz	3.5465 GHz	1.000 MHz	3.545804500 GHz	-24.30 dBm	-11.30 dB
4	4	3.5465 GHz	3.5475 GHz	150.0 kHz	3.546687500 GHz	-27.80 dBm	-14.80 dB
5	5	3.5475 GHz	3.5675 GHz	1.000 MHz	3.550900000 GHz	24.27 dBm	-5.726 dB
6	6	3.5675 GHz	3.5685 GHz	150.0 kHz	3.567722500 GHz	-58.55 dBm	-45.55 dB
7	7	3.5685 GHz	3.5875 GHz	1.000 MHz	3.568785000 GHz	-51.82 dBm	-38.82 dB
8	8	3.5875 GHz	3.5925 GHz	1.000 MHz	3.591500000 GHz	-54.20 dBm	-29.20 dB

Band48_15MHz_QPSK_RB1_0_CH55990



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5900 GHz	3.5950 GHz	1.000 MHz	3.592665000 GHz	-53.67 dBm	-28.67 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.613958000 GHz	-45.07 dBm	-32.07 dB
3	3	3.6140 GHz	3.6150 GHz	150.0 kHz	3.614187500 GHz	-27.73 dBm	-14.73 dB
4	4	3.6150 GHz	3.6350 GHz	1.000 MHz	3.618080000 GHz	24.32 dBm	-5.681 dB
5	5	3.6350 GHz	3.6360 GHz	150.0 kHz	3.635290000 GHz	-57.29 dBm	-44.29 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636323000 GHz	-47.02 dBm	-34.02 dB
7	7	3.6550 GHz	3.6600 GHz	1.000 MHz	3.656612500 GHz	-51.16 dBm	-26.16 dB

Band48_15MHz_QPSK_RB1_74_CH55315



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.527945000 GHz	-54.51 dBm	-14.51 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.532670000 GHz	-54.25 dBm	-29.25 dB
3	3	3.5400 GHz	3.5465 GHz	1.000 MHz	3.546279000 GHz	-51.08 dBm	-38.08 dB
4	4	3.5465 GHz	3.5475 GHz	150.0 kHz	3.547445000 GHz	-58.06 dBm	-45.06 dB
5	5	3.5475 GHz	3.5675 GHz	1.000 MHz	3.564300000 GHz	21.95 dBm	-8.053 dB
6	6	3.5675 GHz	3.5685 GHz	150.0 kHz	3.567832500 GHz	-26.18 dBm	-13.18 dB
7	7	3.5685 GHz	3.5875 GHz	1.000 MHz	3.574912500 GHz	-25.50 dBm	-12.50 dB
8	8	3.5875 GHz	3.5925 GHz	1.000 MHz	3.588095000 GHz	-53.24 dBm	-28.24 dB

Band48_15MHz_QPSK_RB1_74_CH55990



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5900 GHz	3.5950 GHz	1.000 MHz	3.594110000 GHz	-53.88 dBm	-28.88 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.607616000 GHz	-51.29 dBm	-38.29 dB
3	3	3.6140 GHz	3.6150 GHz	150.0 kHz	3.614292500 GHz	-57.58 dBm	-44.58 dB
4	4	3.6150 GHz	3.6350 GHz	1.000 MHz	3.631680000 GHz	22.81 dBm	-7.189 dB
5	5	3.6350 GHz	3.6360 GHz	150.0 kHz	3.635187500 GHz	-30.95 dBm	-17.95 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636608000 GHz	-23.06 dBm	-10.06 dB
7	7	3.6550 GHz	3.6600 GHz	1.000 MHz	3.655075000 GHz	-51.08 dBm	-26.08 dB

Band48_15MHz_QPSK_RB75_0_CH55315



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.529950000 GHz	-52.34 dBm	-12.34 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.538900000 GHz	-35.07 dBm	-10.07 dB
3	3	3.5400 GHz	3.5465 GHz	1.000 MHz	3.546012500 GHz	-25.66 dBm	-12.66 dB
4	4	3.5465 GHz	3.5475 GHz	150.0 kHz	3.546870000 GHz	-32.11 dBm	-19.11 dB
5	5	3.5475 GHz	3.5675 GHz	1.000 MHz	3.563120000 GHz	13.10 dBm	-16.90 dB
6	6	3.5675 GHz	3.5685 GHz	150.0 kHz	3.567867500 GHz	-30.84 dBm	-17.84 dB
7	7	3.5685 GHz	3.5875 GHz	1.000 MHz	3.571065000 GHz	-28.29 dBm	-15.29 dB
8	8	3.5875 GHz	3.5925 GHz	1.000 MHz	3.587905000 GHz	-53.73 dBm	-28.73 dB

Band48_15MHz_QPSK_RB75_0_CH55990



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5900 GHz	3.5950 GHz	1.000 MHz	3.593000000 GHz	-54.00 dBm	-29.00 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.613506000 GHz	-39.65 dBm	-26.65 dB
3	3	3.6140 GHz	3.6150 GHz	150.0 kHz	3.614370000 GHz	-32.28 dBm	-19.28 dB
4	4	3.6150 GHz	3.6350 GHz	1.000 MHz	3.622460000 GHz	13.98 dBm	-16.02 dB
5	5	3.6350 GHz	3.6360 GHz	150.0 kHz	3.635367500 GHz	-32.13 dBm	-19.13 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.637634000 GHz	-28.77 dBm	-15.77 dB
7	7	3.6550 GHz	3.6600 GHz	1.000 MHz	3.656925000 GHz	-51.11 dBm	-26.11 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band48_15MHz_QPSK_RB1_0_CH56665



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6575 GHz	3.6625 GHz	1.000 MHz	3.660370000 GHz	-50.98 dBm	-25.98 dB
2	2	3.6625 GHz	3.6815 GHz	1.000 MHz	3.681158000 GHz	-44.25 dBm	-31.25 dB
3	3	3.6815 GHz	3.6825 GHz	150.0 kHz	3.681687500 GHz	-28.86 dBm	-15.86 dB
4	4	3.6825 GHz	3.7025 GHz	1.000 MHz	3.685580000 GHz	24.14 dBm	-5.858 dB
5	5	3.7025 GHz	3.7035 GHz	150.0 kHz	3.703315000 GHz	-57.29 dBm	-44.29 dB
6	6	3.7035 GHz	3.7100 GHz	1.000 MHz	3.703610500 GHz	-47.79 dBm	-34.79 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.715600000 GHz	-50.41 dBm	-25.41 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.721180000 GHz	-50.04 dBm	-10.04 dB

Band48_20MHz_QPSK_RB1_0_CH55340



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.529915000 GHz	-52.57 dBm	-12.57 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.532360000 GHz	-47.27 dBm	-22.27 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548136000 GHz	-21.71 dBm	-8.713 dB
4	4	3.5490 GHz	3.5500 GHz	200.0 kHz	3.549190000 GHz	-16.18 dBm	-3.183 dB
5	5	3.5500 GHz	3.5700 GHz	1.000 MHz	3.551080000 GHz	24.05 dBm	-5.955 dB
6	6	3.5700 GHz	3.5710 GHz	200.0 kHz	3.570817500 GHz	-56.59 dBm	-43.59 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.576605000 GHz	-51.36 dBm	-38.36 dB
8	8	3.5900 GHz	3.5950 GHz	1.000 MHz	3.593865000 GHz	-53.87 dBm	-28.87 dB

Band48_15MHz_QPSK_RB1_74_CH56665



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6575 GHz	3.6625 GHz	1.000 MHz	3.662020000 GHz	-50.83 dBm	-25.83 dB
2	2	3.6625 GHz	3.6815 GHz	1.000 MHz	3.677472000 GHz	-50.62 dBm	-37.62 dB
3	3	3.6815 GHz	3.6825 GHz	150.0 kHz	3.681860000 GHz	-56.31 dBm	-43.31 dB
4	4	3.6825 GHz	3.7025 GHz	1.000 MHz	3.699180000 GHz	22.62 dBm	-7.378 dB
5	5	3.7025 GHz	3.7035 GHz	150.0 kHz	3.702945000 GHz	-33.43 dBm	-20.43 dB
6	6	3.7035 GHz	3.7100 GHz	1.000 MHz	3.703708000 GHz	-20.54 dBm	-7.543 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.713200000 GHz	-34.93 dBm	-9.934 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.729460000 GHz	-47.51 dBm	-7.507 dB

Band48_20MHz_QPSK_RB1_99_CH55340



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.526970000 GHz	-54.63 dBm	-14.63 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.537930000 GHz	-54.34 dBm	-29.34 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548847000 GHz	-50.18 dBm	-37.18 dB
4	4	3.5490 GHz	3.5500 GHz	200.0 kHz	3.549292500 GHz	-57.00 dBm	-44.00 dB
5	5	3.5500 GHz	3.5700 GHz	1.000 MHz	3.568880000 GHz	22.87 dBm	-7.128 dB
6	6	3.5700 GHz	3.5710 GHz	200.0 kHz	3.570190000 GHz	-13.78 dBm	-0.783 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.574705000 GHz	-18.67 dBm	-5.668 dB
8	8	3.5900 GHz	3.5950 GHz	1.000 MHz	3.590545000 GHz	-50.60 dBm	-25.60 dB

Band48_15MHz_QPSK_RB75_0_CH56665



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6575 GHz	3.6625 GHz	1.000 MHz	3.659100000 GHz	-50.89 dBm	-25.89 dB
2	2	3.6625 GHz	3.6815 GHz	1.000 MHz	3.681006000 GHz	-39.32 dBm	-26.32 dB
3	3	3.6815 GHz	3.6825 GHz	150.0 kHz	3.681870000 GHz	-33.42 dBm	-20.42 dB
4	4	3.6825 GHz	3.7025 GHz	1.000 MHz	3.698120000 GHz	12.92 dBm	-17.08 dB
5	5	3.7025 GHz	3.7035 GHz	150.0 kHz	3.702867500 GHz	-32.85 dBm	-19.85 dB
6	6	3.7035 GHz	3.7100 GHz	1.000 MHz	3.704403500 GHz	-27.28 dBm	-14.28 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.712450000 GHz	-35.86 dBm	-10.86 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720020000 GHz	-50.04 dBm	-10.04 dB

Band48_20MHz_QPSK_RB100_0_CH55340



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.529755000 GHz	-44.21 dBm	-4.207 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.534340000 GHz	-39.00 dBm	-14.00 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548235000 GHz	-29.81 dBm	-16.81 dB
4	4	3.5490 GHz	3.5500 GHz	200.0 kHz	3.550000000 GHz	-28.40 dBm	-15.40 dB
5	5	3.5500 GHz	3.5700 GHz	1.000 MHz	3.554600000 GHz	11.09 dBm	-18.91 dB
6	6	3.5700 GHz	3.5710 GHz	200.0 kHz	3.570012500 GHz	-28.29 dBm	-15.29 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571665000 GHz	-29.03 dBm	-16.03 dB
8	8	3.5900 GHz	3.5950 GHz	1.000 MHz	3.591480000 GHz	-44.61 dBm	-19.61 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band48_20MHz_QPSK_RB1_0_CH55990



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5900 GHz	3.5950 GHz	1.000 MHz	3.594915000 GHz	-50.64 dBm	-25.64 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.614000000 GHz	-38.43 dBm	-26.43 dB
3	3	3.6140 GHz	3.6150 GHz	200.0 kHz	3.614190000 GHz	-18.06 dBm	-5.057 dB
4	4	3.6150 GHz	3.6350 GHz	1.000 MHz	3.616080000 GHz	23.58 dBm	-6.421 dB
5	5	3.6350 GHz	3.6360 GHz	200.0 kHz	3.635100000 GHz	-55.89 dBm	-42.89 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.641738000 GHz	-49.49 dBm	-36.49 dB
7	7	3.6550 GHz	3.6600 GHz	1.000 MHz	3.655787500 GHz	-51.30 dBm	-26.30 dB

Band48_20MHz_QPSK_RB1_0_CH56640



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6550 GHz	3.6600 GHz	1.000 MHz	3.659915000 GHz	-49.99 dBm	-24.99 dB
2	2	3.6600 GHz	3.6790 GHz	1.000 MHz	3.677993000 GHz	-37.01 dBm	-24.01 dB
3	3	3.6790 GHz	3.6800 GHz	200.0 kHz	3.679190000 GHz	-16.66 dBm	-3.664 dB
4	4	3.6800 GHz	3.7000 GHz	1.000 MHz	3.681080000 GHz	23.59 dBm	-6.406 dB
5	5	3.7000 GHz	3.7010 GHz	200.0 kHz	3.700362500 GHz	-54.43 dBm	-41.43 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701981000 GHz	-49.11 dBm	-36.11 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.711350000 GHz	-50.51 dBm	-25.51 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.722820000 GHz	-50.25 dBm	-10.25 dB

Band48_20MHz_QPSK_RB1_99_CH55990



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5900 GHz	3.5950 GHz	1.000 MHz	3.591840000 GHz	-53.99 dBm	-28.99 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.604329000 GHz	-51.50 dBm	-38.50 dB
3	3	3.6140 GHz	3.6150 GHz	200.0 kHz	3.614225000 GHz	-54.69 dBm	-41.69 dB
4	4	3.6150 GHz	3.6350 GHz	1.000 MHz	3.633880000 GHz	22.90 dBm	-7.098 dB
5	5	3.6350 GHz	3.6360 GHz	200.0 kHz	3.635190000 GHz	-16.20 dBm	-3.196 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.639781000 GHz	-17.90 dBm	-4.900 dB
7	7	3.6550 GHz	3.6600 GHz	1.000 MHz	3.655525000 GHz	-49.83 dBm	-24.83 dB

Band48_20MHz_QPSK_RB1_99_CH56640



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6550 GHz	3.6600 GHz	1.000 MHz	3.658045000 GHz	-51.02 dBm	-26.02 dB
2	2	3.6600 GHz	3.6790 GHz	1.000 MHz	3.671932000 GHz	-50.60 dBm	-37.60 dB
3	3	3.6790 GHz	3.6800 GHz	200.0 kHz	3.679297500 GHz	-55.63 dBm	-42.63 dB
4	4	3.6800 GHz	3.7000 GHz	1.000 MHz	3.698880000 GHz	22.35 dBm	-7.650 dB
5	5	3.7000 GHz	3.7010 GHz	200.0 kHz	3.700190000 GHz	-15.56 dBm	-2.563 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701288000 GHz	-13.58 dBm	-0.577 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.713375000 GHz	-36.49 dBm	-11.49 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.721100000 GHz	-47.67 dBm	-7.674 dB

Band48_20MHz_QPSK_RB100_0_CH55990



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5900 GHz	3.5950 GHz	1.000 MHz	3.594760000 GHz	-46.30 dBm	-21.30 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.612879000 GHz	-36.59 dBm	-23.59 dB
3	3	3.6140 GHz	3.6150 GHz	200.0 kHz	3.615000000 GHz	-28.62 dBm	-15.62 dB
4	4	3.6150 GHz	3.6350 GHz	1.000 MHz	3.630460000 GHz	11.37 dBm	-18.63 dB
5	5	3.6350 GHz	3.6360 GHz	200.0 kHz	3.635012500 GHz	-27.90 dBm	-14.90 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636627000 GHz	-29.82 dBm	-16.82 dB
7	7	3.6550 GHz	3.6600 GHz	1.000 MHz	3.657175000 GHz	-45.99 dBm	-20.99 dB

Band48_20MHz_QPSK_RB100_0_CH56640



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6550 GHz	3.6600 GHz	1.000 MHz	3.659760000 GHz	-45.52 dBm	-20.52 dB
2	2	3.6600 GHz	3.6790 GHz	1.000 MHz	3.677328000 GHz	-37.13 dBm	-24.13 dB
3	3	3.6790 GHz	3.6800 GHz	200.0 kHz	3.680000000 GHz	-29.28 dBm	-16.28 dB
4	4	3.6800 GHz	3.7000 GHz	1.000 MHz	3.694200000 GHz	10.78 dBm	-19.22 dB
5	5	3.7000 GHz	3.7010 GHz	200.0 kHz	3.700012500 GHz	-28.50 dBm	-15.50 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.702368000 GHz	-29.43 dBm	-16.43 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710500000 GHz	-38.69 dBm	-13.69 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720860000 GHz	-46.11 dBm	-6.115 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR

Band48_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH637000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5350 GHz	3.5400 GHz	1.000 MHz	3.539950000 GHz	-48.57 dBm	-23.57 dB
2	2	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548991000 GHz	-33.61 dBm	-20.61 dB
3	3	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549996000 GHz	-20.39 dBm	-7.387 dB
4	4	3.5500 GHz	3.5600 GHz	100.0 kHz	3.550940000 GHz	14.30 dBm	-15.70 dB
5	5	3.5600 GHz	3.5610 GHz	100.0 kHz	3.560201000 GHz	-54.14 dBm	-41.14 dB
6	6	3.5610 GHz	3.5700 GHz	1.000 MHz	3.562224000 GHz	-49.01 dBm	-36.01 dB
7	7	3.5700 GHz	3.5750 GHz	1.000 MHz	3.572300000 GHz	-48.63 dBm	-23.63 dB

Band48_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH637000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5350 GHz	3.5400 GHz	1.000 MHz	3.539170000 GHz	-43.91 dBm	-18.91 dB
2	2	3.5400 GHz	3.5490 GHz	1.000 MHz	3.547866000 GHz	-42.20 dBm	-29.20 dB
3	3	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549133000 GHz	-53.05 dBm	-40.05 dB
4	4	3.5500 GHz	3.5600 GHz	100.0 kHz	3.559030000 GHz	13.00 dBm	-17.00 dB
5	5	3.5600 GHz	3.5610 GHz	100.0 kHz	3.560035000 GHz	-19.45 dBm	-6.447 dB
6	6	3.5610 GHz	3.5700 GHz	1.000 MHz	3.562323000 GHz	-26.01 dBm	-13.01 dB
7	7	3.5700 GHz	3.5750 GHz	1.000 MHz	3.570100000 GHz	-43.45 dBm	-18.45 dB

Band48_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH637000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	3.5350 GHz	3.5400 GHz	1.000 MHz	3.539905000 GHz	-44.12 dBm	-19.12 dB
2	2	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548991000 GHz	-30.51 dBm	-17.51 dB
3	3	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549991000 GHz	-27.09 dBm	-14.09 dB
4	4	3.5500 GHz	3.5600 GHz	100.0 kHz	3.552920000 GHz	3.747 dBm	-26.25 dB
5	5	3.5600 GHz	3.5610 GHz	100.0 kHz	3.560013000 GHz	-27.70 dBm	-14.70 dB
6	6	3.5610 GHz	3.5700 GHz	1.000 MHz	3.561162000 GHz	-27.09 dBm	-14.09 dB
7	7	3.5700 GHz	3.5750 GHz	1.000 MHz	3.570885000 GHz	-43.76 dBm	-18.76 dB

Band48_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6050 GHz	3.6100 GHz	1.000 MHz	3.606300000 GHz	-43.46 dBm	-18.46 dB
2	2	3.6100 GHz	3.6190 GHz	1.000 MHz	3.619002000 GHz	-27.37 dBm	-14.37 dB
3	3	3.6190 GHz	3.6200 GHz	100.0 kHz	3.620015000 GHz	-19.06 dBm	-6.061 dB
4	4	3.6200 GHz	3.6300 GHz	100.0 kHz	3.620950000 GHz	16.15 dBm	-13.85 dB
5	5	3.6300 GHz	3.6310 GHz	100.0 kHz	3.630463000 GHz	-54.04 dBm	-41.04 dB
6	6	3.6310 GHz	3.6400 GHz	1.000 MHz	3.632280000 GHz	-42.46 dBm	-29.46 dB
7	7	3.6400 GHz	3.6450 GHz	1.000 MHz	3.641620000 GHz	-43.46 dBm	-18.46 dB

Band48_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6050 GHz	3.6100 GHz	1.000 MHz	3.608380000 GHz	-45.77 dBm	-20.77 dB
2	2	3.6100 GHz	3.6190 GHz	1.000 MHz	3.613512000 GHz	-42.77 dBm	-29.77 dB
3	3	3.6190 GHz	3.6200 GHz	100.0 kHz	3.619988000 GHz	-53.34 dBm	-40.34 dB
4	4	3.6200 GHz	3.6300 GHz	100.0 kHz	3.629240000 GHz	16.18 dBm	-13.82 dB
5	5	3.6300 GHz	3.6310 GHz	100.0 kHz	3.630092000 GHz	-22.16 dBm	-9.162 dB
6	6	3.6310 GHz	3.6400 GHz	1.000 MHz	3.631371000 GHz	-24.61 dBm	-11.61 dB
7	7	3.6400 GHz	3.6450 GHz	1.000 MHz	3.644395000 GHz	-43.20 dBm	-18.20 dB

Band48_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6050 GHz	3.6100 GHz	1.000 MHz	3.609910000 GHz	-40.38 dBm	-15.38 dB
2	2	3.6100 GHz	3.6190 GHz	1.000 MHz	3.618993000 GHz	-30.72 dBm	-17.72 dB
3	3	3.6190 GHz	3.6200 GHz	100.0 kHz	3.620007000 GHz	-29.00 dBm	-16.00 dB
4	4	3.6200 GHz	3.6300 GHz	100.0 kHz	3.624300000 GHz	5.231 dBm	-24.77 dB
5	5	3.6300 GHz	3.6310 GHz	100.0 kHz	3.630025000 GHz	-28.23 dBm	-15.23 dB
6	6	3.6310 GHz	3.6400 GHz	1.000 MHz	3.631605000 GHz	-28.86 dBm	-15.86 dB
7	7	3.6400 GHz	3.6450 GHz	1.000 MHz	3.640225000 GHz	-42.59 dBm	-17.59 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band48_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH646332



Band48_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH637000



Band48_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH646332



Band48_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH637000



Band48_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH646332



Band48_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH637000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band48_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH641668



Band48_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH646332



Band48_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH641668



Band48_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH646332



Band48_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH641668



Band48_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH646332



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band48_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH637168



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.528500000 GHz	-47.95 dBm	-7.949 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539400000 GHz	-46.65 dBm	-21.65 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.549000000 GHz	-28.39 dBm	-15.39 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.550000000 GHz	-17.45 dBm	-4.455 dB
5	5	3.5500 GHz	3.5700 GHz	100.0 kHz	3.550800000 GHz	18.93 dBm	-11.07 dB
6	6	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570710000 GHz	-55.61 dBm	-42.61 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571000000 GHz	-45.85 dBm	-32.85 dB
8	8	3.5900 GHz	3.6000 GHz	1.000 MHz	3.598900000 GHz	-47.80 dBm	-22.80 dB

Band48_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.585760000 GHz	-43.21 dBm	-18.21 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.612842000 GHz	-40.59 dBm	-27.59 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.614825000 GHz	-42.67 dBm	-29.67 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.618440000 GHz	18.28 dBm	-11.72 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635578000 GHz	-51.58 dBm	-38.58 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.653291000 GHz	-44.55 dBm	-31.55 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.656800000 GHz	-44.54 dBm	-19.54 dB

Band48_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH637168



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.527900000 GHz	-48.21 dBm	-8.215 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.540000000 GHz	-47.91 dBm	-22.91 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548280000 GHz	-47.17 dBm	-34.17 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549830000 GHz	-55.06 dBm	-42.06 dB
5	5	3.5500 GHz	3.5700 GHz	100.0 kHz	3.564100000 GHz	18.11 dBm	-11.89 dB
6	6	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570090000 GHz	-52.41 dBm	-39.41 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571000000 GHz	-43.59 dBm	-30.59 dB
8	8	3.5900 GHz	3.6000 GHz	1.000 MHz	3.593100000 GHz	-47.71 dBm	-22.71 dB

Band48_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.585400000 GHz	-43.64 dBm	-18.64 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.603304000 GHz	-45.03 dBm	-32.03 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.614298000 GHz	-52.02 dBm	-39.02 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.631780000 GHz	18.82 dBm	-11.18 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635378000 GHz	-41.86 dBm	-28.86 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.637825000 GHz	-38.08 dBm	-25.08 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.661300000 GHz	-44.11 dBm	-19.11 dB

Band48_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH637168



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.530000000 GHz	-47.42 dBm	-7.415 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.538700000 GHz	-39.81 dBm	-14.81 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548910000 GHz	-33.34 dBm	-20.34 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.550000000 GHz	-30.94 dBm	-17.94 dB
5	5	3.5500 GHz	3.5700 GHz	100.0 kHz	3.555050000 GHz	3.308 dBm	-26.69 dB
6	6	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570090000 GHz	-40.65 dBm	-27.65 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571000000 GHz	-35.99 dBm	-22.99 dB
8	8	3.5900 GHz	3.6000 GHz	1.000 MHz	3.599900000 GHz	-47.67 dBm	-22.67 dB

Band48_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.588370000 GHz	-44.10 dBm	-19.10 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.612690000 GHz	-35.40 dBm	-22.40 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.614951000 GHz	-39.25 dBm	-26.25 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.624860000 GHz	5.677 dBm	-24.32 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635043000 GHz	-41.10 dBm	-28.10 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636286000 GHz	-34.72 dBm	-21.72 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.657100000 GHz	-44.50 dBm	-19.50 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.