

Spurious Emission at Antenna Terminals


8.65. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26615, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-67.79	-13	54.79	Pass	401
0.15	30	0.01	RMS	0.15	-64.19	-13	51.19	Pass	2986
30	1000	0.1	RMS	892.129	-71.67	-13	58.67	Pass	9701
1000	1830	1	RMS	1667	-61.66	-13	48.66	Pass	831
1830	1935	1	RMS	1901.925	17.97	60	42.03	Pass	401
1935	3000	1	RMS	1941	-64.23	-13	51.23	Pass	1066
3000	19950	1	RMS	14297	-59.45	-13	46.45	Pass	16953




8.66. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26140, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	0.16	-68.44	-13	55.44	Pass	2986
30	1000	0.1	RMS	816.4	-77.96	-13	64.96	Pass	9701
1000	1830	1	RMS	1414	-62.99	-13	49.99	Pass	831
1830	1935	1	RMS	1851	17.17	60	42.83	Pass	401
1935	3000	1	RMS	2097	-65.25	-13	52.25	Pass	1066
3000	19950	1	RMS	17850	-59.39	-13	46.39	Pass	16953




8.67. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26140, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.44	-13	57.44	Pass	401
0.15	30	0.01	RMS	0.17	-68.28	-13	55.28	Pass	2986
30	1000	0.1	RMS	471.4	-68.34	-13	55.34	Pass	9701
1000	1830	1	RMS	1742	-60.96	-13	47.96	Pass	831
1830	1935	1	RMS	1851.263	18.05	60	41.95	Pass	401
1935	3000	1	RMS	2005	-66.41	-13	53.41	Pass	1066
3000	19950	1	RMS	14304	-59.53	-13	46.53	Pass	16953




8.68. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-69.32	-13	56.32	Pass	401
0.15	30	0.01	RMS	0.15	-64.79	-13	51.79	Pass	2986
30	1000	0.1	RMS	850.201	-65.78	-13	52.78	Pass	9701
1000	1830	1	RMS	1527	-61.33	-13	48.33	Pass	831
1830	1935	1	RMS	1873.575	17.02	60	42.98	Pass	401
1935	3000	1	RMS	1993	-66.75	-13	53.75	Pass	1066
3000	19950	1	RMS	14298	-59.47	-13	46.47	Pass	16953




8.69. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-69.22	-13	56.22	Pass	401
0.15	30	0.01	RMS	0.16	-66.39	-13	53.39	Pass	2986
30	1000	0.1	RMS	509	-69.99	-13	56.99	Pass	9701
1000	1830	1	RMS	1528	-61.82	-13	48.82	Pass	831
1830	1935	1	RMS	1873.575	17.59	60	42.41	Pass	401
1935	3000	1	RMS	2120	-65.73	-13	52.73	Pass	1066
3000	19950	1	RMS	14302	-59.39	-13	46.39	Pass	16953




8.70. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26590, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-68.38	-13	55.38	Pass	401
0.15	30	0.01	RMS	0.15	-63.65	-13	50.65	Pass	2986
30	1000	0.1	RMS	885.224	-74.85	-13	61.85	Pass	9701
1000	1830	1	RMS	1643	-61.51	-13	48.51	Pass	831
1830	1935	1	RMS	1897.2	18.52	60	41.48	Pass	401
1935	3000	1	RMS	2143	-64.55	-13	51.55	Pass	1066
3000	19950	1	RMS	5692	-56.47	-13	43.47	Pass	16953



8.71. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26590, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.93	-13	52.93	Pass	401
0.15	30	0.01	RMS	0.16	-65.54	-13	52.54	Pass	2986
30	1000	0.1	RMS	885.324	-64.5	-13	51.5	Pass	9701
1000	1830	1	RMS	1644	-57.1	-13	44.1	Pass	831
1830	1935	1	RMS	1897.463	18.04	60	41.96	Pass	401
1935	3000	1	RMS	2143	-64.5	-13	51.5	Pass	1066
3000	19950	1	RMS	5692	-55.99	-13	42.99	Pass	16953



9. Cat-M_Band26(part22)


9.1. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.058	-67.37	-13	54.37	Pass	401
0.15	30	0.01	RMS	0.15	-66.82	-13	53.82	Pass	2986
30	804	0.1	RMS	803.3	-63.22	-13	50.22	Pass	7741
804	869	0.1	RMS	824.2	22.3	60	37.7	Pass	651
869	1000	0.1	RMS	891.7	-66.56	-13	53.56	Pass	1311
1000	3000	1	RMS	2472	-19.42	-13	6.42	Pass	2001
3000	8940	1	RMS	4122	-34.6	-13	21.6	Pass	5941




9.2. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.27	-13	53.27	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-13	55.25	Pass	2986
30	804	0.1	RMS	801.7	-63.63	-13	50.63	Pass	7741
804	869	0.1	RMS	824.3	22.56	60	37.44	Pass	651
869	1000	0.1	RMS	962.3	-67.1	-13	54.1	Pass	1311
1000	3000	1	RMS	2473	-14.66	-13	1.66	Pass*	2001
3000	8940	1	RMS	6594	-38.17	-13	25.17	Pass	5941




9.3. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.06	-13	54.06	Pass	401
0.15	30	0.01	RMS	0.16	-67.66	-13	54.66	Pass	2986
30	804	0.1	RMS	748.3	-67.85	-13	54.85	Pass	7741
804	869	0.1	RMS	836	21.77	60	38.23	Pass	651
869	1000	0.1	RMS	874.5	-66.96	-13	53.96	Pass	1311
1000	3000	1	RMS	2508	-25.21	-13	12.21	Pass	2001
3000	8940	1	RMS	5852	-42	-13	29	Pass	5941




9.4. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.99	-13	52.99	Pass	401
0.15	30	0.01	RMS	0.15	-66.39	-13	53.39	Pass	2986
30	804	0.1	RMS	658.4	-66.61	-13	53.61	Pass	7741
804	869	0.1	RMS	836	22.08	60	37.92	Pass	651
869	1000	0.1	RMS	964.4	-69.35	-13	56.35	Pass	1311
1000	3000	1	RMS	2508	-18.64	-13	5.64	Pass*	2001
3000	8940	1	RMS	5852	-38.85	-13	25.85	Pass	5941




9.5. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-67.46	-13	54.46	Pass	401
0.15	30	0.01	RMS	0.15	-65.13	-13	52.13	Pass	2986
30	804	0.1	RMS	749.1	-67.02	-13	54.02	Pass	7741
804	869	0.1	RMS	848.7	21.91	60	38.09	Pass	651
869	1000	0.1	RMS	872.4	-67.43	-13	54.43	Pass	1311
1000	3000	1	RMS	2546	-16.69	-13	3.69	Pass*	2001
3000	8940	1	RMS	5941	-35.82	-13	22.82	Pass	5941




9.6. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.31	-13	54.31	Pass	401
0.15	30	0.01	RMS	0.17	-67.34	-13	54.34	Pass	2986
30	804	0.1	RMS	713.9	-67.39	-13	54.39	Pass	7741
804	869	0.1	RMS	848.7	22.21	60	37.79	Pass	651
869	1000	0.1	RMS	876.8	-68.81	-13	55.81	Pass	1311
1000	3000	1	RMS	2546	-23.21	-13	10.21	Pass	2001
3000	8940	1	RMS	5941	-33.89	-13	20.89	Pass	5941




9.7. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26805, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.9	-13	53.9	Pass	401
0.15	30	0.01	RMS	0.15	-66.77	-13	53.77	Pass	2986
30	804	0.1	RMS	802.2	-63	-13	50	Pass	7741
804	869	0.1	RMS	824.4	21.82	60	38.18	Pass	651
869	1000	0.1	RMS	879.2	-70.69	-13	57.69	Pass	1311
1000	3000	1	RMS	2473	-14.96	-13	1.96	Pass*	2001
3000	8940	1	RMS	3297	-40.83	-13	27.83	Pass	5941




9.8. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26805, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.8	-13	53.8	Pass	401
0.15	30	0.01	RMS	0.16	-69.71	-13	56.71	Pass	2986
30	804	0.1	RMS	801.9	-66.03	-13	53.03	Pass	7741
804	869	0.1	RMS	824.4	21.8	60	38.2	Pass	651
869	1000	0.1	RMS	963.7	-67.77	-13	54.77	Pass	1311
1000	3000	1	RMS	2473	-15.56	-13	2.56	Pass*	2001
3000	8940	1	RMS	6595	-38.13	-13	25.13	Pass	5941




9.9. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
30	804	0.1	RMS	765.3	-59.65	-13	46.65	Pass	7741
804	869	0.1	RMS	835.4	21.2	60	38.8	Pass	651
869	1000	0.1	RMS	937.8	-65.87	-13	52.87	Pass	1311
1000	3000	1	RMS	2505	-26.58	-13	13.58	Pass	2001
3000	8940	1	RMS	5848	-40.6	-13	27.6	Pass	5941




9.10. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-67.37	-13	54.37	Pass	401
0.15	30	0.01	RMS	0.23	-78.7	-13	65.7	Pass	2986
30	804	0.1	RMS	713.5	-66.97	-13	53.97	Pass	7741
804	869	0.1	RMS	835.4	21.73	60	38.27	Pass	651
869	1000	0.1	RMS	878.7	-69.7	-13	56.7	Pass	1311
1000	3000	1	RMS	2506	-27.5	-13	14.5	Pass	2001
3000	8940	1	RMS	3341	-43.2	-13	30.2	Pass	5941




9.11. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27025, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.103	-67.29	-13	54.29	Pass	401
0.15	30	0.01	RMS	0.16	-65.88	-13	52.88	Pass	2986
30	804	0.1	RMS	713.4	-67.41	-13	54.41	Pass	7741
804	869	0.1	RMS	847.3	22.83	60	37.17	Pass	651
869	1000	0.1	RMS	962.9	-67.16	-13	54.16	Pass	1311
1000	3000	1	RMS	2542	-17.31	-13	4.31	Pass*	2001
3000	8940	1	RMS	5931	-35.26	-13	22.26	Pass	5941




9.12. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27025, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-65.88	-13	52.88	Pass	401
0.15	30	0.01	RMS	0.16	-69.82	-13	56.82	Pass	2986
30	804	0.1	RMS	669	-65.77	-13	52.77	Pass	7741
804	869	0.1	RMS	847.3	21.9	60	38.1	Pass	651
869	1000	0.1	RMS	891.8	-66.51	-13	53.51	Pass	1311
1000	3000	1	RMS	2541	-19.64	-13	6.64	Pass	2001
3000	8940	1	RMS	5931	-40.13	-13	27.13	Pass	5941




9.13. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26815, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-65.94	-13	52.94	Pass	401
0.15	30	0.01	RMS	0.16	-64.31	-13	51.31	Pass	2986
30	804	0.1	RMS	642.1	-67.58	-13	54.58	Pass	7741
804	869	0.1	RMS	824.3	22.48	60	37.52	Pass	651
869	1000	0.1	RMS	962.9	-63	-13	50	Pass	1311
1000	3000	1	RMS	2473	-16.18	-13	3.18	Pass*	2001
3000	8940	1	RMS	6594	-39.14	-13	26.14	Pass	5941




9.14. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26815, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	804	0.1	RMS	747.5	-75.58	-13	62.58	Pass	7741
804	869	0.1	RMS	824.4	15.82	60	44.18	Pass	651
869	1000	0.1	RMS	924.5	-74.03	-13	61.03	Pass	1311
1000	3000	1	RMS	2473	-29.3	-13	16.3	Pass	2001
3000	8940	1	RMS	6595	-44.96	-13	31.96	Pass	5941




9.15. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.128	-66.81	-13	53.81	Pass	401
0.15	30	0.01	RMS	0.15	-66.1	-13	53.1	Pass	2986
30	804	0.1	RMS	737.3	-66.96	-13	53.96	Pass	7741
804	869	0.1	RMS	834.3	22.45	60	37.55	Pass	651
869	1000	0.1	RMS	962.3	-65.69	-13	52.69	Pass	1311
1000	3000	1	RMS	2502	-22.24	-13	9.24	Pass	2001
3000	8940	1	RMS	6675	-41.96	-13	28.96	Pass	5941




9.16. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-13	59.97	Pass	2986
30	804	0.1	RMS	796	-74.6	-13	61.6	Pass	7741
804	869	0.1	RMS	834.3	15.33	60	44.67	Pass	651
869	1000	0.1	RMS	872.7	-75.06	-13	62.06	Pass	1311
1000	3000	1	RMS	2502	-29.63	-13	16.63	Pass	2001
3000	8940	1	RMS	3337	-48.92	-13	35.92	Pass	5941




9.17. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27015, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.35	-13	54.35	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-13	54.53	Pass	2986
30	804	0.1	RMS	575	-67.22	-13	54.22	Pass	7741
804	869	0.1	RMS	845.2	22.08	60	37.92	Pass	651
869	1000	0.1	RMS	963.4	-66.82	-13	53.82	Pass	1311
1000	3000	1	RMS	2536	-21.57	-13	8.57	Pass	2001
3000	8940	1	RMS	5916	-36.96	-13	23.96	Pass	5941




9.18. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27015, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.01	-13	51.01	Pass	401
0.15	30	0.01	RMS	0.15	-65.06	-13	52.06	Pass	2986
30	804	0.1	RMS	575	-65.01	-13	52.01	Pass	7741
804	869	0.1	RMS	845.3	21.72	60	38.28	Pass	651
869	1000	0.1	RMS	963.3	-66.05	-13	53.05	Pass	1311
1000	3000	1	RMS	2536	-17.46	-13	4.46	Pass*	2001
3000	8940	1	RMS	5917	-37.02	-13	24.02	Pass	5941




9.19. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26840, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-65.61	-13	52.61	Pass	401
0.15	30	0.01	RMS	0.15	-64.74	-13	51.74	Pass	2986
30	804	0.1	RMS	642.2	-67.36	-13	54.36	Pass	7741
804	869	0.1	RMS	824.8	22.54	60	37.46	Pass	651
869	1000	0.1	RMS	963	-64.35	-13	51.35	Pass	1311
1000	3000	1	RMS	2474	-16.42	-13	3.42	Pass*	2001
3000	8940	1	RMS	6598	-40.33	-13	27.33	Pass	5941




9.20. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26840, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.98	-13	51.98	Pass	401
0.15	30	0.01	RMS	0.17	-64.92	-13	51.92	Pass	2986
30	804	0.1	RMS	801.5	-64.94	-13	51.94	Pass	7741
804	869	0.1	RMS	824.7	23.3	60	36.7	Pass	651
869	1000	0.1	RMS	963.4	-68.33	-13	55.33	Pass	1311
1000	3000	1	RMS	2474	-13.04	-13	0.04	Pass*	2001
3000	8940	1	RMS	6598	-37.81	-13	24.81	Pass	5941




9.21. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.2	-13	54.2	Pass	401
0.15	30	0.01	RMS	0.16	-65.98	-13	52.98	Pass	2986
30	804	0.1	RMS	713.5	-67.35	-13	54.35	Pass	7741
804	869	0.1	RMS	832.3	21.62	60	38.38	Pass	651
869	1000	0.1	RMS	962.9	-68.65	-13	55.65	Pass	1311
1000	3000	1	RMS	2496	-21.35	-13	8.35	Pass	2001
3000	8940	1	RMS	5826	-42.68	-13	29.68	Pass	5941




9.22. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.96	-13	52.96	Pass	401
0.15	30	0.01	RMS	0.16	-67.56	-13	54.56	Pass	2986
30	804	0.1	RMS	536.1	-64.5	-13	51.5	Pass	7741
804	869	0.1	RMS	832.3	21.76	60	38.24	Pass	651
869	1000	0.1	RMS	963	-65.43	-13	52.43	Pass	1311
1000	3000	1	RMS	2496	-19.55	-13	6.55	Pass	2001
3000	8940	1	RMS	6658	-39.48	-13	26.48	Pass	5941




9.23. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26990, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-67.75	-13	54.75	Pass	401
0.15	30	0.01	RMS	0.16	-65.85	-13	52.85	Pass	2986
30	804	0.1	RMS	713.3	-66.83	-13	53.83	Pass	7741
804	869	0.1	RMS	840.6	21.76	60	38.24	Pass	651
869	1000	0.1	RMS	962.3	-65.18	-13	52.18	Pass	1311
1000	3000	1	RMS	2521	-13.06	-13	0.06	Pass*	2001
3000	8940	1	RMS	5884	-39.6	-13	26.6	Pass	5941




9.24. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26990, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.66	-13	52.66	Pass	401
0.15	30	0.01	RMS	0.16	-66.06	-13	53.06	Pass	2986
30	804	0.1	RMS	561.3	-66.27	-13	53.27	Pass	7741
804	869	0.1	RMS	840.7	22.29	60	37.71	Pass	651
869	1000	0.1	RMS	963.1	-65.02	-13	52.02	Pass	1311
1000	3000	1	RMS	2522	-16.6	-13	3.6	Pass*	2001
3000	8940	1	RMS	5884	-38.07	-13	25.07	Pass	5941




9.25. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-65.29	-13	52.29	Pass	401
0.15	30	0.01	RMS	0.16	-66.72	-13	53.72	Pass	2986
30	804	0.1	RMS	713.1	-67.28	-13	54.28	Pass	7741
804	869	0.1	RMS	825	22.04	60	37.96	Pass	651
869	1000	0.1	RMS	963.1	-62.96	-13	49.96	Pass	1311
1000	3000	1	RMS	2475	-22.76	-13	9.76	Pass	2001
3000	8940	1	RMS	6600	-40.66	-13	27.66	Pass	5941




9.26. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26865, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.74	-13	52.74	Pass	401
0.15	30	0.01	RMS	0.15	-65.7	-13	52.7	Pass	2986
30	804	0.1	RMS	799.9	-66.49	-13	53.49	Pass	7741
804	869	0.1	RMS	825	22.23	60	37.77	Pass	651
869	1000	0.1	RMS	962.2	-65.14	-13	52.14	Pass	1311
1000	3000	1	RMS	2475	-15.32	-13	2.32	Pass*	2001
3000	8940	1	RMS	6600	-37.89	-13	24.89	Pass	5941




9.27. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-66.18	-13	53.18	Pass	401
0.15	30	0.01	RMS	0.15	-65.8	-13	52.8	Pass	2986
30	804	0.1	RMS	748.9	-67.22	-13	54.22	Pass	7741
804	869	0.1	RMS	830	21.56	60	38.44	Pass	651
869	1000	0.1	RMS	963.2	-63.93	-13	50.93	Pass	1311
1000	3000	1	RMS	2490	-19.26	-13	6.26	Pass	2001
3000	8940	1	RMS	6640	-40.62	-13	27.62	Pass	5941




9.28. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.78	-13	52.78	Pass	401
0.15	30	0.01	RMS	0.16	-66.26	-13	53.26	Pass	2986
30	804	0.1	RMS	529.3	-67.14	-13	54.14	Pass	7741
804	869	0.1	RMS	830	22.46	60	37.54	Pass	651
869	1000	0.1	RMS	944.4	-64.45	-13	51.45	Pass	1311
1000	3000	1	RMS	2489	-25.71	-13	12.71	Pass	2001
3000	8940	1	RMS	6640	-40.63	-13	27.63	Pass	5941




9.29. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26965, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-67.76	-13	54.76	Pass	401
0.15	30	0.01	RMS	0.16	-66.08	-13	53.08	Pass	2986
30	804	0.1	RMS	737.3	-67.58	-13	54.58	Pass	7741
804	869	0.1	RMS	835.9	21.7	60	38.3	Pass	651
869	1000	0.1	RMS	963.5	-66.92	-13	53.92	Pass	1311
1000	3000	1	RMS	2507	-25.82	-13	12.82	Pass	2001
3000	8940	1	RMS	6687	-38.67	-13	25.67	Pass	5941



9.30. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26965, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.93	-13	52.93	Pass	401
0.15	30	0.01	RMS	0.16	-65.86	-13	52.86	Pass	2986
30	804	0.1	RMS	737.3	-67.87	-13	54.87	Pass	7741
804	869	0.1	RMS	835.9	22.8	60	37.2	Pass	651
869	1000	0.1	RMS	874.3	-65.57	-13	52.57	Pass	1311
1000	3000	1	RMS	2507	-20.85	-13	7.85	Pass	2001
3000	8940	1	RMS	6687	-39.71	-13	26.71	Pass	5941



10. Cat-M_Band66


10.1. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.98	-13	56.98	Pass	401
0.15	30	0.01	RMS	0.16	-65.96	-13	52.96	Pass	2986
30	1000	0.1	RMS	708.4	-65.5	-13	52.5	Pass	9701
1000	1690	1	RMS	1690	-64.9	-13	51.9	Pass	691
1690	1800	1	RMS	1710.35	16.79	60	43.21	Pass	401
1800	3000	1	RMS	1956	-65.1	-13	52.1	Pass	1201
3000	21800	1	RMS	3421	-50.62	-13	37.62	Pass	18803




10.2. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.15	-66.93	-13	53.93	Pass	2986
30	1000	0.1	RMS	236.1	-66.27	-13	53.27	Pass	9701
1000	1690	1	RMS	1465	-65.83	-13	52.83	Pass	691
1690	1800	1	RMS	1710.35	16.17	60	43.83	Pass	401
1800	3000	1	RMS	1863	-67.71	-13	54.71	Pass	1201
3000	21800	1	RMS	20819	-59.06	-13	46.06	Pass	18803




10.3. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-70.59	-13	57.59	Pass	401
0.15	30	0.01	RMS	0.15	-69.63	-13	56.63	Pass	2986
30	1000	0.1	RMS	880.121	-62.67	-13	49.67	Pass	9701
1000	1690	1	RMS	1529	-63.32	-13	50.32	Pass	691
1690	1800	1	RMS	1744.175	16.73	60	43.27	Pass	401
1800	3000	1	RMS	1898	-66.76	-13	53.76	Pass	1201
3000	21800	1	RMS	20802	-59.07	-13	46.07	Pass	18803




10.4. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.16	-69.89	-13	56.89	Pass	2986
30	1000	0.1	RMS	879.82	-64.28	-13	51.28	Pass	9701
1000	1690	1	RMS	1591	-67.68	-13	54.68	Pass	691
1690	1800	1	RMS	1744.45	16.12	60	43.88	Pass	401
1800	3000	1	RMS	2401	-66.93	-13	53.93	Pass	1201
3000	21800	1	RMS	20801	-59.01	-13	46.01	Pass	18803




10.5. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.17	-67.18	-13	54.18	Pass	2986
30	1000	0.1	RMS	708.9	-64.72	-13	51.72	Pass	9701
1000	1690	1	RMS	1056	-58.99	-13	45.99	Pass	691
1690	1800	1	RMS	1779.375	18	60	42	Pass	401
1800	3000	1	RMS	1800	-61.14	-13	48.14	Pass	1201
3000	21800	1	RMS	3559	-56.56	-13	43.56	Pass	18803




10.6. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-69.26	-13	56.26	Pass	2986
30	1000	0.1	RMS	708.9	-67.65	-13	54.65	Pass	9701
1000	1690	1	RMS	1055	-64.37	-13	51.37	Pass	691
1690	1800	1	RMS	1779.925	15.9	60	44.1	Pass	401
1800	3000	1	RMS	1800	-62.24	-13	49.24	Pass	1201
3000	21800	1	RMS	20801	-59.02	-13	46.02	Pass	18803




10.7. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131987, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-74.31	-13	61.31	Pass	401
0.15	30	0.01	RMS	0.17	-68.06	-13	55.06	Pass	2986
30	1000	0.1	RMS	709.3	-60.84	-13	47.84	Pass	9701
1000	1690	1	RMS	1465	-64.58	-13	51.58	Pass	691
1690	1800	1	RMS	1710.075	17.5	60	42.5	Pass	401
1800	3000	1	RMS	1956	-65.92	-13	52.92	Pass	1201
3000	21800	1	RMS	6842	-58.17	-13	45.17	Pass	18803




10.8. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131987, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.16	-69.5	-13	56.5	Pass	2986
30	1000	0.1	RMS	709.4	-68.63	-13	55.63	Pass	9701
1000	1690	1	RMS	1689	-66.15	-13	53.15	Pass	691
1690	1800	1	RMS	1710.075	16.76	60	43.24	Pass	401
1800	3000	1	RMS	2315	-66.63	-13	53.63	Pass	1201
3000	21800	1	RMS	3421	-50.69	-13	37.69	Pass	18803




10.9. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-74.5	-13	61.5	Pass	401
0.15	30	0.01	RMS	0.15	-65.95	-13	52.95	Pass	2986
30	1000	0.1	RMS	876.718	-60.97	-13	47.97	Pass	9701
1000	1690	1	RMS	1527	-61.43	-13	48.43	Pass	691
1690	1800	1	RMS	1743.35	15.47	60	44.53	Pass	401
1800	3000	1	RMS	2399	-63.62	-13	50.62	Pass	1201
3000	21800	1	RMS	3487	-57.23	-13	44.23	Pass	18803




10.10. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	876.718	-63.07	-13	50.07	Pass	9701
1000	1690	1	RMS	1527	-67.71	-13	54.71	Pass	691
1690	1800	1	RMS	1744.175	14.9	60	45.1	Pass	401
1800	3000	1	RMS	1990	-66.37	-13	53.37	Pass	1201
3000	21800	1	RMS	20803	-59.07	-13	46.07	Pass	18803




10.11. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132657, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.17	-69.07	-13	56.07	Pass	2986
30	1000	0.1	RMS	706.8	-64.27	-13	51.27	Pass	9701
1000	1690	1	RMS	1049	-61.03	-13	48.03	Pass	691
1690	1800	1	RMS	1778	18.5	60	41.5	Pass	401
1800	3000	1	RMS	1803	-62.78	-13	49.78	Pass	1201
3000	21800	1	RMS	3557	-55.97	-13	42.97	Pass	18803




10.12. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132657, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	706.8	-67.29	-13	54.29	Pass	9701
1000	1690	1	RMS	1049	-63.29	-13	50.29	Pass	691
1690	1800	1	RMS	1778.275	15.32	60	44.68	Pass	401
1800	3000	1	RMS	1803	-63.83	-13	50.83	Pass	1201
3000	21800	1	RMS	3556	-58.39	-13	45.39	Pass	18803




10.13. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131997, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-69.43	-13	56.43	Pass	401
0.15	30	0.01	RMS	0.15	-63.87	-13	50.87	Pass	2986
30	1000	0.1	RMS	708.9	-60.78	-13	47.78	Pass	9701
1000	1690	1	RMS	1690	-64.44	-13	51.44	Pass	691
1690	1800	1	RMS	1710.35	18.48	60	41.52	Pass	401
1800	3000	1	RMS	1849	-67.51	-13	54.51	Pass	1201
3000	21800	1	RMS	20802	-59.05	-13	46.05	Pass	18803



10.14. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131997, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-70.22	-13	57.22	Pass	401
0.15	30	0.01	RMS	0.16	-67.12	-13	54.12	Pass	2986
30	1000	0.1	RMS	709	-60.53	-13	47.53	Pass	9701
1000	1690	1	RMS	1688	-65.11	-13	52.11	Pass	691
1690	1800	1	RMS	1710.075	18.76	60	41.24	Pass	401
1800	3000	1	RMS	2315	-60.87	-13	47.87	Pass	1201
3000	21800	1	RMS	6841	-57.42	-13	44.42	Pass	18803



10.15. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-70.56	-13	57.56	Pass	401
0.15	30	0.01	RMS	0.17	-68.21	-13	55.21	Pass	2986
30	1000	0.1	RMS	871.415	-59.38	-13	46.38	Pass	9701
1000	1690	1	RMS	1525	-60.98	-13	47.98	Pass	691
1690	1800	1	RMS	1742.525	17.35	60	42.65	Pass	401
1800	3000	1	RMS	1879	-66.79	-13	53.79	Pass	1201
3000	21800	1	RMS	3485	-55.38	-13	42.38	Pass	18803

