

Spurious Emission at Antenna Terminals


10.16. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.75	-13	56.75	Pass	401
0.15	30	0.01	RMS	0.15	-66.46	-13	53.46	Pass	2986
30	1000	0.1	RMS	871.315	-58.51	-13	45.51	Pass	9701
1000	1690	1	RMS	1525	-58.1	-13	45.1	Pass	691
1690	1800	1	RMS	1742.525	18.61	60	41.39	Pass	401
1800	3000	1	RMS	1989	-64.82	-13	51.82	Pass	1201
3000	21800	1	RMS	5228	-53.71	-13	40.71	Pass	18803




10.17. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132647, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	0.17	-69.88	-13	56.88	Pass	2986
30	1000	0.1	RMS	703.6	-72.34	-13	59.34	Pass	9701
1000	1690	1	RMS	1038	-59.39	-13	46.39	Pass	691
1690	1800	1	RMS	1776.075	18.8	60	41.2	Pass	401
1800	3000	1	RMS	1800	-62.65	-13	49.65	Pass	1201
3000	21800	1	RMS	3552	-56.75	-13	43.75	Pass	18803




10.18. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132647, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.74	-13	56.74	Pass	401
0.15	30	0.01	RMS	0.16	-69.91	-13	56.91	Pass	2986
30	1000	0.1	RMS	703.6	-68.4	-13	55.4	Pass	9701
1000	1690	1	RMS	1038	-56.37	-13	43.37	Pass	691
1690	1800	1	RMS	1776.35	17.91	60	42.09	Pass	401
1800	3000	1	RMS	1800	-63.1	-13	50.1	Pass	1201
3000	21800	1	RMS	7105	-58.29	-13	45.29	Pass	18803




10.19. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:132022, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-70.51	-13	57.51	Pass	401
0.15	30	0.01	RMS	0.17	-67.86	-13	54.86	Pass	2986
30	1000	0.1	RMS	711	-64.21	-13	51.21	Pass	9701
1000	1690	1	RMS	1690	-64.76	-13	51.76	Pass	691
1690	1800	1	RMS	1710.9	17.79	60	42.21	Pass	401
1800	3000	1	RMS	1957	-66.71	-13	53.71	Pass	1201
3000	21800	1	RMS	20804	-59.06	-13	46.06	Pass	18803




10.20. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:132022, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.57	-13	56.57	Pass	401
0.15	30	0.01	RMS	0.15	-64.74	-13	51.74	Pass	2986
30	1000	0.1	RMS	711	-58.36	-13	45.36	Pass	9701
1000	1690	1	RMS	1688	-65.31	-13	52.31	Pass	691
1690	1800	1	RMS	1710.9	18.12	60	41.88	Pass	401
1800	3000	1	RMS	1864	-66.46	-13	53.46	Pass	1201
3000	21800	1	RMS	20791	-59.05	-13	46.05	Pass	18803




10.21. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-70.59	-13	57.59	Pass	401
0.15	30	0.01	RMS	0.15	-69.06	-13	56.06	Pass	2986
30	1000	0.1	RMS	861.108	-57.45	-13	44.45	Pass	9701
1000	1690	1	RMS	1495	-66.31	-13	53.31	Pass	691
1690	1800	1	RMS	1740.6	17.86	60	42.14	Pass	401
1800	3000	1	RMS	2391	-63.7	-13	50.7	Pass	1201
3000	21800	1	RMS	20808	-59.11	-13	46.11	Pass	18803




10.22. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-69.47	-13	56.47	Pass	401
0.15	30	0.01	RMS	0.15	-66.69	-13	53.69	Pass	2986
30	1000	0.1	RMS	861.208	-56.48	-13	43.48	Pass	9701
1000	1690	1	RMS	1520	-66.85	-13	53.85	Pass	691
1690	1800	1	RMS	1740.6	18.43	60	41.57	Pass	401
1800	3000	1	RMS	1987	-65.13	-13	52.13	Pass	1201
3000	21800	1	RMS	20814	-59.06	-13	46.06	Pass	18803




10.23. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132622, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-13	56.94	Pass	2986
30	1000	0.1	RMS	338.5	-65.42	-13	52.42	Pass	9701
1000	1690	1	RMS	1015	-60.15	-13	47.15	Pass	691
1690	1800	1	RMS	1771.675	18.05	60	41.95	Pass	401
1800	3000	1	RMS	1803	-63.92	-13	50.92	Pass	1201
3000	21800	1	RMS	20814	-58.9	-13	45.9	Pass	18803




10.24. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132622, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.64	-13	56.64	Pass	401
0.15	30	0.01	RMS	0.17	-67.96	-13	54.96	Pass	2986
30	1000	0.1	RMS	338.5	-67.58	-13	54.58	Pass	9701
1000	1690	1	RMS	1015	-59	-13	46	Pass	691
1690	1800	1	RMS	1771.675	17.42	60	42.58	Pass	401
1800	3000	1	RMS	1808	-64.46	-13	51.46	Pass	1201
3000	21800	1	RMS	20788	-59.02	-13	46.02	Pass	18803




10.25. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:132047, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.15	-66.01	-13	53.01	Pass	2986
30	1000	0.1	RMS	237.5	-63.14	-13	50.14	Pass	9701
1000	1690	1	RMS	1689	-65.53	-13	52.53	Pass	691
1690	1800	1	RMS	1710.9	18.06	60	41.94	Pass	401
1800	3000	1	RMS	1865	-65.52	-13	52.52	Pass	1201
3000	21800	1	RMS	20811	-59.07	-13	46.07	Pass	18803




10.26. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:132047, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.94	-13	56.94	Pass	401
0.15	30	0.01	RMS	0.17	-66.07	-13	53.07	Pass	2986
30	1000	0.1	RMS	712.3	-58.92	-13	45.92	Pass	9701
1000	1690	1	RMS	1465	-64.12	-13	51.12	Pass	691
1690	1800	1	RMS	1710.9	18.92	60	41.08	Pass	401
1800	3000	1	RMS	2317	-64.09	-13	51.09	Pass	1201
3000	21800	1	RMS	6844	-59.02	-13	46.02	Pass	18803




10.27. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-70.07	-13	57.07	Pass	401
0.15	30	0.01	RMS	0.17	-68.69	-13	55.69	Pass	2986
30	1000	0.1	RMS	849.901	-58.95	-13	45.95	Pass	9701
1000	1690	1	RMS	1516	-64.02	-13	51.02	Pass	691
1690	1800	1	RMS	1738.125	16.73	60	43.27	Pass	401
1800	3000	1	RMS	1892	-65.44	-13	52.44	Pass	1201
3000	21800	1	RMS	6954	-58.74	-13	45.74	Pass	18803




10.28. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.31	-13	54.31	Pass	401
0.15	30	0.01	RMS	0.17	-68.69	-13	55.69	Pass	2986
30	1000	0.1	RMS	849.8	-56.89	-13	43.89	Pass	9701
1000	1690	1	RMS	1517	-65.84	-13	52.84	Pass	691
1690	1800	1	RMS	1738.125	18.16	60	41.84	Pass	401
1800	3000	1	RMS	2386	-61.87	-13	48.87	Pass	1201
3000	21800	1	RMS	3477	-53.44	-13	40.44	Pass	18803




10.29. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132597, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	0.17	-69.69	-13	56.69	Pass	2986
30	1000	0.1	RMS	991.694	-59.83	-13	46.83	Pass	9701
1000	1690	1	RMS	1521	-65.54	-13	52.54	Pass	691
1690	1800	1	RMS	1767	17.98	60	42.02	Pass	401
1800	3000	1	RMS	1801	-64.65	-13	51.65	Pass	1201
3000	21800	1	RMS	20799	-59.05	-13	46.05	Pass	18803




10.30. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132597, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.1	-13	56.1	Pass	401
0.15	30	0.01	RMS	0.17	-68.42	-13	55.42	Pass	2986
30	1000	0.1	RMS	991.795	-56.44	-13	43.44	Pass	9701
1000	1690	1	RMS	1573	-62.26	-13	49.26	Pass	691
1690	1800	1	RMS	1766.45	17.54	60	42.46	Pass	401
1800	3000	1	RMS	1803	-64.57	-13	51.57	Pass	1201
3000	21800	1	RMS	20815	-59.13	-13	46.13	Pass	18803




10.31. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-70.35	-13	57.35	Pass	401
0.15	30	0.01	RMS	0.16	-66.43	-13	53.43	Pass	2986
30	1000	0.1	RMS	714.4	-61.1	-13	48.1	Pass	9701
1000	1690	1	RMS	1466	-64.54	-13	51.54	Pass	691
1690	1800	1	RMS	1711.45	16.92	60	43.08	Pass	401
1800	3000	1	RMS	1957	-65.07	-13	52.07	Pass	1201
3000	21800	1	RMS	20797	-59.05	-13	46.05	Pass	18803




10.32. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:132072, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.82	-13	55.82	Pass	401
0.15	30	0.01	RMS	0.15	-65.48	-13	52.48	Pass	2986
30	1000	0.1	RMS	714.5	-59.44	-13	46.44	Pass	9701
1000	1690	1	RMS	1466	-65.1	-13	52.1	Pass	691
1690	1800	1	RMS	1711.45	16.85	60	43.15	Pass	401
1800	3000	1	RMS	1865	-66.28	-13	53.28	Pass	1201
3000	21800	1	RMS	3423	-50.76	-13	37.76	Pass	18803




10.33. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-68.17	-13	55.17	Pass	401
0.15	30	0.01	RMS	0.15	-65.34	-13	52.34	Pass	2986
30	1000	0.1	RMS	839.3	-60.36	-13	47.36	Pass	9701
1000	1690	1	RMS	1512	-61.1	-13	48.1	Pass	691
1690	1800	1	RMS	1736.75	16.86	60	43.14	Pass	401
1800	3000	1	RMS	1868	-66.77	-13	53.77	Pass	1201
3000	21800	1	RMS	20811	-59.06	-13	46.06	Pass	18803




10.34. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.87	-13	55.87	Pass	401
0.15	30	0.01	RMS	0.16	-66.49	-13	53.49	Pass	2986
30	1000	0.1	RMS	839.4	-57.29	-13	44.29	Pass	9701
1000	1690	1	RMS	1491	-65.03	-13	52.03	Pass	691
1690	1800	1	RMS	1736.2	18.81	60	41.19	Pass	401
1800	3000	1	RMS	1868	-66.62	-13	53.62	Pass	1201
3000	21800	1	RMS	3473	-53.61	-13	40.61	Pass	18803




10.35. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132572, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.15	-65.73	-13	52.73	Pass	2986
30	1000	0.1	RMS	968.779	-60.39	-13	47.39	Pass	9701
1000	1690	1	RMS	1564	-61.22	-13	48.22	Pass	691
1690	1800	1	RMS	1762.325	18.76	60	41.24	Pass	401
1800	3000	1	RMS	1916	-65.01	-13	52.01	Pass	1201
3000	21800	1	RMS	3525	-55.89	-13	42.89	Pass	18803



10.36. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132572, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.07	-13	57.07	Pass	401
0.15	30	0.01	RMS	0.17	-66.85	-13	53.85	Pass	2986
30	1000	0.1	RMS	969.08	-58.75	-13	45.75	Pass	9701
1000	1690	1	RMS	1564	-60.78	-13	47.78	Pass	691
1690	1800	1	RMS	1762.325	16.47	60	43.53	Pass	401
1800	3000	1	RMS	1803	-65.18	-13	52.18	Pass	1201
3000	21800	1	RMS	3525	-55.95	-13	42.95	Pass	18803



11. Cat-M_Band5


11.1. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-74.8	-13	61.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	58.06	Pass	2986
30	804	0.1	RMS	803.7	-75.32	-13	62.32	Pass	7741
804	869	0.1	RMS	824.2	15.76	60	44.24	Pass	651
869	1000	0.1	RMS	924.2	-76.19	-13	63.19	Pass	1311
1000	3000	1	RMS	2472	-29.43	-13	16.43	Pass	2001
3000	8940	1	RMS	6594	-44.16	-13	31.16	Pass	5941




11.2. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	57.71	Pass	2986
30	804	0.1	RMS	737.3	-71.46	-13	58.46	Pass	7741
804	869	0.1	RMS	824.2	15.33	60	44.67	Pass	651
869	1000	0.1	RMS	869.5	-76.8	-13	63.8	Pass	1311
1000	3000	1	RMS	2472	-31.09	-13	18.09	Pass	2001
3000	8940	1	RMS	3297	-45.48	-13	32.48	Pass	5941




11.3. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-74.52	-13	61.52	Pass	401
0.15	30	0.01	RMS	0.17	-72.89	-13	59.89	Pass	2986
30	804	0.1	RMS	682.5	-76.87	-13	63.87	Pass	7741
804	869	0.1	RMS	836	13.27	60	46.73	Pass	651
869	1000	0.1	RMS	874.3	-77.16	-13	64.16	Pass	1311
1000	3000	1	RMS	2507	-34.47	-13	21.47	Pass	2001
3000	8940	1	RMS	6689	-50.29	-13	37.29	Pass	5941




11.4. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.16	-74.67	-13	61.67	Pass	2986
30	804	0.1	RMS	682.5	-76.13	-13	63.13	Pass	7741
804	869	0.1	RMS	836.1	13.1	60	46.9	Pass	651
869	1000	0.1	RMS	874.5	-75.97	-13	62.97	Pass	1311
1000	3000	1	RMS	2508	-36.72	-13	23.72	Pass	2001
3000	8940	1	RMS	3345	-52.86	-13	39.86	Pass	5941




11.5. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.85	-13	60.85	Pass	401
0.15	30	0.01	RMS	0.16	-73.36	-13	60.36	Pass	2986
30	804	0.1	RMS	772	-75.97	-13	62.97	Pass	7741
804	869	0.1	RMS	848.7	14.26	60	45.74	Pass	651
869	1000	0.1	RMS	887.2	-74.21	-13	61.21	Pass	1311
1000	3000	1	RMS	2545	-34.1	-13	21.1	Pass	2001
3000	8940	1	RMS	3395	-48.99	-13	35.99	Pass	5941




11.6. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-74.5	-13	61.5	Pass	401
0.15	30	0.01	RMS	0.15	-73.42	-13	60.42	Pass	2986
30	804	0.1	RMS	737.2	-73.89	-13	60.89	Pass	7741
804	869	0.1	RMS	848.7	12.5	60	47.5	Pass	651
869	1000	0.1	RMS	887.2	-75.07	-13	62.07	Pass	1311
1000	3000	1	RMS	2546	-33.85	-13	20.85	Pass	2001
3000	8940	1	RMS	5942	-50.33	-13	37.33	Pass	5941




11.7. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20415, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	58.78	Pass	2986
30	804	0.1	RMS	737.2	-73.67	-13	60.67	Pass	7741
804	869	0.1	RMS	824.4	15.89	60	44.11	Pass	651
869	1000	0.1	RMS	880.9	-77.28	-13	64.28	Pass	1311
1000	3000	1	RMS	2473	-33.71	-13	20.71	Pass	2001
3000	8940	1	RMS	6596	-46.71	-13	33.71	Pass	5941




11.8. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20415, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.74	-13	60.74	Pass	401
0.15	30	0.01	RMS	0.15	-82.24	-13	69.24	Pass	2986
30	804	0.1	RMS	670.9	-76.08	-13	63.08	Pass	7741
804	869	0.1	RMS	824.5	14.29	60	45.71	Pass	651
869	1000	0.1	RMS	870.9	-76.92	-13	63.92	Pass	1311
1000	3000	1	RMS	2473	-31.21	-13	18.21	Pass	2001
3000	8940	1	RMS	6595	-47.82	-13	34.82	Pass	5941




11.9. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-74.59	-13	61.59	Pass	401
0.15	30	0.01	RMS	0.17	-70.36	-13	57.36	Pass	2986
30	804	0.1	RMS	681.9	-75.7	-13	62.7	Pass	7741
804	869	0.1	RMS	835.5	14.65	60	45.35	Pass	651
869	1000	0.1	RMS	873.9	-73.84	-13	60.84	Pass	1311
1000	3000	1	RMS	2506	-32.71	-13	19.71	Pass	2001
3000	8940	1	RMS	3342	-47	-13	34	Pass	5941




11.10. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.16	-74.66	-13	61.66	Pass	2986
30	804	0.1	RMS	737.3	-71.88	-13	58.88	Pass	7741
804	869	0.1	RMS	835.5	14.06	60	45.94	Pass	651
869	1000	0.1	RMS	873.8	-73.48	-13	60.48	Pass	1311
1000	3000	1	RMS	2505	-33.64	-13	20.64	Pass	2001
3000	8940	1	RMS	6684	-56.4	-13	43.4	Pass	5941




11.11. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20635, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.89	-13	60.89	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-13	58.16	Pass	2986
30	804	0.1	RMS	737.3	-69.74	-13	56.74	Pass	7741
804	869	0.1	RMS	847.3	16.44	60	43.56	Pass	651
869	1000	0.1	RMS	870.1	-73.24	-13	60.24	Pass	1311
1000	3000	1	RMS	2541	-30.94	-13	17.94	Pass	2001
3000	8940	1	RMS	3389	-46.82	-13	33.82	Pass	5941




11.12. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20635, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.17	-75.31	-13	62.31	Pass	2986
30	804	0.1	RMS	693.8	-75.08	-13	62.08	Pass	7741
804	869	0.1	RMS	847.3	15.41	60	44.59	Pass	651
869	1000	0.1	RMS	870.2	-74.45	-13	61.45	Pass	1311
1000	3000	1	RMS	2542	-32.74	-13	19.74	Pass	2001
3000	8940	1	RMS	3389	-47.06	-13	34.06	Pass	5941




11.13. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20425, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.56	-13	60.56	Pass	401
0.15	30	0.01	RMS	0.17	-74.04	-13	61.04	Pass	2986
30	804	0.1	RMS	737.2	-73.71	-13	60.71	Pass	7741
804	869	0.1	RMS	824.4	15.71	60	44.29	Pass	651
869	1000	0.1	RMS	924.5	-76	-13	63	Pass	1311
1000	3000	1	RMS	2473	-28.76	-13	15.76	Pass	2001
3000	8940	1	RMS	3297	-48.09	-13	35.09	Pass	5941




11.14. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20425, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	804	0.1	RMS	670.8	-75.5	-13	62.5	Pass	7741
804	869	0.1	RMS	824.4	14.81	60	45.19	Pass	651
869	1000	0.1	RMS	924.6	-75.37	-13	62.37	Pass	1311
1000	3000	1	RMS	2473	-28.26	-13	15.26	Pass	2001
3000	8940	1	RMS	6594	-47.55	-13	34.55	Pass	5941




11.15. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-70.1	-13	57.1	Pass	2986
30	804	0.1	RMS	737.2	-73.63	-13	60.63	Pass	7741
804	869	0.1	RMS	834.3	15.51	60	44.49	Pass	651
869	1000	0.1	RMS	872.8	-75.21	-13	62.21	Pass	1311
1000	3000	1	RMS	2503	-31.45	-13	18.45	Pass	2001
3000	8940	1	RMS	3337	-46.81	-13	33.81	Pass	5941




11.16. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.56	-13	60.56	Pass	401
0.15	30	0.01	RMS	0.15	-69.97	-13	56.97	Pass	2986
30	804	0.1	RMS	737.2	-74.32	-13	61.32	Pass	7741
804	869	0.1	RMS	834.3	15.5	60	44.5	Pass	651
869	1000	0.1	RMS	886	-75.6	-13	62.6	Pass	1311
1000	3000	1	RMS	2502	-30.93	-13	17.93	Pass	2001
3000	8940	1	RMS	6674	-57.77	-13	44.77	Pass	5941




11.17. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20625, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.15	-69.2	-13	56.2	Pass	2986
30	804	0.1	RMS	737.4	-76.06	-13	63.06	Pass	7741
804	869	0.1	RMS	845.3	15.87	60	44.13	Pass	651
869	1000	0.1	RMS	883.7	-74	-13	61	Pass	1311
1000	3000	1	RMS	2535	-31.68	-13	18.68	Pass	2001
3000	8940	1	RMS	5917	-47.26	-13	34.26	Pass	5941




11.18. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20625, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-13	56.43	Pass	2986
30	804	0.1	RMS	737.3	-70.19	-13	57.19	Pass	7741
804	869	0.1	RMS	845.2	15.41	60	44.59	Pass	651
869	1000	0.1	RMS	883.6	-72.72	-13	59.72	Pass	1311
1000	3000	1	RMS	2535	-29.25	-13	16.25	Pass	2001
3000	8940	1	RMS	3381	-48.87	-13	35.87	Pass	5941




11.19. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-74.54	-13	61.54	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	59.06	Pass	2986
30	804	0.1	RMS	737.3	-74.17	-13	61.17	Pass	7741
804	869	0.1	RMS	824.7	14.94	60	45.06	Pass	651
869	1000	0.1	RMS	875.3	-76.45	-13	63.45	Pass	1311
1000	3000	1	RMS	2474	-29.32	-13	16.32	Pass	2001
3000	8940	1	RMS	3299	-44.27	-13	31.27	Pass	5941




11.20. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20450, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.17	-72.55	-13	59.55	Pass	2986
30	804	0.1	RMS	737.2	-73.68	-13	60.68	Pass	7741
804	869	0.1	RMS	824.7	15.61	60	44.39	Pass	651
869	1000	0.1	RMS	870.5	-76.13	-13	63.13	Pass	1311
1000	3000	1	RMS	2474	-29.47	-13	16.47	Pass	2001
3000	8940	1	RMS	6598	-44.29	-13	31.29	Pass	5941




11.21. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.15	-68.92	-13	55.92	Pass	2986
30	804	0.1	RMS	793.9	-74.76	-13	61.76	Pass	7741
804	869	0.1	RMS	832.2	14.48	60	45.52	Pass	651
869	1000	0.1	RMS	870.8	-74.68	-13	61.68	Pass	1311
1000	3000	1	RMS	2497	-31.76	-13	18.76	Pass	2001
3000	8940	1	RMS	3329	-46.09	-13	33.09	Pass	5941




11.22. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.16	-71.23	-13	58.23	Pass	2986
30	804	0.1	RMS	737.3	-70.55	-13	57.55	Pass	7741
804	869	0.1	RMS	832.2	14.84	60	45.16	Pass	651
869	1000	0.1	RMS	870.6	-73.33	-13	60.33	Pass	1311
1000	3000	1	RMS	2496	-29.09	-13	16.09	Pass	2001
3000	8940	1	RMS	3329	-45.68	-13	32.68	Pass	5941




11.23. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20600, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.16	-73.3	-13	60.3	Pass	2986
30	804	0.1	RMS	737.2	-74.61	-13	61.61	Pass	7741
804	869	0.1	RMS	840.7	15.7	60	44.3	Pass	651
869	1000	0.1	RMS	879	-74.5	-13	61.5	Pass	1311
1000	3000	1	RMS	2522	-31.14	-13	18.14	Pass	2001
3000	8940	1	RMS	3362	-48.43	-13	35.43	Pass	5941



11.24. Cat-M Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20600, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	59.26	Pass	2986
30	804	0.1	RMS	687.1	-75.58	-13	62.58	Pass	7741
804	869	0.1	RMS	840.6	14.07	60	45.93	Pass	651
869	1000	0.1	RMS	879	-73.42	-13	60.42	Pass	1311
1000	3000	1	RMS	2522	-29.5	-13	16.5	Pass	2001
3000	8940	1	RMS	5885	-56.29	-13	43.29	Pass	5941



1. Cat-M_Band18(part90)


1.1. Cat-M Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-69.05	-13	56.05	Pass	401
0.15	30	0.01	RMS	0.16	-69.44	-13	56.44	Pass	2986
30	795	0.1	RMS	665.5	-63.55	-13	50.55	Pass	7651
795	844	0.1	RMS	815.3	20.6	60	39.4	Pass	491
844	1000	0.1	RMS	894.1	-66.48	-13	53.48	Pass	1561
1000	3000	1	RMS	2446	-24.39	-13	11.39	Pass	2001
3000	8690	1	RMS	6522	-38.92	-13	25.92	Pass	5691




1.2. Cat-M Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:23875, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-69.44	-13	56.44	Pass	401
0.15	30	0.01	RMS	0.15	-67.24	-13	54.24	Pass	2986
30	795	0.1	RMS	665.4	-62.97	-13	49.97	Pass	7651
795	844	0.1	RMS	815.3	21.3	60	38.7	Pass	491
844	1000	0.1	RMS	893	-64.58	-13	51.58	Pass	1561
1000	3000	1	RMS	2445	-22.4	-13	9.4	Pass	2001
3000	8690	1	RMS	6522	-37.3	-13	24.3	Pass	5691




1.3. Cat-M Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-68.99	-13	55.99	Pass	401
0.15	30	0.01	RMS	0.16	-67.66	-13	54.66	Pass	2986
30	795	0.1	RMS	795	-64.34	-13	51.34	Pass	7651
795	844	0.1	RMS	817.3	21.83	60	38.17	Pass	491
844	1000	0.1	RMS	965	-66.95	-13	53.95	Pass	1561
1000	3000	1	RMS	2452	-20.03	-13	7.03	Pass	2001
3000	8690	1	RMS	6539	-38.29	-13	25.29	Pass	5691




1.4. Cat-M Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:23895, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-67.4	-13	54.4	Pass	401
0.15	30	0.01	RMS	0.15	-73.5	-13	60.5	Pass	2986
30	795	0.1	RMS	669.6	-62.19	-13	49.19	Pass	7651
795	844	0.1	RMS	817.3	22.43	60	37.57	Pass	491
844	1000	0.1	RMS	964.7	-66.5	-13	53.5	Pass	1561
1000	3000	1	RMS	2451	-16.97	-13	3.97	Pass*	2001
3000	8690	1	RMS	6539	-36.07	-13	23.07	Pass	5691



1.5. Cat-M Spurious Emission at Antenna Terminals_Part90(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.128	-68.25	-13	55.25	Pass	401
0.15	30	0.01	RMS	0.15	-67.63	-13	54.63	Pass	2986
30	795	0.1	RMS	714.3	-66.81	-13	53.81	Pass	7651
795	844	0.1	RMS	820.2	22.49	60	37.51	Pass	491
844	1000	0.1	RMS	892.6	-66.68	-13	53.68	Pass	1561
1000	3000	1	RMS	2461	-20.58	-13	7.58	Pass	2001
3000	8690	1	RMS	6561	-40.91	-13	27.91	Pass	5691



1.7. Cat-M Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:23915, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-74.17	-13	61.17	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-13	59.38	Pass	2986
30	795	0.1	RMS	737.3	-69.85	-13	56.85	Pass	7651
795	844	0.1	RMS	820.2	15.02	60	44.98	Pass	491
844	1000	0.1	RMS	844.8	-73.66	-13	60.66	Pass	1561
1000	3000	1	RMS	2461	-31.93	-13	18.93	Pass	2001
3000	8690	1	RMS	6563	-50.96	-13	37.96	Pass	5691

