


Band Edge


6.14. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23165, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.8	11.33	30	18.67	Pass	401
716	716.1	0.03	RMS	716.027	-30.76	-13	17.76	Pass	401
716.1	718	0.1	RMS	716.119	-26.69	-13	13.69	Pass	401
718	736	0.1	RMS	718	-46.92	-13	33.92	Pass	401




6.15. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23165, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.55	19.56	30	10.44	Pass	401
716	716.1	0.03	RMS	716.003	-31.49	-13	18.49	Pass	401
716.1	718	0.1	RMS	716.11	-29.29	-13	16.29	Pass	401
718	736	0.1	RMS	718	-55.11	-13	42.11	Pass	401




6.16. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23165, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.55	11.92	30	18.08	Pass	401
716	716.1	0.03	RMS	716.001	-27.83	-13	14.83	Pass	401
716.1	718	0.1	RMS	716.119	-23.87	-13	10.87	Pass	401
718	736	0.1	RMS	718	-48.12	-13	35.12	Pass	401




6.17. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:23035, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.955	-51.69	-13	38.69	Pass	401
697	698.9	0.1	RMS	698.815	-29.84	-13	16.84	Pass	401
698.9	699	0.03	RMS	699	-27.41	-13	14.41	Pass	401
699	719	0.1	RMS	699.35	19.97	30	10.03	Pass	401




6.18. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:23035, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-44.9	-13	31.9	Pass	401
697	698.85	0.1	RMS	698.85	-26.68	-13	13.68	Pass	401
698.9	699	0.03	RMS	698.998	-28.63	-13	15.63	Pass	401
699	719	0.1	RMS	699.65	11.73	30	18.27	Pass	401




6.19. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:23035, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.955	-49.94	-13	36.94	Pass	401
697	698.9	0.1	RMS	698.891	-25.61	-13	12.61	Pass	401
698.9	699	0.03	RMS	698.996	-24.46	-13	11.46	Pass	401
699	719	0.1	RMS	699.3	19.98	30	10.02	Pass	401




6.20. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:23035, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-46.35	-13	33.35	Pass	401
697	698.85	0.1	RMS	698.836	-27.43	-13	14.43	Pass	401
698.9	699	0.03	RMS	698.997	-28.87	-13	15.87	Pass	401
699	719	0.1	RMS	699.9	11.44	30	18.56	Pass	401




6.21. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:23155, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.65	20.04	30	9.96	Pass	401
716	716.1	0.03	RMS	716.001	-26.11	-13	13.11	Pass	401
716.1	718	0.1	RMS	716.11	-24.34	-13	11.34	Pass	401
718	736	0.1	RMS	718	-54.66	-13	41.66	Pass	401




6.22. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23155, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.95	11.91	30	18.09	Pass	401
716	716.1	0.03	RMS	716.039	-26.56	-13	13.56	Pass	401
716.15	718	0.1	RMS	716.159	-22.53	-13	9.53	Pass	401
718	736	0.1	RMS	718.09	-45.74	-13	32.74	Pass	401




6.23. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23155, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.65	20.41	30	9.59	Pass	401
716	716.1	0.03	RMS	716.005	-24.17	-13	11.17	Pass	401
716.1	718	0.1	RMS	716.11	-22.17	-13	9.17	Pass	401
718	736	0.1	RMS	718.09	-53.18	-13	40.18	Pass	401




6.24. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23155, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715	11.9	30	18.1	Pass	401
716	716.1	0.03	RMS	716	-26.86	-13	13.86	Pass	401
716.15	718	0.1	RMS	716.159	-23.68	-13	10.68	Pass	401
718	736	0.1	RMS	718	-47.88	-13	34.88	Pass	401




6.25. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.955	-51.38	-13	38.38	Pass	401
697	698.9	0.1	RMS	698.867	-31.13	-13	18.13	Pass	401
698.9	699	0.03	RMS	698.901	-36.04	-13	23.04	Pass	401
699	719	0.1	RMS	699.8	19.57	30	10.43	Pass	401




6.26. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	697	-45.4	-13	32.4	Pass	401
697	698.9	0.1	RMS	698.758	-29.06	-13	16.06	Pass	401
698.9	699	0.03	RMS	698.999	-33.92	-13	20.92	Pass	401
699	719	0.1	RMS	700.4	11.65	30	18.35	Pass	401




6.27. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:23060, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.955	-54.42	-13	41.42	Pass	401
697	698.9	0.1	RMS	698.886	-29.49	-13	16.49	Pass	401
698.9	699	0.03	RMS	698.936	-34.62	-13	21.62	Pass	401
699	719	0.1	RMS	699.8	19.8	30	10.2	Pass	401




6.28. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:23060, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	697	0.1	RMS	696.955	-49.16	-13	36.16	Pass	401
697	698.9	0.1	RMS	698.9	-28.35	-13	15.35	Pass	401
698.9	699	0.03	RMS	698.999	-32.06	-13	19.06	Pass	401
699	719	0.1	RMS	699.9	12.42	30	17.58	Pass	401




6.29. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:23130, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.25	20.01	30	9.99	Pass	401
716	716.1	0.03	RMS	716.093	-34	-13	21	Pass	401
716.1	718	0.1	RMS	716.205	-29.3	-13	16.3	Pass	401
718	736	0.1	RMS	718.18	-56.61	-13	43.61	Pass	401




6.30. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23130, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.4	11.94	30	18.06	Pass	401
716	716.1	0.03	RMS	716.006	-30.71	-13	17.71	Pass	401
716.1	718	0.1	RMS	716.114	-26.48	-13	13.48	Pass	401
718	736	0.1	RMS	718	-46.07	-13	33.07	Pass	401




6.31. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23130, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	715.25	20.15	30	9.85	Pass	401
716	716.1	0.03	RMS	716.098	-32.97	-13	19.97	Pass	401
716.1	718	0.1	RMS	716.186	-27.96	-13	14.96	Pass	401
718	736	0.1	RMS	718.36	-57.03	-13	44.03	Pass	401



6.32. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23130, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
696	716	0.1	RMS	714.6	12.66	30	17.34	Pass	401
716	716.1	0.03	RMS	716.005	-29.41	-13	16.41	Pass	401
716.1	718	0.1	RMS	716.105	-25.19	-13	12.19	Pass	401
718	736	0.1	RMS	718.045	-49.57	-13	36.57	Pass	401



7. Cat-M_Band18(part22)


7.1. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.71	-13	36.71	Pass	401
822	823	0.1	RMS	822.558	-35.33	-13	22.33	Pass	401
823	824	0.002	RMS	823.992	-34.88	-13	21.88	Pass	501
824	844	0.1	RMS	824.35	20.17	30	9.83	Pass	401




7.2. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:23965, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-43.72	-13	30.72	Pass	401
822	823	0.1	RMS	823	-33.63	-13	20.63	Pass	401
823	824	0.015	RMS	823.993	-27.42	-13	14.42	Pass	401
824	844	0.1	RMS	824.9	12.13	30	17.87	Pass	401




7.3. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:23965, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.91	-48.58	-13	35.58	Pass	401
822	823	0.1	RMS	822.578	-33.65	-13	20.65	Pass	401
823	824	0.002	RMS	823.988	-33.53	-13	20.53	Pass	501
824	844	0.1	RMS	824.3	19.91	30	10.09	Pass	401




7.4. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:23965, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-44.99	-13	31.99	Pass	401
822	823	0.1	RMS	822.993	-33.56	-13	20.56	Pass	401
823	824	0.015	RMS	823.97	-28.05	-13	15.05	Pass	401
824	844	0.1	RMS	824.65	11.9	30	18.1	Pass	401




7.5. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	830	0.1	RMS	829.65	20.37	30	9.63	Pass	401
830	831	0.002	RMS	830	-35.21	-13	22.21	Pass	501
831	832	0.1	RMS	831.478	-34.26	-13	21.26	Pass	401
832	850	0.1	RMS	832.18	-54.21	-13	41.21	Pass	401




7.6. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:23975, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	830	0.1	RMS	829.25	12.34	30	17.66	Pass	401
830	831	0.015	RMS	830.008	-24.86	-13	11.86	Pass	401
831	832	0.1	RMS	831.005	-35.57	-13	22.57	Pass	401
832	850	0.1	RMS	832.045	-45.56	-13	32.56	Pass	401




7.7. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:23975, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	830	0.1	RMS	829.65	20.68	30	9.32	Pass	401
830	831	0.002	RMS	830.002	-31.85	-13	18.85	Pass	501
831	832	0.1	RMS	831.498	-32.54	-13	19.54	Pass	401
832	850	0.1	RMS	832	-52.55	-13	39.55	Pass	401



7.8. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:23975, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
810	830	0.1	RMS	828.8	12.42	30	17.58	Pass	401
830	831	0.015	RMS	830.025	-27.98	-13	14.98	Pass	401
831	832	0.1	RMS	831.018	-38.79	-13	25.79	Pass	401
832	850	0.1	RMS	832	-48.1	-13	35.1	Pass	401



8. Cat-M_Band26(part22)


8.1. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.04	-13	36.04	Pass	401
822	823	0.1	RMS	822.5	-41.48	-13	28.48	Pass	11
823	824	0.002	RMS	823.998	-23.4	-13	10.4	Pass	501
824	844	0.1	RMS	824.2	19.78	30	10.22	Pass	401




8.2. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-43.45	-13	30.45	Pass	401
822	823	0.1	RMS	823	-39.32	-13	26.32	Pass	11
823	824	0.015	RMS	824	-24.42	-13	11.42	Pass	401
824	844	0.1	RMS	824.4	11.15	30	18.85	Pass	401




8.3. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.51	-13	36.51	Pass	401
822	823	0.1	RMS	822.5	-43.21	-13	30.21	Pass	11
823	824	0.002	RMS	823.996	-24.87	-13	11.87	Pass	501
824	844	0.1	RMS	824.25	18.9	30	11.1	Pass	401




8.4. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.955	-45.5	-13	32.5	Pass	401
822	823	0.1	RMS	823	-39.28	-13	26.28	Pass	11
823	824	0.015	RMS	824	-23.28	-13	10.28	Pass	401
824	844	0.1	RMS	824.8	11.88	30	18.12	Pass	401




8.5. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.75	20.5	30	9.5	Pass	401
849	850	0.002	RMS	849.004	-22.58	-13	9.58	Pass	501
850	851	0.1	RMS	850.6	-39.94	-13	26.94	Pass	11
851	869	0.1	RMS	851.045	-50.8	-13	37.8	Pass	401




8.6. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.05	11.24	30	18.76	Pass	401
849	850	0.015	RMS	849.003	-24.22	-13	11.22	Pass	401
850	851	0.1	RMS	850	-37.39	-13	24.39	Pass	11
851	869	0.1	RMS	851	-44.86	-13	31.86	Pass	401




8.7. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.75	19.41	30	10.59	Pass	401
849	850	0.002	RMS	849.004	-25.63	-13	12.63	Pass	501
850	851	0.1	RMS	850.6	-41.76	-13	28.76	Pass	11
851	869	0.1	RMS	851.045	-52.47	-13	39.47	Pass	401




8.8. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.7	12.06	30	17.94	Pass	401
849	850	0.015	RMS	849.003	-23.26	-13	10.26	Pass	401
850	851	0.1	RMS	850	-40.61	-13	27.61	Pass	11
851	869	0.1	RMS	851.045	-46.21	-13	33.21	Pass	401




8.9. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:26805, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.91	-54	-13	41	Pass	401
822	823	0.1	RMS	822.7	-41.21	-13	28.21	Pass	11
823	824	0.002	RMS	823.988	-44.81	-13	31.81	Pass	501
824	844	0.1	RMS	824.35	14.19	30	15.81	Pass	401




8.10. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:26805, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.57	-13	36.57	Pass	401
822	823	0.1	RMS	823	-41.18	-13	28.18	Pass	11
823	824	0.015	RMS	823.993	-38.49	-13	25.49	Pass	401
824	844	0.1	RMS	825.25	7.34	30	22.66	Pass	401




8.11. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:26805, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.685	-56.05	-13	43.05	Pass	401
822	823	0.1	RMS	822.6	-43.3	-13	30.3	Pass	11
823	824	0.002	RMS	823.998	-47.18	-13	34.18	Pass	501
824	844	0.1	RMS	824.4	14.9	30	15.1	Pass	401




8.13. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:27025, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.6	20.26	30	9.74	Pass	401
849	850	0.002	RMS	849.012	-38.23	-13	25.23	Pass	501
850	851	0.1	RMS	850.4	-40.05	-13	27.05	Pass	11
851	869	0.1	RMS	851.27	-54.71	-13	41.71	Pass	401




8.14. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:27025, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.55	11.17	30	18.83	Pass	401
849	850	0.015	RMS	849.07	-29.74	-13	16.74	Pass	401
850	851	0.1	RMS	850	-43.46	-13	30.46	Pass	11
851	869	0.1	RMS	851.045	-46.35	-13	33.35	Pass	401




8.15. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:27025, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.6	19.68	30	10.32	Pass	401
849	850	0.002	RMS	849	-41.65	-13	28.65	Pass	501
850	851	0.1	RMS	850.4	-41.8	-13	28.8	Pass	11
851	869	0.1	RMS	851.09	-54.12	-13	41.12	Pass	401




8.16. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:27025, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	12.22	30	17.78	Pass	401
849	850	0.015	RMS	849.038	-27.33	-13	14.33	Pass	401
850	851	0.1	RMS	850	-42.96	-13	29.96	Pass	11
851	869	0.1	RMS	851.045	-48.34	-13	35.34	Pass	401




8.17. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:26815, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-50.03	-13	37.03	Pass	401
822	823	0.1	RMS	822.6	-41.03	-13	28.03	Pass	11
823	824	0.002	RMS	823.988	-36.53	-13	23.53	Pass	501
824	844	0.1	RMS	824.4	19.32	30	10.68	Pass	401




8.18. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:26815, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-43.49	-13	30.49	Pass	401
822	823	0.1	RMS	823	-39.23	-13	26.23	Pass	11
823	824	0.015	RMS	823.995	-27.52	-13	14.52	Pass	401
824	844	0.1	RMS	825.25	12.26	30	17.74	Pass	401




8.19. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:26815, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-49.37	-13	36.37	Pass	401
822	823	0.1	RMS	822.6	-39.51	-13	26.51	Pass	11
823	824	0.002	RMS	823.988	-33.19	-13	20.19	Pass	501
824	844	0.1	RMS	824.35	20.23	30	9.77	Pass	401




8.20. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:26815, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.865	-50.39	-13	37.39	Pass	401
822	823	0.1	RMS	823	-39.14	-13	26.14	Pass	11
823	824	0.015	RMS	823.98	-32.5	-13	19.5	Pass	401
824	844	0.1	RMS	824.9	7.62	30	22.38	Pass	401




8.21. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:27015, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.7	14.24	30	15.76	Pass	401
849	850	0.002	RMS	849.01	-40.65	-13	27.65	Pass	501
850	851	0.1	RMS	850.5	-39.23	-13	26.23	Pass	11
851	869	0.1	RMS	851.405	-58.2	-13	45.2	Pass	401




8.22. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:27015, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848	8.2	30	21.8	Pass	401
849	850	0.015	RMS	849	-29.69	-13	16.69	Pass	401
850	851	0.1	RMS	850	-40.99	-13	27.99	Pass	11
851	869	0.1	RMS	851.045	-49.83	-13	36.83	Pass	401




8.23. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:27015, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	14.2	30	15.8	Pass	401
849	850	0.002	RMS	849.002	-39.08	-13	26.08	Pass	501
850	851	0.1	RMS	850.5	-38.29	-13	25.29	Pass	11
851	869	0.1	RMS	851	-58.3	-13	45.3	Pass	401




8.24. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:27015, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.3	8.15	30	21.85	Pass	401
849	850	0.015	RMS	849.018	-30.73	-13	17.73	Pass	401
850	851	0.1	RMS	850	-41.75	-13	28.75	Pass	11
851	869	0.1	RMS	851.09	-52.42	-13	39.42	Pass	401




8.25. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:26840, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.64	-55.68	-13	42.68	Pass	401
822	823	0.1	RMS	823	-40.95	-13	27.95	Pass	11
823	824	0.002	RMS	823.83	-47.88	-13	34.88	Pass	501
824	844	0.1	RMS	824.75	16.56	30	13.44	Pass	401




8.26. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:26840, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.955	-48.65	-13	35.65	Pass	401
822	823	0.1	RMS	823	-41.96	-13	28.96	Pass	11
823	824	0.015	RMS	823.953	-36.23	-13	23.23	Pass	401
824	844	0.1	RMS	825.35	7.59	30	22.41	Pass	401




8.27. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:26840, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-57.66	-13	44.66	Pass	401
822	823	0.1	RMS	823	-39.05	-13	26.05	Pass	11
823	824	0.002	RMS	823.878	-46.64	-13	33.64	Pass	501
824	844	0.1	RMS	824.8	16.13	30	13.87	Pass	401




8.28. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:26840, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	822	-51.78	-13	38.78	Pass	401
822	823	0.1	RMS	823	-44.74	-13	31.74	Pass	11
823	824	0.015	RMS	824	-35.19	-13	22.19	Pass	401
824	844	0.1	RMS	825.3	8.33	30	21.67	Pass	401




8.29. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:26990, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	16.06	30	13.94	Pass	401
849	850	0.002	RMS	849.152	-46.68	-13	33.68	Pass	501
850	851	0.1	RMS	850.1	-39.55	-13	26.55	Pass	11
851	869	0.1	RMS	851.045	-58.49	-13	45.49	Pass	401




8.30. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:26990, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.65	8.39	30	21.61	Pass	401
849	850	0.015	RMS	849	-34.64	-13	21.64	Pass	401
850	851	0.1	RMS	850.1	-45	-13	32	Pass	11
851	869	0.1	RMS	851	-49.79	-13	36.79	Pass	401




8.31. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:26990, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	16.48	30	13.52	Pass	401
849	850	0.002	RMS	849.156	-44.43	-13	31.43	Pass	501
850	851	0.1	RMS	850.1	-38.37	-13	25.37	Pass	11
851	869	0.1	RMS	851.045	-59.94	-13	46.94	Pass	401




8.32. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:26990, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.65	8.71	30	21.29	Pass	401
849	850	0.015	RMS	849.01	-33.09	-13	20.09	Pass	401
850	851	0.1	RMS	850	-44.52	-13	31.52	Pass	11
851	869	0.1	RMS	851.045	-52.55	-13	39.55	Pass	401



8.33. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.595	-58.09	-13	45.09	Pass	401
822	823	0.1	RMS	823	-46.62	-13	33.62	Pass	11
823	824	0.002	RMS	823.986	-52.44	-13	39.44	Pass	501
824	844	0.1	RMS	825	15.78	30	14.22	Pass	401



8.34. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:26865, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.91	-50.41	-13	37.41	Pass	401
822	823	0.1	RMS	823	-41.3	-13	28.3	Pass	11
823	824	0.015	RMS	823.993	-35.25	-13	22.25	Pass	401
824	844	0.1	RMS	825.35	8.21	30	21.79	Pass	401

