


Band Edge


11.25. Cat-M Band Edge_Part22-24-27(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.775	-56.53	-13	43.53	Pass	401
822	823	0.1	RMS	823	-41.1	-13	28.1	Pass	11
823	824	0.002	RMS	823.894	-48.81	-13	35.81	Pass	501
824	844	0.1	RMS	824.7	15.01	30	14.99	Pass	401




11.26. Cat-M Band Edge_Part22-24-27(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.955	-48.64	-13	35.64	Pass	401
822	823	0.1	RMS	823	-41.99	-13	28.99	Pass	11
823	824	0.015	RMS	823.973	-36.65	-13	23.65	Pass	401
824	844	0.1	RMS	825.65	8.54	30	21.46	Pass	401




11.27. Cat-M Band Edge_Part22-24-27(Subtest:3, Channel:20450, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.235	-56.47	-13	43.47	Pass	401
822	823	0.1	RMS	823	-39.69	-13	26.69	Pass	11
823	824	0.002	RMS	823.86	-47.03	-13	34.03	Pass	501
824	844	0.1	RMS	824.75	16.55	30	13.45	Pass	401




11.28. Cat-M Band Edge_Part22-24-27(Subtest:4, Channel:20450, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	822	0.1	RMS	821.865	-52.26	-13	39.26	Pass	401
822	823	0.1	RMS	823	-43.12	-13	30.12	Pass	11
823	824	0.015	RMS	823.993	-34.72	-13	21.72	Pass	401
824	844	0.1	RMS	825.3	8.57	30	21.43	Pass	401




11.29. Cat-M Band Edge_Part22-24-27(Subtest:5, Channel:20600, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	16.44	30	13.56	Pass	401
849	850	0.002	RMS	849.18	-45.49	-13	32.49	Pass	501
850	851	0.1	RMS	850.1	-39.61	-13	26.61	Pass	11
851	869	0.1	RMS	851.045	-59.61	-13	46.61	Pass	401




11.30. Cat-M Band Edge_Part22-24-27(Subtest:6, Channel:20600, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	847.95	8.46	30	21.54	Pass	401
849	850	0.015	RMS	849.01	-34.21	-13	21.21	Pass	401
850	851	0.1	RMS	850	-44.63	-13	31.63	Pass	11
851	869	0.1	RMS	851	-50.56	-13	37.56	Pass	401




11.31. Cat-M Band Edge_Part22-24-27(Subtest:7, Channel:20600, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	16.53	30	13.47	Pass	401
849	850	0.002	RMS	849.104	-45.66	-13	32.66	Pass	501
850	851	0.1	RMS	850.1	-38.47	-13	25.47	Pass	11
851	869	0.1	RMS	851.045	-59.41	-13	46.41	Pass	401



11.32. Cat-M Band Edge_Part22-24-27(Subtest:8, Channel:20600, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.2	8.8	30	21.2	Pass	401
849	850	0.015	RMS	849.013	-33.83	-13	20.83	Pass	401
850	851	0.1	RMS	850	-44.51	-13	31.51	Pass	11
851	869	0.1	RMS	851.045	-53.3	-13	40.3	Pass	401



1. Cat-M_Band18(part90)


1.1. Cat-M Band Edge_Part90(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
795	814.9625	0.1	RMS	814.963	-20.51	-13	7.51	Pass	401
814.9625	815	0.002	RMS	814.984	-34.9	-20	14.9	Pass	401
815	835	0.1	RMS	815.35	19.84	30	10.16	Pass	401




1.2. Cat-M Band Edge_Part90(Subtest:2, Channel:23875, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
795	814.9625	0.1	RMS	814.963	-21.91	-13	8.91	Pass	401
814.9625	815	0.015	RMS	814.999	-29.06	-20	9.06	Pass	401
815	835	0.1	RMS	815.45	11.55	30	18.45	Pass	401




1.3. Cat-M Band Edge_Part90(Subtest:3, Channel:23875, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
795	814.9625	0.1	RMS	814.963	-20.69	-13	7.69	Pass	401
814.9625	815	0.002	RMS	814.991	-33.86	-20	13.86	Pass	401
815	835	0.1	RMS	815.3	19.74	30	10.26	Pass	401




1.4. Cat-M Band Edge_Part90(Subtest:4, Channel:23875, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
795	814.9625	0.1	RMS	814.963	-22.6	-13	9.6	Pass	401
814.9625	815	0.015	RMS	814.996	-29.81	-20	9.81	Pass	401
815	835	0.1	RMS	815.45	11.73	30	18.27	Pass	401




1.5. Cat-M Band Edge_Part90(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.65	20.38	30	9.62	Pass	401
824	824.0375	0.002	RMS	824.011	-34.85	-20	14.85	Pass	401
824.0375	844	0.1	RMS	824.038	-21.12	-13	8.12	Pass	401




1.6. Cat-M Band Edge_Part90(Subtest:6, Channel:23915, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.8	12.12	30	17.88	Pass	401
824	824.0375	0.015	RMS	824.03	-25.56	-20	5.56	Pass*	401
824.0375	844	0.1	RMS	824.038	-19.27	-13	6.27	Pass	401




1.7. Cat-M Band Edge_Part90(Subtest:7, Channel:23915, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.65	20.36	30	9.64	Pass	401
824	824.0375	0.002	RMS	824.012	-33.55	-20	13.55	Pass	401
824.0375	844	0.1	RMS	824.038	-19.85	-13	6.85	Pass	401



1.8. Cat-M Band Edge_Part90(Subtest:8, Channel:23915, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.8	11.94	30	18.06	Pass	401
824	824.0375	0.015	RMS	824.001	-29.04	-20	9.04	Pass	401
824.0375	844	0.1	RMS	824.038	-21.83	-13	8.83	Pass	401



2. Cat-M_Band14


2.1. Cat-M Band Edge_Part90(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	769.23	-73.18	-35	38.18	Pass	601
775	787.9	0.1	RMS	787.9	-26.21	-13	13.21	Pass	401
787.9	788	0.03	RMS	787.996	-25.56	-13	12.56	Pass	401
788	808	0.1	RMS	788.3	20	30	10	Pass	401




2.2. Cat-M Band Edge_Part90(Subtest:2, Channel:23305, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	772.12	-73.29	-35	38.29	Pass	601
775	787.9	0.1	RMS	787.9	-19.67	-13	6.67	Pass	401
787.9	788	0.03	RMS	787.997	-23.73	-13	10.73	Pass	401
788	808	0.1	RMS	788.5	11.95	30	18.05	Pass	401




2.3. Cat-M Band Edge_Part90(Subtest:3, Channel:23305, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	774.62	-72.96	-35	37.96	Pass	601
775	787.9	0.1	RMS	787.9	-25.08	-13	12.08	Pass	401
787.9	788	0.03	RMS	787.999	-22.93	-13	9.93	Pass	401
788	808	0.1	RMS	788.35	20.29	30	9.71	Pass	401




2.4. Cat-M Band Edge_Part90(Subtest:4, Channel:23305, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	772.3	-73.31	-35	38.31	Pass	601
775	787.9	0.1	RMS	787.9	-21.99	-13	8.99	Pass	401
787.9	788	0.03	RMS	787.977	-24.49	-13	11.49	Pass	401
788	808	0.1	RMS	788.9	11.89	30	18.11	Pass	401




2.5. Cat-M Band Edge_Part90(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.65	20.37	30	9.63	Pass	401
798	798.1	0.03	RMS	798.001	-24.49	-13	11.49	Pass	401
798.1	799	0.1	RMS	798.1	-24.27	-13	11.27	Pass	401
799	805	0.01	RMS	799.46	-44.28	-35	9.28	Pass	601




2.6. Cat-M Band Edge_Part90(Subtest:6, Channel:23355, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	796.85	12.28	30	17.72	Pass	401
798	798.1	0.03	RMS	798.002	-20.8	-13	7.8	Pass	401
798.1	799	0.1	RMS	798.107	-17.17	-13	4.17	Pass*	401
799	805	0.01	RMS	799	-46.58	-35	11.58	Pass	601




2.7. Cat-M Band Edge_Part90(Subtest:7, Channel:23355, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.65	20.68	30	9.32	Pass	401
798	798.1	0.03	RMS	798.003	-22.42	-13	9.42	Pass	401
798.1	799	0.1	RMS	798.107	-22.66	-13	9.66	Pass	401
799	805	0.01	RMS	799.46	-42.44	-35	7.44	Pass	601




2.8. Cat-M Band Edge_Part90(Subtest:8, Channel:23355, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:1)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.6	12.22	30	17.78	Pass	401
798	798.1	0.03	RMS	798.007	-22.04	-13	9.04	Pass	401
798.1	799	0.1	RMS	798.1	-18.49	-13	5.49	Pass*	401
799	805	0.01	RMS	799.01	-43.79	-35	8.79	Pass	601




2.9. Cat-M Band Edge_Part90(Subtest:1, Channel:23330, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	773.82	-73.3	-35	38.3	Pass	601
775	787.9	0.1	RMS	787.868	-28.86	-13	15.86	Pass	401
787.9	788	0.03	RMS	787.911	-33.39	-13	20.39	Pass	401
788	808	0.1	RMS	788.8	19.93	30	10.07	Pass	401




2.10. Cat-M Band Edge_Part90(Subtest:2, Channel:23330, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	771.48	-73.29	-35	38.29	Pass	601
775	787.9	0.1	RMS	787.674	-24.23	-13	11.23	Pass	401
787.9	788	0.03	RMS	787.992	-28.19	-13	15.19	Pass	401
788	808	0.1	RMS	789.05	12.04	30	17.96	Pass	401




2.11. Cat-M Band Edge_Part90(Subtest:3, Channel:23330, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	770.4	-73.14	-35	38.14	Pass	601
775	787.9	0.1	RMS	787.868	-27.56	-13	14.56	Pass	401
787.9	788	0.03	RMS	787.94	-31.48	-13	18.48	Pass	401
788	808	0.1	RMS	788.7	19.17	30	10.83	Pass	401




2.12. Cat-M Band Edge_Part90(Subtest:4, Channel:23330, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.01	RMS	774.26	-73.23	-35	38.23	Pass	601
775	787.9	0.1	RMS	787.9	-23.51	-13	10.51	Pass	401
787.9	788	0.03	RMS	787.993	-27.31	-13	14.31	Pass	401
788	808	0.1	RMS	789.3	12.79	30	17.21	Pass	401




2.13. Cat-M Band Edge_Part90(Subtest:5, Channel:23330, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.2	20.4	30	9.6	Pass	401
798	798.1	0.03	RMS	798.094	-31.85	-13	18.85	Pass	401
798.1	799	0.1	RMS	798.143	-26.67	-13	13.67	Pass	401
799	805	0.01	RMS	799.08	-44.35	-35	9.35	Pass	601




2.14. Cat-M Band Edge_Part90(Subtest:6, Channel:23330, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	796.4	12.35	30	17.65	Pass	401
798	798.1	0.03	RMS	798.006	-25.65	-13	12.65	Pass	401
798.1	799	0.1	RMS	798.107	-22.21	-13	9.21	Pass	401
799	805	0.01	RMS	799.18	-46.91	-35	11.91	Pass	601




2.15. Cat-M Band Edge_Part90(Subtest:7, Channel:23330, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.2	20.43	30	9.57	Pass	401
798	798.1	0.03	RMS	798.082	-29.99	-13	16.99	Pass	401
798.1	799	0.1	RMS	798.132	-25.54	-13	12.54	Pass	401
799	805	0.01	RMS	799	-43.13	-35	8.13	Pass	601



2.16. Cat-M Band Edge_Part90(Subtest:8, Channel:23330, Bandwidth:10, Modulation:16QAM, NB Index:7, RB Number:5, RB Position:1)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	798	0.1	RMS	797.2	13.13	30	16.87	Pass	401
798	798.1	0.03	RMS	798.003	-25.04	-13	12.04	Pass	401
798.1	799	0.1	RMS	798.105	-22.44	-13	9.44	Pass	401
799	805	0.01	RMS	799.02	-47.34	-35	12.34	Pass	601



3. Cat-M_Band26(part90)


3.1. Cat-M Band Edge_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-13.84	-13	0.84	Pass*	401
813.9625	814	0.002	RMS	813.998	-23.88	-20	3.88	Pass*	401
814	834	0.1	RMS	814.25	19.59	30	10.41	Pass	401




3.2. Cat-M Band Edge_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-18.14	-13	5.14	Pass*	401
813.9625	814	0.015	RMS	814	-24.84	-20	4.84	Pass*	401
814	834	0.1	RMS	814.25	10.27	30	19.73	Pass	401




3.3. Cat-M Band Edge_Part90(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-13.11	-13	0.11	Pass*	401
813.9625	814	0.002	RMS	813.998	-25.82	-20	5.82	Pass*	401
814	834	0.1	RMS	814.25	18.61	30	11.39	Pass	401




3.4. Cat-M Band Edge_Part90(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-16.72	-13	3.72	Pass*	401
813.9625	814	0.015	RMS	814	-23.82	-20	3.82	Pass*	401
814	834	0.1	RMS	814.6	11.26	30	18.74	Pass	401




3.5. Cat-M Band Edge_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.7	15.01	30	14.99	Pass	401
824	824.0375	0.002	RMS	824.002	-28.12	-20	8.12	Pass	401
824.0375	844	0.1	RMS	824.038	-19.29	-13	6.29	Pass	401




3.6. Cat-M Band Edge_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.6	10.29	30	19.71	Pass	401
824	824.0375	0.015	RMS	824	-24.23	-20	4.23	Pass*	401
824.0375	844	0.1	RMS	824.038	-17.86	-13	4.86	Pass*	401




3.7. Cat-M Band Edge_Part90(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.8	12.78	30	17.22	Pass	401
824	824.0375	0.002	RMS	824.002	-31.02	-20	11.02	Pass	401
824.0375	844	0.1	RMS	824.038	-17.61	-13	4.61	Pass*	401




3.8. Cat-M Band Edge_Part90(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823	11.2	30	18.8	Pass	401
824	824.0375	0.015	RMS	824	-24.69	-20	4.69	Pass*	401
824.0375	844	0.1	RMS	824.038	-18.68	-13	5.68	Pass*	401




3.9. Cat-M Band Edge_Part90(Subtest:1, Channel:26705, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-25.86	-13	12.86	Pass	401
813.9625	814	0.002	RMS	814	-40.41	-20	20.41	Pass	401
814	834	0.1	RMS	814.45	20.13	30	9.87	Pass	401




3.10. Cat-M Band Edge_Part90(Subtest:2, Channel:26705, Bandwidth:3, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-27.52	-13	14.52	Pass	401
813.9625	814	0.015	RMS	813.986	-33.93	-20	13.93	Pass	401
814	834	0.1	RMS	815.3	10.98	30	19.02	Pass	401




3.11. Cat-M Band Edge_Part90(Subtest:3, Channel:26705, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-25.83	-13	12.83	Pass	401
813.9625	814	0.002	RMS	813.994	-41.07	-20	21.07	Pass	401
814	834	0.1	RMS	814.4	19.22	30	10.78	Pass	401




3.12. Cat-M Band Edge_Part90(Subtest:4, Channel:26705, Bandwidth:3, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-24.97	-13	11.97	Pass	401
813.9625	814	0.015	RMS	813.999	-30.94	-20	10.94	Pass	401
814	834	0.1	RMS	815.05	11.74	30	18.26	Pass	401




3.13. Cat-M Band Edge_Part90(Subtest:5, Channel:26775, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
824	824.0375	0.002	RMS	824.005	-41.51	-20	21.51	Pass	401
824.0375	844	0.1	RMS	824.487	-28.36	-13	15.36	Pass	401




3.14. Cat-M Band Edge_Part90(Subtest:6, Channel:26775, Bandwidth:3, Modulation:QPSK, NB Index:1, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.4	10.12	30	19.88	Pass	401
824	824.0375	0.015	RMS	824.016	-31.89	-20	11.89	Pass	401
824.0375	844	0.1	RMS	824.038	-24.46	-13	11.46	Pass	401




3.15. Cat-M Band Edge_Part90(Subtest:7, Channel:26775, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.6	18.43	30	11.57	Pass	401
824	824.0375	0.002	RMS	824.003	-41.97	-20	21.97	Pass	401
824.0375	844	0.1	RMS	824.038	-28.09	-13	15.09	Pass	401




3.16. Cat-M Band Edge_Part90(Subtest:8, Channel:26775, Bandwidth:3, Modulation:16QAM, NB Index:1, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.8	10.89	30	19.11	Pass	401
824	824.0375	0.015	RMS	824	-31.45	-20	11.45	Pass	401
824.0375	844	0.1	RMS	824.038	-24.61	-13	11.61	Pass	401




3.17. Cat-M Band Edge_Part90(Subtest:1, Channel:26715, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-21.87	-13	8.87	Pass	401
813.9625	814	0.002	RMS	813.996	-35.73	-20	15.73	Pass	401
814	834	0.1	RMS	814.3	19.47	30	10.53	Pass	401




3.18. Cat-M Band Edge_Part90(Subtest:2, Channel:26715, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-22.12	-13	9.12	Pass	401
813.9625	814	0.015	RMS	813.994	-29.21	-20	9.21	Pass	401
814	834	0.1	RMS	814.45	11.75	30	18.25	Pass	401




3.19. Cat-M Band Edge_Part90(Subtest:3, Channel:26715, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-20.39	-13	7.39	Pass	401
813.9625	814	0.002	RMS	813.989	-32.57	-20	12.57	Pass	401
814	834	0.1	RMS	814.3	19.8	30	10.2	Pass	401




3.20. Cat-M Band Edge_Part90(Subtest:4, Channel:26715, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-21.68	-13	8.68	Pass	401
813.9625	814	0.015	RMS	813.999	-28.71	-20	8.71	Pass	401
814	834	0.1	RMS	814.45	11.63	30	18.37	Pass	401




3.21. Cat-M Band Edge_Part90(Subtest:5, Channel:26765, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.65	20.21	30	9.79	Pass	401
824	824.0375	0.002	RMS	824	-35.32	-20	15.32	Pass	401
824.0375	844	0.1	RMS	824.038	-21.82	-13	8.82	Pass	401




3.22. Cat-M Band Edge_Part90(Subtest:6, Channel:26765, Bandwidth:5, Modulation:QPSK, NB Index:3, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.4	12.01	30	17.99	Pass	401
824	824.0375	0.015	RMS	824.002	-25.58	-20	5.58	Pass*	401
824.0375	844	0.1	RMS	824.087	-18.77	-13	5.77	Pass*	401




3.24. Cat-M Band Edge_Part90(Subtest:8, Channel:26765, Bandwidth:5, Modulation:16QAM, NB Index:3, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.8	12.32	30	17.68	Pass	401
824	824.0375	0.015	RMS	824.016	-28.33	-20	8.33	Pass	401
824.0375	844	0.1	RMS	824.038	-21.77	-13	8.77	Pass	401




3.25. Cat-M Band Edge_Part90(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.913	-30.5	-13	17.5	Pass	401
813.9625	814	0.002	RMS	813.963	-44.2	-20	24.2	Pass	401
814	834	0.1	RMS	814.8	19.53	30	10.47	Pass	401




3.26. Cat-M Band Edge_Part90(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-26.12	-13	13.12	Pass	401
813.9625	814	0.015	RMS	813.963	-33.62	-20	13.62	Pass	401
814	834	0.1	RMS	814.9	11.91	30	18.09	Pass	401




3.27. Cat-M Band Edge_Part90(Subtest:3, Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.913	-27.68	-13	14.68	Pass	401
813.9625	814	0.002	RMS	813.997	-43.08	-20	23.08	Pass	401
814	834	0.1	RMS	814.8	19.52	30	10.48	Pass	401




3.28. Cat-M Band Edge_Part90(Subtest:4, Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813.9625	0.1	RMS	813.963	-25.25	-13	12.25	Pass	401
813.9625	814	0.015	RMS	813.999	-32.11	-20	12.11	Pass	401
814	834	0.1	RMS	815.25	12.5	30	17.5	Pass	401



3.29. Cat-M Band Edge_Part90(Subtest:5, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	823.25	20.4	30	9.6	Pass	401
824	824.0375	0.002	RMS	824.033	-41.85	-20	21.85	Pass	401
824.0375	844	0.1	RMS	824.137	-27.69	-13	14.69	Pass	401



3.30. Cat-M Band Edge_Part90(Subtest:6, Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:7, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	824	0.1	RMS	822.65	12.24	30	17.76	Pass	401
824	824.0375	0.015	RMS	824	-29.71	-20	9.71	Pass	401
824.0375	844	0.1	RMS	824.038	-23.16	-13	10.16	Pass	401

