11AX20MIMO_Ant2_5580_52Tone_RU38

11AX20MIMO_Ant2_5580_106Tone_RU53

11AX20MIMO_Ant2_5580_242Tone_RU61

11AX20MIMO_Ant1_5700_26Tone_RU8

11AX20MIMO_Ant1_5700_52Tone_RU40

11AX20MIMO_Ant1_5700_106Tone_RU54

11AX20MIMO_Ant1_5700_242Tone_RU61

11AX20MIMO_Ant2_5700_26Tone_RU8

11AX20MIMO_Ant2_5700_52Tone_RU40

11AX20MIMO_Ant2_5700_106Tone_RU54

11AX20MIMO_Ant2_5700_242Tone_RU61

11AX20MIMO_Ant1_5745_26Tone_RU0



11AX20MIMO_Ant1_5745_52Tone_RU37

11AX20MIMO_Ant1_5745_106Tone_RU53

11AX20MIMO_Ant1_5745_242Tone_RU61

11AX20MIMO_Ant2_5745_26Tone_RU0



11AX20MIMO_Ant2_5745_52Tone_RU37

11AX20MIMO_Ant2_5745_106Tone_RU53



11AX20MIMO_Ant2_5745_242Tone_RU61

11AX20MIMO_Ant1_5785_26Tone_RU4



11AX20MIMO_Ant1_5785_52Tone_RU38

11AX20MIMO_Ant1_5785_106Tone_RU53

11AX20MIMO_Ant1_5785_242Tone_RU61



11AX20MIMO_Ant2_5785_26Tone_RU4



11AX20MIMO_Ant2_5785_52Tone_RU38

11AX20MIMO_Ant2_5785_106Tone_RU53

11AX20MIMO_Ant2_5785_242Tone_RU61



11AX20MIMO_Ant1_5825_26Tone_RU8

11AX20MIMO_Ant1_5825_52Tone_RU40



11AX20MIMO_Ant1_5825_106Tone_RU54

11AX20MIMO_Ant1_5825_242Tone_RU61



11AX20MIMO_Ant2_5825_26Tone_RU8

11AX20MIMO_Ant2_5825_52Tone_RU40

11AX20MIMO_Ant2_5825_106Tone_RU54



11AX20MIMO_Ant2_5825_242Tone_RU61

11AX40MIMO_Ant1_5190_484Tone_RU65

11AX40MIMO_Ant2_5190_484Tone_RU65

11AX40MIMO_Ant1_5230_484Tone_RU65

11AX40MIMO_Ant2_5230_484Tone_RU65



11AX40MIMO_Ant1_5270_484Tone_RU65



11AX40MIMO_Ant2_5270_484Tone_RU65



11AX40MIMO_Ant1_5310_484Tone_RU65



11AX40MIMO_Ant2_5310_484Tone_RU65

11AX40MIMO_Ant1_5510_484Tone_RU65

11AX40MIMO_Ant2_5510_484Tone_RU65

11AX40MIMO_Ant1_5550_484Tone_RU65



11AX40MIMO_Ant2_5550_484Tone_RU65



11AX40MIMO_Ant1_5670_484Tone_RU65



11AX40MIMO_Ant2_5670_484Tone_RU65



11AX40MIMO_Ant1_5755_484Tone_RU65

11AX40MIMO_Ant2_5755_484Tone_RU65



11AX40MIMO_Ant1_5795_484Tone_RU65

11AX40MIMO_Ant2_5795_484Tone_RU65



11AX80MIMO_Ant1_5210_996Tone_RU67



11AX80MIMO_Ant2_5210_996Tone_RU67

11AX80MIMO_Ant1_5290_996Tone_RU67

11AX80MIMO_Ant2_5290_996Tone_RU67



11AX80MIMO_Ant1_5530_996Tone_RU67

11AX80MIMO_Ant2_5530_996Tone_RU67



11AX80MIMO_Ant1_5610_996Tone_RU67



11AX80MIMO_Ant2_5610_996Tone_RU67

11AX80MIMO_Ant1_5775_996Tone_RU67



11AX80MIMO_Ant2_5775_996Tone_RU67

Keysight Spectrum Analyzer - Occupied BW
Center Freq 5.775000000 GHz
Center Freq: 5.775000000 GHz
Trig: Free Run
Avg|Hold: 500/500
#Atten: 30 dB
Radio Std: None
Radio Device: BTS
01:37:09 PM Mar 18, 2024
Frequency
Ref Offset 23.03 dB
Ref 20.00 dBm
10 dB/div
Log
Mkr1 5.77004 GHz
4.6855 dBm
Center 5.77500 GHz
#Res BW 1.6 MHz
#VBW 5 MHz
Span 160.0 MHz
Sweep 1 ms
Occupied Bandwidth
77.902 MHz
Total Power 17.2 dBm
Transmit Freq Error -6.358 kHz
% of OBW Power 99.00 %
x dB Bandwidth 158.6 MHz
x dB -26.00 dB
Center Freq
5.775000000 GHz
CF Step
16.000000 MHz
Auto Man
Freq Offset
0 Hz
MSG
STATUS

Maximum conducted output power

Test Result

BV Power Table For_U-NII-1											
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11AX20	SISO	26/0	5180	Ant1	16.46	≤24.00	≤24.00	20.96	≤23.00	Pass	17.5
				Ant2	16.10	≤24.00	≤24.00	20.60	≤23.00	Pass	17.5
		26/4	5200	Ant1	16.51	≤24.00	≤24.00	21.01	≤23.00	Pass	11
				Ant2	16.32	≤24.00	≤24.00	20.82	≤23.00	Pass	11
		26/8	5240	Ant1	16.34	≤24.00	≤24.00	20.84	≤23.00	Pass	18
				Ant2	16.27	≤24.00	≤24.00	20.77	≤23.00	Pass	18
	MIMO	26/0	5180	Ant1	12.65	≤24.00	≤24.00	17.65	≤23.00	Pass	14
				Ant2	12.47	≤24.00	≤24.00	17.47	≤23.00	Pass	14
				Total	15.57	≤24.00	≤24.00	20.57	≤23.00	Pass	14
		26/4	5200	Ant1	13.57	≤24.00	≤24.00	18.57	≤23.00	Pass	8
				Ant2	13.28	≤24.00	≤24.00	18.28	≤23.00	Pass	8
				Total	16.44	≤24.00	≤24.00	21.44	≤23.00	Pass	8
		26/8	5240	Ant1	13.01	≤24.00	≤24.00	18.01	≤23.00	Pass	15
				Ant2	12.80	≤24.00	≤24.00	17.80	≤23.00	Pass	15
				Total	15.92	≤24.00	≤24.00	20.92	≤23.00	Pass	15
	SISO	52/37	5180	Ant1	16.40	≤24.00	≤24.00	20.90	≤23.00	Pass	15
				Ant2	16.27	≤24.00	≤24.00	20.77	≤23.00	Pass	15
		52/38	5200	Ant1	16.30	≤24.00	≤24.00	20.80	≤23.00	Pass	12
				Ant2	16.10	≤24.00	≤24.00	20.60	≤23.00	Pass	12
		52/40	5240	Ant1	16.60	≤24.00	≤24.00	21.10	≤23.00	Pass	15.5
				Ant2	16.55	≤24.00	≤24.00	21.05	≤23.00	Pass	15.5
	MIMO	52/37	5180	Ant1	12.98	≤24.00	≤24.00	17.98	≤23.00	Pass	12
				Ant2	12.80	≤24.00	≤24.00	17.80	≤23.00	Pass	12
				Total	15.90	≤24.00	≤24.00	20.90	≤23.00	Pass	12
		52/38	5200	Ant1	13.32	≤24.00	≤24.00	18.32	≤23.00	Pass	9
				Ant2	13.26	≤24.00	≤24.00	18.26	≤23.00	Pass	9
				Total	16.30	≤24.00	≤24.00	21.30	≤23.00	Pass	9
		52/40	5240	Ant1	13.27	≤24.00	≤24.00	18.27	≤23.00	Pass	12
				Ant2	13.00	≤24.00	≤24.00	18.00	≤23.00	Pass	12
				Total	16.15	≤24.00	≤24.00	21.15	≤23.00	Pass	12
	SISO	106/53	5180	Ant1	16.34	≤24.00	≤24.00	20.84	≤23.00	Pass	13.5
				Ant2	16.18	≤24.00	≤24.00	20.68	≤23.00	Pass	13.5
		106/53	5200	Ant1	16.20	≤24.00	≤24.00	20.70	≤23.00	Pass	13.5

	MIMO			Ant2	16.05	≤24.00	≤24.00	20.55	≤23.00	Pass	13.5
		106/54	5240	Ant1	16.14	≤24.00	≤24.00	20.64	≤23.00	Pass	13.5
				Ant2	16.09	≤24.00	≤24.00	20.59	≤23.00	Pass	13.5
		106/53	5180	Ant1	13.37	≤24.00	≤24.00	18.37	≤23.00	Pass	11
				Ant2	13.35	≤24.00	≤24.00	18.35	≤23.00	Pass	11
				Total	16.37	≤24.00	≤24.00	21.37	≤23.00	Pass	11
		106/53	5200	Ant1	13.58	≤24.00	≤24.00	18.58	≤23.00	Pass	11
				Ant2	13.47	≤24.00	≤24.00	18.47	≤23.00	Pass	11
				Total	16.54	≤24.00	≤24.00	21.54	≤23.00	Pass	11
		106/54	5240	Ant1	13.33	≤24.00	≤24.00	18.33	≤23.00	Pass	11
				Ant2	13.17	≤24.00	≤24.00	18.17	≤23.00	Pass	11
				Total	16.26	≤24.00	≤24.00	21.26	≤23.00	Pass	11
		FULL	5180	Ant1	16.49	≤24.00	≤24.00	20.99	≤23.00	Pass	13
				Ant2	16.13	≤24.00	≤24.00	20.63	≤23.00	Pass	13
	SISO	FULL	5200	Ant1	16.34	≤24.00	≤24.00	20.84	≤23.00	Pass	13
				Ant2	16.14	≤24.00	≤24.00	20.64	≤23.00	Pass	13
		FULL	5240	Ant1	16.52	≤24.00	≤24.00	21.02	≤23.00	Pass	13
				Ant2	16.24	≤24.00	≤24.00	20.74	≤23.00	Pass	13
	MIMO	FULL	5180	Ant1	13.14	≤24.00	≤24.00	18.14	≤23.00	Pass	10
				Ant2	12.95	≤24.00	≤24.00	17.95	≤23.00	Pass	10
				Total	16.06	≤24.00	≤24.00	21.06	≤23.00	Pass	10
		FULL	5200	Ant1	13.07	≤24.00	≤24.00	18.07	≤23.00	Pass	10
				Ant2	13.04	≤24.00	≤24.00	18.04	≤23.00	Pass	10
				Total	16.07	≤24.00	≤24.00	21.07	≤23.00	Pass	10
		FULL	5240	Ant1	13.23	≤24.00	≤24.00	18.23	≤23.00	Pass	10
				Ant2	12.79	≤24.00	≤24.00	17.79	≤23.00	Pass	10
				Total	16.03	≤24.00	≤24.00	21.03	≤23.00	Pass	10
	SISO	FULL	5190	Ant1	15.38	≤24.00	≤24.00	19.88	≤23.00	Pass	12
				Ant2	15.21	≤24.00	≤24.00	19.71	≤23.00	Pass	12
				Ant3	14.06	≤24.00	≤24.00	19.06	≤23.00	Pass	12
				Ant4	15.16	≤24.00	≤24.00	20.16	≤23.00	Pass	12
		FULL	5230	Ant1	15.50	≤24.00	≤24.00	20.00	≤23.00	Pass	12
				Ant2	15.12	≤24.00	≤24.00	19.62	≤23.00	Pass	12
11AX40				Ant3	14.64	≤24.00	≤24.00	19.64	≤23.00	Pass	12
				Ant4	15.84	≤24.00	≤24.00	20.84	≤23.00	Pass	12
	MIMO	FULL	5190	Ant1	12.26	≤24.00	≤24.00	17.26	≤23.00	Pass	9
				Ant2	12.15	≤24.00	≤24.00	17.15	≤23.00	Pass	9
				Total	15.22	≤24.00	≤24.00	20.22	≤23.00	Pass	9
		FULL	5230	Ant1	12.44	≤24.00	≤24.00	17.44	≤23.00	Pass	9
				Ant2	12.20	≤24.00	≤24.00	17.20	≤23.00	Pass	9
				Total	15.33	≤24.00	≤24.00	20.33	≤23.00	Pass	9
11AX80	SISO	FULL	5210	Ant1	15.52	≤24.00	≤24.00	20.02	≤23.00	Pass	14
				Ant2	15.37	≤24.00	≤24.00	19.87	≤23.00	Pass	14

	MIMO	FULL	5210	Ant1	12.53	≤24.00	≤24.00	17.53	≤23.00	Pass	11
				Ant2	12.26	≤24.00	≤24.00	17.26	≤23.00	Pass	11
				Total	15.41	≤24.00	≤24.00	20.41	≤23.00	Pass	11
Note:The Maximum Conducted Power with duty cycle factor.											

BV Power Table For_U-NII-2A												
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11AX20	SISO	26/0	5260	Ant1	16.60	≤24.00	≤24.00	21.10	≤30.00	≤23.00	Pass	17.5
				Ant2	16.49	≤24.00	≤24.00	20.99	≤30.00	≤23.00	Pass	17.5
		26/4	5300	Ant1	16.33	≤24.00	≤24.00	20.83	≤30.00	≤23.00	Pass	10.5
				Ant2	16.24	≤24.00	≤24.00	20.74	≤30.00	≤23.00	Pass	10.5
		26/8	5320	Ant1	16.43	≤24.00	≤24.00	20.93	≤30.00	≤23.00	Pass	17.5
				Ant2	16.10	≤24.00	≤24.00	20.60	≤30.00	≤23.00	Pass	17.5
	MIMO	26/0	5260	Ant1	13.46	≤24.00	≤24.00	18.46	≤30.00	≤23.00	Pass	15
				Ant2	13.24	≤24.00	≤24.00	18.24	≤30.00	≤23.00	Pass	15
				Total	16.36	≤24.00	≤24.00	21.36	≤30.00	≤23.00	Pass	15
		26/4	5300	Ant1	13.70	≤24.00	≤24.00	18.70	≤30.00	≤23.00	Pass	8
				Ant2	13.59	≤24.00	≤24.00	18.59	≤30.00	≤23.00	Pass	8
				Total	16.66	≤24.00	≤24.00	21.66	≤30.00	≤23.00	Pass	8
		26/8	5320	Ant1	13.30	≤24.00	≤24.00	18.30	≤30.00	≤23.00	Pass	15
				Ant2	13.01	≤24.00	≤24.00	18.01	≤30.00	≤23.00	Pass	15
				Total	16.17	≤24.00	≤24.00	21.17	≤30.00	≤23.00	Pass	15
	SISO	52/37	5260	Ant1	16.57	≤24.00	≤24.00	21.07	≤30.00	≤23.00	Pass	15
				Ant2	16.53	≤24.00	≤24.00	21.03	≤30.00	≤23.00	Pass	15
		52/38	5300	Ant1	16.45	≤24.00	≤24.00	20.95	≤30.00	≤23.00	Pass	12
				Ant2	16.32	≤24.00	≤24.00	20.82	≤30.00	≤23.00	Pass	12
		52/40	5320	Ant1	16.34	≤24.00	≤24.00	20.84	≤30.00	≤23.00	Pass	15
				Ant2	16.23	≤24.00	≤24.00	20.73	≤30.00	≤23.00	Pass	15
	MIMO	52/37	5260	Ant1	13.33	≤24.00	≤24.00	18.33	≤30.00	≤23.00	Pass	12
				Ant2	13.25	≤24.00	≤24.00	18.25	≤30.00	≤23.00	Pass	12
				Total	16.30	≤24.00	≤24.00	21.30	≤30.00	≤23.00	Pass	12
		52/38	5300	Ant1	13.12	≤24.00	≤24.00	18.12	≤30.00	≤23.00	Pass	9
				Ant4	16.67	≤24.00	≤24.00	21.67	≤30.00	≤23.00	Pass	9
				Total	15.99	≤24.00	≤24.00	20.99	≤30.00	≤23.00	Pass	9
		52/40	5320	Ant1	13.22	≤24.00	≤24.00	18.22	≤30.00	≤23.00	Pass	12
				Ant2	13.01	≤24.00	≤24.00	18.01	≤30.00	≤23.00	Pass	12
				Total	16.13	≤24.00	≤24.00	21.13	≤30.00	≤23.00	Pass	12
	SISO	106/53	5260	Ant1	16.37	≤24.00	≤24.00	20.87	≤30.00	≤23.00	Pass	13.5
				Ant2	16.11	≤24.00	≤24.00	20.61	≤30.00	≤23.00	Pass	13.5
		106/53	5300	Ant1	16.51	≤24.00	≤24.00	21.01	≤30.00	≤23.00	Pass	13.5
				Ant2	16.43	≤24.00	≤24.00	20.93	≤30.00	≤23.00	Pass	13.5
		106/54	5320	Ant1	16.58	≤24.00	≤24.00	21.08	≤30.00	≤23.00	Pass	13.5

				Ant2	16.47	≤24.00	≤24.00	20.97	≤30.00	≤23.00	Pass	13.5
	MIMO	106/53	5260	Ant1	13.26	≤24.00	≤24.00	18.26	≤30.00	≤23.00	Pass	10.5
				Ant2	13.08	≤24.00	≤24.00	18.08	≤30.00	≤23.00	Pass	10.5
				Total	16.18	≤24.00	≤24.00	21.18	≤30.00	≤23.00	Pass	10.5
		106/53	5300	Ant1	13.43	≤24.00	≤24.00	18.43	≤30.00	≤23.00	Pass	10.5
				Ant2	13.18	≤24.00	≤24.00	18.18	≤30.00	≤23.00	Pass	10.5
				Total	16.32	≤24.00	≤24.00	21.32	≤30.00	≤23.00	Pass	10.5
		106/54	5320	Ant1	13.41	≤24.00	≤24.00	18.41	≤30.00	≤23.00	Pass	10.5
				Ant2	13.23	≤24.00	≤24.00	18.23	≤30.00	≤23.00	Pass	10.5
				Total	16.33	≤24.00	≤24.00	21.33	≤30.00	≤23.00	Pass	10.5
	SISO	FULL	5260	Ant1	16.44	≤24.00	≤24.00	20.94	≤30.00	≤23.00	Pass	13
				Ant2	16.22	≤24.00	≤24.00	20.72	≤30.00	≤23.00	Pass	13
		FULL	5300	Ant1	16.41	≤24.00	≤24.00	20.91	≤30.00	≤23.00	Pass	13
				Ant2	16.11	≤24.00	≤24.00	20.61	≤30.00	≤23.00	Pass	13
		FULL	5320	Ant1	16.55	≤24.00	≤24.00	21.05	≤30.00	≤23.00	Pass	13
				Ant2	16.18	≤24.00	≤24.00	20.68	≤30.00	≤23.00	Pass	13
	MIMO	FULL	5260	Ant1	13.27	≤24.00	≤24.00	18.27	≤30.00	≤23.00	Pass	10
				Ant2	12.80	≤24.00	≤24.00	17.80	≤30.00	≤23.00	Pass	10
				Total	16.05	≤24.00	≤24.00	21.05	≤30.00	≤23.00	Pass	10
		FULL	5300	Ant1	12.88	≤24.00	≤24.00	17.88	≤30.00	≤23.00	Pass	10
				Ant2	12.82	≤24.00	≤24.00	17.82	≤30.00	≤23.00	Pass	10
				Total	15.86	≤24.00	≤24.00	20.86	≤30.00	≤23.00	Pass	10
		FULL	5320	Ant1	13.26	≤24.00	≤24.00	18.26	≤30.00	≤23.00	Pass	10
				Ant2	13.14	≤24.00	≤24.00	18.14	≤30.00	≤23.00	Pass	10
				Total	16.21	≤24.00	≤24.00	21.21	≤30.00	≤23.00	Pass	10
	SISO	FULL	5270	Ant1	15.32	≤24.00	≤24.00	19.82	≤30.00	≤23.00	Pass	12
				Ant2	15.24	≤24.00	≤24.00	19.74	≤30.00	≤23.00	Pass	12
		FULL	5310	Ant1	15.54	≤24.00	≤24.00	20.04	≤30.00	≤23.00	Pass	12
				Ant2	15.74	≤24.00	≤24.00	20.24	≤30.00	≤23.00	Pass	12
11AX40	MIMO	FULL	5270	Ant1	12.20	≤24.00	≤24.00	17.20	≤30.00	≤23.00	Pass	9
				Ant2	12.07	≤24.00	≤24.00	17.07	≤30.00	≤23.00	Pass	9
				Total	15.15	≤24.00	≤24.00	20.15	≤30.00	≤23.00	Pass	9
		FULL	5310	Ant1	12.25	≤24.00	≤24.00	17.25	≤30.00	≤23.00	Pass	9
				Ant2	12.05	≤24.00	≤24.00	17.05	≤30.00	≤23.00	Pass	9
				Total	15.16	≤24.00	≤24.00	20.16	≤30.00	≤23.00	Pass	9
11AX80	SISO	FULL	5290	Ant1	15.53	≤24.00	≤24.00	20.03	≤30.00	≤23.00	Pass	14
				Ant2	15.33	≤24.00	≤24.00	19.83	≤30.00	≤23.00	Pass	14
	MIMO	FULL	5290	Ant1	12.60	≤24.00	≤24.00	17.60	≤30.00	≤23.00	Pass	11
				Ant2	12.44	≤24.00	≤24.00	17.44	≤30.00	≤23.00	Pass	11
				Total	15.53	≤24.00	≤24.00	20.53	≤30.00	≤23.00	Pass	11
Note:The Maximum Conducted Power with duty cycle factor.												

BV Power Table For_U-NII-2C												
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11AX20	SISO	26/0	5500	Ant1	16.20	≤24.00	≤24.00	20.70	≤30.00	≤23.00	Pass	18
				Ant2	16.07	≤24.00	≤24.00	20.57	≤30.00	≤23.00	Pass	18
		26/4	5580	Ant1	16.40	≤24.00	≤24.00	20.90	≤30.00	≤23.00	Pass	10
				Ant2	16.29	≤24.00	≤24.00	20.79	≤30.00	≤23.00	Pass	10
		26/8	5700	Ant1	16.42	≤24.00	≤24.00	20.92	≤30.00	≤23.00	Pass	18
				Ant2	16.35	≤24.00	≤24.00	20.85	≤30.00	≤23.00	Pass	18
		26/8	5720	Ant1	16.24	≤24.00	≤24.00	21.24	≤30.00	≤23.00	Pass	18
				Ant2	16.13	≤24.00	≤24.00	21.13	≤30.00	≤23.00	Pass	18
	MIMO	26/0	5500	Ant1	12.33	≤24.00	≤24.00	17.33	≤30.00	≤23.00	Pass	14.5
				Ant2	12.14	≤24.00	≤24.00	17.14	≤30.00	≤23.00	Pass	14.5
				Total	15.25	≤24.00	≤24.00	20.25	≤30.00	≤23.00	Pass	14.5
		26/4	5580	Ant1	13.08	≤24.00	≤24.00	18.08	≤30.00	≤23.00	Pass	8
				Ant2	13.01	≤24.00	≤24.00	18.01	≤30.00	≤23.00	Pass	8
				Total	16.06	≤24.00	≤24.00	21.06	≤30.00	≤23.00	Pass	8
		26/8	5700	Ant1	12.54	≤24.00	≤24.00	17.54	≤30.00	≤23.00	Pass	14
				Ant2	12.51	≤24.00	≤24.00	17.01	≤30.00	≤23.00	Pass	14
				Total	15.54	≤24.00	≤24.00	20.54	≤30.00	≤23.00	Pass	14
		26/8	5720	Ant1	13.35	≤24.00	≤24.00	17.85	≤30.00	≤23.00	Pass	14.5
				Ant2	13.24	≤24.00	≤24.00	17.74	≤30.00	≤23.00	Pass	14.5
				Total	16.31	≤24.00	≤24.00	20.81	≤30.00	≤23.00	Pass	14.5
	SISO	52/37	5500	Ant1	16.40	≤24.00	≤24.00	20.90	≤30.00	≤23.00	Pass	16
				Ant2	16.27	≤24.00	≤24.00	21.27	≤30.00	≤23.00	Pass	16
		52/38	5580	Ant1	16.42	≤24.00	≤24.00	21.42	≤30.00	≤23.00	Pass	12.5
				Ant2	16.26	≤24.00	≤24.00	21.26	≤30.00	≤23.00	Pass	12.5
		52/40	5700	Ant1	16.42	≤24.00	≤24.00	21.42	≤30.00	≤23.00	Pass	15.5
				Ant2	16.33	≤24.00	≤24.00	21.33	≤30.00	≤23.00	Pass	15.5
		52/40	5720	Ant1	16.30	≤24.00	≤24.00	21.30	≤30.00	≤23.00	Pass	15.5
				Ant2	16.11	≤24.00	≤24.00	21.11	≤30.00	≤23.00	Pass	15.5
	MIMO	52/37	5500	Ant1	12.25	≤24.00	≤24.00	17.25	≤30.00	≤23.00	Pass	14
				Ant2	11.99	≤24.00	≤24.00	16.99	≤30.00	≤23.00	Pass	14
				Total	15.13	≤24.00	≤24.00	20.13	≤30.00	≤23.00	Pass	14
		52/38	5580	Ant1	12.31	≤24.00	≤24.00	17.31	≤30.00	≤23.00	Pass	11
				Ant2	12.13	≤24.00	≤24.00	17.13	≤30.00	≤23.00	Pass	11
				Total	15.23	≤24.00	≤24.00	20.23	≤30.00	≤23.00	Pass	11
		52/40	5700	Ant1	13.14	≤24.00	≤24.00	18.14	≤30.00	≤23.00	Pass	12
				Ant2	12.82	≤24.00	≤24.00	17.82	≤30.00	≤23.00	Pass	12

			Total	15.99	≤24.00	≤24.00	20.99	≤30.00	≤23.00	Pass	12
	52/40	5720	Ant1	13.25	≤24.00	≤24.00	18.25	≤30.00	≤23.00	Pass	12
			Ant2	12.76	≤24.00	≤24.00	17.76	≤30.00	≤23.00	Pass	12
			Total	16.02	≤24.00	≤24.00	21.02	≤30.00	≤23.00	Pass	12
SISO	106/53	5500	Ant1	16.15	≤24.00	≤24.00	20.65	≤30.00	≤23.00	Pass	13.5
			Ant2	16.08	≤24.00	≤24.00	20.58	≤30.00	≤23.00	Pass	13.5
	106/53	5580	Ant1	16.15	≤24.00	≤24.00	20.65	≤30.00	≤23.00	Pass	13.5
			Ant2	16.06	≤24.00	≤24.00	20.56	≤30.00	≤23.00	Pass	13.5
	106/54	5700	Ant1	16.24	≤24.00	≤24.00	20.74	≤30.00	≤23.00	Pass	13.5
			Ant2	16.07	≤24.00	≤24.00	20.57	≤30.00	≤23.00	Pass	13.5
	106/54	5720	Ant1	16.15	≤24.00	≤24.00	21.15	≤30.00	≤23.00	Pass	13.5
			Ant2	16.05	≤24.00	≤24.00	21.05	≤30.00	≤23.00	Pass	13.5
MIMO	106/53	5500	Ant1	13.43	≤24.00	≤24.00	18.43	≤30.00	≤23.00	Pass	10.5
			Ant2	13.18	≤24.00	≤24.00	18.18	≤30.00	≤23.00	Pass	10.5
			Total	16.32	≤24.00	≤24.00	21.32	≤30.00	≤23.00	Pass	10.5
	106/53	5580	Ant1	13.16	≤24.00	≤24.00	18.16	≤30.00	≤23.00	Pass	10.5
			Ant2	12.68	≤24.00	≤24.00	17.68	≤30.00	≤23.00	Pass	10.5
			Total	15.94	≤24.00	≤24.00	20.94	≤30.00	≤23.00	Pass	10.5
	106/54	5700	Ant1	13.26	≤24.00	≤24.00	18.26	≤30.00	≤23.00	Pass	10.5
			Ant2	13.02	≤24.00	≤24.00	18.02	≤30.00	≤23.00	Pass	10.5
			Total	16.15	≤24.00	≤24.00	21.15	≤30.00	≤23.00	Pass	10.5
	106/54	5720	Ant1	13.31	≤24.00	≤24.00	18.31	≤30.00	≤23.00	Pass	10.5
			Ant2	13.11	≤24.00	≤24.00	18.11	≤30.00	≤23.00	Pass	10.5
			Total	16.22	≤24.00	≤24.00	21.22	≤30.00	≤23.00	Pass	10.5
SISO	FULL	5500	Ant1	16.24	≤24.00	≤24.00	21.24	≤30.00	≤23.00	Pass	13
			Ant2	15.95	≤24.00	≤24.00	20.95	≤30.00	≤23.00	Pass	13
	FULL	5580	Ant1	16.34	≤24.00	≤24.00	21.34	≤30.00	≤23.00	Pass	13
			Ant2	16.13	≤24.00	≤24.00	21.13	≤30.00	≤23.00	Pass	13
	FULL	5700	Ant1	16.09	≤24.00	≤24.00	21.09	≤30.00	≤23.00	Pass	13
			Ant2	15.86	≤24.00	≤24.00	20.36	≤30.00	≤23.00	Pass	13
	FULL	5720	Ant1	16.19	≤24.00	≤24.00	21.19	≤30.00	≤23.00	Pass	13
			Ant2	16.05	≤24.00	≤24.00	21.05	≤30.00	≤23.00	Pass	13
MIMO	FULL	5500	Ant1	13.72	≤24.00	≤24.00	18.72	≤30.00	≤23.00	Pass	10
			Ant2	12.35	≤24.00	≤24.00	17.35	≤30.00	≤23.00	Pass	10
			Total	16.10	≤24.00	≤24.00	21.10	≤30.00	≤23.00	Pass	10
	FULL	5580	Ant1	13.34	≤24.00	≤24.00	18.34	≤30.00	≤23.00	Pass	10
			Ant2	12.88	≤24.00	≤24.00	17.88	≤30.00	≤23.00	Pass	10
			Total	16.13	≤24.00	≤24.00	21.13	≤30.00	≤23.00	Pass	10
	FULL	5700	Ant1	12.99	≤24.00	≤24.00	17.99	≤30.00	≤23.00	Pass	10
			Ant2	12.78	≤24.00	≤24.00	17.78	≤30.00	≤23.00	Pass	10
			Total	15.90	≤24.00	≤24.00	20.90	≤30.00	≤23.00	Pass	10
	FULL	5720	Ant1	13.37	≤24.00	≤24.00	18.37	≤30.00	≤23.00	Pass	10
			Ant2	12.78	≤24.00	≤24.00	17.78	≤30.00	≤23.00	Pass	10

				Total	16.10	≤24.00	≤24.00	21.10	≤30.00	≤23.00	Pass	10
11AX40	SISO	FULL	5510	Ant1	15.23	≤24.00	≤24.00	20.23	≤30.00	≤23.00	Pass	12
				Ant2	15.12	≤24.00	≤24.00	20.12	≤30.00	≤23.00	Pass	12
		FULL	5550	Ant1	15.15	≤24.00	≤24.00	20.15	≤30.00	≤23.00	Pass	12
				Ant2	15.01	≤24.00	≤24.00	20.01	≤30.00	≤23.00	Pass	12
		FULL	5670	Ant1	15.22	≤24.00	≤24.00	20.22	≤30.00	≤23.00	Pass	12
				Ant2	15.02	≤24.00	≤24.00	19.52	≤30.00	≤23.00	Pass	12
		FULL	5710	Ant1	15.05	≤24.00	≤24.00	20.05	≤30.00	≤23.00	Pass	12
				Ant2	14.90	≤24.00	≤24.00	19.40	≤30.00	≤23.00	Pass	12
	MIMO	FULL	5510	Ant1	12.12	≤24.00	≤24.00	17.12	≤30.00	≤23.00	Pass	9
				Ant2	12.04	≤24.00	≤24.00	17.04	≤30.00	≤23.00	Pass	9
				Total	15.09	≤24.00	≤24.00	20.09	≤30.00	≤23.00	Pass	9
		FULL	5550	Ant1	12.45	≤24.00	≤24.00	17.45	≤30.00	≤23.00	Pass	9
				Ant2	12.12	≤24.00	≤24.00	17.12	≤30.00	≤23.00	Pass	9
				Total	15.30	≤24.00	≤24.00	20.30	≤30.00	≤23.00	Pass	9
		FULL	5670	Ant1	12.24	≤24.00	≤24.00	17.24	≤30.00	≤23.00	Pass	8.5
				Ant2	11.97	≤24.00	≤24.00	16.97	≤30.00	≤23.00	Pass	8.5
				Total	15.12	≤24.00	≤24.00	20.12	≤30.00	≤23.00	Pass	8.5
		FULL	5710	Ant1	12.37	≤24.00	≤24.00	17.37	≤30.00	≤23.00	Pass	8.5
				Ant2	12.01	≤24.00	≤24.00	17.01	≤30.00	≤23.00	Pass	8.5
				Total	15.20	≤24.00	≤24.00	20.20	≤30.00	≤23.00	Pass	8.5
11AX80	SISO	FULL	5530	Ant1	15.15	≤24.00	≤24.00	19.65	≤30.00	≤23.00	Pass	14.5
				Ant2	14.97	≤24.00	≤24.00	19.47	≤30.00	≤23.00	Pass	14.5
	SISO	FULL	5690	Ant1	15.23	≤24.00	≤24.00	19.73	≤30.00	≤23.00	Pass	14.5
				Ant2	15.17	≤24.00	≤24.00	19.67	≤30.00	≤23.00	Pass	14.5
	MIMO	FULL	5530	Ant1	12.38	≤24.00	≤24.00	17.38	≤30.00	≤23.00	Pass	11
				Ant2	11.43	≤24.00	≤24.00	16.43	≤30.00	≤23.00	Pass	11
				Total	14.94	≤24.00	≤24.00	19.94	≤30.00	≤23.00	Pass	11
	MIMO	FULL	5690	Ant1	12.39	≤24.00	≤24.00	17.39	≤30.00	≤23.00	Pass	11
				Ant2	11.56	≤24.00	≤24.00	16.56	≤30.00	≤23.00	Pass	11
				Total	15.01	≤24.00	≤24.00	20.01	≤30.00	≤23.00	Pass	11
Note:The Maximum Conducted Power with duty cycle factor.												

BV Power Table For_U-NII-3										
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11AX20	SISO	26/0	5745	Ant1	16.45	≤30.00	20.95	≤36.00	Pass	17.5
				Ant2	16.38	≤30.00	20.88	≤36.00	Pass	17.5
		26/4	5785	Ant1	16.44	≤30.00	20.94	≤36.00	Pass	10.5
				Ant2	16.23	≤30.00	20.73	≤36.00	Pass	10.5
		26/8	5825	Ant1	16.53	≤30.00	21.03	≤36.00	Pass	17.5
				Ant2	16.30	≤30.00	20.80	≤36.00	Pass	17.5
	MIMO	26/0	5745	Ant1	13.26	≤30.00	17.76	≤36.00	Pass	14.5
				Ant2	13.18	≤30.00	17.68	≤36.00	Pass	14.5
				Total	16.23	≤30.00	20.73	≤36.00	Pass	14.5
		26/4	5785	Ant1	13.38	≤30.00	17.88	≤36.00	Pass	8
				Ant2	13.20	≤30.00	17.70	≤36.00	Pass	8
				Total	16.30	≤30.00	20.80	≤36.00	Pass	8
		26/8	5825	Ant1	13.14	≤30.00	17.64	≤36.00	Pass	14.5
				Ant2	13.01	≤30.00	17.51	≤36.00	Pass	14.5
				Total	16.09	≤30.00	20.59	≤36.00	Pass	14.5
	SISO	52/37	5745	Ant1	16.42	≤30.00	20.92	≤36.00	Pass	15.5
				Ant2	16.21	≤30.00	20.71	≤36.00	Pass	15.5
		52/38	5785	Ant1	16.52	≤30.00	21.02	≤36.00	Pass	12
				Ant2	15.94	≤30.00	20.44	≤36.00	Pass	12
		52/40	5825	Ant1	16.48	≤30.00	20.98	≤36.00	Pass	15.5
				Ant2	16.23	≤30.00	20.73	≤36.00	Pass	15.5
	MIMO	52/37	5745	Ant1	13.02	≤30.00	17.52	≤36.00	Pass	12
				Ant2	13.38	≤30.00	17.88	≤36.00	Pass	12
				Total	15.95	≤30.00	20.45	≤36.00	Pass	12
		52/38	5785	Ant1	13.65	≤30.00	18.15	≤36.00	Pass	9
				Ant4	0.26	≤30.00	4.76	≤36.00	Pass	9
				Total	16.31	≤30.00	20.81	≤36.00	Pass	9
		52/40	5825	Ant1	13.25	≤30.00	17.75	≤36.00	Pass	12
				Ant2	13.13	≤30.00	17.63	≤36.00	Pass	12
				Total	15.94	≤30.00	20.44	≤36.00	Pass	12
	SISO	106/53	5745	Ant1	16.26	≤30.00	20.76	≤36.00	Pass	13.5
				Ant2	16.08	≤30.00	20.58	≤36.00	Pass	13.5
		106/53	5785	Ant1	16.10	≤30.00	20.60	≤36.00	Pass	13.5
				Ant2	16.03	≤30.00	20.53	≤36.00	Pass	13.5
		106/54	5825	Ant1	16.27	≤30.00	20.77	≤36.00	Pass	13.5
				Ant2	16.04	≤30.00	20.54	≤36.00	Pass	13.5

11AX40	MIMO	106/53	5745	Ant1	14.04	≤30.00	18.54	≤36.00	Pass	10.5
				Ant2	13.21	≤30.00	17.71	≤36.00	Pass	10.5
				Total	16.19	≤30.00	20.69	≤36.00	Pass	10.5
		106/53	5785	Ant1	14.11	≤30.00	18.61	≤36.00	Pass	10.5
				Ant2	13.31	≤30.00	17.81	≤36.00	Pass	10.5
				Total	16.27	≤30.00	20.77	≤36.00	Pass	10.5
		106/54	5825	Ant1	13.89	≤30.00	18.39	≤36.00	Pass	10.5
				Ant2	13.38	≤30.00	17.88	≤36.00	Pass	10.5
				Total	16.18	≤30.00	20.68	≤36.00	Pass	10.5
	SISO	FULL	5745	Ant1	16.28	≤30.00	20.78	≤36.00	Pass	13
				Ant2	16.12	≤30.00	20.62	≤36.00	Pass	13
		FULL	5785	Ant1	16.31	≤30.00	20.81	≤36.00	Pass	13
				Ant2	16.05	≤30.00	20.55	≤36.00	Pass	13
		FULL	5825	Ant1	16.48	≤30.00	20.98	≤36.00	Pass	13
				Ant2	16.25	≤30.00	20.75	≤36.00	Pass	13
	MIMO	FULL	5745	Ant1	13.70	≤30.00	18.20	≤36.00	Pass	10
				Ant2	13.30	≤30.00	17.80	≤36.00	Pass	10
				Total	16.19	≤30.00	20.69	≤36.00	Pass	10
		FULL	5785	Ant1	13.51	≤30.00	18.01	≤36.00	Pass	10
				Ant2	13.13	≤30.00	17.63	≤36.00	Pass	10
				Total	16.01	≤30.00	20.51	≤36.00	Pass	10
		FULL	5825	Ant1	13.78	≤30.00	18.28	≤36.00	Pass	10
				Ant2	13.38	≤30.00	17.88	≤36.00	Pass	10
				Total	16.27	≤30.00	20.77	≤36.00	Pass	10
	SISO	FULL	5755	Ant1	15.35	≤30.00	19.85	≤36.00	Pass	12
				Ant2	15.24	≤30.00	19.74	≤36.00	Pass	12
		FULL	5795	Ant1	15.47	≤30.00	19.97	≤36.00	Pass	12
				Ant2	15.25	≤30.00	19.75	≤36.00	Pass	12
	MIMO	FULL	5755	Ant1	12.88	≤30.00	17.38	≤36.00	Pass	8
				Ant2	12.69	≤30.00	17.19	≤36.00	Pass	8
				Total	15.19	≤30.00	19.69	≤36.00	Pass	8
		FULL	5795	Ant1	12.84	≤30.00	17.34	≤36.00	Pass	8
				Ant2	12.62	≤30.00	17.12	≤36.00	Pass	8
				Total	15.13	≤30.00	19.63	≤36.00	Pass	8
11AX80	SISO	FULL	5775	Ant1	15.19	≤30.00	19.69	≤36.00	Pass	14
				Ant2	15.01	≤30.00	19.51	≤36.00	Pass	14
	MIMO	FULL	5775	Ant1	12.31	≤30.00	16.81	≤36.00	Pass	11
				Ant2	11.98	≤30.00	16.48	≤36.00	Pass	11
				Total	15.16	≤30.00	19.66	≤36.00	Pass	11
Note:The Maximum Conducted Power with duty cycle factor.										

Note：The Duty Cycle Factor is compensated in the graph.

Maximum power spectral density

Test Result

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20SISO	Ant1	5180	26Tone	RU0	7.70	≤10	PASS
			52Tone	RU37	5.93	≤10	PASS
			106Tone	RU53	4.26	≤10	PASS
			242Tone	RU61	1.89	≤10	PASS
	Ant2	5180	26Tone	RU0	7.49	≤10	PASS
			52Tone	RU37	5.57	≤10	PASS
			106Tone	RU53	4.11	≤10	PASS
			242Tone	RU61	0.67	≤10	PASS
	Ant1	5200	26Tone	RU4	7.44	≤10	PASS
			52Tone	RU38	5.92	≤10	PASS
			106Tone	RU53	4.37	≤10	PASS
			242Tone	RU61	1.25	≤10	PASS
	Ant2	5200	26Tone	RU4	6.97	≤10	PASS
			52Tone	RU38	5.10	≤10	PASS
			106Tone	RU53	3.56	≤10	PASS
			242Tone	RU61	0.13	≤10	PASS
	Ant1	5240	26Tone	RU8	7.77	≤10	PASS
			52Tone	RU40	6.17	≤10	PASS
			106Tone	RU54	3.86	≤10	PASS
			242Tone	RU61	0.79	≤10	PASS
	Ant2	5240	26Tone	RU8	6.57	≤10	PASS
			52Tone	RU40	5.25	≤10	PASS
			106Tone	RU54	3.21	≤10	PASS
			242Tone	RU61	-0.11	≤10	PASS
	Ant1	5260	26Tone	RU0	7.74	≤10	PASS
			52Tone	RU37	6.04	≤10	PASS
			106Tone	RU53	4.14	≤10	PASS
			242Tone	RU61	1.04	≤10	PASS
	Ant2	5260	26Tone	RU0	6.52	≤10	PASS
			52Tone	RU37	4.84	≤10	PASS
			106Tone	RU53	3.05	≤10	PASS
			242Tone	RU61	0.17	≤10	PASS
	Ant1	5300	26Tone	RU4	6.68	≤10	PASS
			52Tone	RU38	5.16	≤10	PASS
			106Tone	RU53	3.68	≤10	PASS
			242Tone	RU61	0.27	≤10	PASS
	Ant2	5300	26Tone	RU4	5.77	≤10	PASS

			52Tone	RU38	4.57	≤10	PASS
			106Tone	RU53	2.86	≤10	PASS
			242Tone	RU61	-0.50	≤10	PASS
	Ant1	5320	26Tone	RU8	6.68	≤10	PASS
			52Tone	RU40	4.75	≤10	PASS
			106Tone	RU54	3.25	≤10	PASS
			242Tone	RU61	-0.09	≤10	PASS
	Ant2	5320	26Tone	RU8	5.16	≤10	PASS
			52Tone	RU40	3.41	≤10	PASS
			106Tone	RU54	2.05	≤10	PASS
			242Tone	RU61	-0.94	≤10	PASS
	Ant1	5500	26Tone	RU0	8.00	≤10	PASS
			52Tone	RU37	6.65	≤10	PASS
			106Tone	RU53	3.60	≤10	PASS
			242Tone	RU61	0.74	≤10	PASS
	Ant2	5500	26Tone	RU0	6.95	≤10	PASS
			52Tone	RU37	5.39	≤10	PASS
			106Tone	RU53	3.10	≤10	PASS
			242Tone	RU61	-0.08	≤10	PASS
	Ant1	5580	26Tone	RU4	6.35	≤10	PASS
			52Tone	RU38	6.02	≤10	PASS
			106Tone	RU53	3.90	≤10	PASS
			242Tone	RU61	0.90	≤10	PASS
	Ant2	5580	26Tone	RU4	5.93	≤10	PASS
			52Tone	RU38	5.72	≤10	PASS
			106Tone	RU53	3.36	≤10	PASS
			242Tone	RU61	0.12	≤10	PASS
	Ant1	5700	26Tone	RU8	8.92	≤10	PASS
			52Tone	RU40	7.45	≤10	PASS
			106Tone	RU54	4.89	≤10	PASS
			242Tone	RU61	1.67	≤10	PASS
	Ant2	5700	26Tone	RU8	7.80	≤10	PASS
			52Tone	RU40	6.18	≤10	PASS
			106Tone	RU54	4.03	≤10	PASS
			242Tone	RU61	0.83	≤10	PASS
	Ant1	5745	26Tone	RU0	6.27	≤10	PASS
			52Tone	RU37	4.57	≤10	PASS
			106Tone	RU53	2.37	≤10	PASS
			242Tone	RU61	-1.06	≤10	PASS
	Ant2	5745	26Tone	RU0	5.71	≤10	PASS
			52Tone	RU37	4.34	≤10	PASS
			106Tone	RU53	1.89	≤10	PASS
			242Tone	RU61	-1.54	≤10	PASS

	Ant1	5785	26Tone	RU4	6.27	≤10	PASS
			52Tone	RU38	4.16	≤10	PASS
			106Tone	RU53	2.74	≤10	PASS
			242Tone	RU61	-1.02	≤10	PASS
	Ant2	5785	26Tone	RU4	-1.18	≤10	PASS
			52Tone	RU38	0.79	≤10	PASS
			106Tone	RU53	2.40	≤10	PASS
			242Tone	RU61	-0.78	≤10	PASS
	Ant1	5825	26Tone	RU8	6.56	≤10	PASS
			52Tone	RU40	4.78	≤10	PASS
			106Tone	RU54	2.55	≤10	PASS
			242Tone	RU61	-0.85	≤10	PASS
	Ant2	5825	26Tone	RU8	5.96	≤10	PASS
			52Tone	RU40	5.01	≤10	PASS
			106Tone	RU54	2.30	≤10	PASS
			242Tone	RU61	-0.80	≤10	PASS
11AX40SISO	Ant1	5190	484Tone	RU65	-2.78	≤10	PASS
	Ant2	5190	484Tone	RU65	-3.38	≤10	PASS
	Ant1	5230	484Tone	RU65	-2.81	≤10	PASS
	Ant2	5230	484Tone	RU65	-3.46	≤10	PASS
	Ant1	5270	484Tone	RU65	-3.07	≤10	PASS
	Ant2	5270	484Tone	RU65	-3.95	≤10	PASS
	Ant1	5310	484Tone	RU65	-3.61	≤10	PASS
	Ant2	5310	484Tone	RU65	-4.73	≤10	PASS
	Ant1	5510	484Tone	RU65	-2.88	≤10	PASS
	Ant2	5510	484Tone	RU65	-4.07	≤10	PASS
	Ant1	5550	484Tone	RU65	-3.20	≤10	PASS
	Ant2	5550	484Tone	RU65	-3.89	≤10	PASS
	Ant1	5670	484Tone	RU65	-1.39	≤10	PASS
	Ant2	5670	484Tone	RU65	-2.54	≤10	PASS
	Ant1	5755	484Tone	RU65	-5.03	≤10	PASS
	Ant2	5755	484Tone	RU65	-5.14	≤10	PASS
	Ant1	5795	484Tone	RU65	-4.87	≤10	PASS
	Ant2	5795	484Tone	RU65	-4.73	≤10	PASS
11AX80SISO	Ant1	5210	996Tone	RU67	-0.20	≤10	PASS
	Ant2	5210	996Tone	RU67	-6.25	≤10	PASS
	Ant1	5290	996Tone	RU67	-6.16	≤10	PASS
	Ant2	5290	996Tone	RU67	-7.00	≤10	PASS
	Ant1	5530	996Tone	RU67	-5.89	≤10	PASS
	Ant2	5530	996Tone	RU67	-6.63	≤10	PASS
	Ant1	5610	996Tone	RU67	-5.50	≤10	PASS
	Ant2	5610	996Tone	RU67	-5.78	≤10	PASS
	Ant1	5775	996Tone	RU67	-6.60	≤10	PASS

	Ant2	5775	996Tone	RU67	-7.06	≤10	PASS
11AX20MIMO	Ant1	5180	26Tone	RU0	3.82	≤10	PASS
			52Tone	RU37	2.20	≤10	PASS
			106Tone	RU53	1.02	≤10	PASS
			242Tone	RU61	-2.90	≤10	PASS
	Ant2	5180	26Tone	RU0	3.66	≤10	PASS
			52Tone	RU37	2.04	≤10	PASS
			106Tone	RU53	0.74	≤10	PASS
			242Tone	RU61	-3.10	≤10	PASS
	total	5180	26Tone	RU0	6.75	≤11.00	PASS
			52Tone	RU37	5.13	≤11.00	PASS
			106Tone	RU53	3.89	≤11.00	PASS
			242Tone	RU61	0.01	≤11.00	PASS
	Ant1	5200	26Tone	RU4	3.46	≤10	PASS
			52Tone	RU38	1.65	≤10	PASS
			106Tone	RU53	0.67	≤10	PASS
			242Tone	RU61	-3.29	≤10	PASS
	Ant2	5200	26Tone	RU4	3.44	≤10	PASS
			52Tone	RU38	1.92	≤10	PASS
			106Tone	RU53	0.90	≤10	PASS
			242Tone	RU61	-3.29	≤10	PASS
	total	5200	26Tone	RU4	6.46	≤11.00	PASS
			52Tone	RU38	4.80	≤11.00	PASS
			106Tone	RU53	3.80	≤11.00	PASS
			242Tone	RU61	-0.28	≤11.00	PASS
	Ant1	5240	26Tone	RU8	4.18	≤10	PASS
			52Tone	RU40	1.52	≤10	PASS
			106Tone	RU54	0.61	≤10	PASS
			242Tone	RU61	-2.77	≤10	PASS
	Ant2	5240	26Tone	RU8	3.51	≤10	PASS
			52Tone	RU40	0.96	≤10	PASS
			106Tone	RU54	-0.66	≤10	PASS
			242Tone	RU61	-3.53	≤10	PASS
	total	5240	26Tone	RU8	6.87	≤11.00	PASS
			52Tone	RU40	4.26	≤11.00	PASS
			106Tone	RU54	3.03	≤11.00	PASS
			242Tone	RU61	-0.12	≤11.00	PASS
	Ant1	5260	26Tone	RU0	4.49	≤10	PASS
			52Tone	RU37	2.55	≤10	PASS
			106Tone	RU53	0.41	≤10	PASS
			242Tone	RU61	-2.59	≤10	PASS
	Ant2	5260	26Tone	RU0	3.82	≤10	PASS
			52Tone	RU37	1.22	≤10	PASS

			106Tone	RU53	-0.14	≤10	PASS
			242Tone	RU61	-3.58	≤10	PASS
	total	5260	26Tone	RU0	7.18	≤11.00	PASS
			52Tone	RU37	4.95	≤11.00	PASS
			106Tone	RU53	3.15	≤11.00	PASS
			242Tone	RU61	-0.05	≤11.00	PASS
	Ant1	5300	26Tone	RU4	3.56	≤10	PASS
			52Tone	RU38	1.72	≤10	PASS
			106Tone	RU53	0.22	≤10	PASS
			242Tone	RU61	-2.95	≤10	PASS
	Ant2	5300	26Tone	RU4	2.56	≤10	PASS
			52Tone	RU38	0.95	≤10	PASS
			106Tone	RU53	-0.65	≤10	PASS
			242Tone	RU61	-4.02	≤10	PASS
	total	5300	26Tone	RU4	6.10	≤11.00	PASS
			52Tone	RU38	4.36	≤11.00	PASS
			106Tone	RU53	2.82	≤11.00	PASS
			242Tone	RU61	-0.44	≤11.00	PASS
	Ant1	5320	26Tone	RU8	3.35	≤10	PASS
			52Tone	RU40	0.92	≤10	PASS
			106Tone	RU54	-0.72	≤10	PASS
			242Tone	RU61	-3.92	≤10	PASS
	Ant2	5320	26Tone	RU8	2.12	≤10	PASS
			52Tone	RU40	-0.21	≤10	PASS
			106Tone	RU54	-1.67	≤10	PASS
			242Tone	RU61	-4.80	≤10	PASS
	total	5320	26Tone	RU8	5.79	≤11.00	PASS
			52Tone	RU40	3.40	≤11.00	PASS
			106Tone	RU54	1.84	≤11.00	PASS
			242Tone	RU61	-1.33	≤11.00	PASS
	Ant1	5500	26Tone	RU0	4.94	≤10	PASS
			52Tone	RU37	4.59	≤10	PASS
			106Tone	RU53	0.92	≤10	PASS
			242Tone	RU61	-2.70	≤10	PASS
	Ant2	5500	26Tone	RU0	3.15	≤10	PASS
			52Tone	RU37	3.61	≤10	PASS
			106Tone	RU53	-0.35	≤10	PASS
			242Tone	RU61	-3.55	≤10	PASS
	total	5500	26Tone	RU0	7.15	≤11.00	PASS
			52Tone	RU37	7.14	≤11.00	PASS
			106Tone	RU53	3.34	≤11.00	PASS
			242Tone	RU61	-0.09	≤11.00	PASS
	Ant1	5580	26Tone	RU4	4.06	≤10	PASS