




BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20MIMO Ant1 Low 2412 52Tone RU37




11AX20MIMO Ant1 Low 2412 106Tone RU53



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20MIMO Ant1 Low 2412 242Tone RU61



11AX20MIMO Ant2 Low 2412 26Tone RU0



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20MIMO Ant2 Low 2412 52Tone RU37




11AX20MIMO Ant2 Low 2412 106Tone RU53



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20MIMO Ant2 Low 2412 242Tone RU61



11AX20MIMO Ant1 High 2462 26Tone RU8



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20MIMO Ant1 High 2462 52Tone RU40



11AX20MIMO Ant1 High 2462 106Tone RU54

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road,
Zhaoshang Street, Nanshan District Shenzhen,
Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20MIMO Ant1 High 2462 242Tone RU61



11AX20MIMO Ant2 High 2462 26Tone RU8



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20MIMO Ant2 High 2462 52Tone RU40




11AX20MIMO Ant2 High 2462 106Tone RU54



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20MIMO Ant2 High 2462 242Tone RU61



11AX40MIMO Ant1 Low 2422 484Tone RU65



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX40MIMO Ant2 Low 2422 484Tone RU65




11AX40MIMO Ant1 High 2452 484Tone RU65



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX40MIMO Ant2 High 2452 484Tone RU65



BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road,
Zhaoshang Street, Nanshan District Shenzhen,
Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com

BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02

CONDUCTED SPURIOUS EMISSION

TEST RESULT

TestMode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	2412	26Tone	RU0	Reference	6.30	6.30	---	PASS
				RU0	30~1000	6.30	-44.97	$\leq$ 13.7	PASS
				RU0	1000~26500	6.30	-25.37	$\leq$ 13.7	PASS
			52Tone	RU37	Reference	2.70	2.70	---	PASS
				RU37	30~1000	2.70	-44.38	$\leq$ 17.3	PASS
				RU37	1000~26500	2.70	-24.99	$\leq$ 17.3	PASS
			106Tone	RU53	Reference	0.73	0.73	---	PASS
				RU53	30~1000	0.73	-44.84	$\leq$ 19.27	PASS
				RU53	1000~26500	0.73	-24.88	$\leq$ 19.27	PASS
			242Tone	RU61	Reference	-1.71	-1.71	---	PASS
				RU61	30~1000	-1.71	-44.80	$\leq$ 21.71	PASS
				RU61	1000~26500	-1.71	-25.64	$\leq$ 21.71	PASS
	Ant2	2412	26Tone	RU0	Reference	3.07	3.07	---	PASS
				RU0	30~1000	3.07	-44.29	$\leq$ 16.93	PASS
				RU0	1000~26500	3.07	-24.61	$\leq$ 16.93	PASS
			52Tone	RU37	Reference	0.31	0.31	---	PASS
				RU37	30~1000	0.31	-44.52	$\leq$ 19.69	PASS
				RU37	1000~26500	0.31	-24.78	$\leq$ 19.69	PASS
			106Tone	RU53	Reference	-0.80	-0.80	---	PASS
				RU53	30~1000	-0.80	-37.88	$\leq$ 20.8	PASS
				RU53	1000~26500	-0.80	-25.23	$\leq$ 20.8	PASS
			242Tone	RU61	Reference	-2.00	-2.00	---	PASS
				RU61	30~1000	-2.00	-43.26	$\leq$ 22	PASS
				RU61	1000~26500	-2.00	-35.73	$\leq$ 22	PASS
	Ant1	2437	26Tone	RU4	Reference	2.29	2.29	---	PASS
				RU4	30~1000	2.29	-44.02	$\leq$ 17.71	PASS
				RU4	1000~26500	2.29	-25.48	$\leq$ 17.71	PASS
			52Tone	RU38	Reference	1.79	1.79	---	PASS
				RU38	30~1000	1.79	-43.74	$\leq$ 18.21	PASS
				RU38	1000~26500	1.79	-25.67	$\leq$ 18.21	PASS
			106Tone	RU53	Reference	-1.54	-1.54	---	PASS
				RU53	30~1000	-1.54	-45.08	$\leq$ 21.54	PASS
				RU53	1000~26500	-1.54	-26.13	$\leq$ 21.54	PASS
			242Tone	RU61	Reference	-3.08	-3.08	---	PASS



**BUREAU
VERITAS**

Test Report No.: W7L-231127W001RF02

				RU61	30~1000	-3.08	-44.69	$\leq$ 23.08	PASS
				RU61	1000~26500	-3.08	-25.17	$\leq$ 23.08	PASS
	Ant2	2437	26Tone	RU4	Reference	2.57	2.57	---	PASS
				RU4	30~1000	2.57	-44.37	$\leq$ 17.43	PASS
				RU4	1000~26500	2.57	-25.09	$\leq$ 17.43	PASS
			52Tone	RU38	Reference	0.98	0.98	---	PASS
				RU38	30~1000	0.98	-43.64	$\leq$ 19.02	PASS
				RU38	1000~26500	0.98	-25.26	$\leq$ 19.02	PASS
			106Tone	RU53	Reference	-0.74	-0.74	---	PASS
				RU53	30~1000	-0.74	-44.87	$\leq$ 20.74	PASS
				RU53	1000~26500	-0.74	-25.41	$\leq$ 20.74	PASS
			242Tone	RU61	Reference	-2.84	-2.84	---	PASS
				RU61	30~1000	-2.84	-44.42	$\leq$ 22.84	PASS
				RU61	1000~26500	-2.84	-25.52	$\leq$ 22.84	PASS
	Ant1	2462	26Tone	RU8	Reference	3.03	3.03	---	PASS
				RU8	30~1000	3.03	-44.97	$\leq$ 16.97	PASS
				RU8	1000~26500	3.03	-25.02	$\leq$ 16.97	PASS
			52Tone	RU40	Reference	0.73	0.73	---	PASS
				RU40	30~1000	0.73	-44.68	$\leq$ 19.27	PASS
				RU40	1000~26500	0.73	-25.03	$\leq$ 19.27	PASS
			106Tone	RU54	Reference	0.24	0.24	---	PASS
				RU54	30~1000	0.24	-44.46	$\leq$ 19.76	PASS
				RU54	1000~26500	0.24	-25.70	$\leq$ 19.76	PASS
			242Tone	RU61	Reference	-2.80	-2.80	---	PASS
				RU61	30~1000	-2.80	-42.96	$\leq$ 22.8	PASS
				RU61	1000~26500	-2.80	-25.32	$\leq$ 22.8	PASS
	Ant2	2462	26Tone	RU8	Reference	2.87	2.87	---	PASS
				RU8	30~1000	2.87	-44.00	$\leq$ 17.13	PASS
				RU8	1000~26500	2.87	-24.97	$\leq$ 17.13	PASS
			52Tone	RU40	Reference	1.03	1.03	---	PASS
				RU40	30~1000	1.03	-44.25	$\leq$ 18.97	PASS
				RU40	1000~26500	1.03	-25.08	$\leq$ 18.97	PASS
			106Tone	RU54	Reference	-0.36	-0.36	---	PASS
				RU54	30~1000	-0.36	-44.29	$\leq$ 20.36	PASS
				RU54	1000~26500	-0.36	-35.75	$\leq$ 20.36	PASS
			242Tone	RU61	Reference	-3.59	-3.59	---	PASS

BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02

				RU61	30~1000	-3.59	-43.83	$\leq$ 23.59	PASS
				RU61	1000~26500	-3.59	-35.22	$\leq$ 23.59	PASS
11AX40SISO	Ant1	2422	484Tone	RU65	Reference	-6.35	-6.35	---	PASS
				RU65	30~1000	-6.35	-43.89	$\leq$ 26.35	PASS
				RU65	1000~26500	-6.35	-35.62	$\leq$ 26.35	PASS
	Ant2	2422	484Tone	RU65	Reference	-5.78	-5.78	---	PASS
				RU65	30~1000	-5.78	-43.65	$\leq$ 25.78	PASS
				RU65	1000~26500	-5.78	-34.90	$\leq$ 25.78	PASS
	Ant1	2437	484Tone	RU65	Reference	-7.95	-7.95	---	PASS
				RU65	30~1000	-7.95	-44.83	$\leq$ 27.95	PASS
				RU65	1000~26500	-7.95	-35.47	$\leq$ 27.95	PASS
	Ant2	2437	484Tone	RU65	Reference	-1.52	-1.52	---	PASS
				RU65	30~1000	-1.52	-44.62	$\leq$ 21.52	PASS
				RU65	1000~26500	-1.52	-25.93	$\leq$ 21.52	PASS
	Ant1	2452	484Tone	RU65	Reference	-4.70	-4.70	---	PASS
				RU65	30~1000	-4.70	-43.81	$\leq$ 24.7	PASS
				RU65	1000~26500	-4.70	-34.51	$\leq$ 24.7	PASS
	Ant2	2452	484Tone	RU65	Reference	-1.04	-1.04	---	PASS
				RU65	30~1000	-1.04	-44.51	$\leq$ 21.04	PASS
				RU65	1000~26500	-1.04	-25.61	$\leq$ 21.04	PASS
11AX20MIMO	Ant1	2412	26Tone	RU0	Reference	6.10	6.10	---	PASS
				RU0	30~1000	6.10	-44.04	$\leq$ 13.9	PASS
				RU0	1000~26500	6.10	-25.60	$\leq$ 13.9	PASS
			52Tone	RU37	Reference	5.03	5.03	---	PASS
				RU37	30~1000	5.03	-44.33	$\leq$ 14.97	PASS
				RU37	1000~26500	5.03	-25.14	$\leq$ 14.97	PASS
			106Tone	RU53	Reference	1.04	1.04	---	PASS
				RU53	30~1000	1.04	-44.32	$\leq$ 18.96	PASS
				RU53	1000~26500	1.04	-25.74	$\leq$ 18.96	PASS
			242Tone	RU61	Reference	-0.45	-0.45	---	PASS
				RU61	30~1000	-0.45	-44.04	$\leq$ 20.45	PASS
				RU61	1000~26500	-0.45	-25.32	$\leq$ 20.45	PASS
	Ant2	2412	26Tone	RU0	Reference	5.62	5.62	---	PASS
				RU0	30~1000	5.62	-44.56	$\leq$ 14.38	PASS
				RU0	1000~26500	5.62	-25.66	$\leq$ 14.38	PASS
			52Tone	RU37	Reference	5.40	5.40	---	PASS



**BUREAU
VERITAS**

Test Report No.: W7L-231127W001RF02

				RU37	30~1000	5.40	-44.04	≤ 14.6	PASS		
				RU37	1000~26500	5.40	-25.64	≤ 14.6	PASS		
				106Tone	RU53	Reference	1.81	1.81	---	PASS	
					RU53	30~1000	1.81	-44.15	≤ 18.19	PASS	
					RU53	1000~26500	1.81	-25.47	≤ 18.19	PASS	
				242Tone	RU61	Reference	-0.78	-0.78	---	PASS	
			RU61		30~1000	-0.78	-44.08	≤ 20.78	PASS		
			RU61		1000~26500	-0.78	-35.29	≤ 20.78	PASS		
			Ant1	2437	26Tone	RU4	Reference	4.57	4.57	---	PASS
						RU4	30~1000	4.57	-45.01	≤ 15.43	PASS
						RU4	1000~26500	4.57	-24.50	≤ 15.43	PASS
					52Tone	RU38	Reference	2.96	2.96	---	PASS
	RU38	30~1000				2.96	-44.82	≤ 17.04	PASS		
	RU38	1000~26500				2.96	-24.73	≤ 17.04	PASS		
	106Tone	RU53			Reference	2.70	2.70	---	PASS		
		RU53			30~1000	2.70	-44.03	≤ 17.3	PASS		
		RU53			1000~26500	2.70	-25.02	≤ 17.3	PASS		
	242Tone	RU61			Reference	-2.11	-2.11	---	PASS		
		RU61			30~1000	-2.11	-43.92	≤ 22.11	PASS		
		RU61			1000~26500	-2.11	-25.31	≤ 22.11	PASS		
	Ant2	2437			26Tone	RU4	Reference	5.93	5.93	---	PASS
						RU4	30~1000	5.93	-44.01	≤ 14.07	PASS
						RU4	1000~26500	5.93	-25.49	≤ 14.07	PASS
					52Tone	RU38	Reference	4.57	4.57	---	PASS
						RU38	30~1000	4.57	-44.58	≤ 15.43	PASS
						RU38	1000~26500	4.57	-25.72	≤ 15.43	PASS
			106Tone	RU53	Reference	3.19	3.19	---	PASS		
				RU53	30~1000	3.19	-44.86	≤ 16.81	PASS		
				RU53	1000~26500	3.19	-25.03	≤ 16.81	PASS		
			242Tone	RU61	Reference	1.14	1.14	---	PASS		
				RU61	30~1000	1.14	-44.32	≤ 18.86	PASS		
				RU61	1000~26500	1.14	-25.28	≤ 18.86	PASS		
			Ant1	2462	26Tone	RU8	Reference	6.19	6.19	---	PASS
						RU8	30~1000	6.19	-44.45	≤ 13.81	PASS
						RU8	1000~26500	6.19	-25.31	≤ 13.81	PASS
					52Tone	RU40	Reference	4.21	4.21	---	PASS

BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02

				RU40	30~1000	4.21	-44.05	≤-15.79	PASS		
				RU40	1000~26500	4.21	-25.82	≤-15.79	PASS		
				106Tone	RU54	Reference	3.87	3.87	---	PASS	
					RU54	30~1000	3.87	-41.36	≤-16.13	PASS	
					RU54	1000~26500	3.87	-25.76	≤-16.13	PASS	
				242Tone	RU61	Reference	-1.44	-1.44	---	PASS	
			RU61		30~1000	-1.44	-44.48	≤-21.44	PASS		
			RU61		1000~26500	-1.44	-25.26	≤-21.44	PASS		
			Ant2	2462	26Tone	RU8	Reference	7.03	7.03	---	PASS
						RU8	30~1000	7.03	-43.62	≤-12.97	PASS
						RU8	1000~26500	7.03	-25.50	≤-12.97	PASS
					52Tone	RU40	Reference	4.48	4.48	---	PASS
	RU40	30~1000				4.48	-43.67	≤-15.52	PASS		
	RU40	1000~26500				4.48	-24.13	≤-15.52	PASS		
	106Tone	RU54			Reference	2.74	2.74	---	PASS		
		RU54			30~1000	2.74	-44.37	≤-17.26	PASS		
		RU54			1000~26500	2.74	-25.16	≤-17.26	PASS		
	242Tone	RU61			Reference	-0.49	-0.49	---	PASS		
		RU61			30~1000	-0.49	-44.08	≤-20.49	PASS		
		RU61			1000~26500	-0.49	-24.53	≤-20.49	PASS		

11AX40MIMO	Ant1	2422	484Tone	RU65	Reference	-3.68	-3.68	---	PASS
				RU65	30~1000	-3.68	-44.67	≤-23.68	PASS
				RU65	1000~26500	-3.68	-35.48	≤-23.68	PASS
	Ant2	2422	484Tone	RU65	Reference	-3.46	-3.46	---	PASS
				RU65	30~1000	-3.46	-44.20	≤-23.46	PASS
				RU65	1000~26500	-3.46	-34.99	≤-23.46	PASS
	Ant1	2437	484Tone	RU65	Reference	-4.18	-4.18	---	PASS
				RU65	30~1000	-4.18	-43.92	≤-24.18	PASS
				RU65	1000~26500	-4.18	-35.38	≤-24.18	PASS
	Ant2	2437	484Tone	RU65	Reference	-3.72	-3.72	---	PASS
				RU65	30~1000	-3.72	-43.83	≤-23.72	PASS
				RU65	1000~26500	-3.72	-35.63	≤-23.72	PASS
	Ant1	2452	484Tone	RU65	Reference	-3.82	-3.82	---	PASS
				RU65	30~1000	-3.82	-43.96	≤-23.82	PASS
				RU65	1000~26500	-3.82	-35.22	≤-23.82	PASS
	Ant2	2452	484Tone	RU65	Reference	-4.04	-4.04	---	PASS



Test Report No.: W7L-231127W001RF02

				RU65	30~1000	-4.04	-44.26	$\leq$ - 24.04	PASS
				RU65	1000~26500	-4.04	-35.44	$\leq$ - 24.04	PASS



BUREAU VERITAS Test Report No.: W7L-231127W001RF02

TEST GRAPHS





BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2412 52Tone RU37 0~Reference




11AX20SISO Ant1 2412 52Tone RU37 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2412 52Tone RU37 1000~26500



11AX20SISO Ant1 2412 106Tone RU53 0~Reference



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2412 106Tone RU53 30~1000



11AX20SISO Ant1 2412 106Tone RU53 1000~26500



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2412 242Tone RU61 0~Reference



11AX20SISO Ant1 2412 242Tone RU61 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2412 242Tone RU61 1000~26500



11AX20SISO Ant2 2412 26Tone RU0 0~Reference




BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2412 26Tone RU0 30~1000



11AX20SISO Ant2 2412 26Tone RU0 1000~26500



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2412 52Tone RU37 0~Reference



11AX20SISO Ant2 2412 52Tone RU37 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2412 52Tone RU37 1000~26500



11AX20SISO Ant2 2412 106Tone RU53 0~Reference




BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2412 106Tone RU53 30~1000



11AX20SISO Ant2 2412 106Tone RU53 1000~26500



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2412 242Tone RU61 0~Reference



11AX20SISO Ant2 2412 242Tone RU61 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2412 242Tone RU61 1000~26500



11AX20SISO Ant1 2437 26Tone RU4 0~Reference




BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2437 26Tone RU4 30~1000



11AX20SISO Ant1 2437 26Tone RU4 1000~26500



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2437 52Tone RU38 0~Reference



11AX20SISO Ant1 2437 52Tone RU38 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2437 52Tone RU38 1000~26500



11AX20SISO Ant1 2437 106Tone RU53 0~Reference



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2437 106Tone RU53 30~1000



11AX20SISO Ant1 2437 106Tone RU53 1000~26500



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2437 242Tone RU61 0~Reference



11AX20SISO Ant1 2437 242Tone RU61 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2437 242Tone RU61 1000~26500




11AX20SISO Ant2 2437 26Tone RU4 0~Reference




BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2437 26Tone RU4 30~1000



11AX20SISO Ant2 2437 26Tone RU4 1000~26500



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2437 52Tone RU38 0~Reference



11AX20SISO Ant2 2437 52Tone RU38 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2437 52Tone RU38 1000~26500



11AX20SISO Ant2 2437 106Tone RU53 0~Reference




BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2437 106Tone RU53 30~1000



11AX20SISO Ant2 2437 106Tone RU53 1000~26500



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2437 242Tone RU61 0~Reference



11AX20SISO Ant2 2437 242Tone RU61 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2437 242Tone RU61 1000~26500



11AX20SISO Ant1 2462 26Tone RU8 0~Reference



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2462 26Tone RU8 30~1000



11AX20SISO Ant1 2462 26Tone RU8 1000~26500



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2462 52Tone RU40 0~Reference




11AX20SISO Ant1 2462 52Tone RU40 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2462 52Tone RU40 1000~26500



11AX20SISO Ant1 2462 106Tone RU54 0~Reference



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2462 106Tone RU54 30~1000



11AX20SISO Ant1 2462 106Tone RU54 1000~26500



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2462 242Tone RU61 0~Reference



11AX20SISO Ant1 2462 242Tone RU61 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant1 2462 242Tone RU61 1000~26500



11AX20SISO Ant2 2462 26Tone RU8 0~Reference




BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2462 26Tone RU8 30~1000



11AX20SISO Ant2 2462 26Tone RU8 1000~26500




BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2462 52Tone RU40 0~Reference




11AX20SISO Ant2 2462 52Tone RU40 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2462 52Tone RU40 1000~26500



11AX20SISO Ant2 2462 106Tone RU54 0~Reference



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2462 106Tone RU54 30~1000



11AX20SISO Ant2 2462 106Tone RU54 1000~26500



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2462 242Tone RU61 0~Reference



11AX20SISO Ant2 2462 242Tone RU61 30~1000



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX20SISO Ant2 2462 242Tone RU61 1000~26500



11AX40SISO Ant1 2422 484Tone RU65 0~Reference



BUREAU
VERITAS

Test Report No.: W7L-231127W001RF02



11AX40SISO Ant1 2422 484Tone RU65 30~1000



11AX40SISO Ant1 2422 484Tone RU65 1000~26500