

APPROVAL SHEET

PCB Antenna

2.4~2.5 / 5.15~5.85 GHz Working Frequency

Halogens Free Product

P/N: RFPCA402204IMLB301

Model: ZAT-6000

Customer :

Customer 's Part No. :

Approval No. :

Issue Date :

INPAQ TECHNOLOGY CO., LTD.

ADD : No. 11, Keyi St., Zhunan Township, Miaoli County 350402 , Taiwan (R.O.C.)

TEL : +886-37-585-555

FAX : +886-37-585-511

E-Mail : info@inpaq.com.tw

3. Photo



UNLESS OTHER SPECIFIED TOLERANCES ON :
X=N/A X.X=N/A X.XX=N/A
ANGLES=N/A HOLEDIA=N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A	UNIT : mm
DRAWN BY : PIPI	CHECKED BY : huiwenchan
DESIGNED BY : Wilson Wang	APPROVED BY : Brian Chen


THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : RFPCA402204IMLB301

DOCUMENT
NO.

SPEC REV.
P0

5. Drawing :



UNLESS OTHER SPECIFIED TOLERANCES ON :
X=N/A X.X=N/A X.XX=N/A
ANGLES=N/A HOLEDIA=N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY : PIPI

CHECKED BY : huiwenchan

DESIGNED BY : Wilson Wang

APPROVED BY : Brianchen


TITLE : RFPCA402204IMLB301

DOCUMENT
NO.

SPEC REV.

P0

Experimental Setup



UNLESS OTHER SPECIFIED TOLERANCES ON :
 X = N/A X.X = N/A X.XX = N/A
 ANGLES = N/A HOLEDIA = N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY : PIPI

CHECKED BY : huiwenchan

DESIGNED BY : Wilson Wang

APPROVED BY : Brianchen

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : RFPCA402204IMLB301

DOCUMENT
NO.

SPEC REV.

P0

7. Package

INPAQ TECHNOLOGY CO., LTD.

RFPCA402204IMLB301

Page : 1 of 1

Version : A0


Date : 2023/9/4

Packing Figure

Figure 1



1pcs



PE Bag



10 pcs/bunch, 200pcs/bag

Figure 2



Figure 3



Packing Spec:

- 1) 10 pcs/bunch, 20 bunch/bag. Total 200pcs/PE bag (Figure 1)
- 2) Put EPE in the trunk (Figure 2)
- 3) 4000 pcs/trunk. Put EPE in the bottom and top of trunk. Stick the label on the upper left of trunk.
- 4) Mark the MPQ on the label

Manufacture Label: Below picture is only for reference.

Metal Antenna 370625
RFMTA370625IMAB301 75BI031604 10



-WW0121-031922193619-200 75BI031604 0001

Line1: model+space+Antenna+space+spec 6-11 digits
Line2: spec+space+LOT#+space+Qty
Line3 Barcode Content: Spec+LOT#+serial#+Qty(K/PCS)
Line4: "-" + employee ID + "-" + "M+D+Y+H+M+S" + "-" + "printed this time" + "Label qty" + LOT# + 4 serial number

Manufacture Label: Copper Plate Paper (L85±5mm*W25±3mm)

Barcode Spec: code 128 (Height 80mm)

Approve

Yaohui He

Check

Boiby Zhao

Draft

Ruonan Xu

UNLESS OTHER SPECIFIED TOLERANCES ON :

X=N/A

X.X=N/A

X.XX=N/A

ANGLES=N/A

HOLEDIA=N/A

SCALE : N/A

UNIT : mm

DRAWN BY : PIPI

CHECKED BY : huiwenchan

DESIGNED BY : Wilson Wang

APPROVED BY : Brian Chen



INPAQ TECHNOLOGY CO., LTD.

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : RFPCA402204IMLB301

DOCUMENT
NO.

SPEC REV.

P0