




Test report No. : 4790091528-US-R1-V0
Page : 103 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE20)	Channel	144
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	11440	29.47	18.86	48.33	74	-25.67	PK
Vertical	*	11440	29.93	18.86	48.79	74	-25.21	PK



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0878 / 6.0




Test report No. : 4790091528-US-R1-V0
Page : 104 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5605	44.32	14.03	58.35	68.2	-9.85	PK
		5696	58.52	14.05	72.57	102.25	-29.68	PK
		5745	104.74	14.28	119.02	N/A	N/A	PK
		11490	48.61	19.02	67.63	74	-6.37	PK
		11490	34.14	19.02	53.16	54	-0.84	AVG
Vertical	@	5597.5	42.45	14.03	56.48	68.2	-11.72	PK
		5699.5	51.04	14.05	65.09	104.83	-39.74	PK
		5745	102.73	14.28	117.01	N/A	N/A	PK
		11490	43.2	19.02	62.22	74	-11.78	PK
		11490	29.14	19.02	48.16	54	-5.84	AVG


TX, 802.11ax(HE20) (Ch 149)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 149)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 149)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 149)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0




Test report No. : 4790091528-US-R1-V0
Page : 105 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5538.5	44.02	13.87	57.89	68.2	-10.31	PK
		5691.5	43.84	14.04	57.88	98.93	-41.05	PK
		5785	104.1	14.48	118.58	N/A	N/A	PK
		5909.5	43.72	14.97	58.69	79.64	-20.95	PK
		5980	42.35	15.11	57.46	68.2	-10.74	PK
		11570	48.12	18.88	67	74	-7	PK
		11570	34.4	18.88	53.28	54	-0.72	AVG
Vertical	@	5611.5	42.26	14.03	56.29	68.2	-11.91	PK
		5684.5	41.65	14.04	55.69	93.76	-38.07	PK
		5785	101.84	14.48	116.32	N/A	N/A	PK
		5920	42.3	14.98	57.28	71.89	-14.61	PK
		5944.5	42.73	15.01	57.74	68.2	-10.46	PK
		11570	44.85	18.88	63.73	74	-10.27	PK
		11570	30.62	18.88	49.5	54	-4.5	AVG


TX, 802.11ax(HE20) (Ch 157)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 157)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 157)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 157)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0




Test report No. : 4790091528-US-R1-V0
Page : 106 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	103.45	14.69	118.14	N/A	N/A	PK
		5876	54.19	14.89	69.08	104.46	-35.38	PK
		5985	43.78	15.12	58.9	68.2	-9.3	PK
		11650	48.98	18.63	67.61	74	-6.39	PK
		11650	34.51	18.63	53.14	54	-0.86	AVG
Vertical	@	5825	101.95	14.69	116.64	N/A	N/A	PK
		5880	53.07	14.91	67.98	101.49	-33.51	PK
		5933.5	42.96	15	57.96	68.2	-10.24	PK
		11650	43.57	18.63	62.2	74	-11.8	PK
		11650	30.32	18.63	48.95	54	-5.05	AVG


TX, 802.11ax(HE20) (Ch 165)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 165)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 165)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 165)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 107 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5141.4	50.6	13.43	64.03	74	-9.97	PK
		5149.1	40.17	13.43	53.6	54	-0.4	AVG
	@	5190	95.64	13.4	109.04	N/A	N/A	PK
	@	5190	85.97	13.4	99.37	N/A	N/A	AVG
	*	10380	31.03	17.49	48.52	68.2	-19.68	PK
Vertical		5075.6	42.67	13.38	56.05	74	-17.95	PK
		5149.45	32.04	13.43	45.47	54	-8.53	AVG
	@	5190	90.74	13.4	104.14	N/A	N/A	PK
	@	5190	80.97	13.4	94.37	N/A	N/A	AVG
	*	10380	31.52	17.49	49.01	68.2	-19.19	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 108 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 109 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5145.95	51.14	13.43	64.57	74	-9.43	PK
		5149.45	39.57	13.43	53	54	-1	AVG
	@	5230	101.85	13.3	115.15	N/A	N/A	PK
	@	5230	92.61	13.3	105.91	N/A	N/A	AVG
	*	10460	32.18	17.66	49.84	68.2	-18.36	PK
Vertical		5139.3	44.8	13.43	58.23	74	-15.77	PK
		5139.3	33.94	13.43	47.37	54	-6.63	AVG
	@	5230	99.65	13.3	112.95	N/A	N/A	PK
	@	5230	89.8	13.3	103.1	N/A	N/A	AVG
	*	10460	32.92	17.66	50.58	68.2	-17.62	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 110 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 111 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5270	100.83	13.22	114.05	N/A	N/A	PK
	@	5270	88.83	13.22	102.05	N/A	N/A	AVG
		5374.5	33.45	13.34	46.79	54	-7.21	AVG
		5394.3	42.9	13.4	56.3	74	-17.7	PK
	*	10540	30.83	17.72	48.55	68.2	-19.65	PK
Vertical	@	5270	96.07	13.22	109.29	N/A	N/A	PK
	@	5270	86.53	13.22	99.75	N/A	N/A	AVG
		5362.2	30.65	13.3	43.95	54	-10.05	AVG
		5442.6	41.67	13.64	55.31	74	-18.69	PK
	*	10540	31.27	17.72	48.99	68.2	-19.21	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 112 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 113 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5310	95.27	13.21	108.48	N/A	N/A	PK
	@	5310	86.01	13.21	99.22	N/A	N/A	AVG
		5350.2	39.4	13.26	52.66	54	-1.34	AVG
		5350.5	51.62	13.26	64.88	74	-9.12	PK
	*	10620	30.78	17.78	48.56	74	-25.44	PK
Vertical	@	5310	93.57	13.21	106.78	N/A	N/A	PK
	@	5310	84.33	13.21	97.54	N/A	N/A	AVG
		5351.4	34.34	13.26	47.6	54	-6.4	AVG
		5352.3	46.18	13.26	59.44	74	-14.56	PK
	*	10620	31.31	17.78	49.09	74	-24.91	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0878 / 6.0






Test report No. : 4790091528-US-R1-V0
Page : 115 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5457.75	48.86	13.7	62.56	74	-11.44	PK
		5457.75	37.45	13.7	51.15	54	-2.85	AVG
		5469.3	54.04	13.74	67.78	68.2	-0.42	PK
	@	5510	94.17	13.84	108.01	N/A	N/A	PK
	@	5510	86.28	13.84	100.12	N/A	N/A	AVG
Vertical	*	11020	30.04	18.32	48.36	74	-25.64	PK
		5459.85	41.11	13.7	54.81	74	-19.19	PK
		5459.85	32	13.7	45.7	54	-8.3	AVG
		5467.2	46.7	13.72	60.42	68.2	-7.78	PK
	@	5510	91.54	13.84	105.38	N/A	N/A	PK
	@	5510	84.64	13.84	98.48	N/A	N/A	AVG
	*	11020	30.64	18.32	48.96	74	-25.04	PK


TX, 802.11ax(HE40) (Ch 102)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 102)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 102)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 102)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0




Test report No. : 4790091528-US-R1-V0
Page : 116 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE40)	Channel	110
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5418.55	43.31	13.51	56.82	74	-17.18	PK
		5418.55	33.03	13.51	46.54	54	-7.46	AVG
		5465.1	41.26	13.72	54.98	68.2	-13.22	PK
	@	5550	95.67	13.88	109.55	N/A	N/A	PK
	@	5550	87.22	13.88	101.1	N/A	N/A	AVG
		5738.1	41.28	14.24	55.52	68.2	-12.68	PK
Vertical	*	11100	30.27	18.49	48.76	74	-25.24	PK
		5444.8	41.7	13.65	55.35	74	-18.65	PK
		5444.8	31.06	13.65	44.71	54	-9.29	AVG
		5464.75	41.03	13.72	54.75	68.2	-13.45	PK
	@	5550	92.98	13.88	106.86	N/A	N/A	PK
	@	5550	85.56	13.88	99.44	N/A	N/A	AVG
		5745.45	40.76	14.28	55.04	68.2	-13.16	PK
	*	11100	30.73	18.49	49.22	74	-24.78	PK


TX, 802.11ax(HE40) (Ch 110)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 110)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 110)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 110)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0




Test report No. : 4790091528-US-R1-V0
Page : 117 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE40)	Channel	134
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5670	96.18	14.02	110.2	N/A	N/A	PK
	@	5670	87.58	14.02	101.6	N/A	N/A	AVG
		5729.35	45.11	14.2	59.31	68.2	-8.89	PK
	*	11340	30.02	18.55	48.57	74	-25.43	PK
Vertical	@	5670	94.77	14.02	108.79	N/A	N/A	PK
	@	5670	86.5	14.02	100.52	N/A	N/A	AVG
		5749.65	41.98	14.31	56.29	68.2	-11.91	PK
	*	11340	30.94	18.55	49.49	74	-24.51	PK


TX, 802.11ax(HE40) (Ch 134)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 134)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 134)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 134)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 118 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE40)	Channel	142
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	11420	29.83	18.8	48.63	74	-25.37	PK
Vertical	*	11420	30.22	18.8	49.02	74	-24.98	PK



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0878 / 6.0




Test report No. : 4790091528-US-R1-V0
Page : 119 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE40)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5649	51.62	14	65.62	68.2	-2.58	PK
		5699	68.4	14.05	82.45	104.46	-22.01	PK
		5755	102.12	14.33	116.45	N/A	N/A	PK
		11510	47.25	19.03	66.28	74	-7.72	PK
		11510	33.08	19.03	52.11	54	-1.89	AVG
Vertical	@	5647	45.44	14.01	59.45	68.2	-8.75	PK
		5700	58.75	14.05	72.8	105.2	-32.4	PK
		5755	100.56	14.33	114.89	N/A	N/A	PK
		11510	41.73	19.03	60.76	74	-13.24	PK
		11510	30.84	19.03	49.87	54	-4.13	AVG


TX, 802.11ax(HE40) (Ch 151)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 151)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 151)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 151)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0




Mode	802.11ax(HE40)	Channel	159
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	102.45	14.53	116.98	N/A	N/A	PK
		5875	56.43	14.89	71.32	105.2	-33.88	PK
		5936	46.93	15	61.93	68.2	-6.27	PK
		11590	47.61	18.84	66.45	74	-7.55	PK
		11590	34.29	18.84	53.13	54	-0.87	AVG
Vertical	@	5795	101.43	14.53	115.96	N/A	N/A	PK
		5879	53.27	14.9	68.17	102.23	-34.06	PK
		5948.5	43.59	15.02	58.61	68.2	-9.59	PK
		11590	40.76	18.84	59.6	74	-14.4	PK
		11590	29.45	18.84	48.29	54	-5.71	AVG


TX, 802.11ax(HE40) (Ch 159)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 159)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 159)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 159)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 121 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE80)	Channel	42
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5117.25	48.89	13.46	62.35	74	-11.65	PK
		5147	39.57	13.43	53	54	-1	AVG
	@	5210	91.51	13.36	104.87	N/A	N/A	PK
	@	5210	83.29	13.36	96.65	N/A	N/A	AVG
	*	10420	30.61	17.6	48.21	68.2	-19.99	PK
Vertical		5036.4	43.02	13.15	56.17	74	-17.83	PK
		5148.75	32.32	13.42	45.74	54	-8.26	AVG
	@	5210	89.01	13.36	102.37	N/A	N/A	PK
	@	5210	78.61	13.36	91.97	N/A	N/A	AVG
	*	10420	31.29	17.6	48.89	68.2	-19.31	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 122 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 123 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE80)	Channel	58
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5290	94.2	13.21	107.41	N/A	N/A	PK
	@	5290	83.48	13.21	96.69	N/A	N/A	AVG
		5352.3	40.51	13.26	53.77	54	-0.23	AVG
		5369.7	48.76	13.33	62.09	74	-11.91	PK
	*	10580	30.12	17.73	47.85	68.2	-20.35	PK
Vertical	@	5290	89.65	13.21	102.86	N/A	N/A	PK
	@	5290	81.36	13.21	94.57	N/A	N/A	AVG
		5352	33.98	13.26	47.24	54	-6.76	AVG
		5365.5	44.45	13.31	57.76	74	-16.24	PK
	*	10580	31.56	17.73	49.29	68.2	-18.91	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 124 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0




Test report No. : 4790091528-US-R1-V0
Page : 125 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE80)	Channel	106
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5457.75	48.8	13.7	62.5	74	-11.5	PK
		5457.75	39.16	13.7	52.86	54	-1.14	AVG
		5465.45	51.24	13.72	64.96	68.2	-3.24	PK
	@	5530	90.48	13.87	104.35	N/A	N/A	PK
	@	5530	82.11	13.87	95.98	N/A	N/A	AVG
	*	11060	29.98	18.41	48.39	74	-25.61	PK
Vertical		5459.5	41.52	13.7	55.22	74	-18.78	PK
		5459.5	33.98	13.7	47.68	54	-6.32	AVG
		5466.5	44.43	13.72	58.15	68.2	-10.05	PK
	@	5530	87.7	13.87	101.57	N/A	N/A	PK
	@	5530	80.73	13.87	94.6	N/A	N/A	AVG
	*	11060	30.66	18.41	49.07	74	-24.93	PK


TX, 802.11ax(HE80) (Ch 106)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE80) (Ch 106)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE80) (Ch 106)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE80) (Ch 106)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Mode	802.11ax(HE80)	Channel	122
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5445.5	44.51	13.65	58.16	74	-15.84	PK
		5445.5	37	13.65	50.65	54	-3.35	AVG
		5462.3	48.67	13.71	62.38	68.2	-5.82	PK
	@	5610	94.83	14.03	108.86	N/A	N/A	PK
	@	5610	87.35	14.03	101.38	N/A	N/A	AVG
		5726.55	51.43	14.19	65.62	68.2	-2.58	PK
Vertical	*	11220	29.88	18.25	48.13	74	-25.87	PK
		5447.6	43.66	13.66	57.32	74	-16.68	PK
		5447.6	37.05	13.66	50.71	54	-3.29	AVG
		5466.85	42.04	13.72	55.76	68.2	-12.44	PK
	@	5610	92.62	14.03	106.65	N/A	N/A	PK
	@	5610	85.68	14.03	99.71	N/A	N/A	AVG
		5726.2	43.12	14.18	57.3	68.2	-10.9	PK
	*	11220	30.4	18.25	48.65	74	-25.35	PK






Test report No. : 4790091528-US-R1-V0
Page : 127 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE80)	Channel	138
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	11380	30	18.67	48.67	74	-25.33	PK
Vertical	*	11380	30.25	18.67	48.92	74	-25.08	PK



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0878 / 6.0




Test report No. : 4790091528-US-R1-V0
Page : 128 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE80)	Channel	155
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	@	5647.5	53.28	14.01	67.29	68.2	-0.91	PK
		5699	69.92	14.05	83.97	104.46	-20.49	PK
		5775	97.62	14.44	112.06	N/A	N/A	PK
		5876.5	62.36	14.89	77.25	104.09	-26.84	PK
		5928.5	50.97	14.99	65.96	68.2	-2.24	PK
		11550	42.88	18.93	61.81	74	-12.19	PK
		11550	30.15	18.93	49.08	54	-4.92	AVG
Vertical	@	5648.5	45.91	14	59.91	68.2	-8.29	PK
		5698	62.59	14.05	76.64	103.73	-27.09	PK
		5775	96.63	14.44	111.07	N/A	N/A	PK
		5880	53.12	14.91	68.03	101.49	-33.46	PK
		5925	48.33	14.99	63.32	68.2	-4.88	PK
		11550	37.81	18.93	56.74	74	-17.26	PK
		11550	26.24	18.93	45.17	54	-8.83	AVG


TX, 802.11ax(HE80) (Ch 155)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE80) (Ch 155)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE80) (Ch 155)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE80) (Ch 155)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: 17-EM-F0878 / 6.0



Test report No. : 4790091528-US-R1-V0
Page : 129 of 141
Issued date : 2022/3/22
FCC ID : RK9-CBV390S5

Mode	802.11ax(HE160)	Channel	50
------	-----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		5127.88	53.36	13.43	66.79	74	-7.21	PK
		5147.2	39.44	13.43	52.87	54	-1.13	AVG
	@	5250	89.56	13.24	102.8	N/A	N/A	PK
	@	5250	80.78	13.24	94.02	N/A	N/A	AVG
		5350	39.59	13.26	52.85	54	-1.15	AVG
		5394.68	49.81	13.4	63.21	74	-10.79	PK
Vertical	*	10500	30.95	17.72	48.67	68.2	-19.53	PK
		5138.92	43.46	13.43	56.89	74	-17.11	PK
		5144.44	32.71	13.43	46.14	54	-7.86	AVG
	@	5250	86.64	13.24	99.88	N/A	N/A	PK
	@	5250	77.81	13.24	91.05	N/A	N/A	AVG
		5351.9	31.91	13.26	45.17	54	-8.83	AVG
		5372.6	42.95	13.34	56.29	74	-17.71	PK
	*	10500	31.24	17.72	48.96	68.2	-19.24	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: 17-EM-F0878 / 6.0