


Appendix B

RF Power Output




Ref Lvl	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
36 dBm	28.48 dBm	VBW	3 MHz		
	1.85010982 GHz	SWT	5 ms	Unit	dBm



Title: Output power conducted / Channel: 512
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:55:23




Ref Lvl	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
36 dBm	28.57 dBm	VBW	3 MHz		
	1.88015030 GHz	SWT	5 ms	Unit	dBm



Title: Output power conducted / Channel: 661
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:59:15




Ref Lvl	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
36 dBm	28.24 dBm	VBW	3 MHz		
	1.90970982 GHz	SWT	5 ms	Unit	dBm



Title: Output power conducted / Channel: 810
Comment A: Parrot CK3500
Date: 1.DEC.2005 19:07:12




Ref Lvl	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
36 dBm	32.46 dBm	VBW	3 MHz		
	824.23006012 MHz	SWT	5 ms	Unit	dBm



Title: Output power conducted / Channel: 128
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:32:38




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 32.31 dBm VBW 3 MHz
36 dBm 836.10981964 MHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 188
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:33:23



Ref Lvl	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
36 dBm	32.06 dBm	VBW	3 MHz		
	848.83006012 MHz	SWT	5 ms	Unit	dBm




Title: Output power conducted / Channel: 251
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:46:17

Appendix C

ERP, EIRP


Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 20.47dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 31.22dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 20.87dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 29.79dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 19.96dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 28.83dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.278MHz, Pmax: 19.85dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.361MHz, Pmax: 25.93dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.160MHz, Pmax: 17.47dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.453MHz, Pmax: 26.67dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.920MHz, Pmax: 16.97dBm, RBW: 3MHz



**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 849.000MHz, Pmax: 26.59dBm, RBW: 3MHz



Appendix D

Modulation Requirements

Appendix E

Audio Filter Characteristics

Appendix F


Emission Limitation

Appendix G

Occupied Bandwidth




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 20.11 dBm VBW 3 kHz
36 dBm 1.85021703 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth \ Channel: 512
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:54:21




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 21.90 dBm VBW 3 kHz
36 dBm 1.87998497 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 661
Comment A: Parrot CK3500
Date: 1.DEC.2005 19:00:36




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 20.97 dBm VBW 3 kHz
36 dBm 1.90978297 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 810
Comment A: Parrot CK3500
Date: 1.DEC.2005 19:06:27




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 24.90 dBm VBW 3 kHz
36 dBm 824.18496994 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 128
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:31:42




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 24.90 dBm VBW 3 kHz
36 dBm 836.21903808 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 188
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:34:51




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 25.02 dBm VBW 3 kHz
36 dBm 848.81703407 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 251
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:45:26




Ref Lvl 36 dBm
Marker 1 [T1 ndB] 26.00 dB
BW 292.58517034 kHz
RBW 3 kHz
VBW 3 kHz
RF Att 50 dB
SWT 280 ms
Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 128
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:25:58




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 292.58517034 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 188
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:36:08




Ref Lvl 36 dBm
Marker 1 [T1 ndB] 26.00 dB
BW 308.61723447 kHz
RBW 3 kHz
VBW 3 kHz
RF Att 50 dB
SWT 280 ms
Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 251
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:42:26




UNCAL Marker 1 [T1 ndB] RBW 1 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 1 kHz
36 dBm BW 300.60120240 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 512
Comment A: Parrot CK3500
Date: 1.DEC.2005 18:52:58




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 296.59318637 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 661
Comment A: Parrot CK3500
Date: 1.DEC.2005 19:02:01



Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 280.5611224 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 810
Comment A: Parrot CK3500
Date: 1.DEC.2005 19:03:33

Appendix H


Out of Band Emission at Antenna Terminals Mobile Emissions In Base
Frequency Range

Appendix I

Spurious Radiation


Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 84.589MHz, Pmax: -31.46dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 84.589MHz, Pmax: -37.06dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 919.111MHz, Pmax: -39.73dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 856.000MHz, Pmax: -38.41dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.926GHz, Pmax: -22.98dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -19.32dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.404GHz, Pmax: -31.65dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.404GHz, Pmax: -32.14dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.738GHz, Pmax: -40.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.747GHz, Pmax: -39.90dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.760GHz, Pmax: -31.63dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.773GHz, Pmax: -31.21dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 20.843GHz, Pmax: -23.00dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.944GHz, Pmax: -22.55dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 84.589MHz, Pmax: -32.19dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 84.778MHz, Pmax: -37.95dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 996.444MHz, Pmax: -39.74dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 846.222MHz, Pmax: -38.39dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 4.000GHz, Pmax: -23.03dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.970GHz, Pmax: -22.33dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.520GHz, Pmax: -26.44dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.520GHz, Pmax: -34.36dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.769GHz, Pmax: -40.48dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.738GHz, Pmax: -40.19dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.767GHz, Pmax: -32.08dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.347GHz, Pmax: -31.48dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.425GHz, Pmax: -22.32dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.897GHz, Pmax: -22.43dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 84.589MHz, Pmax: -32.45dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 84.778MHz, Pmax: -37.68dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 997.333MHz, Pmax: -40.10dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 864.889MHz, Pmax: -38.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.854GHz, Pmax: -23.06dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 4.000GHz, Pmax: -22.54dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.640GHz, Pmax: -26.85dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.640GHz, Pmax: -31.30dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.707GHz, Pmax: -40.31dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.716GHz, Pmax: -39.29dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.440GHz, Pmax: -32.25dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.800GHz, Pmax: -31.37dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.453GHz, Pmax: -22.94dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK 3500 / Channel: 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.944GHz, Pmax: -22.81dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 178.467MHz, Pmax: -52.11dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 48.322MHz, Pmax: -52.12dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 823.994MHz, Pmax: -37.92dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 824.000MHz, Pmax: -27.48dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.523GHz, Pmax: -23.03dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.980GHz, Pmax: -21.91dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.564GHz, Pmax: -44.77dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.982GHz, Pmax: -44.66dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.129GHz, Pmax: -40.85dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.751GHz, Pmax: -40.18dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 191.122MHz, Pmax: -53.10dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 61.544MHz, Pmax: -52.21dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 734.403MHz, Pmax: -38.82dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 872.169MHz, Pmax: -38.24dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.960GHz, Pmax: -22.01dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.677GHz, Pmax: -17.36dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 5.018GHz, Pmax: -43.56dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.987GHz, Pmax: -44.06dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.182GHz, Pmax: -40.96dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.733GHz, Pmax: -40.51dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 60.033MHz, Pmax: -53.38dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 62.867MHz, Pmax: -52.29dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 849.006MHz, Pmax: -36.70dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 849.006MHz, Pmax: -25.42dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.653GHz, Pmax: -23.12dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.510GHz, Pmax: -23.17dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.791GHz, Pmax: -43.77dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.987GHz, Pmax: -44.77dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.720GHz, Pmax: -41.09dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Wavecom
EUT : Car Kit Parrot
Model / Channel: CK3500 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 12.00 V DC
Test Site / Operator: ETS / Mr. Pfeufer
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.707GHz, Pmax: -39.77dBm, RBW: 1MHz



Appendix J

Line Conducted Emissions

Appendix K

Frequency Stability vs. Temperature

No diagrams
Refer to point 13.2

Appendix L

Frequency Stability vs. Voltage

No diagrams
Refer to point 14.2