



MODEL:CT-P6200

900MHZ CORDLESS TELEPHONE
WITH CALL WAITING CALLER ID

INSTALLATION AND OPERATING GUIDE



IMPORTANT: To receive Caller ID information on incoming telephone calls, you must subscribe to the Caller ID service provided by your local telephone company; there is a fee for this service and it may not be available in all areas.

CT-P6200 TABLE OF CONTENTS

Important Safety Instructions	2-3	Adjusting the Contrast.....	12
FCC Regulations	3-4	Setting the PBX Number.....	12
Battery Cautionary Instructions	4	Turning PBX Mode On or Off	12
CT-P6200 Parts Checklist	4	Changing the Pause Time	12
Location of Controls and Features	5-6	Deleting Message Waiting Indication	12-13
Handset.....	5	Turning Auto Answer On or Off	13
Base.....	5	Disabling the Ring for Private Calls	13
LCD Display	6	Disabling the Ring for Unavailable Calls	13
Choosing a Location	7	Speed Dialling	13-16
Telephone Setup.....	7-8	Storing Phone Numbers	13
Connecting the Base.....	7	Letter Table	14
Wall Mounting Instruction.....	8	Viewing the Phone Book	14
Tone/Pulse Switch	8	Making Calls from Phone Book	14
Battery Installation	8	Deleting a Stored Number.....	15
Battery Duration	8	Editing a Stored Number.....	15
When the Battery Needs Charging.....	8	Priorily (VIP) Calls	15
When to Purchase a New Battery Pack.....	8	Blocked (REU) Calls	15-16
Headset and Basic Displays.....	9	Caller ID	16-18
The Headset Jack	9	When You Receive a Call.....	16
Belt-Clip	9	Viewing the Caller ID List.....	16
Basic Displays.....	9	Caller ID Displays	16-17
Basic Operation	9-10	Caller ID with Call Waiting Service	17
Making Calls.....	9	Storing Caller ID Records	17
Receiving Calls.....	9	Deleting Caller ID Records	17-18
Redialling	10	Returning Caller ID Calls	18
Additional Options.....	10	Message Waiting and Other Features.....	18-19
Settings.....	10-13	New Call Light	18
Handset Settings.....	10	Using the Handset Finder (PAGE).....	18-19
Changing the Language.....	11	Out-of-Range Warning	19
Turning the First Ring On or Off	11	Channel Changing	19
Setting the Time and Date.....	11	Care Maintenance and Troubleshooting.....	19-20
Setting the Area Code.....	11-12	Glossary.....	20
		Warranty.....	21

IMPORTANT SAFETY INSTRUCTIONS

 This symbol is to alert you to important operating or servicing instructions that may appear in the user's manual. Always follow basic safety precautions when using this product to reduce the risk of injury, fire, or electrical shock. When using this product, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

1. Read and understand all instructions.
 2. Follow all warnings and instructions marked on the product.
 3. Use only with class 2 power source DC 9V 300mA.
 4. Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.
 5. Do not use this product near water, for example, near a bathtub, wash bowl, kitchen sink or laundry tub, in a wet basement, or near a swimming pool.
 6. Do not place this product on an unstable cart, stand, or table. The product may fall, causing serious damage to the product.
 7. Slots and openings in the cabinet back or bottom are provided for ventilation. To protect it from overheating, these openings must not be blocked or covered. The openings should never be blocked by placing the product on the bed, sofa, rug, or other similar surface. This product should never be placed near or over a radiator or heat register. This product should not be placed in an enclosed environment unless proper ventilation is provided.
 8. Do not allow anything to rest on the power cord. Do not locate this product where the cord will be abused by animals or persons walking on it.
 9. Do not overload wall outlets and extension cords as this can result in risk of fire or electrical shock.
 10. Never push objects of any kind into this product through cabinet slots as they may touch dangerous voltage points or short out parts that could result in a risk of fire or electrical shock. Never spill liquid of any kind on the product.
 11. To reduce the risk of electrical shock, do not disassemble this product. Instead take it to a qualified service person when service or repair work is required. Opening or removing covers electrical shock when the appliance is subsequently used.
 12. Unplug all cords and refer servicing to qualified service personnel under the following conditions:
 - A. When the power supply cord or plug is damaged or frayed.
 - B. If liquid has been spilled into the product.
 - C. If the product has been exposed to rain or water.
 - D. If the product does not operate normally by following the operating instructions. Adjust only those controls covered in the operating instructions. Improper adjustment of other controls may result in damage and require work by a qualified technician to restore the product to normal operation.
 13. Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
 14. Do not use a telephone to report a gas leak in the vicinity of the leak.
- IF YOUR PRODUCT UTILIZES BATTERIES, THE FOLLOWING ADDITIONAL PRECAUTIONS SHOULD BE OBSERVED:**
1. Use only the type and size of batteries specified in the users manual.
 2. Do not dispose of the batteries in a fire. The cells may explode. Check with local codes for possible special disposal instructions.
 3. Do not open or mutilate the batteries. Released electrolyte is corrosive and may cause damage to the eyes or skin. It may be toxic if swallowed.
 4. Exercise care in handling batteries in order not to short the battery with conducting materials such as rings, bracelets and keys. The battery or conductor may overheat and cause burns.
 5. Do not attempt to recharge the batteries with or identified for use with this product. The batteries may leak corrosive electrolyte or explode.
 6. Do not attempt to rejuvenate the batteries provided with or identified for use with this product by heating them. Sudden release of the battery electrolyte may occur causing burns or irritation to eyes or skin.
 7. When replacing batteries, all batteries should be replaced at the same time. Mixing fresh and discharged batteries could increase internal cell pressure and rupture the discharged batteries.

IMPORTANT SAFETY INSTRUCTIONS

8. When inserting the batteries into this product, the proper polarity or direction must be observed. Reverse insertion of batteries can cause charging, which may result in leakage or explosion.
9. Remove the batteries from this product if the product will not be used for a long period of time (several months or more) since during this time the batteries could leak, damaging the product.
10. Discard "dead" batteries as soon as possible since they are more likely to leak in a product.
11. Do not store this product, or the batteries provided with or for identified use with this product, in high temperature areas.
12. If your product uses a rechargeable battery, charge the battery(ies) only in accordance with the instructions and limitation specified in the User Manual.

SAVE THESE INSTRUCTIONS

FCC REGULATIONS

WARNING: Modifying or tampering with the telephone's internal components can cause a malfunction and might invalidate the telephone's warranty and void your FCC authorization to operate it. If the trouble is harming the telephone lines, the telephone company might ask you to disconnect the telephone until you have resolved the problem.

CAUTION: Any changes or modifications not expressly approved by Coby Electronics Co., Ltd. will void the user's authority to operate this device.

As it complies with Part 68 of the FCC rules, your unit has been registered with the FCC. The FCC requires us to provide you with the following information:

1. Connection and use with the nationwide telephone network:

The FCC requires that you connect to a nationwide telephone network through a modular telephone outlet which is Part 68 compliant.

This equipment may not be used on coin service provided by the telephone company. Connection to party lines is subject to state tariffs. Check with your local telephone company.

2. Notification to the telephone company:

FCC rules require that upon request you provide the following information to the phone company:

A. The line (telephone number) to which you will connect the telephone equipment.

B. The Registration Number and Ringer Equivalence Number (REN). These numbers are found on the back or bottom of your telephone equipment. The REN is useful to determine the quantity of devices you may connect to your telephone line and still have all of those devices ring when your telephone number is called. In most, but not all areas, the sum all RENs should be 5 or less to determine the number of devices permitted in your area, contact your local telephone company.

3. Repair instructions:

If it is determined that your telephone equipment is malfunctioning, the FCC requires that it not be used and be unplugged from the modular outlet until the problem has been corrected. Repairs to this telephone equipment can be made only by the manufacturer or its authorized agents, or by others who may be authorized by the FCC. Unauthorized repairs void registration and warranty.

4. Rights of the telephone company:

If your product is causing harm to the telephone network, the telephone company may temporarily discontinue your service. If possible, they will notify you in advance. But if advance notice isn't practical, you will be notified as soon as possible. You will be given the opportunity to correct the problem, and you will be informed of your right to file a complaint with the FCC. Procedures that could affect the proper functioning of your telephone equipment, if such changes are planned, you will be notified in advance.

5. This product is compatible with inductively coupled hearing aids.

Note: This applies only if this product is equipped with a corded or cordless handset.

6. Programming/testing emergency numbers:

When programming emergency numbers and/or making test calls to emergency numbers

A. Remain on the line and briefly explain to the dispatcher the reason for the call before hanging up.

B. Perform such activities in the off-peak hours, such as early morning or late evening.

FCC REGULATIONS

INTERFERENCE INFORMATION: PART 15 OF FCC RULES

Some telephone equipment generates and uses radio frequency energy which if not properly installed, may cause interference to radio and television reception.

This unit has been tested and found to comply with the limits for a Class B computing device in accordance with the specifications in Part 15 of the FCC rules. These specifications are designed to provide reasonable protection against such interference in a residential installation. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause interference to radio or television reception, when it's in use, the user is encouraged to try to correct the interference by one or more of the following measures:

A. Where it can be done safely, reorient the radio or TV receiving antenna.

B. To the extent possible, relocate the television, radio, or other receiver with respect to the telephone equipment.

C. If your telephone product runs on AC power, plug your product into an AC outlet that's not on the same circuit as the one used by the radio or television.

BATTERY CAUTIONARY INSTRUCTIONS


BATTERIES: CAUTION

To reduce the risk of fire or injury to persons, read and follow these instructions:


- For the cordless handset, use only 3.6V 600mAh Nickel Cadmium (Ni-Cd) cordless telephone battery pack (included).
- Do not dispose of the batteries in a fire. The cells may explode. Check with local codes for possible special disposal instructions.
- Do not open or mutilate the batteries. Released electrolyte is corrosive and may cause damage to the eyes or skin. It may be toxic if swallowed.
- Exercise care in handling batteries in order not to short the battery with conducting materials such as rings, bracelets, and keys. The battery or conductor may overheat and cause burns.
- Do not attempt to rejuvenate the batteries identified for use with this product by heating them. Sudden release of the battery electrolyte may occur causing burns or irritation to eyes or skin.
- When inserting batteries into this product, the proper polarity or direction must be observed. Reverse insertion of batteries can cause charging, and that may result in leakage or explosion.
- Remove the batteries from this product if the product will not be used for a long period of time (several months or more) since during this time the battery could leak in the product.
- Do not store this product or the batteries identified for use with this product, in high temperature areas. Batteries that are stored in a freezer or refrigerator for the purpose of extending shelf life should be protected from condensation during storage and detesting.

Batteries should be stabilized at room temperature prior to use after cold storage.

CT-P6200 PARTS CHECKLIST




HANDSET



BASE



LONG TELEPHONE LINE CORD



AC ADAPTOR

BELT CLIP



BATTERY PACK

MOUNTING BRACKET

LOCATION OF CONTROLS AND FEATURES

Always using a headset for hands-free convenience.

New call msg. waiting led indicator

In talk mode, press the keys that let you scroll through menus and logs, and adjust the handset volume, to select the volume level (H/L, MID, LOW).


The key is used to change the 7/10/11 digit dialing mode during caller ID call-back.

The key is used to access the telephone line or end a call.

If the base is set to pulse dialing, pressing causes subsequent digits to be dialed out using tone until the line is put back on hook. Also used to view the left part of the display and move the cursor left when editing.

When the phone is idle or off-hook, press the key to redial the last number dialed. When viewing or editing menus and logs, the key is used to erase or move the cursor from the phone book and Caller ID directories.

Use the key to program and retrieve the numbers in the speed dial directory. The key is also used to save numbers into the phone book and other settings.



The LCD is back lit under the following conditions:

1. While receiving an incoming call (during ringing).
2. For 20 seconds, when the handset is picked up from the cradle.
3. For 20 seconds, when any button is pressed in any mode.

The LCD back light goes off immediately after the handset is placed on the base.

When pressed the key, will scan up to 40 channels and select the clearest one to provide the best possible reception.

The key is used to review Caller ID information stored in memory.

The key is used to temporarily mute the handset microphone. This key is also used to access the programmable functions of your phone.

Numeric keys are used in the conventional manner for dialing.

Used to view the right part of the display and move the cursor right when editing.


The key is used to access telephone company services, such as Call Waiting. It is also used to create and edit phone book entries.

Handset

LOCATION OF CONTROLS AND FEATURES


Page Button Used to initiate a handset page.

Charge/In Use LED Lights when the handset is on the cradle is being charged and




Charging Contacts Used to recharge battery and reset the security code in the handset.

Pulse / Tone Switch Used to set the dialing method for tone or pulse dialing.



Base

LCD Display



Name Character Field Displays caller's name and operational menus.

Number Field The number field will display numbers when dialing, viewing Caller ID, and when viewing the phone book.

Date/Time Display Shows the date and time of Caller ID calls or current date & time when idle.

NEW icon When in idle mode, the NEW call icon will flash slowly when a new Caller ID call has been received. The number of new caller ID calls is listed next to the icon.


Call/Entry Number When in any of the menus, a number is listed here, next to the # sign. This number indicates the place in the list, such as the 38th caller ID call or the 7th setting in the menu.

RPT Counter When viewing caller ID entries, the RPT icon indicates that the same Caller ID number has called more than one time since Caller ID memory has last been reviewed. Next to the RPT icon is a counter that indicates how many times that caller has called since the last review.

Total Call Counter The Total Call Counter will show the total number of Caller ID messages received, the total number of phone numbers stored in the phone book, etc., depending on the menu.

CHOOSING A LOCATION

- Do the following:**
- Choose the best location
 - Connect the phone
 - Choose the dialing mode



Where you place the phone affects the reception quality of the handset.

Away from another cordless telephone

Place the base near an AC electrical outlet and near telephone line jack


Place the base away from metal walls and metal file cabinets

CAUTION: The cordless telephone operates at a frequency that may cause interference to nearby TVs and VCRs; the base phone should not be placed near, or on top of a TV or VCR. If interference is experienced, moving the cordless telephone farther away from the TV or VCR will often reduce or eliminate the interference.

Note: While the 900MHz frequency is inherently clearer, we suggest that you do not use this phone within 20 feet of a working microwave. The microwave produces frequencies in this range which may cause interference. This interference is normal for all 900MHz phones and should not be considered a product defect.

TELEPHONE SETUP

Connecting the Base



1. Connect the telephone line cord to the "LINE" jack and to a telephone outlet.
2. Connect the AC power adapter to the 9V DC jack and to an AC outlet.

Note: Use only the supplied AC power adapter. Do not use any other AC power adapter.

Connect the AC power adapter to a continuous power supply. Place the phone close to the AC outlet so that you can plug in the AC power adapter easily.

Tip: If your telephone outlet is not modular, contact your telephone company for assistance.


7

TELEPHONE SETUP

Wall Mounting Instruction:

1. Remove the handset from the base.
2. Turn the base over so the under-side of the base faces you.
3. Adjust the base to the wall mount position.
4. Plug the supplied 7-foot telephone cord into the LINE jack on the telephone cord into the LINE jack on the telephone.
5. Connect the telephone line cord to the wall jack.
6. Insert the AC adapter into the 9V DC jack on the top of the base.
7. Run the cables down through the cable channel to allow for flush wall mounting.
8. Slip the telephone base onto the wall, lining up the wall mounting holes over the screws. Slide the telephone base down so it is firmly in place.
9. Return the handset to the telephone base.
10. Plug the other end of the AC adapter into the AC outlet.

Tone / Pulse Switch



Tone / Pulse Switch

1. Choose the correct dialing mode.
 2. Select the dialing mode Tone or Pulse by setting the switch at the back of the base unit.
- Note:** Changes to the switch position during a call do not take effect until the call has ended.
- Tip:** If you are unsure of the proper dialing mode, make a trial call with the dial mode setting to TONE. If the call connects, leave the switch as is (TONE mode), otherwise, set to PULSE.

BATTERY INSTALLATION

To install the 3.6V 600mAh cordless handset battery pack:

1. Slide open the battery compartment door on the back of the handset.
2. Plug the battery connector into the 2-pin connector in the battery compartment, and then insert the battery.
3. Close the battery compartment door.
4. Place the handset on the base unit cradle.
5. Once you have installed the battery pack and placed the handset on the base you will hear a tone indicating the handset has connected with the base and will successfully charge.
6. **IMPORTANT:** Charge the battery pack for at least 12 hours before using the handset the first time.
7. The CHARGE LED on the base illuminates when the handset is properly making contact with the charge terminals.

Battery Duration


- A fully charged battery lasts for approximately:
- 5 hours when you use the handset continuously (talk, time).
- 5 days when the handset is not in use (standby).

When the Battery Needs Charging

- The display will show "LOW BATTERY".

When to Purchase a New Battery pack

If the battery lasts only a few minutes even after a full charge, the usable life of the battery has expired and needs to be replaced. Replacement batteries can be purchased in every supermarket, or you can contact COBY ELECTRONICS CORP. customer service dept for information about how to order a new battery.



8

HEADSET AND BASIC DISPLAYS

The Headset Jack


The headset jack is located on the side of the handset and is a standard 2.5mm plug. Simply plug the headset into the jack and the headset will be active.

Note: When the headset is plugged into the telephone, the microphone and earpiece on the handset are not active.


Belt-Clip

Be sure to remove the belt-clip filter cap prior to installing Belt-clip. Install the belt-clip as shown.

To remove the belt-clip, squeeze the release at the top of the clip where it attaches to the phone, and gently pull the clip up and out of the handset.



Basic Displays



BASIC OPERATION

Making Calls

1. Pick up the handset from the base and press **TALK**.

2. Wait until you hear a dial tone, and then dial the number you wish to dial.

3. When you are finished talking, press the **END** key or place the unit back into the base to end the call.

Note: The IN USE CHARGE light on the base will illuminate when the line is active.

Receiving Calls

When you hear the phone ring:

1. If the handset is in the base, lift the handset from the base. The handset will turn on. There is no need to push the **END** key if the unit is on the base when the call comes in. This auto-answer feature can be programmed off (see handset settings page 13).

2. If the handset is off the base, you will need to press **END** to answer the call. The display will show the caller ID information after the first ring.




3. When you are finished, push **END** or place the handset back on the base.

BASIC OPERATION

Redialing

1. Press **TALK**.



2. Wait until you hear a dial tone, and then press **END** to redial the number last dialed (up to 32 digits).

Note: You can also press **END** first to display the number and then press **END** to dial the number displayed.

Additional Options

TO:	DO THIS:
Adjust the volume in the earpiece	Press END during a call until the desired volume level is reached.
Switch to temporary tone dialing	Press the END key after the phone is in use. The phone will remain in tone dialing mode for the duration of the call.
Receive a call waiting call	Press END to go to the new caller. Press END again to go back to the original caller.
Mute a call	Press the END key. Press END to continue speaking to the caller.

SETTINGS

Handset Settings

You can change the setting on the handset in the options menu. Access the options menu by pressing and holding the **END** key until "ENGLISH" is displayed.

There are 12 settings in the options menu which can be changed. You can scroll through the option menu in the listed order by pressing the **END** key. Settings which have a listed number can be reached directly by pressing that number on the keypad.

To edit most settings, press the **END** key, use the keys to toggle between the setting options, and then press **END** to save changes. You can continue programming options by using the dial pad keys or **END** the keys to go to a new setting. Press **END** to exit the options menu.

Key Function

- ① **Language:** Change the language that appears on the display. Choose between English, French, and Spanish.
- ② **First Ring On/Off:** Turn the first ring of the phone off so that it does not Ring until caller ID information has been displayed. Particularly useful when using the priority and blocked call features or the private and unavailable ring settings.
- ③ **Time Set:** Change the time and date.
- ④ **Area Code:** Allows the programming of a home area code where 7-digit dialing is used for ease of callback, and other features (do not program if you 10-digit to call number in your area).
- ⑤ **Contrast:** Provided to adjust the display background lighter or darker.
- ⑥ **PBX Number:** Number used to access PBX dialing options. The default setting is "9".
- ⑦ **PBX Mode On/Off:** Determines if the "PBX Number" is used before an out-going number is dialed. When "On", automatically dials the PBX number and a pause, before any speed dial or caller ID callback number. Default setting is "Off".
- ⑧ **Pause Time:** Allows you to adjust the number of seconds that a pause lasts such as during programmed pauses in your speed dial numbers or after your PBX number is dialed.
- ⑨ **MSG Waiting Delete:** Clears any current message waiting indication.

SETTINGS

3. **Auto Answer On/Off:** Turns on and off the feature which makes the phone automatically go off-hook when the handset is picked up from the base while the phone is ringing.

4. **Private Ring On/Off:** Turns on and off the ring for all calls where the caller has blocked their caller ID. Please note that the phone will ring once even when set to "Off" unless first Ring is programmed "Off" as well.

5. **Unavailable Ring On/Off:** Turns on and off the ring for all calls where caller ID information is unavailable. Please note that the phone will ring once even when set to "Off" unless first Ring is programmed "Off" as well.

Note: At any time during options programming you can quit and the settings that you have changed will be saved. Press **END** to quit or let the options programming time out by not pressing any keys for 20 seconds.

Changing the Language

1. Press and hold the **END** key.

2. Press **END** to go to the language programming option.

3. Press **2** to change the setting. "ENGLISH" will begin flashing.

4. Use the **2** keys to toggle between ENGLISH, ESPANOL, and FRANCAIS.

5. When the setting you desire is displayed, press **END** to save the setting. A double beep will sound to confirm the setting has been saved.

6. Continue with programming or press **END** to return to the idle screen.

Turning the First Ring On or Off

You can turn off the first ring of the phone so that it does not ring until caller ID information has been displayed.

1. Press and hold the **END** key to enter the menu.

2. Press **END** to go to the first ring programming option.

3. Press **2** to change the setting. "On" will begin flashing.

4. Use the **2** keys to toggle between On and Off.

5. When the setting you desire is displayed, press **END** to save the setting. A double beep will sound to confirm the setting has been saved.

6. Continue with programming or press **END** to return to the idle screen.

Setting the Time and Date

1. Press and hold the **END** key to enter the menu.

2. Press **END** to go to the time set programming option.

TIME SET
OFF

3. Press **2** to change the setting. The month will begin flashing.

4. Use the dial pad to enter the month in two-digit format. The date will begin flashing.

5. Use the dial pad to enter the date in two-digit format. The hour will begin flashing.

6. Use the dial pad to enter the hour in two-digit format. The minutes will begin flashing.

7. Use the dial pad to enter the minutes in two-digit format. AM and PM begin flashing.

8. Use the dial pad to choose between AM and PM. Where **END** is AM and **END** is PM.

9. When the final setting is programmed, the time and date are automatically saved. A double beep will sound and you are returned to the options menu.

10. Continue with programming or press **END** to return to the idle screen.

Setting the Area Code

Area code programming is used for caller ID callback purposes. It allows people who dial only 7 digits for local number to avoid extra work when dialing from caller ID memories. DO NOT use the AREA CODE programming if you are required to dial 10 digits (555-555-1212) locally.

1. Press and hold the **END** key.

2. Press **END** to go to the area code programming option.

AREA CODE
OFF

SETTINGS

3. Press **2** to change the setting. "2" will begin flashing.

4. Use the dial pad to enter the three digit area code that your phone number begins with.

5. When the setting you desire is displayed, press **END** to save the setting. A double beep will sound to confirm the setting has been saved.

6. Continue with programming or press **END** to return to the idle screen.

Adjusting the Contrast

The contrast is optimized for viewing and will probably not need to be changed from the default setting. It will adjust the display background lighter or darker.

1. Press and hold the **END** key to enter the menu.

2. Press **END** to go to the contrast programming option.

CONTRAST
2

3. Press **2** to change the setting. "2" will begin flashing.

4. Use the **2** keys to toggle between the three levels of contrast.

5. When the setting you desire is displayed, press **END** to save the setting. A double beep will sound to confirm the setting has been saved.

6. Continue with programming or press **END** to return to the idle screen.

Setting the PBX Number

1. Press and hold the **END** key.

2. Press **END** to go to the PBX number programming option.

PBX NO.
OFF

3. Press **2** to change the setting.

4. Use the **2** keys to customize the digit to match your PBX system.

5. When the setting you desire is displayed, press **END** to save the setting. A double beep will sound to confirm the setting has been saved.

6. Continue with programming or press **END** to return to the idle screen.

Note: The number programmed here is not active unless PBX mode is On.

1. Press and hold the **END** key.

2. Press **END** to go to the PBX mode programming option.

PBX MODE
OFF

3. Press **2** to change the setting. "On" will flash.

4. Use the **2** keys to toggle between On and Off.

5. When the setting you desire is displayed, press **END** to save the setting. A double beep will sound to confirm the setting has been saved.

6. Continue with programming or press **END** to return to the idle screen.

Note: You do not need PBX mode unless you need to dial a specific single digit number before each outgoing call.

Changing the Pause Time

1. Press and hold the **END** key to enter the menu.

2. Press **END** to go to the pause time programming option.

PAUSE TIME
2

3. Press **2** to change the setting. 2 will begin flashing.

4. Use the **2** keys to select the desired dialing delay.

5. When the setting you desire is displayed, press **END** to save the setting. A double beep will sound to confirm the setting has been saved.

6. Continue with programming or press **END** to return to the idle screen.

Deleting Message Waiting Indication

Clears any current message waiting indication. See page 18-19 for more information about message waiting.

1. Press and hold the **END** key to enter the menu.

SETTINGS

2. Press **Ⓜ** to go to the message waiting programming option.

MESSAGE WAITING
OFF

3. Press **Ⓜ** to reset the message waiting indication. "DELETE" will begin flashing.

4. Press **Ⓜ** to delete the indication. A double beep will sound to confirm.

5. Continue with programming or press **Ⓜ** to return to the idle screen.

Turning Auto Answer On or Off
Turn on and off the auto answer feature. When on, the phone will automatically answer an incoming call if the handset is in the base.

1. Press and hold the **Ⓜ** key to enter the menu.

2. Press **Ⓜ** to go to the auto answer programming option.

3. Press **Ⓜ** to change the setting. "On" will flash.

4. Use the **Ⓜ** keys to toggle between On and Off.

5. When the setting you desire is displayed, press **Ⓜ** to save the setting. A double beep will sound to confirm the setting has been saved.

6. Continue with programming or press **Ⓜ** to return to the idle screen.

Disabling the Ring for Private Calls
Turns the ring on and off for all calls where the caller has blocked their caller ID.

1. Press and hold the **Ⓜ** key to enter the menu.

2. Press **Ⓜ** to go to the private ring programming option.

3. Press **Ⓜ** to change the setting. "On" will flash.

4. Use the **Ⓜ** keys to toggle between On and Off.

5. When the setting you desire is displayed, press **Ⓜ** to save the setting. A double beep will sound to confirm the setting has been saved.

6. Continue with programming or press **Ⓜ** to return to the idle screen.

Note: The phone will ring once when set to "Off" unless First Ring is also set to "Off".

Disabling the Ring for Unavailable Calls
Turns the ring on and off for all calls where caller ID information is unavailable.

1. Press and hold the **Ⓜ** key to enter the menu.

2. Press **Ⓜ** to go to the unavailable ring programming option.

3. Press **Ⓜ** to change the setting. "On" will begin flashing.

4. Use the **Ⓜ** keys to toggle between On and Off.

5. When the setting you desire is displayed, press **Ⓜ** to save the setting. A double beep will sound to confirm the setting has been saved.

6. Continue with programming or press **Ⓜ** to return to the idle screen.

Note: The phone will ring once when set to "Off" unless First Ring is also set to "Off".

SPEED DIALING

The CT-P6200 will store up to 20 speed dial numbers in the order that they are programmed. No duplicate numbers can be stored.

Storing Phone Numbers

1. With the handset in the idle state, press **Ⓜ**.

2. Press **Ⓜ** to create a new phone book entry.

PHONE BOOK
John Smith
408-555-1234

SPEED DIALING

3. Enter the name you wish to store using the dial pad to enter the letters (up to 15 letters). See the following letter table for how to program the letters using the number pad. To add a space between words, push **Ⓜ**.

Example: For JOHN SMITH dial this sequence:

5 6 6 6 4 4 6 6 1 7 7 7 7 6 4 4 4 8 4 4 4
J O H N S M I T H

4. Press **Ⓜ** and dial the number you wish to store (up to 16 digits). Press **Ⓜ** to insert a dialing pause into the number.

5. Press **Ⓜ** when finished to store the number to memory.

Note: If there are no memory locations left in the speed dial directory the CT-P6200 will display "MEMORY FULL." To continue with memory programming, you must delete or edit existing speed dial numbers.

Note: If you mistype entering the phone number, you can move through the number and edit it by pressing and holding the **Ⓜ** key. To delete a flashing character, press the **Ⓜ** key.

Letter Table

Key	1st Press	2nd Press	3rd Press	4th Press	5th Press	6th Press	7th Press	8th Press
1	Space	&	.	(	)	*	.	1
2	A	B	C	2	A	B	C	2
3	D	E	F	3	D	E	F	3
4	G	H	I	4	G	H	I	4
5	J	K	L	5	J	K	L	5
6	M	N	O	6	M	N	O	6
7	P	Q	R	7	P	Q	R	7
8	T	U	V	8	T	U	V	8
9	W	X	Y	Z	9	W	X	Y
0	0	10	0	0	0	0	0	0

Viewing the Phone Book

1. Press **Ⓜ** to enter the phone book.

PHONE BOOK

2. Press **Ⓜ** to locate the number you wish to view.

JOHN SMITH
5 12 123456789

3. If the name or number is more than 11 characters, press the **Ⓜ** And **Ⓜ** button to view the rest of the display (as indicated by the arrows in the top line of the display).

4. Press **Ⓜ** to exit the phone book, or let the phone book time out.



Making Calls From the Phone Book



1. To make a call from the phone book, press **Ⓜ**.

PHONE BOOK


JOHN SMITH
888-555-1234

SPEED DIALING







- Push **2**. The display will show the directory Name, and begin dialing the number.

- When you are finished with your call, press **2**, or place the handset back on the base.
Note: Be sure to check that the line is not in use by another extension.
- Press **2**. The display will show "ERASE ITEM?"

- Press **2** to delete the phone book memory. The display will briefly show "ERASED" and return to the previous phone book entry.
- When you are finished press **2**.


- Locate the number you wish to edit using **2**.

- Press **2**. The entry will display with a flashing prompt over the first character moving through the number field, it will be necessary to press and hold the **2** and **2** keys for more than one second until the cursor moves, since just pressing them enters a * or # into the dialing sequence. Any dial pad key pressed will be inserted in front of the cursor.
- To delete a character, press the **2** key. To delete a number, press and hold the **2** key for more than one second until the number is deleted, since if the **2** key is just pressed, it inserts a pause in the dialing sequence.
- When the number is edited as you desire, press **2** to store the edited entry.
- Priority (VIP) Calls**
You can assign stored numbers as preferred calls. When an incoming call is matched to a stored number designated as "VIP", the phone will generate a special ring tone sound after the first ring (caller ID information must be received first).
To mark a phone book entry as preferred:
1. Press **2** to go to the desired entry.
2. Press the **2** button once. The LCD will show the "VIP" icon.

- Blocked (REJ) Calls**
If you do not want to have the phone ring when a specific number calls, you can store that number in the phone book and assigned it as blocked. When an incoming call is matched to a stored number designated as "REJ", the phone will not ring after the first ring (caller ID information must be received first).
To mark a phone book entry as blocked:
1. Press **2**.

SPEED DIALING

- Press **2** to go the entry to be blocked.
- Press the **2** button twice. The LCD will show the "REJ" icon.

- Press **2** to exit the phone book.
Note: priority and Blocked calls will only work if the incoming calls number exactly matches the one that is stored in memory

CALLER ID

- Caller ID allows the caller's name and phone number to be shown on the display before you answer the call. In order to use this feature you must first subscribe to Caller ID service with your telephone company.
- When You Receive a Call**
When the telephone rings, the caller's name and phone number appears on the display.

 - The new Caller ID record includes the name and number of the caller and the time and date the record is received. The New Call light will flash to indicate that you have a new Caller ID call stored in memory.
Note: When the Caller ID information is received, it is stored in memory so that this information can be recalled for later use. Up to 40 Caller ID calls can be stored.
Viewing the Caller ID List
This phone automatically stores the last 40 calls received. If a call is received from the same number more than once since the records were last viewed, no new entry is made, but the repeat call icon (RPT) and the number of repeat calls is displayed.
1. With the handset idle press **2**.
2. Any unviewed (new) calls will be displayed first. The most recent call will be displayed. The information on the call will be displayed with the name, number, date, and time that the call was received.

 - If the name or number is more than 11 characters, press the **2** And **2** button to view the rest of the display.
 - To scroll to the next call, press **2**. The **2** will go through the calls from the last call received to the first. The **2** will allow you to view the calls from the first call received to the last.
 - Press **2** to finish.
- Caller ID Displays**
-  Display shows name and number, time and date of the call.
 -  Display shows number only service.
 -  "UNAVAILABLE" will be displayed when Caller ID information is not available. This call was made from a telephone company that does not offer Caller ID services (including international calls).
 -  "PRIVATE" will be shown when a call is received from a blocked number. For privacy reasons, some states allow callers the option to prevent their telephone data from being displayed on the other party's Caller ID display.
 -  Display shows when the Caller ID information was received incorrectly or only part of the data was received.

CALLER ID

Note: When an error is received, none of the data from this call is saved in memory.

Display shows when a voice mail message has been received and is stored by message waiting service provided by the phone company.

MSG WAITING
10:01 1/15/03 4:11 PM

JOHN SMITH
888-555-1212
10:01 1/15/03

Display shows when the incoming call is a priority call.

NO CALLS
10:01 1/15/03 4:11 PM

This is displayed when CD-CH is pressed and there is no caller ID data stored

Caller ID with Call Waiting Service

In order to use the "Call Waiting Caller ID" service you must subscribe to a telephone company that offers Caller ID service combined with "call waiting" service.

When a new call comes in while you are talking, you will hear a notification beep from the handset and the volume is momentarily muted. The new caller's name and phone number, if available, appears on the display. Once flash has been pressed, an "LZ" in the lower right hand corner indicates the call waiting

caller ID caller so you can keep track of who you are talking to.

1. When you receive a "call waiting" call and you want to connect the call, press **CALL**. The active call will be placed on hold and the new call will be active.

2. Press **CALL** to alternate between calls.

3. Press **CALL** to end the call or place the handset back on the base.

Storing Caller ID Records

1. Press **CD-CH**.

JOHN SMITH
555-555-1212
10:01 1/15/03 4:11 PM

2. Use **CALL** to scroll to the call record you wish to store into the phone book.

3. Press **CALL**.

4. If you wish to edit the newly stored number, edit it in the phone book (page 15, "Editing a Stored Number").

5. Press **CD-CH** to exit the Caller ID log.

Note: When numbers are stored into the phone book, a "1" is inserted in front of the number. If you must dial a 10-digit number for local calls, you must edit the number to exclude that digit to dial out correctly.

Deleting Caller ID Records

When viewing the Caller ID information you can delete a single call record or all the call records

To Delete a Single Record

1. Press **CD-CH**.

2. Use **CALL** to scroll to the call record you wish to delete.

3. Press **CALL**.

4. To delete the record press **CALL**.

CALLER ID

5. Press **CD-CH** to exit the Caller ID log.

To Delete All Records

1. Press **CD-CH**.

2. Press and hold **CALL**. The display will show "ERASE ALL?"

3. To delete all the Caller ID records press **CALL**.

Returning Caller ID Calls

You can return calls by using the Caller ID callback feature.

1. Press **CD-CH**.

2. Use the **CALL** to scroll to the call record you wish to call back.

3. If the number displayed is not correct (needing 7, 10, 11 digits), use the **OPTION** key to toggle the number to display the correct number of digits to be dialed.

Press **OPTION**

4. Press **CALL** to dial out the displayed number.

5. Press **CD-CH** to cancel dialing.

6. To end the call, press **CALL** or place the handset back in the base.

MESSAGE WAITING AND OTHER FEATURES

If you subscribe to voice mail from the telephone company and if there are voice messages that have been left in your voice mailbox, the display will show "MSG WAITING" (see note below).

MSG WAITING
10:01 1/15/03 4:11 PM

Note: This function requires voice mail subscription from the local telephone company. Furthermore, the local phone company must provide a type of voice mail signaling called "FSK" (Frequency Shift Key). Not all telephone companies have the visual message waiting feature available. Please contact your local telephone company to check if this is available in your area.

Tip: If you wish to delete the "Message Waiting" message, delete it as described in the handset settings section. Deleting the Message Waiting indication (see page 12-13).

New Call Light : When you receive a Caller ID message, voice mail message, or when the phone is ringing, the New Call light will flash to indicate that you have a new Caller ID call stored in memory.

• For Caller ID, the New Call light will flash to indicate that you have a new Caller ID call stored in memory.

• When you have a voice message waiting the New Call light will also flash

Using the Handset Finder (PAGE)

1. Press **MSG** on the base.

MSG
10:01 1/15/03 4:11 PM

If the handset is within range, it will beep for 20 seconds.

MESSAGE WAITING AND OTHER FEATURES

2. Place the handset back into the base or press the **W** key on the handset to stop the pager/finding feature.

Out-of-Range Warning: If you venture too far from the base, the handset will beep and the display will show "OUT RANGE". Reverse your direction to re-establish connection with the base or the call will be dropped. When the base detects that the handset has been out of range for 20 continuous seconds it will release the engaged line. If you try to access the line when the handset is out of range of the base, the display will show "TRY AGAIN".

Channel Changing: If you are experiencing interference during a telephone call, press **CH** on the key. The CT-P6200 will scan up to 40 channels and select the clearest one to provide the best possible reception. If the current channel is the clearest available channel, it will keep you on that channel.

CARE MAINTENANCE AND TROUBLESHOOTING

Your CT-P6200 telephone has been designed to give 90 days of trouble-free service. It is a sensitive electronic instrument. To assure its longevity, please read the following maintenance instructions.

1. Keep the CT-P6200 away from heat as high temperatures can shorten the life of the electrical components and distort or melt its plastic parts.
 2. The CT-P6200 should be kept free of dust and moisture. If it gets wet, wipe it dry immediately. Liquids can contain minerals that can corrode electronic circuits.
 3. Handle your CT-P6200 gently and carefully. Dropping it can cause serious damage to circuitry, or the plastic case which may result in malfunction.
 4. Do not use any type of chemical or any abrasive powder to clean the cabinet. Use only mild detergents on a soft, damp cloth to clean the CT-P6200 telephone.
 5. The CT-P6200 has built-in surge protection circuits that meet or exceed FCC requirements. However, an incident such as a lightning strike at or near the telephone lines, could cause serious damage.
 6. If the CT-P6200 is installed in an area with frequent or severe electrical storms, it is suggested that the telephone be disconnected during these storms or that additional surge suppression equipment be added to the installation.
 7. In the case of trouble with the telephone, do not attempt to repair the telephone yourself. It is the responsibility of users requiring service to report the need for service to our Service Department. They will make the necessary arrangements for repair or replacement.
 8. If you should have any questions about the operation of your CT-P6200 telephone, you may contact COBY ELECTRONICS CORP. customer service dept. for technical assistance.
 9. Please register your product online at www.customerservice@cobyusa.com
- No dial tone/phone will not dial out:**
Check that the AC power adapter is plugged into a working AC power outlet.
Check all telephone cord connections or try another wall jack.
Do a basic reset of the phone. Disconnect the phone from the wall and remove the battery. Leave for 30 minutes and then re-install as instructed by the manual.
Can't hear the ring signal:
Check the finger volume controls; at the lowest level the ring may not be heard.
While on a call, you hear another call on the line or experience radio frequency interference.
Switch channels to a clear channel.
Check the wiring for bad connections.
Do not use this phone within 20 feet of a working microwave. The microwave produces frequencies in this range which may cause interference. This interference is normal for all 900MHz phones and should not be considered a product defect.
The caller's name and/or phone number does not appear on the display.
Make sure you have subscribed to Caller ID service from your local telephone company and that service has been activated.

CARE MAINTENANCE AND TROUBLESHOOTING

Caller ID service may not work when the phone is connected to a Private Branch Exchange (PBX). The caller has requested that their phone number be suppressed from Caller ID service, or caller ID service is not available in their area. "Private" or "Unavailable" will appear on the display. You answered the call before Caller ID data was displayed, which usually occurs after the first ring.

New Call/Message Waiting Indicator doesn't work properly.
Make sure you have subscribed to voice mail compatible with "FSK" type signaling (check with your local phone company). Verify that both the On and Off signals are activated. If your voice mail product from the local phone company does not support "FSK" signaling, you may use this feature as a New Call indicator only.

Can't receive or make phone calls.

Check to be sure the phone is set to the correct type of service, either Tone or Pulse.

GLOSSARY

Useful Feature and Terms

Calendar/Clock -- Visual display of date and time.

Caller ID -- Enables users to view name and number of callers. Contact your local telephone company to subscribe to Caller ID Service.

Caller ID Log -- Stores up to 40 Caller ID entries.

Call Timer -- Allows timing of phone conversations.

Dial from Display -- One-button dialing from the Caller ID log.

Display -- The Liquid Crystal Display (LCD) shows clock and calendar, number dialed, low battery indicator, Caller ID information and call timer.

Flash -- A signal sent by the phone to the local telephone company supporting services such as call waiting.

Message Waiting Indicator -- A visual indicator that there are new messages in your voice mail box. Requires FSK signaling by phone company. Contact your local telephone company to subscribe to Voice Mail Service.

Mute -- Prevents the party on the other end of the line from hearing local conversation while still allowing that party to be heard.

New Calls Indicator -- A visual indicator that new calls have been received.

Redial -- Performs single button dialing of last number dialed.

Speed Dialing -- Allows programming of frequently dialed numbers so that they can be dialed with the two touch speed dial button. (20 entries)

Tone/Pulse Option -- Enables you to switch from pulse (rotary) to tone dialing.

Volume Level Control -- Permits volume adjustment of the handset and headset during a conversation.

FSK type Signaling -- A signal used to turn on and off the message waiting indicator, can be sent by the telephone company with a ringing signal or without.

WARRANTY

FULL 90 DAYS LIMITED WARRANTY

COBY ELECTRONICS CORP. (COBY) warrants this product to the original purchaser to be free from defects in material or workmanship under normal use for 90 DAYS from the date of original purchase. COBY agrees at our option under this warranty, to repair or replace it with a new or reconditioned product at no additional charge. Our warranty, of course, does not cover any product which has been subject to neglect, unreasonable use, accident, violation of operating instructions, or any product that has been repaired or modified by an unauthorized service agent.

To obtain factory service, return this unit, freight-prepaid to the address shown below within the duration of this warranty. Enclose \$6.00 for each item in the form of money order made payable to COBY ELECTRONICS CORP. to cover the cost of postage and handling. Also, include a copy of the sales receipt to show the proof of purchase and a detailed description of the problem. The unit(s) must be packaged in such a way as to reasonably protect it from possible shipping damage. For further information write to:

COBY ELECTRONICS CORP.
Customer Service Dept.
56-65 Rust Street
Maspeth, N.Y. 11378

Coby's liability under any legal theory for any loss or damage in any way related to this product shall in no event exceed the sales price of this product. In no event shall COBY be liable for any incidental or consequential damages resulting from the use of, or inability to use this product. Repair or replacement as provided under this warranty is the exclusive remedy of the consumer.

Except to the extent prohibited by law, no express or implied warranty of merchantability or fitness for a particular purpose on this product shall not extend beyond the period of this warranty. Some states prohibit the exclusion or limitation of incidental or consequential damages, so that the above limitations or exclusion may not apply to you. This warranty gives you specific rights, and you may also have other rights which may vary from state to state.

WARRANTY

FULL 90 DAYS LIMITED WARRANTY

COBY ELECTRONICS CORP. (COBY) warrants this product to the original purchaser to be free from defects in material or workmanship under normal use for 90 DAYS from the date of original purchase. COBY agrees at our option under this warranty, to repair or replace it with a new or reconditioned product at no additional charge. Our warranty, of course, does not cover any product which has been subject to neglect, unreasonable use, accident, violation of operating instructions, or any product that has been repaired or modified by an unauthorized service agent.

To obtain factory service, return this unit freight-prepaid to the address shown below within the duration of this warranty. Enclose \$6.00 for each item in the form of money order made payable to COBY ELECTRONICS CORP. to cover the cost of postage and handling. Also, include a copy of the sales receipt to show the proof of purchase and a detailed description of the problem. The unit(s) must be packaged in such a way as to reasonably protect it from possible shipping damage. For further information write to:

COBY ELECTRONICS CORP.
Customer Service Dept.
56-65 Rust Street
Maspeth, N.Y. 11378

Coby's liability under any legal theory for any loss or damage in any way related to this product shall in no event exceed the sales price of this product. In no event shall COBY be liable for any incidental or consequential damages resulting from the use of, or inability to use this product. Repair or replacement as provided under this warranty is the exclusive remedy of the consumer.

Except to the extent prohibited by law, no express or implied warranty of merchantability or fitness for a particular purpose on this product shall not extend beyond the period of this warranty. Some states prohibit the exclusion or limitation of incidental or consequential damages, so that the above limitations or exclusion may not apply to you. This warranty gives you specific rights, and you may also have other rights which may vary from state to state.