



Radiated Emissions (Below 1GHz)

11ac20_Channel 64 Worse



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	33.6375	53.26	-33.97	18.16	37.46	40.00	2.54	Horizontal
2	40.4275	40.26	-33.85	18.80	25.21	40.00	14.79	Horizontal
3	61.525	48.32	-33.53	17.45	32.23	40.00	7.77	Horizontal
4	68.0725	51.29	-33.45	16.79	34.63	40.00	5.37	Horizontal
5	75.3475	50.86	-33.38	15.40	32.88	40.00	7.12	Horizontal
6	86.26	53.59	-33.29	14.30	34.60	40.00	5.40	Horizontal


11ac20_Channel 64 Worse



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	32.1825	50.06	-33.99	18.10	34.17	40.00	5.83	Vertical
2	36.0625	51.96	-33.93	18.31	36.35	40.00	3.65	Vertical
3	60.3125	49.99	-33.55	17.50	33.94	40.00	6.06	Vertical
4	67.83	52.27	-33.45	16.85	35.67	40.00	4.33	Vertical
5	75.3475	53.28	-33.38	15.40	35.30	40.00	4.70	Vertical
6	109.54	46.53	-33.00	15.45	28.98	43.50	14.52	Vertical


Radiated Emissions (Above 1GHz)

802.11a_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10360.000	44.56	38.54	-38.82	44.28	68.30	24.02	Horizontal
2	10813.458	54.06	38.58	-38.38	54.26	74.00	19.74	Horizontal
3	10813.937	51.88	38.58	-38.38	52.08	54.00	1.92	Horizontal
4	11200.145	50.75	38.70	-36.60	52.85	74.00	21.15	Horizontal
5	11200.625	46.93	38.70	-36.60	49.03	54.00	4.97	Horizontal
6	15540.000	41.17	40.47	-34.81	46.82	74.00	27.18	Horizontal


802.11a_Channel 36



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10360.000	44.09	38.54	-38.82	43.81	68.30	24.49	Vertical
2	10813.458	51.82	38.58	-38.38	52.02	74.00	21.98	Vertical
3	10813.937	49.94	38.58	-38.38	50.14	54.00	3.86	Vertical
4	11200.145	47.41	38.70	-36.60	49.51	74.00	24.49	Vertical
5	11200.625	42.37	38.70	-36.60	44.47	54.00	9.53	Vertical
6	15540.000	41.73	40.47	-34.81	47.38	74.00	26.62	Vertical


802.11a_Channel 44



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10440.666	48.32	38.54	-38.74	48.13	68.30	20.17	Horizontal
2	10813.458	53.26	38.58	-38.38	53.46	74.00	20.54	Horizontal
3	10813.937	51.82	38.58	-38.38	52.02	54.00	1.98	Horizontal
4	11200.145	50.96	38.70	-36.60	53.06	74.00	20.94	Horizontal
5	11200.625	47.54	38.70	-36.60	49.64	54.00	4.36	Horizontal
6	15600.000	41.90	40.34	-34.37	47.87	74.00	26.13	Horizontal


802.11a_Channel 44



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10447.375	50.02	38.54	-38.74	49.83	68.30	18.47	Vertical
2	10813.458	51.81	38.58	-38.38	52.01	74.00	21.99	Vertical
3	10813.937	50.04	38.58	-38.38	50.24	54.00	3.76	Vertical
4	11200.145	47.78	38.70	-36.60	49.88	74.00	24.12	Vertical
5	11200.625	43.45	38.70	-36.60	45.55	54.00	8.45	Vertical
6	15600.000	44.32	40.34	-34.37	50.29	74.00	23.71	Vertical


802.11a_Channel 48



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10481.875	51.45	38.55	-38.75	51.25	68.30	17.05	Horizontal
2	10813.458	53.26	38.58	-38.38	53.46	74.00	20.54	Horizontal
3	10813.937	51.44	38.58	-38.38	51.64	54.00	2.36	Horizontal
4	11200.145	50.53	38.70	-36.60	52.63	74.00	21.37	Horizontal
5	11200.625	47.50	38.70	-36.60	49.60	54.00	4.40	Horizontal
6	15732.104	44.84	40.06	-33.20	51.71	74.00	22.29	Horizontal


802.11a_Channel 48



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10477.083	52.69	38.55	-38.75	52.49	68.30	15.81	Vertical
2	10813.458	51.70	38.58	-38.38	51.90	74.00	22.10	Vertical
3	10813.937	50.51	38.58	-38.38	50.71	54.00	3.29	Vertical
4	11199.6667	46.43	38.70	-36.60	48.53	74.00	25.47	Vertical
5	11200.625	42.47	38.70	-36.60	44.57	54.00	9.43	Vertical
6	15719.166	44.24	40.09	-33.22	51.11	74.00	22.89	Vertical


802.11a_Channel 52



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10513.5	50.64	38.55	-38.66	50.53	68.30	17.77	Horizontal
2	10813.458	52.50	38.58	-38.38	52.70	74.00	21.30	Horizontal
3	10813.937	51.11	38.58	-38.38	51.31	54.00	2.69	Horizontal
4	11200.145	50.07	38.70	-36.60	52.17	74.00	21.83	Horizontal
5	11200.625	47.20	38.70	-36.60	49.30	54.00	4.70	Horizontal
6	15779.062	46.29	39.96	-33.10	53.15	74.00	20.85	Horizontal


802.11a_Channel 52



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10520.000	43.71	38.55	-38.61	43.65	68.30	24.65	Vertical
2	10813.458	52.19	38.58	-38.38	52.39	74.00	21.61	Vertical
3	10813.937	50.48	38.58	-38.38	50.68	54.00	3.32	Vertical
4	11200.145	47.62	38.70	-36.60	49.72	74.00	24.28	Vertical
5	11200.625	44.29	38.70	-36.60	46.39	54.00	7.61	Vertical
6	15780.000	41.96	39.96	-33.10	48.82	74.00	25.18	Vertical

802.11a_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10597.833	49.09	38.56	-38.03	49.62	68.30	18.68	Horizontal
2	10813.458	53.67	38.58	-38.38	53.87	74.00	20.13	Horizontal
3	10813.937	52.50	38.58	-38.38	52.70	54.00	1.30	Horizontal
4	11199.6667	50.27	38.70	-36.60	52.37	74.00	21.63	Horizontal
5	11200.625	46.91	38.70	-36.60	49.01	54.00	4.99	Horizontal
6	15900.000	41.55	39.71	-34.13	47.13	74.00	26.87	Horizontal


802.11a_Channel 60



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10601.666	47.32	38.56	-38.00	47.88	74.00	26.12	Vertical
2	10813.458	52.39	38.58	-38.38	52.59	74.00	21.41	Vertical
3	10813.937	50.26	38.58	-38.38	50.46	54.00	3.54	Vertical
4	11199.6667	49.22	38.70	-36.60	51.32	74.00	22.68	Vertical
5	11200.625	44.80	38.70	-36.60	46.90	54.00	7.10	Vertical
6	15900.000	41.30	39.71	-34.13	46.88	74.00	27.12	Vertical


802.11a_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10640.000	43.44	38.56	-37.80	44.20	74.00	29.80	Horizontal
2	10813.458	53.23	38.58	-38.38	53.43	74.00	20.57	Horizontal
3	10813.937	51.95	38.58	-38.38	52.15	54.00	1.85	Horizontal
4	11200.145	50.85	38.70	-36.60	52.95	74.00	21.05	Horizontal
5	11200.625	47.55	38.70	-36.60	49.65	54.00	4.35	Horizontal
6	15960.000	42.65	39.58	-34.63	47.60	74.00	26.40	Horizontal


802.11a_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10640.000	42.52	38.56	-37.80	43.28	74.00	30.72	Vertical
2	10813.458	51.99	38.58	-38.38	52.19	74.00	21.81	Vertical
3	10813.937	50.33	38.58	-38.38	50.53	54.00	3.47	Vertical
4	11200.145	48.29	38.70	-36.60	50.39	74.00	23.61	Vertical
5	11200.625	43.97	38.70	-36.60	46.07	54.00	7.93	Vertical
6	15960.000	41.68	39.58	-34.63	46.63	74.00	27.37	Vertical


802.11a_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.15	38.58	-38.38	54.35	74.00	19.65	Horizontal
2	10813.937	52.37	38.58	-38.38	52.57	54.00	1.43	Horizontal
3	10998.416	48.41	38.60	-37.59	49.42	74.00	24.58	Horizontal
4	11002.25	39.04	38.60	-37.59	40.05	54.00	13.95	Horizontal
5	11200.145	50.29	38.70	-36.60	52.39	74.00	21.61	Horizontal
6	11200.625	47.24	38.70	-36.60	49.34	54.00	4.66	Horizontal


802.11a_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.02	38.58	-38.38	52.22	74.00	21.78	Vertical
2	10813.937	50.49	38.58	-38.38	50.69	54.00	3.31	Vertical
3	11002.729	42.90	38.60	-37.59	43.91	54.00	10.09	Vertical
4	11003.208	51.10	38.60	-37.60	52.11	74.00	21.89	Vertical
5	11200.145	47.06	38.70	-36.60	49.16	74.00	24.84	Vertical
6	11200.625	43.31	38.70	-36.60	45.41	54.00	8.59	Vertical


802.11a_Channel 116



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.34	38.58	-38.38	53.54	74.00	20.46	Horizontal
2	10813.937	51.56	38.58	-38.38	51.76	54.00	2.24	Horizontal
3	11059.75	43.80	38.63	-37.69	44.74	54.00	9.26	Horizontal
4	11065.979	52.28	38.63	-37.70	53.22	74.00	20.78	Horizontal
5	11200.145	50.25	38.70	-36.60	52.35	74.00	21.65	Horizontal
6	11200.625	47.83	38.70	-36.60	49.93	54.00	4.07	Horizontal


802.11a_Channel 116



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.05	38.58	-38.38	52.25	74.00	21.75	Vertical
2	10813.937	50.20	38.58	-38.38	50.40	54.00	3.60	Vertical
3	11062.145	43.51	38.63	-37.69	44.45	54.00	9.55	Vertical
4	11062.625	52.27	38.63	-37.69	53.21	74.00	20.79	Vertical
5	11200.145	47.66	38.70	-36.60	49.76	74.00	24.24	Vertical
6	11200.625	44.16	38.70	-36.60	46.26	54.00	7.74	Vertical


802.11a_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.53	38.58	-38.38	54.73	74.00	19.27	Horizontal
2	10813.937	52.93	38.58	-38.38	53.13	54.00	0.87	Horizontal
3	11199.6667	50.91	38.70	-36.60	53.01	74.00	20.99	Horizontal
4	11200.625	47.64	38.70	-36.60	49.74	54.00	4.26	Horizontal
5	11400.000	42.44	38.80	-37.51	43.73	74.00	30.27	Horizontal
6	17100.000	44.27	42.54	-33.74	53.07	68.30	15.23	Horizontal


802.11a_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.52	38.58	-38.38	52.72	74.00	21.28	Vertical
2	10813.937	50.16	38.58	-38.38	50.36	54.00	3.64	Vertical
3	11200.145	48.01	38.70	-36.60	50.11	74.00	23.89	Vertical
4	11200.625	44.76	38.70	-36.60	46.86	54.00	7.14	Vertical
5	11400.000	44.34	38.80	-37.51	45.63	74.00	28.37	Vertical
6	17100.000	42.85	42.54	-33.74	51.65	68.30	16.65	Vertical


802.11a_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.33	38.58	-38.38	53.53	74.00	20.47	Horizontal
2	10813.937	51.56	38.58	-38.38	51.76	54.00	2.24	Horizontal
3	11200.145	50.30	38.70	-36.60	52.40	74.00	21.60	Horizontal
4	11200.625	46.85	38.70	-36.60	48.95	54.00	5.05	Horizontal
5	11490.000	41.51	38.85	-36.61	43.75	74.00	30.25	Horizontal
6	17235.000	43.04	43.14	-34.96	51.22	68.30	17.08	Horizontal


802.11a_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	51.52	38.58	-38.38	51.72	74.00	22.28	Vertical
2	10813.937	50.01	38.58	-38.38	50.21	54.00	3.79	Vertical
3	11199.6667	48.39	38.70	-36.60	50.49	74.00	23.51	Vertical
4	11200.625	43.73	38.70	-36.60	45.83	54.00	8.17	Vertical
5	11490.000	42.72	38.85	-36.61	44.96	74.00	29.04	Vertical
6	17235.000	43.65	43.14	-34.96	51.83	68.30	16.47	Vertical


802.11a_Channel 157



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.88	38.58	-38.38	54.08	74.00	19.92	Horizontal
2	10813.937	52.12	38.58	-38.38	52.32	54.00	1.68	Horizontal
3	11200.145	50.55	38.70	-36.60	52.65	74.00	21.35	Horizontal
4	11200.625	47.18	38.70	-36.60	49.28	54.00	4.72	Horizontal
5	11570.000	42.50	38.89	-36.84	44.55	74.00	29.45	Horizontal
6	17355.000	42.77	43.66	-35.00	51.43	68.30	16.87	Horizontal


802.11a_Channel 157



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.42	38.58	-38.38	52.62	74.00	21.38	Vertical
2	10813.937	50.19	38.58	-38.38	50.39	54.00	3.61	Vertical
3	11200.145	45.95	38.70	-36.60	48.05	74.00	25.95	Vertical
4	11200.625	42.23	38.70	-36.60	44.33	54.00	9.67	Vertical
5	11570.000	43.25	38.89	-36.84	45.30	74.00	28.70	Vertical
6	17355.000	42.22	43.66	-35.00	50.88	68.30	17.42	Vertical


802.11a_Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.36	38.58	-38.38	53.56	74.00	20.44	Horizontal
2	10813.937	51.72	38.58	-38.38	51.92	54.00	2.08	Horizontal
3	11200.145	50.06	38.70	-36.60	52.16	74.00	21.84	Horizontal
4	11200.625	46.81	38.70	-36.60	48.91	54.00	5.09	Horizontal
5	11647.208	45.50	38.92	-36.56	47.86	74.00	26.14	Horizontal
6	17475.000	43.53	44.19	-34.07	53.65	68.30	14.65	Horizontal


802.11a_Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.74	38.58	-38.38	52.94	74.00	21.06	Vertical
2	10813.937	50.28	38.58	-38.38	50.48	54.00	3.52	Vertical
3	11199.6667	47.22	38.70	-36.60	49.32	74.00	24.68	Vertical
4	11200.625	44.02	38.70	-36.60	46.12	54.00	7.88	Vertical
5	11643.854	45.96	38.92	-36.59	48.29	74.00	25.71	Vertical
6	17475.000	42.40	44.19	-34.07	52.52	68.30	15.78	Vertical


802.11ac20_Channel 36



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10360.000	44.34	38.54	-38.82	44.06	68.30	24.24	Horizontal
2	10813.458	53.18	38.58	-38.38	53.38	74.00	20.62	Horizontal
3	10813.937	51.20	38.58	-38.38	51.40	54.00	2.60	Horizontal
4	11200.145	50.37	38.70	-36.60	52.47	74.00	21.53	Horizontal
5	11200.625	46.95	38.70	-36.60	49.05	54.00	4.95	Horizontal
6	15540.000	41.97	40.47	-34.81	47.62	54.00	6.38	Horizontal

802.11ac20_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10360.000	44.87	38.54	-38.82	44.59	68.30	23.71	Vertical
2	10813.458	51.84	38.58	-38.38	52.04	74.00	21.96	Vertical
3	10813.937	50.25	38.58	-38.38	50.45	54.00	3.55	Vertical
4	11199.6667	47.00	38.70	-36.60	49.10	74.00	24.90	Vertical
5	11200.625	42.68	38.70	-36.60	44.78	54.00	9.22	Vertical
6	15540.000	41.80	40.47	-34.81	47.45	54.00	6.55	Vertical


802.11ac20_Channel 44



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10442.104	47.46	38.54	-38.74	47.27	68.30	21.03	Horizontal
2	10813.458	53.04	38.58	-38.38	53.24	74.00	20.76	Horizontal
3	10813.937	51.25	38.58	-38.38	51.45	54.00	2.55	Horizontal
4	11199.6667	49.85	38.70	-36.60	51.95	74.00	22.05	Horizontal
5	11200.625	46.58	38.70	-36.60	48.68	54.00	5.32	Horizontal
6	15600.000	43.31	40.34	-34.37	49.28	74.00	24.72	Horizontal


802.11ac20_Channel 44



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10438.75	48.19	38.54	-38.74	48.00	68.30	20.30	Vertical
2	10813.458	52.07	38.58	-38.38	52.27	74.00	21.73	Vertical
3	10813.937	50.23	38.58	-38.38	50.43	54.00	3.57	Vertical
4	11200.145	46.51	38.70	-36.60	48.61	74.00	25.39	Vertical
5	11200.625	43.32	38.70	-36.60	45.42	54.00	8.58	Vertical
6	15600.000	41.90	40.34	-34.37	47.87	74.00	26.13	Vertical


802.11ac20_Channel 48



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10479.958	50.71	38.55	-38.75	50.51	68.30	17.79	Horizontal
2	10813.458	53.21	38.58	-38.38	53.41	74.00	20.59	Horizontal
3	10813.937	51.01	38.58	-38.38	51.21	54.00	2.79	Horizontal
4	11199.6667	50.89	38.70	-36.60	52.99	74.00	21.01	Horizontal
5	11200.625	47.31	38.70	-36.60	49.41	54.00	4.59	Horizontal
6	15720.000	41.37	40.09	-33.22	48.24	74.00	25.76	Horizontal


802.11ac20_Channel 48



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10483.791	51.88	38.55	-38.75	51.67	68.30	16.63	Vertical
2	10813.458	52.90	38.58	-38.38	53.10	74.00	20.90	Vertical
3	10813.937	49.99	38.58	-38.38	50.19	54.00	3.81	Vertical
4	11200.145	48.67	38.70	-36.60	50.77	74.00	23.23	Vertical
5	11200.625	44.08	38.70	-36.60	46.18	54.00	7.82	Vertical
6	15720.000	41.04	40.09	-33.22	47.91	74.00	26.09	Vertical


802.11ac20_Channel 52



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10517.333	50.97	38.55	-38.63	50.89	68.30	17.41	Horizontal
2	10813.458	51.99	38.58	-38.38	52.19	74.00	21.81	Horizontal
3	10813.937	50.66	38.58	-38.38	50.86	54.00	3.14	Horizontal
4	11199.6667	50.09	38.70	-36.60	52.19	74.00	21.81	Horizontal
5	11200.625	47.03	38.70	-36.60	49.13	54.00	4.87	Horizontal
6	15780.000	43.73	39.96	-33.10	50.59	74.00	23.41	Horizontal


802.11ac20_Channel 52



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10519.729	50.41	38.55	-38.61	50.35	68.30	17.95	Vertical
2	10813.458	52.70	38.58	-38.38	52.90	74.00	21.10	Vertical
3	10813.937	51.12	38.58	-38.38	51.32	54.00	2.68	Vertical
4	11200.145	47.49	38.70	-36.60	49.59	74.00	24.41	Vertical
5	11200.625	44.94	38.70	-36.60	47.04	54.00	6.96	Vertical
6	15780.000	42.50	39.96	-33.10	49.36	74.00	24.64	Vertical


802.11ac20_Channel 60



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10600.000	44.83	38.56	-38.01	45.38	74.00	28.62	Horizontal
2	10813.458	52.94	38.58	-38.38	53.14	74.00	20.86	Horizontal
3	10813.937	51.47	38.58	-38.38	51.67	54.00	2.33	Horizontal
4	11199.6667	50.29	38.70	-36.60	52.39	74.00	21.61	Horizontal
5	11200.625	47.36	38.70	-36.60	49.46	54.00	4.54	Horizontal
6	15900.000	41.82	39.71	-34.13	47.40	74.00	26.60	Horizontal


802.11ac20_Channel 60



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10600.000	43.44	38.56	-38.01	43.99	74.00	30.01	Vertical
2	10813.458	51.84	38.58	-38.38	52.04	74.00	21.96	Vertical
3	10813.937	50.56	38.58	-38.38	50.76	54.00	3.24	Vertical
4	11200.145	47.61	38.70	-36.60	49.71	74.00	24.29	Vertical
5	11200.625	43.88	38.70	-36.60	45.98	54.00	8.02	Vertical
6	15900.000	41.48	39.71	-34.13	47.06	74.00	26.94	Vertical


802.11ac20_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10640.000	43.65	38.56	-37.80	44.41	74.00	29.59	Horizontal
2	10813.458	54.25	38.58	-38.38	54.45	74.00	19.55	Horizontal
3	10813.937	52.28	38.58	-38.38	52.48	54.00	1.52	Horizontal
4	11200.145	50.74	38.70	-36.60	52.84	74.00	21.16	Horizontal
5	11200.625	47.28	38.70	-36.60	49.38	54.00	4.62	Horizontal
6	15960.000	41.65	39.58	-34.63	46.60	74.00	27.40	Horizontal


802.11ac20_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10640.000	42.51	38.56	-37.80	43.27	74.00	30.73	Vertical
2	10813.458	52.13	38.58	-38.38	52.33	74.00	21.67	Vertical
3	10813.937	51.00	38.58	-38.38	51.20	54.00	2.80	Vertical
4	11200.145	48.48	38.70	-36.60	50.58	74.00	23.42	Vertical
5	11200.625	44.52	38.70	-36.60	46.62	54.00	7.38	Vertical
6	15960.000	41.12	39.58	-34.63	46.07	74.00	27.93	Vertical


802.11ac20_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.71	38.58	-38.38	52.91	74.00	21.09	Horizontal
2	10813.937	51.00	38.58	-38.38	51.20	54.00	2.80	Horizontal
3	11000.000	45.56	38.60	-37.59	46.57	74.00	27.43	Horizontal
4	11199.6667	50.30	38.70	-36.60	52.40	74.00	21.60	Horizontal
5	11200.625	47.27	38.70	-36.60	49.37	54.00	4.63	Horizontal
6	16500.000	42.07	40.80	-34.28	48.59	68.30	19.71	Horizontal


802.11ac20_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.37	38.58	-38.38	52.57	74.00	21.43	Vertical
2	10813.937	50.45	38.58	-38.38	50.65	54.00	3.35	Vertical
3	11008	48.62	38.60	-37.60	49.62	74.00	24.38	Vertical
4	11199.6667	46.70	38.70	-36.60	48.80	74.00	25.20	Vertical
5	16500.000	41.20	40.80	-34.28	47.72	68.30	20.58	Vertical


802.11ac20_Channel 116



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.85	38.58	-38.38	53.05	74.00	20.95	Horizontal
2	10813.937	51.09	38.58	-38.38	51.29	54.00	2.71	Horizontal
3	11158.4583	53.41	38.68	-37.08	55.01	74.00	18.99	Horizontal
4	11200.625	46.90	38.70	-36.60	49.00	54.00	5.00	Horizontal
5	16740.000	44.30	41.42	-34.77	50.96	68.30	17.34	Horizontal


802.11ac20_Channel 116



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.34	38.58	-38.38	52.54	74.00	21.46	Vertical
2	10813.937	50.90	38.58	-38.38	51.10	54.00	2.90	Vertical
3	11159.8958	54.23	38.68	-37.06	55.85	74.00	18.15	Vertical
4	11200.625	44.68	38.70	-36.60	46.78	54.00	7.22	Vertical
5	16740.000	44.19	41.42	-34.77	50.85	68.30	17.45	Vertical


802.11ac20_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.34	38.58	-38.38	53.54	74.00	20.46	Horizontal
2	10813.937	51.08	38.58	-38.38	51.28	54.00	2.72	Horizontal
3	11199.6667	50.27	38.70	-36.60	52.37	74.00	21.63	Horizontal
4	11200.625	46.78	38.70	-36.60	48.88	54.00	5.12	Horizontal
5	11400.000	41.53	38.80	-37.51	42.82	74.00	31.18	Horizontal
6	17100.000	44.51	42.54	-33.74	53.31	68.30	14.99	Horizontal


802.11ac20_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.14	38.58	-38.38	52.34	74.00	21.66	Vertical
2	10813.937	50.70	38.58	-38.38	50.90	54.00	3.10	Vertical
3	11200.145	46.86	38.70	-36.60	48.96	74.00	25.04	Vertical
4	11200.625	43.10	38.70	-36.60	45.20	54.00	8.80	Vertical
5	11400.000	42.42	38.80	-37.51	43.71	74.00	30.29	Vertical
6	17100.000	44.46	42.54	-33.74	53.26	68.30	15.04	Vertical


802.11ac20_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.33	38.58	-38.38	54.53	74.00	19.47	Horizontal
2	10813.937	52.50	38.58	-38.38	52.70	54.00	1.30	Horizontal
3	11200.145	50.91	38.70	-36.60	53.01	74.00	20.99	Horizontal
4	11200.625	47.33	38.70	-36.60	49.43	54.00	4.57	Horizontal
5	11490.000	42.13	38.85	-36.61	44.37	74.00	29.63	Horizontal
6	17235.000	43.70	43.14	-34.96	51.88	68.30	16.42	Horizontal


802.11ac20_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.06	38.58	-38.38	52.26	74.00	21.74	Vertical
2	10813.937	50.30	38.58	-38.38	50.50	54.00	3.50	Vertical
3	11200.145	48.67	38.70	-36.60	50.77	74.00	23.23	Vertical
4	11200.625	45.35	38.70	-36.60	47.45	54.00	6.55	Vertical
5	11490.000	41.75	38.85	-36.61	43.99	74.00	30.01	Vertical
6	17235.000	43.08	43.14	-34.96	51.26	68.30	17.04	Vertical


802.11ac20_Channel 157



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.32	38.58	-38.38	54.52	74.00	19.48	Horizontal
2	10813.937	52.15	38.58	-38.38	52.35	54.00	1.65	Horizontal
3	11199.6667	50.50	38.70	-36.60	52.60	74.00	21.40	Horizontal
4	11200.625	47.38	38.70	-36.60	49.48	54.00	4.52	Horizontal
5	11570.000	42.14	38.89	-36.84	44.19	54.00	9.81	Horizontal
6	17355.000	43.11	43.66	-35.00	51.77	68.30	16.53	Horizontal


802.11ac20_Channel 157



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.15	38.58	-38.38	52.35	74.00	21.65	Vertical
2	10813.937	50.61	38.58	-38.38	50.81	54.00	3.19	Vertical
3	11200.145	48.56	38.70	-36.60	50.66	74.00	23.34	Vertical
4	11200.625	44.63	38.70	-36.60	46.73	54.00	7.27	Vertical
5	11570.000	41.33	38.89	-36.84	43.38	54.00	10.62	Vertical
6	17355.000	43.06	43.66	-35.00	51.72	68.30	16.58	Vertical


802.11ac20_Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.04	38.58	-38.38	53.24	74.00	20.76	Horizontal
2	10813.937	51.34	38.58	-38.38	51.54	54.00	2.46	Horizontal
3	11200.145	50.21	38.70	-36.60	52.31	74.00	21.69	Horizontal
4	11200.625	46.60	38.70	-36.60	48.70	54.00	5.30	Horizontal
5	11650.000	43.09	38.93	-36.53	45.48	74.00	28.52	Horizontal
6	17475.000	41.96	44.19	-34.07	52.08	68.30	16.22	Horizontal


802.11ac20_Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.87	38.58	-38.38	53.07	74.00	20.93	Vertical
2	10813.937	50.45	38.58	-38.38	50.65	54.00	3.35	Vertical
3	11199.6667	47.60	38.70	-36.60	49.70	74.00	24.30	Vertical
4	11200.625	44.02	38.70	-36.60	46.12	54.00	7.88	Vertical
5	11650.000	42.02	38.93	-36.53	44.41	74.00	29.59	Vertical
6	17475.000	42.47	44.19	-34.07	52.59	68.30	15.71	Vertical


802.11ac40_Channel 38



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10380.000	43.77	38.54	-38.77	43.54	68.30	24.76	Horizontal
2	10813.458	54.09	38.58	-38.38	54.29	74.00	19.71	Horizontal
3	10813.937	53.08	38.58	-38.38	53.28	54.00	0.72	Horizontal
4	11199.6667	50.38	38.70	-36.60	52.48	74.00	21.52	Horizontal
5	11200.625	46.86	38.70	-36.60	48.96	54.00	5.04	Horizontal
6	15570.000	42.03	40.40	-34.59	47.84	74.00	26.16	Horizontal


802.11ac40_Channel 38



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10380.000	43.56	38.54	-38.77	43.33	68.30	24.97	Vertical
2	10813.458	53.05	38.58	-38.38	53.25	74.00	20.75	Vertical
3	10813.937	51.56	38.58	-38.38	51.76	54.00	2.24	Vertical
4	11200.145	47.90	38.70	-36.60	50.00	74.00	24.00	Vertical
5	11200.625	44.71	38.70	-36.60	46.81	54.00	7.19	Vertical
6	15570.000	42.50	40.40	-34.59	48.31	74.00	25.69	Vertical


802.11ac40_Channel 46



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10458.875	47.50	38.55	-38.74	47.30	68.30	21.00	Horizontal
2	10813.458	53.20	38.58	-38.38	53.40	74.00	20.60	Horizontal
3	10813.937	51.98	38.58	-38.38	52.18	54.00	1.82	Horizontal
4	11200.145	50.47	38.70	-36.60	52.57	74.00	21.43	Horizontal
5	11200.625	46.74	38.70	-36.60	48.84	54.00	5.16	Horizontal
6	15716.770	44.42	40.09	-33.23	51.29	74.00	22.71	Horizontal


802.11ac40_Channel 46



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10467.979	48.31	38.55	-38.75	48.11	68.30	20.19	Vertical
2	10813.458	53.24	38.58	-38.38	53.44	74.00	20.56	Vertical
3	10813.937	51.75	38.58	-38.38	51.95	54.00	2.05	Vertical
4	11200.145	47.71	38.70	-36.60	49.81	74.00	24.19	Vertical
5	11200.625	43.75	38.70	-36.60	45.85	54.00	8.15	Vertical
6	15711.979	44.12	40.10	-33.24	50.99	74.00	23.01	Vertical


802.11ac40_Channel 54



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10460.000	41.23	38.55	-38.74	41.03	68.30	27.27	Horizontal
2	10813.458	52.81	38.58	-38.38	53.01	74.00	20.99	Horizontal
3	10813.937	50.95	38.58	-38.38	51.15	54.00	2.85	Horizontal
4	11199.6667	49.55	38.70	-36.60	51.65	74.00	22.35	Horizontal
5	11200.625	45.53	38.70	-36.60	47.63	54.00	6.37	Horizontal
6	15690.000	41.52	40.15	-33.37	48.30	74.00	25.70	Horizontal


802.11ac40_Channel 54



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10460.000	42.70	38.55	-38.74	42.50	68.30	25.80	Vertical
2	10813.458	52.53	38.58	-38.38	52.73	74.00	21.27	Vertical
3	10813.937	51.01	38.58	-38.38	51.21	54.00	2.79	Vertical
4	11199.6667	46.55	38.70	-36.60	48.65	74.00	25.35	Vertical
5	11200.625	42.36	38.70	-36.60	44.46	54.00	9.54	Vertical
6	15690.000	42.55	40.15	-33.37	49.33	74.00	24.67	Vertical


802.11ac40_Channel 62



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10620.000	43.32	38.56	-37.90	43.98	74.00	30.02	Horizontal
2	10813.458	54.35	38.58	-38.38	54.55	74.00	19.45	Horizontal
3	10813.937	53.13	38.58	-38.38	53.33	54.00	0.67	Horizontal
4	11200.145	51.48	38.70	-36.60	53.58	74.00	20.42	Horizontal
5	11200.625	48.24	38.70	-36.60	50.34	54.00	3.66	Horizontal
6	15930.000	41.46	39.65	-34.38	46.73	74.00	27.27	Horizontal


802.11ac40_Channel 62



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10620.000	43.50	38.56	-37.90	44.16	74.00	29.84	Vertical
2	10813.458	53.79	38.58	-38.38	53.99	74.00	20.01	Vertical
3	10813.937	52.75	38.58	-38.38	52.95	54.00	1.05	Vertical
4	11199.6667	50.07	38.70	-36.60	52.17	74.00	21.83	Vertical
5	11200.625	45.88	38.70	-36.60	47.98	54.00	6.02	Vertical
6	15930.000	41.36	39.65	-34.38	46.63	74.00	27.37	Vertical


802.11ac40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.80	38.58	-38.38	53.00	74.00	21.00	Horizontal
2	10813.937	51.50	38.58	-38.38	51.70	54.00	2.30	Horizontal
3	11020.000	43.60	38.61	-37.62	44.59	74.00	29.41	Horizontal
4	11200.145	50.37	38.70	-36.60	52.47	74.00	21.53	Horizontal
5	11200.625	47.05	38.70	-36.60	49.15	54.00	4.85	Horizontal
6	16530.000	43.46	40.88	-34.35	49.99	68.30	18.31	Horizontal


802.11ac40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.85	38.58	-38.38	54.05	74.00	19.95	Vertical
2	10813.937	52.20	38.58	-38.38	52.40	54.00	1.60	Vertical
3	11020.000	44.02	38.61	-37.62	45.01	74.00	28.99	Vertical
4	11199.6667	48.58	38.70	-36.60	50.68	74.00	23.32	Vertical
5	11200.625	43.92	38.70	-36.60	46.02	54.00	7.98	Vertical
6	16530.000	42.30	40.88	-34.35	48.83	68.30	19.47	Vertical


802.11ac40_Channel 110



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.00	38.58	-38.38	54.20	74.00	19.80	Horizontal
2	10813.937	53.00	38.58	-38.38	53.20	54.00	0.80	Horizontal
3	11111.0208	47.99	38.66	-37.62	49.02	74.00	24.98	Horizontal
4	11200.145	51.05	38.70	-36.60	53.15	74.00	20.85	Horizontal
5	11200.625	47.81	38.70	-36.60	49.91	54.00	4.09	Horizontal
6	16650.000	43.28	41.19	-34.68	49.79	68.30	18.51	Horizontal


802.11ac40_Channel 110



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.67	38.58	-38.38	53.87	74.00	20.13	Vertical
2	10813.937	52.23	38.58	-38.38	52.43	54.00	1.57	Vertical
3	11100.0000	46.00	38.65	-37.75	46.90	74.00	27.10	Vertical
4	11200.145	47.79	38.70	-36.60	49.89	74.00	24.11	Vertical
5	11200.625	44.89	38.70	-36.60	46.99	54.00	7.01	Vertical
6	16650.000	43.56	41.19	-34.68	50.07	68.30	18.23	Vertical


802.11ac40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.27	38.58	-38.38	54.47	74.00	19.53	Horizontal
2	10813.937	52.94	38.58	-38.38	53.14	54.00	0.86	Horizontal
3	11200.145	51.40	38.70	-36.60	53.50	74.00	20.50	Horizontal
4	11200.625	48.10	38.70	-36.60	50.20	54.00	3.80	Horizontal
5	11340.000	41.26	38.77	-37.34	42.69	54.00	11.31	Horizontal
6	17010.000	43.96	42.14	-33.70	52.40	68.3	15.90	Horizontal


802.11ac40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.98	38.58	-38.38	53.18	74.00	20.82	Vertical
2	10813.937	51.48	38.58	-38.38	51.68	54.00	2.32	Vertical
3	11199.6667	47.31	38.70	-36.60	49.41	74.00	24.59	Vertical
4	11200.625	44.11	38.70	-36.60	46.21	54.00	7.79	Vertical
5	11340.000	41.10	38.77	-37.34	42.53	54.00	11.47	Vertical
6	17010.000	45.48	42.14	-33.70	53.92	-	-	Vertical


802.11ac40_Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.60	38.58	-38.38	52.80	74.00	21.20	Horizontal
2	10813.937	51.03	38.58	-38.38	51.23	54.00	2.77	Horizontal
3	11200.145	50.72	38.70	-36.60	52.82	74.00	21.18	Horizontal
4	11200.625	47.63	38.70	-36.60	49.73	54.00	4.27	Horizontal
5	11510.000	41.32	38.86	-36.56	43.62	74.00	30.38	Horizontal
6	17265.000	42.41	43.27	-35.11	50.57	68.30	17.73	Horizontal


802.11ac40_Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.72	38.58	-38.38	52.92	74.00	21.08	Vertical
2	10813.937	51.32	38.58	-38.38	51.52	54.00	2.48	Vertical
3	11200.145	48.62	38.70	-36.60	50.72	74.00	23.28	Vertical
4	11200.625	45.69	38.70	-36.60	47.79	54.00	6.21	Vertical
5	11510.000	41.07	38.86	-36.56	43.37	74.00	30.63	Vertical
6	17265.000	42.74	43.27	-35.11	50.90	68.30	17.40	Vertical


802.11ac40_Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.35	38.58	-38.38	53.55	74.00	20.45	Horizontal
2	10813.937	52.27	38.58	-38.38	52.47	54.00	1.53	Horizontal
3	11200.145	49.94	38.70	-36.60	52.04	74.00	21.96	Horizontal
4	11200.625	46.55	38.70	-36.60	48.65	54.00	5.35	Horizontal
5	11590.000	41.79	38.90	-36.93	43.75	74.00	30.25	Horizontal
6	17385.000	42.29	43.80	-34.85	51.24	68.30	17.06	Horizontal


802.11ac40_Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.12	38.58	-38.38	52.32	74.00	21.68	Vertical
2	10813.937	49.54	38.58	-38.38	49.74	54.00	4.26	Vertical
3	11199.6667	47.41	38.70	-36.60	49.51	74.00	24.49	Vertical
4	11200.625	43.59	38.70	-36.60	45.69	54.00	8.31	Vertical
5	11590.000	42.41	38.90	-36.93	44.37	74.00	29.63	Vertical
6	17385.000	43.83	43.80	-34.85	52.78	68.30	15.52	Vertical


802.11ac80_Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10420.000	41.91	38.54	-38.73	41.72	68.30	26.58	Horizontal
2	10813.458	51.70	38.58	-38.38	51.90	74.00	22.10	Horizontal
3	10813.937	49.92	38.58	-38.38	50.12	54.00	3.88	Horizontal
4	11200.145	49.53	38.70	-36.60	51.63	74.00	22.37	Horizontal
5	11200.625	46.48	38.70	-36.60	48.58	54.00	5.42	Horizontal
6	15630.000	41.97	40.28	-34.04	48.21	74.00	25.79	Horizontal

802.11ac80_Channel 42




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10420.000	41.64	38.54	-38.73	41.45	68.30	26.85	Vertical
2	10813.458	51.96	38.58	-38.38	52.16	74.00	21.84	Vertical
3	10813.937	50.85	38.58	-38.38	51.05	54.00	2.95	Vertical
4	11199.6667	47.15	38.70	-36.60	49.25	74.00	24.75	Vertical
5	11200.625	43.65	38.70	-36.60	45.75	54.00	8.25	Vertical
6	15630.000	40.88	40.28	-34.04	47.12	74.00	26.88	Vertical




802.11ac80_Channel 58



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.53	38.58	-38.38	53.73	74.00	20.27	Horizontal
2	10813.937	51.80	38.58	-38.38	52.00	54.00	2.00	Horizontal
3	11199.6667	50.19	38.70	-36.60	52.29	74.00	21.71	Horizontal
4	11200.625	47.02	38.70	-36.60	49.12	54.00	4.88	Horizontal




802.11ac80_Channel 58



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.71	38.58	-38.38	52.91	74.00	21.09	Vertical
2	10813.937	51.09	38.58	-38.38	51.29	54.00	2.71	Vertical
3	11200.145	47.95	38.70	-36.60	50.05	74.00	23.95	Vertical
4	11200.625	44.49	38.70	-36.60	46.59	54.00	7.41	Vertical


802.11ac80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	55.02	38.58	-38.38	55.22	74.00	18.78	Horizontal
2	10813.937	53.15	38.58	-38.38	53.35	54.00	0.65	Horizontal
3	11060.000	42.86	38.63	-37.69	43.80	74.00	30.20	Horizontal
4	11199.6667	51.21	38.70	-36.60	53.31	74.00	20.69	Horizontal
5	11200.625	47.85	38.70	-36.60	49.95	54.00	4.05	Horizontal
6	16590.000	42.42	41.03	-34.50	48.96	68.30	19.34	Horizontal


802.11ac80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.52	38.58	-38.38	52.72	74.00	21.28	Vertical
2	10813.937	50.91	38.58	-38.38	51.11	54.00	2.89	Vertical
3	11090.416	46.04	38.65	-37.73	46.95	74.00	27.05	Vertical
4	11200.145	48.11	38.70	-36.60	50.21	74.00	23.79	Vertical
5	11200.625	45.16	38.70	-36.60	47.26	54.00	6.74	Vertical
6	16590.000	41.96	41.03	-34.50	48.50	68.30	19.80	Vertical


802.11ac80_Channel 155



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.14	38.58	-38.38	54.34	74.00	19.66	Horizontal
2	10813.937	52.70	38.58	-38.38	52.90	54.00	1.10	Horizontal
3	11200.145	50.86	38.70	-36.60	52.96	74.00	21.04	Horizontal
4	11200.625	47.41	38.70	-36.60	49.51	54.00	4.49	Horizontal
5	11550.000	41.10	38.88	-36.75	43.23	74.00	30.77	Horizontal
6	17325.000	42.62	43.53	-35.15	51.00	68.30	17.30	Horizontal


802.11ac80_Channel 155



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.28	38.58	-38.38	52.48	74.00	21.52	Vertical
2	10813.937	50.69	38.58	-38.38	50.89	54.00	3.11	Vertical
3	11200.625	45.00	38.70	-36.60	47.10	54.00	6.90	Vertical
4	11200.625	48.58	38.70	-36.60	50.68	74.00	23.32	Vertical
5	11550.000	41.78	38.88	-36.75	43.91	74.00	30.09	Vertical
6	17325.000	43.92	43.53	-35.15	52.30	68.30	16.00	Vertical


802.11ac160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10500.000	41.51	38.55	-38.76	41.30	68.30	27.00	Horizontal
2	10813.458	53.31	38.58	-38.38	53.51	74.00	20.49	Horizontal
3	10813.937	52.11	38.58	-38.38	52.31	54.00	1.69	Horizontal
4	11200.145	51.41	38.70	-36.60	53.51	74.00	20.49	Horizontal
5	11200.625	47.76	38.70	-36.60	49.86	54.00	4.14	Horizontal
6	15750.000	40.84	40.02	-33.16	47.70	74.00	26.30	Horizontal


802.11ac160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10493.854	51.40	38.55	-38.76	51.19	68.30	17.11	Vertical
2	10813.458	52.06	38.58	-38.38	52.26	74.00	21.74	Vertical
3	10813.937	50.69	38.58	-38.38	50.89	54.00	3.11	Vertical
4	11200.145	48.54	38.70	-36.60	50.64	74.00	23.36	Vertical
5	11200.625	45.54	38.70	-36.60	47.64	54.00	6.36	Vertical
6	15750.000	41.19	40.02	-33.16	48.05	74.00	25.95	Vertical


802.11ac160_Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.18	38.58	-38.38	54.38	74.00	19.62	Horizontal
2	10813.937	52.91	38.58	-38.38	53.11	54.00	0.89	Horizontal
3	11140.0000	43.04	38.67	-37.29	44.42	74.00	29.58	Horizontal
4	11199.6667	50.97	38.70	-36.60	53.07	74.00	20.93	Horizontal
5	11200.625	48.13	38.70	-36.60	50.23	54.00	3.77	Horizontal
6	16710.000	45.55	41.35	-34.82	52.07	68.30	16.23	Horizontal


802.11ac160_Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.89	38.58	-38.38	53.09	74.00	20.91	Vertical
2	10813.937	51.26	38.58	-38.38	51.46	54.00	2.54	Vertical
3	11140.0000	42.49	38.67	-37.29	43.87	74.00	30.13	Vertical
4	11199.6667	48.70	38.70	-36.60	50.80	74.00	23.20	Vertical
5	11200.625	45.53	38.70	-36.60	47.63	54.00	6.37	Vertical
6	16710.000	44.52	41.35	-34.82	51.04	68.30	17.26	Vertical


802.11be20_Channel 36



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10360.000	43.64	38.54	-38.82	43.36	68.30	24.94	Horizontal
2	10813.458	53.78	38.58	-38.38	53.98	74.00	20.02	Horizontal
3	10813.937	51.98	38.58	-38.38	52.18	54.00	1.82	Horizontal
4	11200.145	50.39	38.70	-36.60	52.49	74.00	21.51	Horizontal
5	11200.625	47.81	38.70	-36.60	49.91	54.00	4.09	Horizontal
6	15540.000	40.87	40.47	-34.81	46.52	74.00	27.48	Horizontal


802.11be20_Channel 36



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10360.000	44.47	38.54	-38.82	44.19	68.30	24.11	Vertical
2	10813.458	53.49	38.58	-38.38	53.69	74.00	20.31	Vertical
3	10813.937	51.53	38.58	-38.38	51.73	54.00	2.27	Vertical
4	11200.145	48.63	38.70	-36.60	50.73	74.00	23.27	Vertical
5	11200.625	45.25	38.70	-36.60	47.35	54.00	6.65	Vertical
6	15540.000	41.40	40.47	-34.81	47.05	74.00	26.95	Vertical


802.11be20_Channel 44



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10400.000	42.56	38.54	-38.72	42.38	68.30	25.92	Horizontal
2	10813.458	52.96	38.58	-38.38	53.16	74.00	20.84	Horizontal
3	10813.937	51.34	38.58	-38.38	51.54	54.00	2.46	Horizontal
4	11200.145	50.59	38.70	-36.60	52.69	74.00	21.31	Horizontal
5	11200.625	47.40	38.70	-36.60	49.50	54.00	4.50	Horizontal
6	15600.000	41.58	40.34	-34.37	47.55	74.00	26.45	Horizontal


802.11be20_Channel 44



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10449.770	47.29	38.54	-38.74	47.10	68.30	21.20	Vertical
2	10813.458	52.83	38.58	-38.38	53.03	74.00	20.97	Vertical
3	10813.937	50.40	38.58	-38.38	50.60	54.00	3.40	Vertical
4	11200.145	49.26	38.70	-36.60	51.36	74.00	22.64	Vertical
5	11200.625	46.44	38.70	-36.60	48.54	54.00	5.46	Vertical
6	15600.000	42.19	40.34	-34.37	48.16	74.00	25.84	Vertical


802.11be20_Channel 48



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10480.000	46.55	38.55	-38.75	46.35	68.30	21.95	Horizontal
2	10813.458	54.55	38.58	-38.38	54.75	74.00	19.25	Horizontal
3	10813.937	53.28	38.58	-38.38	53.48	54.00	0.52	Horizontal
4	11200.145	51.14	38.70	-36.60	53.24	74.00	20.76	Horizontal
5	11200.625	47.95	38.70	-36.60	50.05	54.00	3.95	Horizontal
6	15720.000	41.48	40.09	-33.22	48.35	74.00	25.65	Horizontal


802.11be20_Channel 48



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10479.958	47.59	38.55	-38.75	47.39	68.30	20.91	Vertical
2	10812.979	52.45	38.58	-38.38	52.65	74.00	21.35	Vertical
3	10813.937	51.25	38.58	-38.38	51.45	54.00	2.55	Vertical
4	11199.6667	49.13	38.70	-36.60	51.23	74.00	22.77	Vertical
5	11200.625	46.04	38.70	-36.60	48.14	54.00	5.86	Vertical
6	15720.000	40.43	40.09	-33.22	47.30	74.00	26.70	Vertical

802.11be20_Channel 52



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10520.000	48.60	38.55	-38.61	48.54	68.30	19.76	Horizontal
2	10813.458	52.72	38.58	-38.38	52.92	74.00	21.08	Horizontal
3	10813.937	50.57	38.58	-38.38	50.77	54.00	3.23	Horizontal
4	11200.145	51.00	38.70	-36.60	53.10	74.00	20.90	Horizontal
5	11200.625	47.99	38.70	-36.60	50.09	54.00	3.91	Horizontal
6	15780.000	41.59	39.96	-33.10	48.45	74.00	25.55	Horizontal