



## 802.11ac40\_Channel 102



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5456.865        | 48.08          | 32.22     | -19.11      | 61.19          | 74.00          | 12.81       | Horizontal |
| 2   | 5468.255        | 53.42          | 32.24     | -19.13      | 66.53          | 68.30          | 1.77        | Horizontal |
| 3   | 5729.27         | 47.70          | 32.35     | -18.82      | 61.23          | 68.30          | 7.07        | Horizontal |


## 802.11ac40\_Channel 102



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5457.7583       | 48.48          | 32.22     | -19.11      | 61.59          | 74.00          | 12.41       | Vertical |
| 2   | 5469.3717       | 52.11          | 32.24     | -19.13      | 65.22          | 68.30          | 3.08        | Vertical |
| 3   | 5735.24         | 48.22          | 32.35     | -18.84      | 61.73          | 68.30          | 6.57        | Vertical |


## 802.11ac40\_Channel 134



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5448.155        | 48.26          | 32.21     | -19.10      | 61.37          | 74.00          | 12.63       | Horizontal |
| 2   | 5466.0217       | 47.99          | 32.24     | -19.13      | 61.10          | 68.30          | 7.20        | Horizontal |
| 3   | 5725.71         | 47.84          | 32.35     | -18.81      | 61.38          | 68.30          | 6.92        | Horizontal |


## 802.11ac40\_Channel 134



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5453.4033       | 47.96          | 32.22     | -19.11      | 61.07          | 74.00          | 12.93       | Vertical |
| 2   | 5465.7983       | 48.04          | 32.24     | -19.13      | 61.15          | 68.30          | 7.15        | Vertical |
| 3   | 5734.12         | 48.16          | 32.35     | -18.83      | 61.67          | 68.30          | 6.63        | Vertical |


### 802.11ac40\_Channel 134



#### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5444.2467       | 35.16          | 32.20     | -19.09      | 48.27          | 54.00          | 5.73        | Horizontal |
| 2   | 5456.6417       | 35.12          | 32.22     | -19.11      | 48.23          | 54.00          | 5.77        | Horizontal |


## 802.11ac40\_Channel 134



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5442.3483       | 34.92          | 32.20     | -19.09      | 48.03          | 54.00          | 5.97        | Vertical |
| 2   | 5455.6367       | 34.82          | 32.22     | -19.11      | 47.93          | 54.00          | 6.07        | Vertical |


## 802.11ac40\_Channel 151



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5642.3875       | 47.65          | 32.33     | -18.72      | 61.25          | 68.30          | 7.05        | Horizontal |
| 2   | 5685.45         | 50.12          | 32.34     | -18.73      | 63.73          | 94.57          | 30.84       | Horizontal |
| 3   | 5715.1875       | 63.36          | 32.34     | -18.78      | 76.93          | 109.55         | 32.62       | Horizontal |
| 4   | 5723.6375       | 66.77          | 32.34     | -18.80      | 80.31          | 119.19         | 38.88       | Horizontal |
| 5   | 5850.7125       | 47.75          | 32.37     | -18.88      | 61.24          | 120.67         | 59.43       | Horizontal |
| 6   | 5874.275        | 47.24          | 32.37     | -18.81      | 60.80          | 105.50         | 44.70       | Horizontal |
| 7   | 5901.7375       | 47.42          | 32.38     | -18.74      | 61.06          | 85.48          | 24.42       | Horizontal |
| 8   | 5936.675        | 47.95          | 32.39     | -18.82      | 61.52          | 68.30          | 6.78        | Horizontal |


## 802.11ac40\_Channel 151



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5634.9125       | 47.50          | 32.33     | -18.72      | 61.10          | 68.30          | 7.20        | Vertical |
| 2   | 5672.775        | 48.99          | 32.33     | -18.73      | 62.60          | 85.19          | 22.59       | Vertical |
| 3   | 5711.6125       | 62.32          | 32.34     | -18.76      | 75.90          | 108.55         | 32.65       | Vertical |
| 4   | 5723.3125       | 66.49          | 32.34     | -18.80      | 80.03          | 118.45         | 38.42       | Vertical |
| 5   | 5854.125        | 47.61          | 32.37     | -18.87      | 61.11          | 112.89         | 51.78       | Vertical |
| 6   | 5867.2875       | 48.96          | 32.37     | -18.83      | 62.50          | 107.46         | 44.96       | Vertical |
| 7   | 5906.2875       | 47.76          | 32.38     | -18.75      | 61.39          | 82.11          | 20.72       | Vertical |
| 8   | 5933.5875       | 47.74          | 32.39     | -18.81      | 61.32          | 68.30          | 6.98        | Vertical |


## 802.11ac40\_Channel 159



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5632.8          | 47.33          | 32.33     | -18.72      | 60.93          | 68.30          | 7.37        | Horizontal |
| 2   | 5671.6375       | 47.44          | 32.33     | -18.73      | 61.05          | 84.35          | 23.30       | Horizontal |
| 3   | 5713.4          | 47.38          | 32.34     | -18.77      | 60.95          | 109.05         | 48.10       | Horizontal |
| 4   | 5722.5          | 51.44          | 32.34     | -18.80      | 64.99          | 116.60         | 51.61       | Horizontal |
| 5   | 5851.85         | 53.51          | 32.37     | -18.88      | 67.00          | 118.08         | 51.08       | Horizontal |
| 6   | 5865.0125       | 49.09          | 32.37     | -18.84      | 62.62          | 108.09         | 45.47       | Horizontal |
| 7   | 5893.45         | 47.64          | 32.38     | -18.76      | 61.26          | 91.61          | 30.35       | Horizontal |
| 8   | 5931.9625       | 47.66          | 32.39     | -18.81      | 61.24          | 68.30          | 7.06        | Horizontal |


## 802.11ac40\_Channel 159



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5640.1125       | 47.05          | 32.33     | -18.72      | 60.65          | 68.30          | 7.65        | Vertical |
| 2   | 5674.5625       | 47.39          | 32.33     | -18.73      | 61.00          | 86.52          | 25.52       | Vertical |
| 3   | 5714.2125       | 48.47          | 32.34     | -18.77      | 62.04          | 109.28         | 47.24       | Vertical |
| 4   | 5723.6375       | 50.64          | 32.34     | -18.80      | 64.18          | 119.19         | 55.01       | Vertical |
| 5   | 5850.875        | 52.37          | 32.37     | -18.88      | 65.86          | 120.30         | 54.44       | Vertical |
| 6   | 5866.475        | 48.61          | 32.37     | -18.84      | 62.15          | 107.68         | 45.53       | Vertical |
| 7   | 5914.575        | 48.54          | 32.38     | -18.77      | 62.15          | 75.99          | 13.84       | Vertical |
| 8   | 5934.725        | 47.97          | 32.39     | -18.81      | 61.54          | 68.30          | 6.76        | Vertical |


## 802.11ac80\_Channel 42



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5149.44         | 40.41          | 31.67     | -19.14      | 52.94          | 54.00          | 1.06        | Horizontal |
| 2   | 5355.0775       | 35.30          | 32.04     | -18.91      | 48.43          | 54.00          | 5.57        | Horizontal |


## 802.11ac80\_Channel 42



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5149.5467       | 39.26          | 31.67     | -19.14      | 51.79          | 54.00          | 2.21        | Vertical |
| 2   | 5352.5225       | 35.36          | 32.03     | -18.91      | 48.49          | 54.00          | 5.51        | Vertical |


## 802.11ac80\_Channel 42



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5147.24         | 51.45          | 31.67     | -19.15      | 63.97          | 74.00          | 10.03       | Horizontal |
| 2   | 5376.8125       | 48.00          | 32.08     | -18.96      | 61.11          | 74.00          | 12.89       | Horizontal |


## 802.11ac80\_Channel 42



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5149.94         | 49.69          | 31.67     | -19.14      | 62.22          | 74.00          | 11.78       | Vertical |
| 2   | 5358.1925       | 46.68          | 32.04     | -18.92      | 59.81          | 74.00          | 14.19       | Vertical |

## 802.11ac80\_Channel 58




## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5146.3          | 34.47          | 31.66     | -19.15      | 46.98          | 54.00          | 7.02        | Horizontal |
| 2   | 5350.325        | 38.47          | 32.03     | -18.90      | 51.60          | 54.00          | 2.40        | Horizontal |




802.11ac80\_Channel 58



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5149.75         | 34.58          | 31.67     | -19.14      | 47.11          | 54.00          | 6.89        | Vertical |
| 2         | 5351.65         | 38.06          | 32.03     | -18.90      | 51.19          | 54.00          | 2.81        | Vertical |


### 802.11ac80\_Channel 58



| Data List |                 |                |           |             |                |                |             |            |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
| 1         | 5149.2667       | 47.22          | 31.67     | -19.14      | 59.75          | 74.00          | 14.25       | Horizontal |
| 2         | 5361.0875       | 51.26          | 32.05     | -18.93      | 64.38          | 74.00          | 9.62        | Horizontal |




802.11ac80\_Channel 58



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5146.8667       | 47.49          | 31.66     | -19.15      | 60.01          | 74.00          | 13.99       | Vertical |
| 2         | 5353.0875       | 49.30          | 32.04     | -18.91      | 62.43          | 74.00          | 11.57       | Vertical |


## 802.11ac80\_Channel 106



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5454.855        | 50.02          | 32.22     | -19.11      | 63.13          | 74.00          | 10.87       | Horizontal |
| 2   | 5463.9          | 50.87          | 32.24     | -19.12      | 63.98          | 68.30          | 4.32        | Horizontal |
| 3   | 5742.38         | 48.09          | 32.35     | -18.86      | 61.58          | 68.30          | 6.72        | Horizontal |


## 802.11ac80\_Channel 106



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5457.7583       | 50.73          | 32.22     | -19.11      | 63.84          | 74.00          | 10.16       | Vertical |
| 2   | 5468.7017       | 51.97          | 32.24     | -19.13      | 65.08          | 68.30          | 3.22        | Vertical |
| 3   | 5731.15         | 47.54          | 32.35     | -18.82      | 61.06          | 68.30          | 7.24        | Vertical |


## 802.11ac80\_Channel 106



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5454.7433       | 38.10          | 32.22     | -19.11      | 51.21          | 54.00          | 2.79        | Horizontal |
| 2   | 5458.875        | 38.25          | 32.23     | -19.11      | 51.36          | 54.00          | 2.64        | Horizontal |


## 802.11ac80\_Channel 106



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5453.85         | 37.67          | 32.22     | -19.11      | 50.78          | 54.00          | 3.22        | Vertical |
| 2   | 5457.87         | 38.01          | 32.22     | -19.11      | 51.12          | 54.00          | 2.88        | Vertical |


## 802.11ac80\_Channel 155



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5636.05         | 48.91          | 32.33     | -18.72      | 62.51          | 68.30          | 5.79        | Horizontal |
| 2   | 5659.45         | 51.75          | 32.33     | -18.73      | 65.36          | 75.32          | 9.96        | Horizontal |
| 3   | 5712.1          | 63.71          | 32.34     | -18.77      | 77.29          | 108.69         | 31.40       | Horizontal |
| 4   | 5724.775        | 68.01          | 32.34     | -18.80      | 81.55          | 121.79         | 40.24       | Horizontal |
| 5   | 5850.7125       | 61.11          | 32.37     | -18.88      | 74.60          | 120.67         | 46.07       | Horizontal |
| 6   | 5865.9875       | 58.33          | 32.37     | -18.84      | 71.86          | 107.82         | 35.96       | Horizontal |
| 7   | 5914.0875       | 47.98          | 32.38     | -18.77      | 61.59          | 76.35          | 14.76       | Horizontal |
| 8   | 5939.1125       | 47.77          | 32.39     | -18.82      | 61.34          | 68.30          | 6.96        | Horizontal |


## 802.11ac80\_Channel 155



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5639.1375       | 49.19          | 32.33     | -18.72      | 62.79          | 68.30          | 5.51        | Vertical |
| 2   | 5682.85         | 59.23          | 32.34     | -18.73      | 72.84          | 92.65          | 19.81       | Vertical |
| 3   | 5708.6875       | 64.37          | 32.34     | -18.76      | 77.96          | 107.73         | 29.77       | Vertical |
| 4   | 5723.9625       | 67.86          | 32.34     | -18.80      | 81.40          | 119.94         | 38.54       | Vertical |
| 5   | 5850.7125       | 60.23          | 32.37     | -18.88      | 73.72          | 120.67         | 46.95       | Vertical |
| 6   | 5867.125        | 56.20          | 32.37     | -18.84      | 69.74          | 107.50         | 37.76       | Vertical |
| 7   | 5907.75         | 47.97          | 32.38     | -18.76      | 61.60          | 81.03          | 19.43       | Vertical |
| 8   | 5931.3125       | 47.14          | 32.39     | -18.81      | 60.72          | 68.30          | 7.58        | Vertical |


## 802.11ac160\_Channel 50



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 5148.16            | 35.67             | 31.67        | -19.14         | 48.19             | 54.00             | 5.81           | Horizontal |
| 2   | 5352.2425          | 39.12             | 32.03        | -18.91         | 52.25             | 54.00             | 1.75           | Horizontal |


## 802.11ac160\_Channel 50



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5147.6267       | 36.58          | 31.67     | -19.15      | 49.10          | 54.00          | 4.90        | Vertical |
| 2   | 5351.2275       | 38.82          | 32.03     | -18.90      | 51.95          | 54.00          | 2.05        | Vertical |


## 802.11ac160\_Channel 50



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5117.68         | 48.11          | 31.61     | -19.22      | 60.50          | 74.00          | 13.50       | Horizontal |
| 2   | 5366.9075       | 50.82          | 32.06     | -18.94      | 63.94          | 74.00          | 10.06       | Horizontal |


## 802.11ac160\_Channel 50



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5143.12         | 47.64          | 31.66     | -19.16      | 60.14          | 74.00          | 13.86       | Vertical |
| 2   | 5361.885        | 49.58          | 32.05     | -18.93      | 62.70          | 74.00          | 11.30       | Vertical |


## 802.11ac160\_Channel 114



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 5449.7183          | 37.72             | 32.21        | -19.10         | 50.83             | 54.00             | 3.17           | Horizontal |
| 2   | 5459.7683          | 37.83             | 32.23        | -19.12         | 50.94             | 54.00             | 3.06           | Horizontal |


## 802.11ac160\_Channel 114



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5449.0483       | 39.03          | 32.21     | -19.10      | 52.14          | 54.00          | 1.86        | Vertical |
| 2   | 5458.205        | 40.00          | 32.22     | -19.11      | 53.11          | 54.00          | 0.89        | Vertical |


## 802.11ac160\_Channel 114



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5447.5967       | 50.71          | 32.21     | -19.10      | 63.82          | 74.00          | 10.18       | Horizontal |
| 2   | 5467.1383       | 51.33          | 32.24     | -19.13      | 64.44          | 68.30          | 3.86        | Horizontal |
| 3   | 5726.39         | 51.24          | 32.35     | -18.81      | 64.78          | 68.30          | 3.52        | Horizontal |


## 802.11ac160\_Channel 114



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------|
| 1   | 5453.515           | 52.36             | 32.22        | -19.11         | 65.47             | 74.00             | 8.53           | Vertical |
| 2   | 5466.0217          | 53.07             | 32.24        | -19.13         | 66.18             | 68.30             | 2.12           | Vertical |
| 3   | 5726.58            | 50.76             | 32.35        | -18.81         | 64.30             | 68.30             | 4.00           | Vertical |

## 802.11be20\_Channel 36




## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5148.2          | 36.57          | 31.67     | -19.14      | 49.09          | 54.00          | 4.91        | Horizontal |
| 2   | 5149.5          | 37.07          | 31.67     | -19.14      | 49.60          | 54.00          | 4.40        | Horizontal |




802.11be20\_Channel 36



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5148.7          | 38.90          | 31.67     | -19.14      | 51.42          | 54.00          | 2.58        | Vertical |
| 2         | 5149.4          | 38.94          | 31.67     | -19.14      | 51.47          | 54.00          | 2.53        | Vertical |


## 802.11be20\_Channel 36



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5144.7          | 46.76          | 31.66     | -19.15      | 59.27          | 74.00          | 14.73       | Horizontal |
| 2   | 5148.3          | 49.26          | 31.67     | -19.14      | 61.78          | 74.00          | 12.22       | Horizontal |


## 802.11be20\_Channel 36



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5147            | 51.32          | 31.66     | -19.15      | 63.84          | 74.00          | 10.16       | Vertical |
| 2   | 5149.5          | 50.05          | 31.67     | -19.14      | 62.58          | 74.00          | 11.42       | Vertical |

## 802.11be20\_Channel 64




### Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 5350               | 38.27             | 32.03        | -18.90         | 51.40             | 54.00             | 2.60           | Horizontal |
| 2   | 5351               | 37.37             | 32.03        | -18.90         | 50.50             | 54.00             | 3.50           | Horizontal |




802.11be20\_Channel 64



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5350.1          | 39.68          | 32.03     | -18.90      | 52.81          | 54.00          | 1.19        | Vertical |
| 2         | 5350.8          | 39.57          | 32.03     | -18.90      | 52.70          | 54.00          | 1.30        | Vertical |


## 802.11be20\_Channel 64



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5350.5          | 49.45          | 32.03     | -18.90      | 62.58          | 74.00          | 11.42       | Horizontal |
| 2   | 5351.8          | 48.85          | 32.03     | -18.90      | 61.98          | 74.00          | 12.02       | Horizontal |


## 802.11be20\_Channel 64



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5351.8          | 52.12          | 32.03     | -18.90      | 65.25          | 74.00          | 8.75        | Vertical |
| 2   | 5352.9          | 49.69          | 32.04     | -18.91      | 62.82          | 74.00          | 11.18       | Vertical |

## 802.11be20\_Channel 100




### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5456.38         | 40.76          | 32.22     | -19.11      | 53.87          | 74.00          | 20.13       | Horizontal |
| 2   | 5467.78         | 43.09          | 32.24     | -19.13      | 56.20          | 68.30          | 12.10       | Horizontal |




802.11be20\_Channel 100



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5454.28         | 41.22          | 32.22     | -19.11      | 54.33          | 74.00          | 19.67       | Vertical |
| 2         | 5464.42         | 44.70          | 32.24     | -19.12      | 57.81          | 68.30          | 10.49       | Vertical |


## 802.11be20\_Channel 100



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5453.32         | 35.47          | 32.22     | -19.11      | 48.58          | 54.00          | 5.42        | Horizontal |
| 2   | 5457.1          | 35.30          | 32.22     | -19.11      | 48.41          | 54.00          | 5.59        | Horizontal |


## 802.11be20\_Channel 100



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5452.66         | 35.56          | 32.21     | -19.10      | 48.67          | 54.00          | 5.33        | Vertical |
| 2   | 5457.76         | 35.84          | 32.22     | -19.11      | 48.95          | 54.00          | 5.05        | Vertical |


## 802.11be20\_Channel 140



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 5726.1             | 54.57             | 32.35        | -18.81         | 68.11             | 68.30             | 0.19           | Horizontal |
| 2   | 5726.5             | 52.95             | 32.35        | -18.81         | 66.49             | 68.30             | 1.81           | Horizontal |


## 802.11be20\_Channel 140



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5725.75         | 54.46          | 32.35     | -18.81      | 68.00          | 68.30          | 0.30        | Vertical |
| 2   | 5727.15         | 50.34          | 32.35     | -18.81      | 63.87          | 68.30          | 4.43        | Vertical |


## 802.11be20\_Channel 149



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5644.0125       | 47.19          | 32.33     | -18.72      | 60.79          | 68.30          | 7.51        | Horizontal |
| 2   | 5659.6125       | 47.84          | 32.33     | -18.73      | 61.45          | 75.44          | 13.99       | Horizontal |
| 3   | 5715.8375       | 50.89          | 32.34     | -18.78      | 64.46          | 109.74         | 45.28       | Horizontal |
| 4   | 5723.9625       | 55.87          | 32.34     | -18.80      | 69.41          | 119.94         | 50.53       | Horizontal |


## 802.11be20\_Channel 149



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5636.05         | 46.83          | 32.33     | -18.72      | 60.43          | 68.30          | 7.87        | Vertical |
| 2   | 5682.2          | 47.13          | 32.34     | -18.73      | 60.74          | 92.17          | 31.43       | Vertical |
| 3   | 5714.375        | 52.19          | 32.34     | -18.77      | 65.76          | 109.33         | 43.57       | Vertical |
| 4   | 5724.6125       | 57.29          | 32.34     | -18.80      | 70.83          | 121.42         | 50.59       | Vertical |


## 802.11be20\_Channel 165



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5850.3875       | 61.05          | 32.37     | -18.88      | 74.54          | 121.42         | 46.88       | Horizontal |
| 2   | 5863.875        | 48.64          | 32.37     | -18.84      | 62.17          | 108.41         | 46.24       | Horizontal |
| 3   | 5904.175        | 47.88          | 32.38     | -18.75      | 61.51          | 83.67          | 22.16       | Horizontal |
| 4   | 5930.175        | 47.76          | 32.39     | -18.80      | 61.34          | 68.30          | 6.96        | Horizontal |


## 802.11be20\_Channel 165



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------|
| 1   | 5851.525           | 57.93             | 32.37        | -18.88         | 71.42             | 118.82            | 47.40          | Vertical |
| 2   | 5869.5625          | 48.59             | 32.37        | -18.83         | 62.14             | 106.82            | 44.68          | Vertical |
| 3   | 5894.5875          | 47.87             | 32.38        | -18.76         | 61.49             | 90.77             | 29.28          | Vertical |
| 4   | 5928.0625          | 47.81             | 32.39        | -18.80         | 61.40             | 68.30             | 6.90           | Vertical |

## 802.11be40\_Channel 38




## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5149.8667       | 38.58          | 31.67     | -19.14      | 51.11          | 54.00          | 2.89        | Horizontal |
| 2   | 5350.0375       | 34.73          | 32.03     | -18.90      | 47.86          | 54.00          | 6.14        | Horizontal |




802.11be40\_Channel 38



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5149.92         | 40.99          | 31.67     | -19.14      | 53.52          | 54.00          | 0.48        | Vertical |
| 2         | 5352.7675       | 34.90          | 32.03     | -18.91      | 48.03          | 54.00          | 5.97        | Vertical |

## 802.11be40\_Channel 38




## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5142.26         | 50.12          | 31.66     | -19.16      | 62.62          | 74.00          | 11.38       | Horizontal |
| 2   | 5353.17         | 47.25          | 32.04     | -18.91      | 60.38          | 74.00          | 13.62       | Horizontal |




802.11be40\_Channel 38



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5144.3          | 52.07          | 31.66     | -19.15      | 64.58          | 74.00          | 9.42        | Vertical |
| 2         | 5351.0175       | 46.64          | 32.03     | -18.90      | 59.77          | 74.00          | 14.23       | Vertical |


## 802.11be40\_Channel 62



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5149.35         | 34.51          | 31.67     | -19.14      | 47.04          | 54.00          | 6.96        | Horizontal |
| 2   | 5350.4          | 37.68          | 32.03     | -18.90      | 50.81          | 54.00          | 3.19        | Horizontal |


## 802.11be40\_Channel 62



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5146.25         | 34.43          | 31.66     | -19.15      | 46.94          | 54.00          | 7.06        | Vertical |
| 2   | 5350.2          | 39.27          | 32.03     | -18.90      | 52.40          | 54.00          | 1.60        | Vertical |

## 802.11be40\_Channel 62




## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5146.2667       | 46.18          | 31.66     | -19.15      | 58.69          | 74.00          | 15.31       | Horizontal |
| 2   | 5356.3125       | 51.61          | 32.04     | -18.92      | 64.74          | 74.00          | 9.26        | Horizontal |




802.11be40\_Channel 62



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5146            | 46.74          | 31.66     | -19.15      | 59.25          | 74.00          | 14.75       | Vertical |
| 2         | 5352.475        | 52.36          | 32.03     | -18.91      | 65.49          | 74.00          | 8.51        | Vertical |


## 802.11be40\_Channel 102



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5456.9767       | 51.08          | 32.22     | -19.11      | 64.19          | 74.00          | 9.81        | Horizontal |
| 2   | 5462.3367       | 54.51          | 32.23     | -19.12      | 67.62          | 68.30          | 0.68        | Horizontal |
| 3   | 5733.86         | 47.67          | 32.35     | -18.83      | 61.19          | 68.30          | 7.11        | Horizontal |


## 802.11be40\_Channel 102



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5459.9917       | 55.10          | 32.23     | -19.12      | 68.21          | 74.00          | 5.79        | Vertical |
| 2   | 5466.915        | 54.87          | 32.24     | -19.13      | 67.98          | 68.30          | 0.32        | Vertical |
| 3   | 5741.53         | 49.04          | 32.35     | -18.85      | 62.53          | 68.30          | 5.77        | Vertical |


## 802.11be40\_Channel 102



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5451.84         | 36.67          | 32.21     | -19.10      | 49.78          | 54.00          | 4.22        | Horizontal |
| 2   | 5459.545        | 38.40          | 32.23     | -19.12      | 51.51          | 54.00          | 2.49        | Horizontal |


## 802.11be40\_Channel 102



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------|
| 1   | 5454.9667          | 36.50             | 32.22        | -19.11         | 49.61             | 54.00             | 4.39           | Vertical |
| 2   | 5459.4333          | 38.35             | 32.23        | -19.12         | 51.46             | 54.00             | 2.54           | Vertical |


## 802.11be40\_Channel 134



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 5454.855           | 47.95             | 32.22        | -19.11         | 61.06             | 74.00             | 12.94          | Horizontal |
| 2   | 5468.1433          | 47.78             | 32.24        | -19.13         | 60.89             | 68.30             | 7.41           | Horizontal |
| 3   | 5727.44            | 51.34             | 32.35        | -18.81         | 64.87             | 68.30             | 3.43           | Horizontal |


## 802.11be40\_Channel 134



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5454.9667       | 48.03          | 32.22     | -19.11      | 61.14          | 74.00          | 12.86       | Vertical |
| 2   | 5462.0017       | 48.41          | 32.23     | -19.12      | 61.52          | 68.30          | 6.78        | Vertical |
| 3   | 5729.02         | 50.46          | 32.35     | -18.82      | 63.99          | 68.30          | 4.31        | Vertical |


## 802.11be40\_Channel 134



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5443.9117       | 34.99          | 32.20     | -19.09      | 48.10          | 54.00          | 5.90        | Horizontal |
| 2   | 5455.525        | 35.00          | 32.22     | -19.11      | 48.11          | 54.00          | 5.89        | Horizontal |


## 802.11be40\_Channel 134



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------|
| 1   | 5448.155           | 35.00             | 32.21        | -19.10         | 48.11             | 54.00             | 5.89           | Vertical |
| 2   | 5456.865           | 34.92             | 32.22        | -19.11         | 48.03             | 54.00             | 5.97           | Vertical |


## 802.11be40\_Channel 151



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 5637.5125          | 48.11             | 32.33        | -18.72         | 61.71             | 68.30             | 6.59           | Horizontal |
| 2   | 5677               | 47.69             | 32.34        | -18.73         | 61.30             | 88.32             | 27.02          | Horizontal |
| 3   | 5707.225           | 55.16             | 32.34        | -18.75         | 68.75             | 107.33            | 38.58          | Horizontal |
| 4   | 5721.6875          | 58.94             | 32.34        | -18.80         | 72.49             | 114.75            | 42.26          | Horizontal |
| 5   | 5850.3875          | 47.18             | 32.37        | -18.88         | 60.67             | 121.42            | 60.75          | Horizontal |
| 6   | 5872.4875          | 47.13             | 32.37        | -18.82         | 60.68             | 106.00            | 45.32          | Horizontal |
| 7   | 5915.55            | 47.94             | 32.38        | -18.77         | 61.55             | 75.27             | 13.72          | Horizontal |
| 8   | 5927.9             | 48.39             | 32.39        | -18.80         | 61.98             | 68.30             | 6.32           | Horizontal |


## 802.11be40\_Channel 151



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5644.825        | 47.09          | 32.33     | -18.72      | 60.69          | 68.30          | 7.61        | Vertical |
| 2   | 5684.3125       | 47.35          | 32.34     | -18.73      | 60.96          | 93.73          | 32.77       | Vertical |
| 3   | 5705.1125       | 55.11          | 32.34     | -18.75      | 68.71          | 106.73         | 38.02       | Vertical |
| 4   | 5723.15         | 59.94          | 32.34     | -18.80      | 73.49          | 118.08         | 44.59       | Vertical |
| 5   | 5852.3375       | 47.69          | 32.37     | -18.88      | 61.18          | 116.97         | 55.79       | Vertical |
| 6   | 5875.4125       | 48.12          | 32.38     | -18.81      | 61.68          | 104.99         | 43.31       | Vertical |
| 7   | 5905.475        | 48.84          | 32.38     | -18.75      | 62.47          | 82.71          | 20.24       | Vertical |
| 8   | 5933.425        | 47.81          | 32.39     | -18.81      | 61.39          | 68.30          | 6.91        | Vertical |


## 802.11be40\_Channel 159



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 5633.775           | 47.69             | 32.33        | -18.72         | 61.29             | 68.30             | 7.01           | Horizontal |
| 2   | 5679.7625          | 47.15             | 32.34        | -18.73         | 60.76             | 90.36             | 29.60          | Horizontal |
| 3   | 5712.9125          | 48.89             | 32.34        | -18.77         | 62.46             | 108.92            | 46.46          | Horizontal |
| 4   | 5724.6125          | 50.47             | 32.34        | -18.80         | 64.01             | 121.42            | 57.41          | Horizontal |
| 5   | 5851.525           | 53.49             | 32.37        | -18.88         | 66.98             | 118.82            | 51.84          | Horizontal |
| 6   | 5869.5625          | 48.04             | 32.37        | -18.83         | 61.59             | 106.82            | 45.23          | Horizontal |
| 7   | 5916.6875          | 47.67             | 32.38        | -18.78         | 61.28             | 74.43             | 13.15          | Horizontal |
| 8   | 5931.6375          | 47.66             | 32.39        | -18.81         | 61.24             | 68.30             | 7.06           | Horizontal |


## 802.11be40\_Channel 159



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5637.8375       | 47.20          | 32.33     | -18.72      | 60.80          | 68.30          | 7.50        | Vertical |
| 2   | 5665.95         | 47.51          | 32.33     | -18.73      | 61.12          | 80.14          | 19.02       | Vertical |
| 3   | 5713.4          | 50.01          | 32.34     | -18.77      | 63.58          | 109.05         | 45.47       | Vertical |
| 4   | 5723.15         | 49.77          | 32.34     | -18.80      | 63.32          | 118.08         | 54.76       | Vertical |
| 5   | 5851.2          | 53.37          | 32.37     | -18.88      | 66.86          | 119.56         | 52.70       | Vertical |
| 6   | 5865.9875       | 48.04          | 32.37     | -18.84      | 61.57          | 107.82         | 46.25       | Vertical |
| 7   | 5903.3625       | 47.91          | 32.38     | -18.75      | 61.54          | 84.27          | 22.73       | Vertical |
| 8   | 5945.45         | 47.33          | 32.39     | -18.84      | 60.88          | 68.30          | 7.42        | Vertical |


## 802.11be80\_Channel 42



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5149.92         | 36.61          | 31.67     | -19.14      | 49.14          | 54.00          | 4.86        | Horizontal |
| 2   | 5354.5875       | 34.75          | 32.04     | -18.91      | 47.88          | 54.00          | 6.12        | Horizontal |


## 802.11be80\_Channel 42



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------|
| 1   | 5149.7067          | 37.71             | 31.67        | -19.14         | 50.24             | 54.00             | 3.76           | Vertical |
| 2   | 5354.22            | 34.73             | 32.04        | -18.91         | 47.86             | 54.00             | 6.14           | Vertical |


## 802.11be80\_Channel 42



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5144.94         | 48.42          | 31.66     | -19.15      | 60.93          | 74.00          | 13.07       | Horizontal |
| 2   | 5365.3675       | 46.72          | 32.06     | -18.94      | 59.84          | 74.00          | 14.16       | Horizontal |


## 802.11be80\_Channel 42



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5140.34         | 47.05          | 31.65     | -19.16      | 59.54          | 74.00          | 14.46       | Vertical |
| 2   | 5382.5175       | 47.17          | 32.09     | -18.98      | 60.28          | 74.00          | 13.72       | Vertical |


## 802.11be80\_Channel 58



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5148.8          | 34.51          | 31.67     | -19.14      | 47.03          | 54.00          | 6.97        | Horizontal |
| 2   | 5352.25         | 38.51          | 32.03     | -18.91      | 51.64          | 54.00          | 2.36        | Horizontal |


## 802.11be80\_Channel 58



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5146.2          | 34.42          | 31.66     | -19.15      | 46.93          | 54.00          | 7.07        | Vertical |
| 2   | 5351.5          | 37.64          | 32.03     | -18.90      | 50.77          | 54.00          | 3.23        | Vertical |


## 802.11be80\_Channel 58



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5146.0667       | 46.76          | 31.66     | -19.15      | 59.27          | 74.00          | 14.73       | Horizontal |
| 2   | 5367.8125       | 49.90          | 32.06     | -18.94      | 63.02          | 74.00          | 10.98       | Horizontal |


## 802.11be80\_Channel 58



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------|
| 1   | 5145.0667          | 46.87             | 31.66        | -19.15         | 59.38             | 74.00             | 14.62          | Vertical |
| 2   | 5354.625           | 49.43             | 32.04        | -18.91         | 62.56             | 74.00             | 11.44          | Vertical |


## 802.11be80\_Channel 106



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5454.0733       | 50.51          | 32.22     | -19.11      | 63.62          | 74.00          | 10.38       | Horizontal |
| 2   | 5468.8133       | 51.36          | 32.24     | -19.13      | 64.47          | 68.30          | 3.83        | Horizontal |
| 3   | 5735.75         | 47.97          | 32.35     | -18.84      | 61.48          | 68.30          | 6.82        | Horizontal |


## 802.11be80\_Channel 106



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5455.86         | 50.92          | 32.22     | -19.11      | 64.03          | 74.00          | 9.97        | Vertical |
| 2   | 5467.25         | 51.32          | 32.24     | -19.13      | 64.43          | 68.30          | 3.87        | Vertical |
| 3   | 5728.25         | 48.85          | 32.35     | -18.81      | 62.38          | 68.30          | 5.92        | Vertical |


## 802.11be80\_Channel 106



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 5452.845           | 38.44             | 32.22        | -19.10         | 51.55             | 54.00             | 2.45           | Horizontal |
| 2   | 5456.865           | 39.10             | 32.22        | -19.11         | 52.21             | 54.00             | 1.79           | Horizontal |


## 802.11be80\_Channel 106



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------|
| 1   | 5454.6317          | 37.48             | 32.22        | -19.11         | 50.59             | 54.00             | 3.41           | Vertical |
| 2   | 5459.9917          | 38.10             | 32.23        | -19.12         | 51.21             | 54.00             | 2.79           | Vertical |


## 802.11be80\_Channel 155



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5639.3          | 48.78          | 32.33     | -18.72      | 62.38          | 68.30          | 5.92        | Horizontal |
| 2   | 5677.4875       | 50.05          | 32.34     | -18.73      | 63.66          | 88.68          | 25.02       | Horizontal |
| 3   | 5711.45         | 55.77          | 32.34     | -18.76      | 69.35          | 108.51         | 39.16       | Horizontal |
| 4   | 5722.6625       | 62.59          | 32.34     | -18.80      | 76.14          | 116.97         | 40.83       | Horizontal |
| 5   | 5852.825        | 54.07          | 32.37     | -18.88      | 67.56          | 115.86         | 48.30       | Horizontal |
| 6   | 5865.6625       | 50.23          | 32.37     | -18.84      | 63.76          | 107.91         | 44.15       | Horizontal |
| 7   | 5906.6125       | 48.31          | 32.38     | -18.75      | 61.94          | 81.87          | 19.93       | Horizontal |
| 8   | 5935.7          | 48.54          | 32.39     | -18.81      | 62.11          | 68.30          | 6.19        | Horizontal |


## 802.11be80\_Channel 155



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5638.4875       | 48.64          | 32.33     | -18.72      | 62.24          | 68.30          | 6.06        | Vertical |
| 2   | 5680.0875       | 50.03          | 32.34     | -18.73      | 63.64          | 90.60          | 26.96       | Vertical |
| 3   | 5712.2625       | 55.93          | 32.34     | -18.77      | 69.51          | 108.74         | 39.23       | Vertical |
| 4   | 5723.475        | 60.14          | 32.34     | -18.80      | 73.68          | 118.82         | 45.14       | Vertical |
| 5   | 5850.875        | 51.81          | 32.37     | -18.88      | 65.30          | 120.30         | 55.00       | Vertical |
| 6   | 5873.1375       | 48.53          | 32.37     | -18.82      | 62.09          | 105.82         | 43.73       | Vertical |
| 7   | 5921.8875       | 48.12          | 32.38     | -18.79      | 61.72          | 70.59          | 8.87        | Vertical |
| 8   | 5936.5125       | 48.29          | 32.39     | -18.82      | 61.86          | 68.30          | 6.44        | Vertical |


## 802.11be160\_Channel 50



## Data List


| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 5149.28            | 36.50             | 31.67        | -19.14         | 49.03             | 54.00             | 4.97           | Horizontal |
| 2   | 5354.2375          | 40.33             | 32.04        | -18.91         | 53.46             | 54.00             | 0.54           | Horizontal |

## 802.11be160\_Channel 50



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 5147.84         | 36.96          | 31.67     | -19.15      | 49.48          | 54.00          | 4.52        | Vertical |
| 2         | 5351.525        | 39.34          | 32.03     | -18.90      | 52.47          | 54.00          | 1.53        | Vertical |


## 802.11be160\_Channel 50



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5134.56         | 49.40          | 31.64     | -19.18      | 61.87          | 74.00          | 12.13       | Horizontal |
| 2   | 5368.85         | 51.67          | 32.06     | -18.95      | 64.79          | 74.00          | 9.21        | Horizontal |


## 802.11be160\_Channel 50



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5132.16         | 48.26          | 31.64     | -19.18      | 60.72          | 74.00          | 13.28       | Vertical |
| 2   | 5351.14         | 51.46          | 32.03     | -18.90      | 64.59          | 74.00          | 9.41        | Vertical |


## 802.11be160\_Channel 114



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 5450.7233       | 39.73          | 32.21     | -19.10      | 52.84          | 54.00          | 1.16        | Horizontal |
| 2   | 5458.9867       | 40.11          | 32.23     | -19.11      | 53.22          | 54.00          | 0.78        | Horizontal |

## 802.11be160\_Channel 114



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 5452.3983       | 38.66          | 32.21     | -19.10      | 51.77          | 54.00          | 2.23        | Vertical |
| 2   | 5456.195        | 38.86          | 32.22     | -19.11      | 51.97          | 54.00          | 2.03        | Vertical |