802.11be80 MIMO_Channel 135



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8779.6667	46.07	37.49	-34.03	49.53	88.30	38.77	Horizontal
2	10813.666	46.60	38.31	-30.05	54.86	74.00	19.14	Horizontal
3	11200.333	43.11	38.40	-29.48	52.03	74.00	21.97	Horizontal
4	10813.666	44.19	38.31	-30.05	52.45	54.00	1.55	Horizontal
5	11200.333	37.35	38.40	-29.48	46.27	54.00	7.73	Horizontal

802.11be80 MIMO_Channel 135



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8795	46.48	37.50	-33.92	50.06	88.30	38.24	Vertical
2	10813.333	46.21	38.31	-30.05	54.47	74.00	19.53	Vertical
3	11199.6667	43.92	38.40	-29.48	52.84	74.00	21.16	Vertical
4	10813.666	43.38	38.31	-30.05	51.64	54.00	2.36	Vertical
5	11200.333	40.85	38.40	-29.48	49.77	54.00	4.23	Vertical

802.11be80 MIMO_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8842.6667	46.03	37.52	-34.08	49.47	88.30	38.83	Horizontal
2	10813.333	47.65	38.31	-30.05	55.91	74.00	18.09	Horizontal
3	11200.333	42.38	38.40	-29.48	51.30	74.00	22.70	Horizontal
4	10813.666	44.27	38.31	-30.05	52.53	54.00	1.47	Horizontal
5	11200.333	37.62	38.40	-29.48	46.54	54.00	7.46	Horizontal

802.11be80 MIMO_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8795.3333	46.66	37.50	-33.92	50.24	88.30	38.06	Vertical
2	10813.333	46.71	38.31	-30.05	54.97	74.00	19.03	Vertical
3	11199.3333	43.86	38.40	-29.48	52.78	74.00	21.22	Vertical
4	10813.666	44.39	38.31	-30.05	52.65	54.00	1.35	Vertical
5	11200.333	39.39	38.40	-29.48	48.31	54.00	5.69	Vertical

802.11be80 MIMO_Channel 167



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8786	46.25	37.49	-33.99	49.76	88.30	38.54	Horizontal
2	10813.333	46.27	38.31	-30.05	54.53	74.00	19.47	Horizontal
3	11199.6667	42.30	38.40	-29.48	51.22	74.00	22.78	Horizontal
4	10813.666	44.47	38.31	-30.05	52.73	54.00	1.27	Horizontal
5	11200.333	37.00	38.40	-29.48	45.92	54.00	8.08	Horizontal

802.11be80 MIMO_Channel 167



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	10813.333	47.22	38.31	-30.05	55.48	74.00	18.52	Vertical
2	11199.6667	43.80	38.40	-29.48	52.72	74.00	21.28	Vertical
3	17529	37.56	40.17	-23.99	53.74	88.30	34.56	Vertical
4	10813.666	43.58	38.31	-30.05	51.84	54.00	2.16	Vertical
5	11200.333	40.16	38.40	-29.48	49.08	54.00	4.92	Vertical
6	17600.333	32.73	40.34	-24.36	48.71	68.30	19.59	Vertical

802.11be80 MIMO_Channel 183



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8790.6667	46.31	37.50	-33.95	49.85	88.30	38.45	Horizontal
2	10813.666	46.42	38.31	-30.05	54.68	74.00	19.32	Horizontal
3	11199.6667	42.04	38.40	-29.48	50.96	74.00	23.04	Horizontal
4	10813.666	44.35	38.31	-30.05	52.61	54.00	1.39	Horizontal
5	11200.333	37.56	38.40	-29.48	46.48	54.00	7.52	Horizontal

802.11be80 MIMO_Channel 183



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8752.3333	46.26	37.48	-34.24	49.49	88.30	38.81	Vertical
2	10813.333	46.33	38.31	-30.05	54.59	74.00	19.41	Vertical
3	11200.333	43.31	38.40	-29.48	52.23	74.00	21.77	Vertical
4	10813.666	43.54	38.31	-30.05	51.80	54.00	2.20	Vertical
5	11200.333	39.47	38.40	-29.48	48.39	54.00	5.61	Vertical

802.11be80 MIMO_Channel 199



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8658.3333	46.78	37.43	-34.45	49.76	88.30	38.54	Horizontal
2	10813.333	46.85	38.31	-30.05	55.11	74.00	18.89	Horizontal
3	11199.6667	42.74	38.40	-29.48	51.66	74.00	22.34	Horizontal
4	10813.666	43.97	38.31	-30.05	52.23	54.00	1.77	Horizontal
5	11200.333	37.98	38.40	-29.48	46.90	54.00	7.10	Horizontal

802.11be80 MIMO_Channel 199



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8842.3333	45.97	37.52	-34.08	49.41	88.30	38.89	Vertical
2	10813.666	45.72	38.31	-30.05	53.98	74.00	20.02	Vertical
3	11200.333	43.98	38.40	-29.48	52.90	74.00	21.10	Vertical
4	10813.666	42.99	38.31	-30.05	51.25	54.00	2.75	Vertical
5	11200.333	40.20	38.40	-29.48	49.12	54.00	4.88	Vertical

802.11be80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8788.6667	46.50	37.49	-33.97	50.03	88.30	38.27	Horizontal
2	10813.333	46.81	38.31	-30.05	55.07	74.00	18.93	Horizontal
3	11200	42.25	38.40	-29.48	51.17	74.00	22.83	Horizontal
4	10813.666	44.17	38.31	-30.05	52.43	54.00	1.57	Horizontal
5	11200.333	37.54	38.40	-29.48	46.46	54.00	7.54	Horizontal

802.11be80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8791.6667	46.45	37.50	-33.94	50.00	88.30	38.30	Vertical
2	10813.333	46.29	38.31	-30.05	54.55	74.00	19.45	Vertical
3	11200	45.10	38.40	-29.48	54.02	74.00	19.98	Vertical
4	10813.666	43.50	38.31	-30.05	51.76	54.00	2.24	Vertical
5	11200.333	40.29	38.40	-29.48	49.21	54.00	4.79	Vertical

802.11be160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8840	46.57	37.52	-34.07	50.02	88.30	38.28	Horizontal
2	10813	46.50	38.31	-30.05	54.76	74.00	19.24	Horizontal
3	11200	42.53	38.40	-29.48	51.45	74.00	22.55	Horizontal
4	10813.666	43.99	38.31	-30.05	52.25	54.00	1.75	Horizontal
5	11200.333	37.07	38.40	-29.48	45.99	54.00	8.01	Horizontal

802.11be160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8811.3333	45.81	37.51	-33.93	49.38	88.30	38.92	Vertical
2	10813.333	46.16	38.31	-30.05	54.42	74.00	19.58	Vertical
3	11200.333	42.67	38.40	-29.48	51.59	74.00	22.41	Vertical
4	10813.666	43.55	38.31	-30.05	51.81	54.00	2.19	Vertical
5	11200.333	39.80	38.40	-29.48	48.72	54.00	5.28	Vertical

802.11be160 MIMO_Channel 47



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8867.6667	46.66	37.53	-34.20	49.99	88.30	38.31	Horizontal
2	10813.333	46.57	38.31	-30.05	54.83	74.00	19.17	Horizontal
3	11199.6667	42.23	38.40	-29.48	51.15	74.00	22.85	Horizontal
4	10813.666	44.11	38.31	-30.05	52.37	54.00	1.63	Horizontal
5	11200.333	37.11	38.40	-29.48	46.03	54.00	7.97	Horizontal

802.11be160 MIMO_Channel 47



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8757	46.53	37.48	-34.21	49.80	88.30	38.50	Vertical
2	10813.666	45.82	38.31	-30.05	54.08	74.00	19.92	Vertical
3	11200	42.98	38.40	-29.48	51.90	74.00	22.10	Vertical
4	10813.666	43.37	38.31	-30.05	51.63	54.00	2.37	Vertical
5	11200.333	39.38	38.40	-29.48	48.30	54.00	5.70	Vertical

802.11be160 MIMO_Channel 79



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8787.3333	46.31	37.49	-33.98	49.83	88.30	38.47	Horizontal
2	10813.333	46.77	38.31	-30.05	55.03	74.00	18.97	Horizontal
3	11199.6667	43.28	38.40	-29.48	52.20	74.00	21.80	Horizontal
4	10813.666	44.03	38.31	-30.05	52.29	54.00	1.71	Horizontal
5	11200.333	36.72	38.40	-29.48	45.64	54.00	8.36	Horizontal

802.11be160 MIMO_Channel 79



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8679.3333	46.90	37.44	-34.55	49.79	88.30	38.51	Vertical
2	10813.666	46.59	38.31	-30.05	54.85	74.00	19.15	Vertical
3	11200	44.42	38.40	-29.48	53.34	74.00	20.66	Vertical
4	10814	43.89	38.31	-30.05	52.15	54.00	1.85	Vertical
5	11200.333	40.34	38.40	-29.48	49.26	54.00	4.74	Vertical

802.11be160 MIMO_Channel 111



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8792	45.94	37.50	-33.94	49.50	88.30	38.80	Horizontal
2	10813.333	46.92	38.31	-30.05	55.18	74.00	18.82	Horizontal
3	11200	42.14	38.40	-29.48	51.06	74.00	22.94	Horizontal
4	10813.666	44.05	38.31	-30.05	52.31	54.00	1.69	Horizontal
5	11200.333	37.54	38.40	-29.48	46.46	54.00	7.54	Horizontal

802.11be160 MIMO_Channel 111



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8801	46.10	37.50	-33.88	49.72	88.30	38.58	Vertical
2	10813.333	45.91	38.31	-30.05	54.17	74.00	19.83	Vertical
3	11199.6667	43.41	38.40	-29.48	52.33	74.00	21.67	Vertical
4	10813.666	43.68	38.31	-30.05	51.94	54.00	2.06	Vertical
5	11200.333	39.37	38.40	-29.48	48.29	54.00	5.71	Vertical

802.11be160 MIMO_Channel 143



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8821.3333	46.03	37.51	-33.98	49.56	88.30	38.74	Horizontal
2	10813.666	46.58	38.31	-30.05	54.84	74.00	19.16	Horizontal
3	11199.6667	41.83	38.40	-29.48	50.75	74.00	23.25	Horizontal
4	10813.666	43.93	38.31	-30.05	52.19	54.00	1.81	Horizontal
5	11200	36.72	38.40	-29.48	45.64	54.00	8.36	Horizontal

802.11be160 MIMO_Channel 143



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8876.3333	46.77	37.54	-34.25	50.06	88.30	38.24	Vertical
2	10813.333	46.02	38.31	-30.05	54.28	74.00	19.72	Vertical
3	11200.666	44.05	38.40	-29.48	52.97	74.00	21.03	Vertical
4	10813.666	43.26	38.31	-30.05	51.52	54.00	2.48	Vertical
5	11200.333	40.00	38.40	-29.48	48.92	54.00	5.08	Vertical

802.11be160 MIMO_Channel 175



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8831.6667	46.14	37.52	-34.03	49.62	88.30	38.68	Horizontal
2	10813.666	46.57	38.31	-30.05	54.83	74.00	19.17	Horizontal
3	11366.666	41.67	38.40	-29.72	50.35	74.00	23.65	Horizontal
4	10813.666	43.63	38.31	-30.05	51.89	54.00	2.11	Horizontal

802.11be160 MIMO_Channel 175



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8827	46.71	37.51	-34.01	50.21	88.30	38.09	Vertical
2	10813.333	46.02	38.31	-30.05	54.28	74.00	19.72	Vertical
3	11200	43.78	38.40	-29.48	52.70	74.00	21.30	Vertical
4	10813.666	43.91	38.31	-30.05	52.17	54.00	1.83	Vertical
5	11200.333	39.43	38.40	-29.48	48.35	54.00	5.65	Vertical

802.11be160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8791.3333	46.12	37.50	-33.95	49.67	88.30	38.63	Horizontal
2	10813.333	46.23	38.31	-30.05	54.49	74.00	19.51	Horizontal
3	11199.6667	41.59	38.40	-29.48	50.51	74.00	23.49	Horizontal
4	10813.666	44.00	38.31	-30.05	52.26	54.00	1.74	Horizontal
5	11200.333	36.90	38.40	-29.48	45.82	54.00	8.18	Horizontal

802.11be160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8799	45.18	37.50	-33.89	48.79	88.30	39.51	Vertical
2	10813.333	46.29	38.31	-30.05	54.55	74.00	19.45	Vertical
3	11200	44.27	38.40	-29.48	53.19	74.00	20.81	Vertical
4	10813.666	43.18	38.31	-30.05	51.44	54.00	2.56	Vertical
5	11200.333	39.55	38.40	-29.48	48.47	54.00	5.53	Vertical

802.11be320 MIMO_Channel 31



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8898.3333	46.26	37.55	-34.35	49.46	88.30	38.84	Horizontal
2	10813.666	46.16	38.31	-30.05	54.42	74.00	19.58	Horizontal
3	11200	42.45	38.40	-29.48	51.37	74.00	22.63	Horizontal
4	10813.666	43.49	38.31	-30.05	51.75	54.00	2.25	Horizontal
5	11200.333	37.09	38.40	-29.48	46.01	54.00	7.99	Horizontal

802.11be320 MIMO_Channel 31



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8800.3333	45.96	37.50	-33.88	49.58	88.30	38.72	Vertical
2	10813.333	46.04	38.31	-30.05	54.30	74.00	19.70	Vertical
3	11199.6667	42.34	38.40	-29.48	51.26	74.00	22.74	Vertical
4	10813.666	43.47	38.31	-30.05	51.73	54.00	2.27	Vertical
5	11200.333	38.21	38.40	-29.48	47.13	54.00	6.87	Vertical

802.11be320 MIMO_Channel 63



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	10813.666	46.70	38.31	-30.05	54.96	74.00	19.04	Horizontal
2	11200	42.38	38.40	-29.48	51.30	74.00	22.70	Horizontal
3	12553	41.76	39.06	-29.18	51.64	74.00	22.36	Horizontal
4	10813.666	43.63	38.31	-30.05	51.89	54.00	2.11	Horizontal
5	11200.333	37.05	38.40	-29.48	45.97	54.00	8.03	Horizontal
6	12530.333	37.30	39.04	-29.21	47.12	54.00	6.88	Horizontal

802.11be320 MIMO_Channel 63



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	10813.333	47.18	38.31	-30.05	55.44	74.00	18.56	Vertical
2	11199.6667	44.08	38.40	-29.48	53.00	74.00	21.00	Vertical
3	12530	42.56	39.04	-29.21	52.38	74.00	21.62	Vertical
4	10813.666	43.40	38.31	-30.05	51.66	54.00	2.34	Vertical
5	11200.333	40.65	38.40	-29.48	49.57	54.00	4.43	Vertical
6	12530.333	38.15	39.04	-29.21	47.97	54.00	6.03	Vertical

802.11be320 MIMO_Channel 95



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8784.3333	45.81	37.49	-34.00	49.30	88.30	39.00	Horizontal
2	10813.333	46.32	38.31	-30.05	54.58	74.00	19.42	Horizontal
3	11200	42.06	38.40	-29.48	50.98	74.00	23.02	Horizontal
4	10813.666	43.89	38.31	-30.05	52.15	54.00	1.85	Horizontal
5	11200	37.26	38.40	-29.48	46.18	54.00	7.82	Horizontal

802.11be320 MIMO_Channel 95



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8826	46.45	37.51	-34.00	49.96	88.30	38.34	Vertical
2	10813.666	45.82	38.31	-30.05	54.08	74.00	19.92	Vertical
3	11199.6667	43.07	38.40	-29.48	51.99	74.00	22.01	Vertical
4	10813.666	42.92	38.31	-30.05	51.18	54.00	2.82	Vertical
5	11200.333	39.51	38.40	-29.48	48.43	54.00	5.57	Vertical

802.11be320 MIMO_Channel 127



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8990.6667	45.06	37.60	-33.64	49.01	88.30	39.29	Horizontal
2	10813.333	46.46	38.31	-30.05	54.72	74.00	19.28	Horizontal
3	11199.6667	41.91	38.40	-29.48	50.83	74.00	23.17	Horizontal
4	10813.666	43.85	38.31	-30.05	52.11	54.00	1.89	Horizontal
5	11200.333	37.45	38.40	-29.48	46.37	54.00	7.63	Horizontal

802.11be320 MIMO_Channel 127



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8831.6667	45.81	37.52	-34.03	49.29	88.30	39.01	Vertical
2	10813.666	45.96	38.31	-30.05	54.22	74.00	19.78	Vertical
3	11200	43.73	38.40	-29.48	52.65	74.00	21.35	Vertical
4	10813.666	43.47	38.31	-30.05	51.73	54.00	2.27	Vertical
5	11200.333	40.54	38.40	-29.48	49.46	54.00	4.54	Vertical

802.11be320 MIMO_Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8806.3333	45.81	37.50	-33.91	49.40	88.30	38.90	Horizontal
2	10813.333	45.80	38.31	-30.05	54.06	74.00	19.94	Horizontal
3	11199.6667	41.33	38.40	-29.48	50.25	74.00	23.75	Horizontal
4	10813.666	43.94	38.31	-30.05	52.20	54.00	1.80	Horizontal
5	11200.333	37.02	38.40	-29.48	45.94	54.00	8.06	Horizontal

802.11be320 MIMO_Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8746	46.01	37.47	-34.29	49.19	88.30	39.11	Vertical
2	10813.333	46.15	38.31	-30.05	54.41	74.00	19.59	Vertical
3	11199.6667	44.21	38.40	-29.48	53.13	74.00	20.87	Vertical
4	10813.666	43.72	38.31	-30.05	51.98	54.00	2.02	Vertical
5	11200.333	39.71	38.40	-29.48	48.63	54.00	5.37	Vertical

802.11be320 MIMO_Channel 191



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8813.6667	46.63	37.51	-33.95	50.19	88.30	38.11	Horizontal
2	10813.666	47.16	38.31	-30.05	55.42	74.00	18.58	Horizontal
3	11200	42.21	38.40	-29.48	51.13	74.00	22.87	Horizontal
4	10813.666	43.82	38.31	-30.05	52.08	54.00	1.92	Horizontal
5	11200.333	37.60	38.40	-29.48	46.52	54.00	7.48	Horizontal

802.11be320 MIMO_Channel 191



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8954.3333	45.76	37.58	-33.93	49.41	88.30	38.89	Vertical
2	10813.333	45.93	38.31	-30.05	54.19	74.00	19.81	Vertical
3	11199.6667	43.25	38.40	-29.48	52.17	74.00	21.83	Vertical
4	10814	43.45	38.31	-30.05	51.71	54.00	2.29	Vertical
5	11200.333	39.07	38.40	-29.48	47.99	54.00	6.01	Vertical

Radiated Emissions which fall in the restricted bands

802.11a Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5908.3	40.04	34.49	-14.53	60.00	88.30	28.30	Horizontal
2	5924.68	45.71	34.54	-14.54	65.72	88.30	22.58	Horizontal

802.11a Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5904.38	28.05	34.47	-14.53	47.99	68.30	20.31	Horizontal
2	5924.26	33.01	34.54	-14.54	53.02	68.30	15.28	Horizontal

802.11a Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5905.08	40.88	34.48	-14.53	60.83	88.30	27.47	Vertical
2	5924.4	48.16	34.54	-14.54	68.17	88.30	20.13	Vertical

802.11a Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5910.82	28.81	34.50	-14.53	48.77	68.30	19.53	Vertical
2	5924.68	35.29	34.54	-14.54	55.30	68.30	13.00	Vertical

802.11a Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7126.035	54.16	36.15	-14.45	75.87	88.30	12.43	Horizontal
2	7136.595	48.58	36.16	-14.40	70.34	88.30	17.96	Horizontal

802.11a Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7126.2	39.79	36.15	-14.44	61.50	68.30	6.80	Horizontal
2	7131.48	36.43	36.16	-14.42	58.17	68.30	10.13	Horizontal

802.11a Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7126.035	55.65	36.15	-14.45	77.36	88.30	10.94	Vertical
2	7136.595	52.43	36.16	-14.40	74.19	88.30	14.11	Vertical

802.11a Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7126.2	42.56	36.15	-14.44	64.27	68.30	4.03	Vertical
2	7136.43	35.54	36.16	-14.40	57.30	68.30	11.00	Vertical

802.11ac20 MIMO_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5900.46	40.52	34.46	-14.53	60.45	88.30	27.85	Horizontal
2	5922.44	47.55	34.54	-14.54	67.55	88.30	20.75	Horizontal

802.11ac20 MIMO_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5907.32	28.11	34.48	-14.53	48.06	68.30	20.24	Horizontal
2	5924.96	33.70	34.54	-14.54	53.71	68.30	14.59	Horizontal

802.11ac20 MIMO_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5912.22	40.69	34.50	-14.53	60.66	88.30	27.64	Vertical
2	5920.34	47.22	34.53	-14.54	67.21	88.30	21.09	Vertical

802.11ac20 MIMO_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5912.64	28.95	34.50	-14.53	48.92	68.30	19.38	Vertical
2	5924.96	35.59	34.54	-14.54	55.60	68.30	12.70	Vertical

802.11ac20 MIMO_Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7127.52	52.38	36.15	-14.44	74.09	88.30	14.21	Horizontal
2	7136.76	50.20	36.16	-14.40	71.97	88.30	16.33	Horizontal

802.11ac20 MIMO_Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.045	39.81	36.15	-14.45	61.51	68.30	6.79	Horizontal
2	7142.37	31.11	36.17	-14.37	52.91	68.30	15.39	Horizontal

802.11ac20 MIMO_Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7127.52	55.13	36.15	-14.44	76.84	88.30	11.46	Vertical
2	7136.43	50.83	36.16	-14.40	72.59	88.30	15.71	Vertical

802.11ac20 MIMO_Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.375	42.10	36.15	-14.45	63.80	68.30	4.50	Vertical
2	7134.45	37.24	36.16	-14.41	58.99	68.30	9.31	Vertical

802.11ac40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5900.075	41.79	34.46	-14.53	61.72	88.30	26.58	Horizontal
2	5923.835	55.41	34.54	-14.54	75.41	88.30	12.89	Horizontal

802.11ac40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5917.4	37.13	34.52	-14.54	57.11	68.30	11.19	Horizontal
2	5924.66	41.68	34.54	-14.54	61.69	68.30	6.61	Horizontal

802.11ac40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5897.105	43.74	34.45	-14.53	63.66	88.30	24.64	Vertical
2	5924.165	55.93	34.54	-14.54	75.93	88.30	12.37	Vertical

802.11ac40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5894.96	29.62	34.44	-14.53	49.54	68.30	18.76	Vertical
2	5924.99	43.79	34.54	-14.54	63.80	68.30	4.50	Vertical

802.11ac40 MIMO_Channel 227



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125	43.10	36.15	-14.45	64.80	68.30	3.50	Horizontal
2	7131.48	40.02	36.16	-14.42	61.76	68.30	6.54	Horizontal

802.11ac40 MIMO_Channel 227



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7126.92	54.81	36.15	-14.44	76.52	88.30	11.78	Horizontal
2	7140.36	47.52	36.17	-14.38	69.31	88.30	18.99	Horizontal

802.11ac40 MIMO_Channel 227



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.24	57.53	36.15	-14.45	79.23	88.30	9.07	Vertical
2	7141.32	51.47	36.17	-14.38	73.26	88.30	15.04	Vertical

802.11ac40 MIMO_Channel 227



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.24	46.41	36.15	-14.45	68.11	68.30	0.19	Vertical
2	7145.64	36.80	36.17	-14.36	58.62	68.30	9.68	Vertical

802.11ac80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5915.56	42.22	34.51	-14.53	62.20	68.30	6.10	Horizontal
2	5922.6	44.31	34.54	-14.54	64.31	68.30	3.99	Horizontal

802.11ac80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5912.68	52.48	34.50	-14.53	72.45	88.30	15.85	Horizontal
2	5923.56	54.73	34.54	-14.54	74.73	88.30	13.57	Horizontal

802.11ac80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5913.64	53.94	34.51	-14.53	73.91	88.30	14.39	Vertical
2	5924.52	57.69	34.54	-14.54	77.70	88.30	10.60	Vertical

802.11ac80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5915.24	44.40	34.51	-14.53	64.38	68.30	3.92	Vertical
2	5924.84	46.29	34.54	-14.54	66.30	68.30	2.00	Vertical

802.11ac80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.8	56.60	36.15	-14.45	78.30	88.30	10.00	Horizontal
2	7132.84	53.88	36.16	-14.42	75.62	88.30	12.68	Horizontal

802.11ac80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125	43.53	36.15	-14.45	65.23	68.30	3.07	Horizontal
2	7143.08	36.45	36.17	-14.37	58.25	68.30	10.05	Horizontal

802.11ac80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.8	58.37	36.15	-14.45	80.07	88.30	8.23	Vertical
2	7133.16	53.87	36.16	-14.41	75.62	88.30	12.68	Vertical

802.11ac80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125	45.43	36.15	-14.45	67.13	68.30	1.17	Vertical
2	7136.04	39.24	36.16	-14.40	61.00	68.30	7.30	Vertical

802.11be20 MIMO_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5920.76	48.40	34.53	-14.54	68.39	88.30	19.91	Horizontal
2	5924.96	49.64	34.54	-14.54	69.65	88.30	18.65	Horizontal

802.11be20 MIMO_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5911.8	29.09	34.50	-14.53	49.06	68.30	19.24	Horizontal
2	5924.96	37.51	34.54	-14.54	57.52	68.30	10.78	Horizontal

802.11be20 MIMO_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5918.24	51.57	34.52	-14.54	71.56	88.30	16.74	Vertical
2	5922.86	53.85	34.54	-14.54	73.85	88.30	14.45	Vertical

802.11be20 MIMO_Channel 1



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5912.22	30.02	34.50	-14.53	49.99	68.30	18.31	Vertical
2	5924.96	39.22	34.54	-14.54	59.23	68.30	9.07	Vertical

802.11be20 MIMO_Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7126.035	52.15	36.15	-14.45	73.86	88.30	14.44	Horizontal
2	7132.47	50.89	36.16	-14.42	72.63	88.30	15.67	Horizontal

802.11be20 MIMO_Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.045	39.52	36.15	-14.45	61.22	68.30	7.08	Horizontal
2	7129.335	36.18	36.16	-14.43	57.90	68.30	10.40	Horizontal

802.11be20 MIMO_Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.705	53.25	36.15	-14.45	74.95	88.30	13.35	Vertical
2	7135.935	47.87	36.16	-14.40	69.63	88.30	18.67	Vertical

802.11be20 MIMO_Channel 229



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.375	41.05	36.15	-14.45	62.75	68.30	5.55	Vertical
2	7130.82	36.64	36.16	-14.42	58.37	68.30	9.93	Vertical

802.11be40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5920.205	57.28	34.53	-14.54	77.27	88.30	11.03	Horizontal
2	5924.825	57.34	34.54	-14.54	77.35	88.30	10.95	Horizontal

802.11be40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5920.04	41.16	34.53	-14.54	61.15	68.30	7.15	Horizontal
2	5924.825	43.96	34.54	-14.54	63.97	68.30	4.33	Horizontal

802.11be40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5913.605	56.56	34.51	-14.53	76.53	88.30	11.77	Vertical
2	5923.67	61.01	34.54	-14.54	81.01	88.30	7.29	Vertical

802.11be40 MIMO_Channel 3



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5917.4	41.55	34.52	-14.54	61.53	68.30	6.77	Vertical
2	5924.99	46.39	34.54	-14.54	66.40	68.30	1.90	Vertical

802.11be40 MIMO_Channel 227



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125	42.01	36.15	-14.45	63.71	68.30	4.59	Horizontal
2	7143.96	34.14	36.17	-14.37	55.95	68.30	12.35	Horizontal

802.11be40 MIMO_Channel 227



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7126.92	54.28	36.15	-14.44	75.99	88.30	12.31	Horizontal
2	7132.92	53.38	36.16	-14.42	75.12	88.30	13.18	Horizontal

802.11be40 MIMO_Channel 227



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125	56.71	36.15	-14.45	78.41	88.30	9.89	Vertical
2	7137.48	54.25	36.16	-14.40	76.02	88.30	12.28	Vertical

802.11be40 MIMO_Channel 227



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.24	44.99	36.15	-14.45	66.69	68.30	1.61	Vertical
2	7139.16	38.62	36.17	-14.39	60.40	68.30	7.90	Vertical

802.11be80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5905.64	53.16	34.48	-14.53	73.11	88.30	15.19	Horizontal
2	5924.52	56.61	34.54	-14.54	76.62	88.30	11.68	Horizontal

802.11be80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5913.64	41.02	34.51	-14.53	60.99	68.30	7.31	Horizontal
2	5924.2	44.07	34.54	-14.54	64.08	68.30	4.22	Horizontal

802.11be80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5905.96	56.13	34.48	-14.53	76.08	88.30	12.22	Vertical
2	5921.96	59.67	34.53	-14.54	79.67	88.30	8.63	Vertical

802.11be80 MIMO_Channel 7



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5896.04	37.58	34.45	-14.53	57.50	68.30	10.80	Vertical
2	5924.84	45.94	34.54	-14.54	65.95	68.30	2.35	Vertical

802.11be80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7127.08	50.47	36.15	-14.44	72.18	88.30	16.12	Horizontal
2	7149.48	44.67	36.18	-14.34	66.51	88.30	21.79	Horizontal

802.11be80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.16	39.10	36.15	-14.45	60.80	68.30	7.50	Horizontal
2	7135.4	35.58	36.16	-14.40	57.34	68.30	10.96	Horizontal

802.11be80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7128.36	51.58	36.15	-14.44	73.30	88.30	15.00	Vertical
2	7157.8	46.15	36.19	-14.31	68.03	88.30	20.27	Vertical

802.11be80 MIMO_Channel 215



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.16	41.57	36.15	-14.45	63.27	68.30	5.03	Vertical
2	7135.4	38.17	36.16	-14.40	59.93	68.30	8.37	Vertical

802.11be160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5889.04	54.13	34.42	-14.52	74.03	88.30	14.27	Horizontal
2	5920.36	56.40	34.53	-14.54	76.39	88.30	11.91	Horizontal

802.11be160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5903.44	39.68	34.47	-14.53	59.62	68.30	8.68	Horizontal
2	5922.88	43.72	34.54	-14.54	63.72	68.30	4.58	Horizontal

802.11be160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5901.28	56.68	34.46	-14.53	76.61	88.30	11.69	Vertical
2	5921.44	59.11	34.53	-14.54	79.11	88.30	9.19	Vertical

802.11be160 MIMO_Channel 15



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5915.68	44.93	34.51	-14.53	64.91	68.30	3.39	Vertical
2	5924.68	46.36	34.54	-14.54	66.37	68.30	1.93	Vertical

802.11be160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7133.56	60.71	36.16	-14.41	82.46	88.30	5.84	Horizontal
2	7142.92	59.01	36.17	-14.37	80.81	88.30	7.49	Horizontal

802.11be160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.28	41.94	36.15	-14.45	63.64	68.30	4.66	Horizontal
2	7139.32	40.89	36.17	-14.39	62.67	68.30	5.63	Horizontal

802.11be160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7127.44	60.35	36.15	-14.44	82.06	88.30	6.24	Vertical
2	7142.2	62.43	36.17	-14.37	84.23	88.30	4.07	Vertical

802.11be160 MIMO_Channel 207



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7127.08	45.20	36.15	-14.44	66.91	68.30	1.39	Vertical
2	7136.8	44.11	36.16	-14.40	65.88	68.30	2.42	Vertical

802.11be320 MIMO_Channel 31



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5895.76	56.14	34.45	-14.53	76.06	88.30	12.24	Horizontal
2	5924.88	58.51	34.54	-14.54	78.52	88.30	9.78	Horizontal
3	6050.2	85.36	34.90	-14.47	105.79	-	-	Horizontal

802.11be320 MIMO_Channel 31



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5900.96	39.67	34.46	-14.53	59.60	68.30	8.70	Horizontal
2	5924.88	43.75	34.54	-14.54	63.76	68.30	4.54	Horizontal

802.11be320 MIMO_Channel 31



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5879.12	56.15	34.39	-14.51	76.03	88.30	12.27	Vertical
2	5921.24	63.11	34.53	-14.54	83.11	88.30	5.19	Vertical

802.11be320 MIMO_Channel 31



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5895.24	41.81	34.44	-14.53	61.73	68.30	6.57	Vertical
2	5924.88	46.58	34.54	-14.54	66.59	68.30	1.71	Vertical

802.11be320 MIMO_Channel 191



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7128.9	53.45	36.15	-14.43	75.17	88.30	13.13	Horizontal
2	7167.24	56.37	36.20	-14.26	78.31	88.30	9.99	Horizontal

802.11be320 MIMO_Channel 191



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7125.12	42.76	36.15	-14.45	64.46	68.30	3.84	Horizontal
2	7150.5	41.87	36.18	-14.34	63.71	68.30	4.59	Horizontal

802.11be320 MIMO_Channel 191



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7148.88	59.25	36.18	-14.34	81.08	88.30	7.22	Vertical
2	7167.24	61.45	36.20	-14.26	83.39	88.30	4.91	Vertical

802.11be320 MIMO_Channel 191



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7126.2	45.35	36.15	-14.44	67.06	68.30	1.24	Vertical
2	7173.72	44.31	36.21	-14.24	66.28	68.30	2.02	Vertical