





Above 1G
SA 3550-3700 Mid 1CC 10M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5197.6324	-60.03	-40.00	20.03	Horizontal
2	6533.7353	-57.17	-40.00	17.17	Horizontal
3	6831.1324	-57.54	-40.00	17.54	Horizontal
4	7249.6324	-49.72	-40.00	9.72	Horizontal
5	10813.2353	-47.49	-40.00	7.49	Horizontal
6	14499.9265	-53.14	-40.00	13.14	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5494.6324	-57.55	-40.00	17.55	Vertical
2	6534.1324	-54.22	-40.00	14.22	Vertical
3	6831.1324	-51.65	-40.00	11.65	Vertical
4	7250.0294	-43.78	-40.00	3.78	Vertical
5	7782.8824	-52.31	-40.00	12.31	Vertical
6	10873.9853	-44.38	-40.00	4.38	Vertical

SA 3550-3700 Mid 2CC 10M+10M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5494.6324	-63.11	-40.00	23.11	Horizontal
2	6682.6324	-59.12	-40.00	19.12	Horizontal
3	7247.6471	-51.72	-40.00	11.72	Horizontal
4	7775.3382	-57.50	-40.00	17.50	Horizontal
5	10813.6324	-48.55	-40.00	8.55	Horizontal
6	14499.9265	-54.31	-40.00	14.31	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5108.2941	-60.82	-40.00	20.82	Vertical
2	6399.9265	-57.32	-40.00	17.32	Vertical
3	6682.2353	-53.57	-40.00	13.57	Vertical
4	7250.4265	-49.12	-40.00	9.12	Vertical
5	7784.4706	-53.57	-40.00	13.57	Vertical
6	10878.3529	-48.76	-40.00	8.76	Vertical

SA 3550-3700 Mid 2CC 60M+20M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5197.6324	-60.50	-40.00	20.50	Horizontal
2	7230.1765	-55.06	-40.00	15.06	Horizontal
3	7797.9706	-54.06	-40.00	14.06	Horizontal
4	10813.6324	-49.47	-40.00	9.47	Horizontal
5	11199.9706	-53.40	-40.00	13.40	Horizontal
6	14499.9265	-54.60	-40.00	14.60	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-58.34	-40.00	18.34	Vertical
2	6534.1324	-55.89	-40.00	15.89	Vertical
3	7248.8382	-52.04	-40.00	12.04	Vertical
4	7792.4118	-53.85	-40.00	13.85	Vertical
5	10813.6324	-51.56	-40.00	11.56	Vertical
6	14499.9265	-55.83	-40.00	15.83	Vertical

SA 3550-3700 Mid 1CC 100M



Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6682.6324	-57.37	-40.00	17.37	Horizontal
2	7238.1176	-55.79	-40.00	15.79	Horizontal
3	7792.8088	-54.19	-40.00	14.19	Horizontal
4	10813.2353	-47.86	-40.00	7.86	Horizontal
5	11199.9706	-53.33	-40.00	13.33	Horizontal
6	14499.9265	-55.73	-40.00	15.73	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6399.9265	-56.87	-40.00	16.87	Vertical
2	7225.4118	-51.96	-40.00	11.96	Vertical
3	7774.5441	-54.04	-40.00	14.04	Vertical
4	10813.6324	-50.31	-40.00	10.31	Vertical
5	11199.9706	-54.43	-40.00	14.43	Vertical
6	14499.9265	-54.41	-40.00	14.41	Vertical




Report No.: KSCR240700144901

Page: 37 of 72

SA 3550-3700 Mid 3CC 10M+10M+10M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5197.6324	-56.39	-40.00	16.39	Horizontal
2	7249.2353	-50.55	-40.00	10.55	Horizontal
3	7798.3676	-54.33	-40.00	14.33	Horizontal
4	10813.6324	-47.58	-40.00	7.58	Horizontal
5	11199.9706	-53.43	-40.00	13.43	Horizontal
6	14499.9265	-54.82	-40.00	14.82	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-56.56	-40.00	16.56	Vertical
2	6399.9265	-55.47	-40.00	15.47	Vertical
3	7249.6324	-49.68	-40.00	9.68	Vertical
4	7778.5147	-54.64	-40.00	14.64	Vertical
5	10813.6324	-48.85	-40.00	8.85	Vertical
6	14499.9265	-54.74	-40.00	14.74	Vertical

SA 3550-3700 Mid 3CC 40M+20M+20M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5197.6324	-61.66	-40.00	21.66	Horizontal
2	7222.2353	-54.91	-40.00	14.91	Horizontal
3	7797.5735	-53.91	-40.00	13.91	Horizontal
4	10813.6324	-48.59	-40.00	8.59	Horizontal
5	11199.9706	-52.62	-40.00	12.62	Horizontal
6	14499.9265	-54.54	-40.00	14.54	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-58.24	-40.00	18.24	Vertical
2	6385.6324	-56.22	-40.00	16.22	Vertical
3	7249.6324	-51.68	-40.00	11.68	Vertical
4	7784.4706	-52.24	-40.00	12.24	Vertical
5	10813.2353	-48.93	-40.00	8.93	Vertical
6	14499.9265	-55.21	-40.00	15.21	Vertical

SA 3550-3700 Mid 4CC 20M+20M+20M+20M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5494.2353	-60.63	-40.00	20.63	Horizontal
2	6534.1324	-59.57	-40.00	19.57	Horizontal
3	7251.6176	-55.29	-40.00	15.29	Horizontal
4	10813.2353	-47.72	-40.00	7.72	Horizontal
5	11199.9706	-54.68	-40.00	14.68	Horizontal
6	14499.9265	-54.13	-40.00	14.13	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-58.05	-40.00	18.05	Vertical
2	6534.1324	-55.86	-40.00	15.86	Vertical
3	7255.9853	-52.21	-40.00	12.21	Vertical
4	7780.1029	-55.02	-40.00	15.02	Vertical
5	9599.8235	-55.36	-40.00	15.36	Vertical
6	10813.6324	-48.59	-40.00	8.59	Vertical

SA 3450-3550 Mid 1CC 100M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5197.6324	-59.94	-40.00	19.94	Horizontal
2	6534.1324	-59.70	-40.00	19.70	Horizontal
3	6957	-48.93	-40.00	8.93	Horizontal
4	7798.3676	-54.04	-40.00	14.04	Horizontal
5	10813.2353	-47.84	-40.00	7.84	Horizontal
6	11199.9706	-52.74	-40.00	12.74	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-58.22	-40.00	18.22	Vertical
2	6951.4412	-48.01	-40.00	8.01	Vertical
3	7794.7941	-53.89	-40.00	13.89	Vertical
4	9599.8235	-55.87	-40.00	15.87	Vertical
5	10813.6324	-52.03	-40.00	12.03	Vertical
6	11199.9706	-54.84	-40.00	14.84	Vertical

SA 3450-3550 Mid 1CC 10M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6997.5	-43.42	-40.00	3.42	Horizontal
2	7792.8088	-54.59	-40.00	14.59	Horizontal
3	10498.7647	-51.07	-40.00	11.07	Horizontal
4	10813.2353	-47.43	-40.00	7.43	Horizontal
5	11199.9706	-56.08	-40.00	16.08	Horizontal
6	14000.0294	-55.58	-40.00	15.58	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6399.9265	-55.69	-40.00	15.69	Vertical
2	7002.6618	-43.24	-40.00	3.24	Vertical
3	10499.9559	-46.87	-40.00	6.87	Vertical
4	10813.6324	-51.62	-40.00	11.62	Vertical
5	11199.9706	-52.85	-40.00	12.85	Vertical
6	14000.0294	-53.35	-40.00	13.35	Vertical

SA 3450-3550 Mid 2CC 10M+10M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6682.6324	-56.83	-40.00	16.83	Horizontal
2	7001.0735	-44.24	-40.00	4.24	Horizontal
3	7797.9706	-56.94	-40.00	16.94	Horizontal
4	10496.7794	-54.31	-40.00	14.31	Horizontal
5	10813.2353	-48.42	-40.00	8.42	Horizontal
6	11199.9706	-53.18	-40.00	13.18	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6999.0882	-44.27	-40.00	4.27	Vertical
2	7790.4265	-53.18	-40.00	13.18	Vertical
3	10508.6912	-52.12	-40.00	12.12	Vertical
4	10813.2353	-51.19	-40.00	11.19	Vertical
5	11628.7941	-43.27	-40.00	3.27	Vertical
6	12800.1176	-56.27	-40.00	16.27	Vertical

SA 3450-3550 Mid 2CC 60M+20M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5583.5735	-60.98	-40.00	20.98	Horizontal
2	6952.6324	-48.43	-40.00	8.43	Horizontal
3	7792.8088	-57.08	-40.00	17.08	Horizontal
4	10813.6324	-48.47	-40.00	8.47	Horizontal
5	11199.9706	-52.96	-40.00	12.96	Horizontal
6	14000.0294	-55.67	-40.00	15.67	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6682.6324	-46.09	-40.00	6.09	Vertical
2	6957	-47.04	-40.00	7.04	Vertical
3	7790.0294	-53.69	-40.00	13.69	Vertical
4	9599.8235	-55.37	-40.00	15.37	Vertical
5	10813.2353	-51.53	-40.00	11.53	Vertical
6	11199.9706	-54.52	-40.00	14.52	Vertical

SA 3450-3550 Mid 3CC 10M+10M+10M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-60.09	-40.00	20.09	Horizontal
2	7001.0735	-46.35	-40.00	6.35	Horizontal
3	7784.0735	-56.16	-40.00	16.16	Horizontal
4	10497.5735	-54.60	-40.00	14.60	Horizontal
5	10813.2353	-48.63	-40.00	8.63	Horizontal
6	11199.9706	-55.43	-40.00	15.43	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5197.6324	-54.36	-40.00	14.36	Vertical
2	6996.7059	-45.50	-40.00	5.50	Vertical
3	7797.9706	-54.08	-40.00	14.08	Vertical
4	10497.1765	-51.61	-40.00	11.61	Vertical
5	10813.2353	-51.16	-40.00	11.16	Vertical
6	11199.9706	-54.89	-40.00	14.89	Vertical

SA 3450-3550 Mid 3CC 40M+20M+20M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6682.6324	-56.90	-40.00	16.90	Horizontal
2	6958.5882	-48.19	-40.00	8.19	Horizontal
3	7781.2941	-54.97	-40.00	14.97	Horizontal
4	10813.2353	-48.04	-40.00	8.04	Horizontal
5	11199.9706	-54.53	-40.00	14.53	Horizontal
6	14000.0294	-55.85	-40.00	15.85	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5049.1324	-55.60	-40.00	15.60	Vertical
2	6682.2353	-50.58	-40.00	10.58	Vertical
3	6953.4265	-45.78	-40.00	5.78	Vertical
4	7793.6029	-55.29	-40.00	15.29	Vertical
5	10523.3824	-54.06	-40.00	14.06	Vertical
6	10813.2353	-51.71	-40.00	11.71	Vertical

SA 3450-3550 Mid 4CC 20M+20M+20M+20M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5049.1324	-60.51	-40.00	20.51	Horizontal
2	6953.4265	-48.28	-40.00	8.28	Horizontal
3	7794	-56.32	-40.00	16.32	Horizontal
4	10813.2353	-47.72	-40.00	7.72	Horizontal
5	11199.9706	-54.86	-40.00	14.86	Horizontal
6	14000.0294	-56.11	-40.00	16.11	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-57.40	-40.00	17.40	Vertical
2	6960.1765	-47.56	-40.00	7.56	Vertical
3	7778.9118	-55.54	-40.00	15.54	Vertical
4	10539.6618	-54.68	-40.00	14.68	Vertical
5	10813.2353	-50.15	-40.00	10.15	Vertical
6	11199.9706	-54.96	-40.00	14.96	Vertical

SA 3700-3980 Mid 1CC 10M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7680.0441	-55.17	-13.00	42.17	Horizontal
2	7775.3382	-56.60	-13.00	43.60	Horizontal
3	10813.2353	-48.46	-13.00	35.46	Horizontal
4	11199.9706	-53.88	-13.00	40.88	Horizontal
5	11518.8088	-42.11	-13.00	29.11	Horizontal
6	15359.9559	-52.01	-13.00	39.01	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5939.7353	-59.55	-13.00	46.55	Vertical
2	6399.9265	-56.85	-13.00	43.85	Vertical
3	7678.8529	-51.06	-13.00	38.06	Vertical
4	10813.6324	-51.96	-13.00	38.96	Vertical
5	11520	-42.20	-13.00	29.20	Vertical
6	15359.9559	-51.44	-13.00	38.44	Vertical

SA 3700-3980 Mid 1CC 100M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6399.9265	-60.19	-13.00	47.19	Horizontal
2	6682.6324	-58.22	-13.00	45.22	Horizontal
3	7783.2794	-53.35	-13.00	40.35	Horizontal
4	10813.6324	-48.21	-13.00	35.21	Horizontal
5	11585.5147	-49.54	-13.00	36.54	Horizontal
6	15359.9559	-54.94	-13.00	41.94	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6399.9265	-54.87	-13.00	41.87	Vertical
2	7781.6912	-55.63	-13.00	42.63	Vertical
3	9599.8235	-55.95	-13.00	42.95	Vertical
4	10813.2353	-52.37	-13.00	39.37	Vertical
5	11566.4559	-50.30	-13.00	37.30	Vertical
6	15359.9559	-51.67	-13.00	38.67	Vertical

SA 3700-3980 Mid 2CC 10M+10M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5197.6324	-59.28	-13.00	46.28	Horizontal
2	6147.7941	-61.49	-13.00	48.49	Horizontal
3	7778.9118	-55.68	-13.00	42.68	Horizontal
4	10813.6324	-49.44	-13.00	36.44	Horizontal
5	11521.1912	-46.09	-13.00	33.09	Horizontal
6	15359.9559	-56.28	-13.00	43.28	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-56.63	-13.00	43.63	Vertical
2	6399.9265	-56.87	-13.00	43.87	Vertical
3	7680.4412	-54.81	-13.00	41.81	Vertical
4	10813.2353	-50.33	-13.00	37.33	Vertical
5	11520	-41.54	-13.00	28.54	Vertical
6	15359.9559	-55.45	-13.00	42.45	Vertical



SA 3700-3980 Mid 2CC 60M+20M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-60.98	-13.00	47.98	Horizontal
2	6682.6324	-59.14	-13.00	46.14	Horizontal
3	7795.9853	-57.10	-13.00	44.10	Horizontal
4	10813.2353	-49.28	-13.00	36.28	Horizontal
5	11551.3676	-52.59	-13.00	39.59	Horizontal
6	15359.9559	-55.10	-13.00	42.10	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-58.79	-13.00	45.79	Vertical
2	6623.0735	-57.02	-13.00	44.02	Vertical
3	7777.3235	-53.89	-13.00	40.89	Vertical
4	10813.2353	-52.58	-13.00	39.58	Vertical
5	11585.1176	-49.84	-13.00	36.84	Vertical
6	15359.9559	-56.04	-13.00	43.04	Vertical

SA 3700-3980 Mid 3CC 10M+10M+10M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5049.1324	-61.13	-13.00	48.13	Horizontal
2	6177.5735	-61.59	-13.00	48.59	Horizontal
3	7797.9706	-56.92	-13.00	43.92	Horizontal
4	10813.2353	-48.13	-13.00	35.13	Horizontal
5	11518.4118	-49.33	-13.00	36.33	Horizontal
6	15359.9559	-55.04	-13.00	42.04	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-56.88	-13.00	43.88	Vertical
2	6399.9265	-57.68	-13.00	44.68	Vertical
3	7777.7206	-54.68	-13.00	41.68	Vertical
4	10813.2353	-48.92	-13.00	35.92	Vertical
5	11514.0441	-42.63	-13.00	29.63	Vertical
6	15359.9559	-54.34	-13.00	41.34	Vertical



SA 3700-3980 Mid 3CC 40M+20M+20M




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5197.2353	-59.75	-13.00	46.75	Horizontal
2	5553.7941	-60.82	-13.00	47.82	Horizontal
3	6682.6324	-59.02	-13.00	46.02	Horizontal
4	7780.8971	-56.75	-13.00	43.75	Horizontal
5	10813.2353	-49.18	-13.00	36.18	Horizontal
6	11529.1324	-50.81	-13.00	37.81	Horizontal




Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5940.1324	-58.45	-13.00	45.45	Vertical
2	7768.9853	-53.72	-13.00	40.72	Vertical
3	9599.8235	-56.11	-13.00	43.11	Vertical
4	10813.2353	-48.73	-13.00	35.73	Vertical
5	11455.2794	-49.95	-13.00	36.95	Vertical
6	15359.9559	-52.26	-13.00	39.26	Vertical

SA 3700-3980 Mid 4CC 20M+20M+20M+20M



Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5494.6324	-62.29	-13.00	49.29	Horizontal
2	6682.6324	-60.86	-13.00	47.86	Horizontal
3	7792.0147	-57.28	-13.00	44.28	Horizontal
4	10813.6324	-48.57	-13.00	35.57	Horizontal
5	11524.3676	-51.60	-13.00	38.60	Horizontal
6	15359.9559	-54.63	-13.00	41.63	Horizontal



Final Data List					
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5197.6324	-55.57	-13.00	42.57	Vertical
2	5494.6324	-54.37	-13.00	41.37	Vertical
3	6399.9265	-55.23	-13.00	42.23	Vertical
4	7794.3971	-56.48	-13.00	43.48	Vertical
5	10813.2353	-52.36	-13.00	39.36	Vertical
6	11504.1176	-49.49	-13.00	36.49	Vertical

6.6 Frequency stability

Test Requirement: §2.1055, §27.54

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Fundamental emission stays within authorized frequency block


6.6.1 E.U.T. Operation

Operating Environment:

Temperature: 20.4 °C Humidity: 56.4 % RH Atmospheric Pressure: 1030 mbar

Test mode: 00: Tx mode, Keep the EUT in transmitting mode.

6.6.2 Test Setup Diagram



6.6.3 Measurement Data

Please refer to Appendix



Report No.: KSCR240700144901

Page: 72 of 72

7 Test Setup Photographs

Refer to the < Test Setup photos-FCC>.

8 EUT Constructional Details

Refer to the < External Photos > & < Internal Photos >.

- End of the Report -