



802.11ac40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.865	48.08	32.22	-19.11	61.19	74.00	12.81	Horizontal
2	5468.255	53.42	32.24	-19.13	66.53	68.30	1.77	Horizontal
3	5729.27	47.70	32.35	-18.82	61.23	68.30	7.07	Horizontal

802.11ac40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.7583	48.48	32.22	-19.11	61.59	74.00	12.41	Vertical
2	5469.3717	52.11	32.24	-19.13	65.22	68.30	3.08	Vertical
3	5735.24	48.22	32.35	-18.84	61.73	68.30	6.57	Vertical

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.155	48.26	32.21	-19.10	61.37	74.00	12.63	Horizontal
2	5466.0217	47.99	32.24	-19.13	61.10	68.30	7.20	Horizontal
3	5725.71	47.84	32.35	-18.81	61.38	68.30	6.92	Horizontal

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.4033	47.96	32.22	-19.11	61.07	74.00	12.93	Vertical
2	5465.7983	48.04	32.24	-19.13	61.15	68.30	7.15	Vertical
3	5734.12	48.16	32.35	-18.83	61.67	68.30	6.63	Vertical

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.2467	35.16	32.20	-19.09	48.27	54.00	5.73	Horizontal
2	5456.6417	35.12	32.22	-19.11	48.23	54.00	5.77	Horizontal

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.3483	34.92	32.20	-19.09	48.03	54.00	5.97	Vertical
2	5455.6367	34.82	32.22	-19.11	47.93	54.00	6.07	Vertical

802.11ac40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.3875	47.65	32.33	-18.72	61.25	68.30	7.05	Horizontal
2	5685.45	50.12	32.34	-18.73	63.73	94.57	30.84	Horizontal
3	5715.1875	63.36	32.34	-18.78	76.93	109.55	32.62	Horizontal
4	5723.6375	66.77	32.34	-18.80	80.31	119.19	38.88	Horizontal
5	5850.7125	47.75	32.37	-18.88	61.24	120.67	59.43	Horizontal
6	5874.275	47.24	32.37	-18.81	60.80	105.50	44.70	Horizontal
7	5901.7375	47.42	32.38	-18.74	61.06	85.48	24.42	Horizontal
8	5936.675	47.95	32.39	-18.82	61.52	68.30	6.78	Horizontal

802.11ac40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.9125	47.50	32.33	-18.72	61.10	68.30	7.20	Vertical
2	5672.775	48.99	32.33	-18.73	62.60	85.19	22.59	Vertical
3	5711.6125	62.32	32.34	-18.76	75.90	108.55	32.65	Vertical
4	5723.3125	66.49	32.34	-18.80	80.03	118.45	38.42	Vertical
5	5854.125	47.61	32.37	-18.87	61.11	112.89	51.78	Vertical
6	5867.2875	48.96	32.37	-18.83	62.50	107.46	44.96	Vertical
7	5906.2875	47.76	32.38	-18.75	61.39	82.11	20.72	Vertical
8	5933.5875	47.74	32.39	-18.81	61.32	68.30	6.98	Vertical

802.11ac40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5632.8	47.33	32.33	-18.72	60.93	68.30	7.37	Horizontal
2	5671.6375	47.44	32.33	-18.73	61.05	84.35	23.30	Horizontal
3	5713.4	47.38	32.34	-18.77	60.95	109.05	48.10	Horizontal
4	5722.5	51.44	32.34	-18.80	64.99	116.60	51.61	Horizontal
5	5851.85	53.51	32.37	-18.88	67.00	118.08	51.08	Horizontal
6	5865.0125	49.09	32.37	-18.84	62.62	108.09	45.47	Horizontal
7	5893.45	47.64	32.38	-18.76	61.26	91.61	30.35	Horizontal
8	5931.9625	47.66	32.39	-18.81	61.24	68.30	7.06	Horizontal

802.11ac40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.1125	47.05	32.33	-18.72	60.65	68.30	7.65	Vertical
2	5674.5625	47.39	32.33	-18.73	61.00	86.52	25.52	Vertical
3	5714.2125	48.47	32.34	-18.77	62.04	109.28	47.24	Vertical
4	5723.6375	50.64	32.34	-18.80	64.18	119.19	55.01	Vertical
5	5850.875	52.37	32.37	-18.88	65.86	120.30	54.44	Vertical
6	5866.475	48.61	32.37	-18.84	62.15	107.68	45.53	Vertical
7	5914.575	48.54	32.38	-18.77	62.15	75.99	13.84	Vertical
8	5934.725	47.97	32.39	-18.81	61.54	68.30	6.76	Vertical

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.44	40.41	31.67	-19.14	52.94	54.00	1.06	Horizontal
2	5355.0775	35.30	32.04	-18.91	48.43	54.00	5.57	Horizontal

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5467	39.26	31.67	-19.14	51.79	54.00	2.21	Vertical
2	5352.5225	35.36	32.03	-18.91	48.49	54.00	5.51	Vertical

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.24	51.45	31.67	-19.15	63.97	74.00	10.03	Horizontal
2	5376.8125	48.00	32.08	-18.96	61.11	74.00	12.89	Horizontal

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.94	49.69	31.67	-19.14	62.22	74.00	11.78	Vertical
2	5358.1925	46.68	32.04	-18.92	59.81	74.00	14.19	Vertical

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.3	34.47	31.66	-19.15	46.98	54.00	7.02	Horizontal
2	5350.325	38.47	32.03	-18.90	51.60	54.00	2.40	Horizontal

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.75	34.58	31.67	-19.14	47.11	54.00	6.89	Vertical
2	5351.65	38.06	32.03	-18.90	51.19	54.00	2.81	Vertical

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2667	47.22	31.67	-19.14	59.75	74.00	14.25	Horizontal
2	5361.0875	51.26	32.05	-18.93	64.38	74.00	9.62	Horizontal

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.8667	47.49	31.66	-19.15	60.01	74.00	13.99	Vertical
2	5353.0875	49.30	32.04	-18.91	62.43	74.00	11.57	Vertical

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.855	50.02	32.22	-19.11	63.13	74.00	10.87	Horizontal
2	5463.9	50.87	32.24	-19.12	63.98	68.30	4.32	Horizontal
3	5742.38	48.09	32.35	-18.86	61.58	68.30	6.72	Horizontal

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.7583	50.73	32.22	-19.11	63.84	74.00	10.16	Vertical
2	5468.7017	51.97	32.24	-19.13	65.08	68.30	3.22	Vertical
3	5731.15	47.54	32.35	-18.82	61.06	68.30	7.24	Vertical

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.7433	38.10	32.22	-19.11	51.21	54.00	2.79	Horizontal
2	5458.875	38.25	32.23	-19.11	51.36	54.00	2.64	Horizontal

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.85	37.67	32.22	-19.11	50.78	54.00	3.22	Vertical
2	5457.87	38.01	32.22	-19.11	51.12	54.00	2.88	Vertical

802.11ac80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.05	48.91	32.33	-18.72	62.51	68.30	5.79	Horizontal
2	5659.45	51.75	32.33	-18.73	65.36	75.32	9.96	Horizontal
3	5712.1	63.71	32.34	-18.77	77.29	108.69	31.40	Horizontal
4	5724.775	68.01	32.34	-18.80	81.55	121.79	40.24	Horizontal
5	5850.7125	61.11	32.37	-18.88	74.60	120.67	46.07	Horizontal
6	5865.9875	58.33	32.37	-18.84	71.86	107.82	35.96	Horizontal
7	5914.0875	47.98	32.38	-18.77	61.59	76.35	14.76	Horizontal
8	5939.1125	47.77	32.39	-18.82	61.34	68.30	6.96	Horizontal

802.11ac80_Channel 155




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.1375	49.19	32.33	-18.72	62.79	68.30	5.51	Vertical
2	5682.85	59.23	32.34	-18.73	72.84	92.65	19.81	Vertical
3	5708.6875	64.37	32.34	-18.76	77.96	107.73	29.77	Vertical
4	5723.9625	67.86	32.34	-18.80	81.40	119.94	38.54	Vertical
5	5850.7125	60.23	32.37	-18.88	73.72	120.67	46.95	Vertical
6	5867.125	56.20	32.37	-18.84	69.74	107.50	37.76	Vertical
7	5907.75	47.97	32.38	-18.76	61.60	81.03	19.43	Vertical
8	5931.3125	47.14	32.39	-18.81	60.72	68.30	7.58	Vertical

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.16	35.67	31.67	-19.14	48.19	54.00	5.81	Horizontal
2	5352.2425	39.12	32.03	-18.91	52.25	54.00	1.75	Horizontal

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.6267	36.58	31.67	-19.15	49.10	54.00	4.90	Vertical
2	5351.2275	38.82	32.03	-18.90	51.95	54.00	2.05	Vertical

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5117.68	48.11	31.61	-19.22	60.50	74.00	13.50	Horizontal
2	5366.9075	50.82	32.06	-18.94	63.94	74.00	10.06	Horizontal

802.11ac160_Channel 50




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.12	47.64	31.66	-19.16	60.14	74.00	13.86	Vertical
2	5361.885	49.58	32.05	-18.93	62.70	74.00	11.30	Vertical

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.7183	37.72	32.21	-19.10	50.83	54.00	3.17	Horizontal
2	5459.7683	37.83	32.23	-19.12	50.94	54.00	3.06	Horizontal

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.0483	39.03	32.21	-19.10	52.14	54.00	1.86	Vertical
2	5458.205	40.00	32.22	-19.11	53.11	54.00	0.89	Vertical

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.5967	50.71	32.21	-19.10	63.82	74.00	10.18	Horizontal
2	5467.1383	51.33	32.24	-19.13	64.44	68.30	3.86	Horizontal
3	5726.39	51.24	32.35	-18.81	64.78	68.30	3.52	Horizontal

802.11ac160_Channel 114




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.515	52.36	32.22	-19.11	65.47	74.00	8.53	Vertical
2	5466.0217	53.07	32.24	-19.13	66.18	68.30	2.12	Vertical
3	5726.58	50.76	32.35	-18.81	64.30	68.30	4.00	Vertical

802.11be20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.2	36.57	31.67	-19.14	49.09	54.00	4.91	Horizontal
2	5149.5	37.07	31.67	-19.14	49.60	54.00	4.40	Horizontal

802.11be20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.7	38.90	31.67	-19.14	51.42	54.00	2.58	Vertical
2	5149.4	38.94	31.67	-19.14	51.47	54.00	2.53	Vertical

802.11be20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.7	46.76	31.66	-19.15	59.27	74.00	14.73	Horizontal
2	5148.3	49.26	31.67	-19.14	61.78	74.00	12.22	Horizontal

802.11be20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147	51.32	31.66	-19.15	63.84	74.00	10.16	Vertical
2	5149.5	50.05	31.67	-19.14	62.58	74.00	11.42	Vertical

802.11be20_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350	38.27	32.03	-18.90	51.40	54.00	2.60	Horizontal
2	5351	37.37	32.03	-18.90	50.50	54.00	3.50	Horizontal

802.11be20_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	39.68	32.03	-18.90	52.81	54.00	1.19	Vertical
2	5350.8	39.57	32.03	-18.90	52.70	54.00	1.30	Vertical