



802.11be20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.5	49.45	32.03	-18.90	62.58	74.00	11.42	Horizontal
2	5351.8	48.85	32.03	-18.90	61.98	74.00	12.02	Horizontal

802.11be20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.8	52.12	32.03	-18.90	65.25	74.00	8.75	Vertical
2	5352.9	49.69	32.04	-18.91	62.82	74.00	11.18	Vertical

802.11be20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.38	40.76	32.22	-19.11	53.87	74.00	20.13	Horizontal
2	5467.78	43.09	32.24	-19.13	56.20	68.30	12.10	Horizontal

802.11be20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.28	41.22	32.22	-19.11	54.33	74.00	19.67	Vertical
2	5464.42	44.70	32.24	-19.12	57.81	68.30	10.49	Vertical

802.11be20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.32	35.47	32.22	-19.11	48.58	54.00	5.42	Horizontal
2	5457.1	35.30	32.22	-19.11	48.41	54.00	5.59	Horizontal

802.11be20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.66	35.56	32.21	-19.10	48.67	54.00	5.33	Vertical
2	5457.76	35.84	32.22	-19.11	48.95	54.00	5.05	Vertical

802.11be20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.1	54.57	32.35	-18.81	68.11	68.30	0.19	Horizontal
2	5726.5	52.95	32.35	-18.81	66.49	68.30	1.81	Horizontal

802.11be20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.75	54.46	32.35	-18.81	68.00	68.30	0.30	Vertical
2	5727.15	50.34	32.35	-18.81	63.87	68.30	4.43	Vertical

802.11be20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.0125	47.19	32.33	-18.72	60.79	68.30	7.51	Horizontal
2	5659.6125	47.84	32.33	-18.73	61.45	75.44	13.99	Horizontal
3	5715.8375	50.89	32.34	-18.78	64.46	109.74	45.28	Horizontal
4	5723.9625	55.87	32.34	-18.80	69.41	119.94	50.53	Horizontal

802.11be20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.05	46.83	32.33	-18.72	60.43	68.30	7.87	Vertical
2	5682.2	47.13	32.34	-18.73	60.74	92.17	31.43	Vertical
3	5714.375	52.19	32.34	-18.77	65.76	109.33	43.57	Vertical
4	5724.6125	57.29	32.34	-18.80	70.83	121.42	50.59	Vertical

802.11be20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.3875	61.05	32.37	-18.88	74.54	121.42	46.88	Horizontal
2	5863.875	48.64	32.37	-18.84	62.17	108.41	46.24	Horizontal
3	5904.175	47.88	32.38	-18.75	61.51	83.67	22.16	Horizontal
4	5930.175	47.76	32.39	-18.80	61.34	68.30	6.96	Horizontal

802.11be20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.525	57.93	32.37	-18.88	71.42	118.82	47.40	Vertical
2	5869.5625	48.59	32.37	-18.83	62.14	106.82	44.68	Vertical
3	5894.5875	47.87	32.38	-18.76	61.49	90.77	29.28	Vertical
4	5928.0625	47.81	32.39	-18.80	61.40	68.30	6.90	Vertical

802.11be40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8667	38.58	31.67	-19.14	51.11	54.00	2.89	Horizontal
2	5350.0375	34.73	32.03	-18.90	47.86	54.00	6.14	Horizontal

802.11be40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.92	40.99	31.67	-19.14	53.52	54.00	0.48	Vertical
2	5352.7675	34.90	32.03	-18.91	48.03	54.00	5.97	Vertical

802.11be40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.26	50.12	31.66	-19.16	62.62	74.00	11.38	Horizontal
2	5353.17	47.25	32.04	-18.91	60.38	74.00	13.62	Horizontal

802.11be40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.3	52.07	31.66	-19.15	64.58	74.00	9.42	Vertical
2	5351.0175	46.64	32.03	-18.90	59.77	74.00	14.23	Vertical

802.11be40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.35	34.51	31.67	-19.14	47.04	54.00	6.96	Horizontal
2	5350.4	37.68	32.03	-18.90	50.81	54.00	3.19	Horizontal

802.11be40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.25	34.43	31.66	-19.15	46.94	54.00	7.06	Vertical
2	5350.2	39.27	32.03	-18.90	52.40	54.00	1.60	Vertical

802.11be40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2667	46.18	31.66	-19.15	58.69	74.00	15.31	Horizontal
2	5356.3125	51.61	32.04	-18.92	64.74	74.00	9.26	Horizontal

802.11be40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146	46.74	31.66	-19.15	59.25	74.00	14.75	Vertical
2	5352.475	52.36	32.03	-18.91	65.49	74.00	8.51	Vertical

802.11be40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.9767	51.08	32.22	-19.11	64.19	74.00	9.81	Horizontal
2	5462.3367	54.51	32.23	-19.12	67.62	68.30	0.68	Horizontal
3	5733.86	47.67	32.35	-18.83	61.19	68.30	7.11	Horizontal

802.11be40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.9917	55.10	32.23	-19.12	68.21	74.00	5.79	Vertical
2	5466.915	54.87	32.24	-19.13	67.98	68.30	0.32	Vertical
3	5741.53	49.04	32.35	-18.85	62.53	68.30	5.77	Vertical

802.11be40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.84	36.67	32.21	-19.10	49.78	54.00	4.22	Horizontal
2	5459.545	38.40	32.23	-19.12	51.51	54.00	2.49	Horizontal

802.11be40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.9667	36.50	32.22	-19.11	49.61	54.00	4.39	Vertical
2	5459.4333	38.35	32.23	-19.12	51.46	54.00	2.54	Vertical

802.11be40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.855	47.95	32.22	-19.11	61.06	74.00	12.94	Horizontal
2	5468.1433	47.78	32.24	-19.13	60.89	68.30	7.41	Horizontal
3	5727.44	51.34	32.35	-18.81	64.87	68.30	3.43	Horizontal

802.11be40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.9667	48.03	32.22	-19.11	61.14	74.00	12.86	Vertical
2	5462.0017	48.41	32.23	-19.12	61.52	68.30	6.78	Vertical
3	5729.02	50.46	32.35	-18.82	63.99	68.30	4.31	Vertical

802.11be40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.9117	34.99	32.20	-19.09	48.10	54.00	5.90	Horizontal
2	5455.525	35.00	32.22	-19.11	48.11	54.00	5.89	Horizontal

802.11be40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.155	35.00	32.21	-19.10	48.11	54.00	5.89	Vertical
2	5456.865	34.92	32.22	-19.11	48.03	54.00	5.97	Vertical

802.11be40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.5125	48.11	32.33	-18.72	61.71	68.30	6.59	Horizontal
2	5677	47.69	32.34	-18.73	61.30	88.32	27.02	Horizontal
3	5707.225	55.16	32.34	-18.75	68.75	107.33	38.58	Horizontal
4	5721.6875	58.94	32.34	-18.80	72.49	114.75	42.26	Horizontal
5	5850.3875	47.18	32.37	-18.88	60.67	121.42	60.75	Horizontal
6	5872.4875	47.13	32.37	-18.82	60.68	106.00	45.32	Horizontal
7	5915.55	47.94	32.38	-18.77	61.55	75.27	13.72	Horizontal
8	5927.9	48.39	32.39	-18.80	61.98	68.30	6.32	Horizontal

802.11be40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.825	47.09	32.33	-18.72	60.69	68.30	7.61	Vertical
2	5684.3125	47.35	32.34	-18.73	60.96	93.73	32.77	Vertical
3	5705.1125	55.11	32.34	-18.75	68.71	106.73	38.02	Vertical
4	5723.15	59.94	32.34	-18.80	73.49	118.08	44.59	Vertical
5	5852.3375	47.69	32.37	-18.88	61.18	116.97	55.79	Vertical
6	5875.4125	48.12	32.38	-18.81	61.68	104.99	43.31	Vertical
7	5905.475	48.84	32.38	-18.75	62.47	82.71	20.24	Vertical
8	5933.425	47.81	32.39	-18.81	61.39	68.30	6.91	Vertical

802.11be40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5633.775	47.69	32.33	-18.72	61.29	68.30	7.01	Horizontal
2	5679.7625	47.15	32.34	-18.73	60.76	90.36	29.60	Horizontal
3	5712.9125	48.89	32.34	-18.77	62.46	108.92	46.46	Horizontal
4	5724.6125	50.47	32.34	-18.80	64.01	121.42	57.41	Horizontal
5	5851.525	53.49	32.37	-18.88	66.98	118.82	51.84	Horizontal
6	5869.5625	48.04	32.37	-18.83	61.59	106.82	45.23	Horizontal
7	5916.6875	47.67	32.38	-18.78	61.28	74.43	13.15	Horizontal
8	5931.6375	47.66	32.39	-18.81	61.24	68.30	7.06	Horizontal

802.11be40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.8375	47.20	32.33	-18.72	60.80	68.30	7.50	Vertical
2	5665.95	47.51	32.33	-18.73	61.12	80.14	19.02	Vertical
3	5713.4	50.01	32.34	-18.77	63.58	109.05	45.47	Vertical
4	5723.15	49.77	32.34	-18.80	63.32	118.08	54.76	Vertical
5	5851.2	53.37	32.37	-18.88	66.86	119.56	52.70	Vertical
6	5865.9875	48.04	32.37	-18.84	61.57	107.82	46.25	Vertical
7	5903.3625	47.91	32.38	-18.75	61.54	84.27	22.73	Vertical
8	5945.45	47.33	32.39	-18.84	60.88	68.30	7.42	Vertical

802.11be80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.92	36.61	31.67	-19.14	49.14	54.00	4.86	Horizontal
2	5354.5875	34.75	32.04	-18.91	47.88	54.00	6.12	Horizontal

802.11be80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.7067	37.71	31.67	-19.14	50.24	54.00	3.76	Vertical
2	5354.22	34.73	32.04	-18.91	47.86	54.00	6.14	Vertical

802.11be80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.94	48.42	31.66	-19.15	60.93	74.00	13.07	Horizontal
2	5365.3675	46.72	32.06	-18.94	59.84	74.00	14.16	Horizontal

802.11be80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.34	47.05	31.65	-19.16	59.54	74.00	14.46	Vertical
2	5382.5175	47.17	32.09	-18.98	60.28	74.00	13.72	Vertical

802.11be80_Channel 58



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.8	34.51	31.67	-19.14	47.03	54.00	6.97	Horizontal
2	5352.25	38.51	32.03	-18.91	51.64	54.00	2.36	Horizontal

802.11be80_Channel 58



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	34.42	31.66	-19.15	46.93	54.00	7.07	Vertical
2	5351.5	37.64	32.03	-18.90	50.77	54.00	3.23	Vertical