



香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

Brand / Model : ATW335-4  
Remark : EUT X-Y , 2481MHz  
Sample No : WTW220322/023Q07N07  
Tested by : Ethan Hsu

Location: RF Chamber 2


Date: 3/25/2022

Time: 6:20:42 PM

Temperature (°C): 25

Humidity (%): 60

Approved by:



Frequency (MHz): 2481.00

Antenna Polarity: Horizontal

Average Value (dBi): -1.96

Maximum Value (dBi): 3.18

Maximum Value (degree): 53

Minimum Value (dBi): -25.17

Minimum Value (degree): 158

V 6.3

D:\RF-2 Chamber\Antenna Pattern V6.3\Graph\0325\03250001.png



香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

Brand / Model : ATW335-4  
Remark : EUT X-Y , 2481MHz  
Sample No : WTW220322/023Q07N07  
Tested by : Ethan Hsu

Location: RF Chamber 2


Date: 3/25/2022

Time: 6:23:05 PM

Temperature (°C): 25

Humidity (%): 60

Approved by:



Frequency (MHz): 2481.00

Antenna Polarity: Vertical

Average Value (dBi): -13.98

Maximum Value (dBi): -7.26

Maximum Value (degree): 279

Minimum Value (dBi): -33.15

Minimum Value (degree): 143

V 6.3

D:\RF-2 Chamber\Antenna Pattern V6.3\Graph\0325\03250001.png



香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

Brand / Model : ATW335-4  
Remark : EUT X-Y , 2402MHz  
Sample No : WTW220322/023Q07N07  
Tested by : Ethan Hsu

Location: RF Chamber 2


Date: 3/25/2022

Time: 6:17:59 PM

Temperature (°C): 25

Humidity (%): 60

Approved by:



Frequency (MHz): 2402.00

Antenna Polarity: Horizontal

Average Value (dBi): -1.67

Maximum Value (dBi): 3.61

Maximum Value (degree): 44

Minimum Value (dBi): -31.72

Minimum Value (degree): 91

V 6.3

D:\RF-2 Chamber\Antenna Pattern V6.3\Graph\0325\03250001.png



香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

Brand / Model : ATW335-4  
Remark : EUT X-Y , 2402MHz  
Sample No : WTW220322/023Q07N07  
Tested by : Ethan Hsu

Location: RF Chamber 2


Date: 3/25/2022

Time: 6:15:25 PM

Temperature (°C): 25

Humidity (%): 60

Approved by:



Frequency (MHz): 2402.00

Antenna Polarity: Vertical

Average Value (dBi): -13.52

Maximum Value (dBi): -6.19

Maximum Value (degree): 282

Minimum Value (dBi): -27.94

Minimum Value (degree): 138

V 6.3

D:\RF-2 Chamber\Antenna Pattern V6.3\Graph\0325\03250001.png



香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

Brand / Model : ATW335-4  
Remark : EUT X-Z , 2481MHz  
Sample No : WTW220322/023Q07N07  
Tested by : Ethan Hsu

Location: RF Chamber 2


Date: 3/25/2022

Time: 6:07:08 PM

Temperature (°C): 25

Humidity (%): 60

Approved by:



Frequency (MHz): 2442.00

Antenna Polarity: Horizontal

Average Value (dBi): -1.72

Maximum Value (dBi): 3.22

Maximum Value (degree): 48

Minimum Value (dBi): -26.27

Minimum Value (degree): 155

V 6.3

D:\RF-2 Chamber\Antenna Pattern V6.3\Graph\0325\03250001.png



香港商立德國際商品試驗有限公司桃園分公司

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

Brand / Model : ATW335-4  
Remark : EUT X-Z , 2481MHz  
Sample No : WTW220322/023Q07N07  
Tested by : Ethan Hsu

Location: RF Chamber 2


Date: 3/25/2022

Time: 6:12:06 PM

Temperature (°C): 25

Humidity (%): 60

Approved by:



Frequency (MHz) : 2442.00

Antenna Polarity : Vertical

Average Value (dBi) : -13.71

Maximum Value (dBi) : -5.67

Maximum Value (degree) : 281

Minimum Value (dBi) : -28.34

Minimum Value (degree) : 158

V 6.3

D:\RF-2 Chamber\Antenna Pattern V6.3\Graph\0325\03250001.png