

Alpha Networks

720P Wireless Baby Camera

CS-3202




Starting Installation with Android Device


1. Go to the Google Play to download and install LinknLook app.
2. Connect the power adapter to the CS-3202 and then plug it in. Wait 30 seconds until the amber light turn on.
3. Enable the Wi-Fi settings on your Android mobile device, forget your home network and connect to CS-3202-[last 6 digit MAC address].




4. Open the LinknLook app.



5. The LinknLook app will start searching for your camera automatically. If the search has failed, tap on the scan icon again.




6. Tap the wireless signal icon to the right of the baby cam.
7. Enter the baby cam's default username (**admin**) and password (**admin**) then tap [OK].



The screenshot shows the 'Login' screen of the LinknLook app. At the top, there is a black header bar with a white back arrow on the left and the word 'Login' in white text. Below the header, the screen has a light gray background. It contains three input fields: 'Name:' with the value 'ARIUS-CS-3202', 'Username:' with the value 'admin', and 'Password:' with five dots. The 'Password:' field is highlighted with an orange border. At the bottom, there are two buttons: 'OK' and 'Cancel'. The 'OK' button is highlighted with a red border.

8. The app will automatically search for your wireless network. Select your wireless network for CS-3202 and tap on the disk icon to save wireless network configuration.




The screenshot shows the 'Wireless Setting' screen of the LinknLook app. At the top, there is a black header bar with a white back arrow on the left, the text 'Wireless Setting' in white, and a white disk icon on the right. Below the header, the screen has a light gray background. It contains three input fields: 'Name:' with the value 'ARIUS-CS-3202', 'SSID' with the value 'IP_CAM test', and 'Key' with seven dots. The 'Key' field is highlighted with an orange border. Below these fields is a section titled 'AP List' with a refresh icon (a circular arrow) to its right. The 'AP List' section contains three entries: 'WDN750', 'DCS-2630L-5441', and 'IP_CAM test'. Each entry has a wireless signal icon to its right. The 'IP_CAM test' entry has a blue signal icon, while the others have gray ones.

9. Connect your Android mobile device and relaunch LinknLook app to confirm connectivity to the baby cam.
10. Tap the back icon.



11. In the camera list, select the camera.

12. Tap Edit.



13. Enter an easy to remember name for the CS-3202

14. Tap the save icon.



← Edit Camera ↗

Select an image for thumbnail

[Where do I find ID?](#)

Name: CS-3202

ID: 192.168.0.100:80

Username: admin

Password: •••••

LINKNLOOK

15. Install the camera in your desired location. Before installation confirm wireless network coverage is present in the chosen location.

Federal Communication Commission Interference Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Note: The country code selection is for non-US model only and is not available to all US model. Per FCC regulation, all WiFi product marketed in US must fixed to US operation channels only.