


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 27
01-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55464G	46.54	83.54	-37.00	41.53	1	Vertical	42	2.34	-	37.52	16.12	48.63			
AV	18.55562G	33.48	63.54	-30.06	28.47	1	Vertical	42	2.34	-	37.52	16.12	48.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 27
01-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55024G	47.32	83.54	-36.22	42.34	1	Horizontal	346	1.13	-	37.50	16.11	48.63			
AV	18.55554G	33.38	63.54	-30.16	28.37	1	Horizontal	346	1.13	-	37.52	16.12	48.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 27
01-C-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69342G	57.79	74.00	-16.21	48.85	3	Vertical	0	1.80	-	39.47	15.11	45.64			
AV	12.675G	43.05	54.00	-10.95	34.16	3	Vertical	0	1.80	-	39.40	15.11	45.62			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 27
01-C-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6815G	55.85	74.00	-18.15	46.94	3	Horizontal	359	2.93	-	39.43	15.11	45.63			
AV	12.69386G	42.88	54.00	-11.12	33.93	3	Horizontal	359	2.93	-	39.48	15.11	45.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 27
01-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03358G	46.29	83.54	-37.25	40.93	1	Vertical	337	2.43	-	37.77	16.48	48.89			
AV	19.03022G	33.23	63.54	-30.31	27.89	1	Vertical	337	2.43	-	37.76	16.47	48.89			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 27
01-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03972G	45.63	83.54	-37.91	40.26	1	Horizontal	39	1.96	-	37.78	16.48	48.89			
AV	19.03008G	33.01	63.54	-30.53	27.67	1	Horizontal	39	1.96	-	37.76	16.47	48.89			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 27
01-C-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.31572G	51.63	74.00	-22.37	41.53	3	Vertical	6	1.80	-	40.26	15.19	45.35			
AV	13.315G	38.56	54.00	-15.44	28.46	3	Vertical	6	1.80	-	40.26	15.19	45.35			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 27
01-C-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31545G	50.39	74.00	-23.61	40.29	3	Horizontal	286	2.18	-	40.26	15.19	45.35			
AV	13.31503G	38.45	54.00	-15.55	28.35	3	Horizontal	286	2.18	-	40.26	15.19	45.35			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 27
01-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99434G	45.83	83.54	-37.71	40.79	1	Vertical	325	1.98	-	37.42	16.62	49.00			
AV	19.99722G	32.49	63.54	-31.05	27.46	1	Vertical	325	1.98	-	37.41	16.62	49.00			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 27
01-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99664G	45.45	83.54	-38.09	40.42	1	Horizontal	319	2.42	-	37.41	16.62	49.00			
AV	19.9949G	32.50	63.54	-31.04	27.46	1	Horizontal	319	2.42	-	37.42	16.62	49.00			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 24.5
04-W-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	78.31	88.20	-9.89	80.26	3	Vertical	357	1.80	-	32.40	9.05	43.40			
RMS	5.9226G	67.95	68.20	-0.25	69.90	3	Vertical	357	1.80	-	32.40	9.05	43.40			
PK	6.1206G	111.32	Inf	-Inf	112.83	3	Vertical	357	1.80	-	32.54	9.22	43.27			
RMS	6.1218G	101.71	Inf	-Inf	103.22	3	Vertical	357	1.80	-	32.54	9.22	43.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 24.5
04-W-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9214G	80.77	88.20	-7.43	82.72	3	Horizontal	296	1.80	-	32.40	9.05	43.40			
RMS	5.9214G	66.92	68.20	-1.28	68.87	3	Horizontal	296	1.80	-	32.40	9.05	43.40			
PK	6.2106G	111.70	Inf	-Inf	112.89	3	Horizontal	296	1.80	-	32.76	9.28	43.23			
RMS	6.2514G	102.03	Inf	-Inf	102.90	3	Horizontal	296	1.80	-	33.00	9.33	43.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 24.5
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.22965G	55.47	74.00	-18.53	46.15	3	Vertical	41	1.80	-	38.84	13.88	43.40			
AV	12.1914G	44.18	54.00	-9.82	34.78	3	Vertical	41	1.80	-	38.95	13.83	43.38			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 24.5
04-W-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.193G	56.38	74.00	-17.62	46.99	3	Horizontal	118	1.80	-	38.94	13.83	43.38			
AV	12.235G	44.18	54.00	-9.82	34.87	3	Horizontal	118	1.80	-	38.83	13.88	43.40			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 27
01-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31564G	46.34	83.54	-37.20	41.44	1	Vertical	188	2.53	-	37.50	15.93	48.53			
AV	18.3141G	33.33	63.54	-30.21	28.43	1	Vertical	188	2.53	-	37.50	15.93	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_V_4TX
Setting 27
01-C-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31262G	46.04	83.54	-37.50	41.14	1	Horizontal	192	2.37	-	37.50	15.93	48.53			
AV	18.31166G	33.35	63.54	-30.19	28.44	1	Horizontal	192	2.37	-	37.50	15.93	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 27
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.50685G	55.24	74.00	-18.76	46.23	3	Vertical	15	1.80	-	38.30	14.22	43.51			
AV	12.52975G	43.44	54.00	-10.56	34.40	3	Vertical	15	1.80	-	38.30	14.25	43.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 27
04-W-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.55375G	55.28	74.00	-18.72	46.20	3	Horizontal	115	2.12	-	38.31	14.28	43.51			
AV	12.53525G	43.32	54.00	-10.68	34.27	3	Horizontal	115	2.12	-	38.30	14.26	43.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 27
01-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7904G	47.74	83.54	-35.80	42.49	1	Vertical	4	1.03	-	37.72	16.30	48.77			
AV	18.79331G	34.70	63.54	-28.84	29.46	1	Vertical	4	1.03	-	37.71	16.31	48.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX

EUT_Y_4TX
Setting 27
01-C-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79648G	47.91	83.54	-35.63	42.67	1	Horizontal	106	2.35	-	37.71	16.31	48.78			
AV	18.79936G	34.78	63.54	-28.76	29.55	1	Horizontal	106	2.35	-	37.70	16.31	48.78			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.9242G	67.20	68.20	-1.00	3	Vertical	290	1.80	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.25	88.20	-9.95	80.20	3	Vertical	327	1.79	-	32.40	9.05	43.40			
RMS	5.925G	64.54	68.20	-3.66	66.49	3	Vertical	327	1.79	-	32.40	9.05	43.40			
PK	5.9574G	120.27	Inf	-Inf	122.15	3	Vertical	327	1.79	-	32.40	9.09	43.37			
RMS	5.9598G	110.60	Inf	-Inf	112.48	3	Vertical	327	1.79	-	32.40	9.09	43.37			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	73.31	88.20	-14.89	75.26	3	Horizontal	294	1.41	-	32.40	9.05	43.40			
RMS	5.925G	59.92	68.20	-8.28	61.87	3	Horizontal	294	1.41	-	32.40	9.05	43.40			
PK	5.9504G	119.77	Inf	-Inf	121.67	3	Horizontal	294	1.41	-	32.40	9.08	43.38			
RMS	5.9464G	109.63	Inf	-Inf	111.53	3	Horizontal	294	1.41	-	32.40	9.08	43.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 26
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9076G	53.32	74.00	-20.68	44.16	3	Vertical	326	1.80	-	38.90	13.50	43.24			
AV	11.90997G	41.31	54.00	-12.69	32.15	3	Vertical	326	1.80	-	38.90	13.50	43.24			
PK	17.86887G	55.84	74.00	-18.16	36.22	3	Vertical	19	1.80	-	46.33	16.31	43.02			
AV	17.87541G	43.74	54.00	-10.26	23.94	3	Vertical	19	1.80	-	46.51	16.31	43.02			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 26
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90925G	52.83	74.00	-21.17	43.67	3	Horizontal	39	1.80	-	38.90	13.50	43.24			
AV	11.91033G	40.41	54.00	-13.59	31.25	3	Horizontal	39	1.80	-	38.90	13.50	43.24			
PK	17.87985G	56.24	74.00	-17.76	36.31	3	Horizontal	32	1.00	-	46.64	16.31	43.02			
AV	17.87664G	44.07	54.00	-9.93	24.23	3	Horizontal	32	1.00	-	46.55	16.31	43.02			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 26
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82006G	47.57	83.54	-35.97	38.63	1	Vertical	335	2.29	-	38.72	18.12	47.90			
AV	23.80593G	35.32	63.54	-28.22	26.33	1	Vertical	335	2.29	-	38.78	18.11	47.90			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 26
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80902G	48.00	83.54	-35.54	39.03	1	Horizontal	317	1.67	-	38.76	18.11	47.90			
AV	23.81481G	35.21	63.54	-28.33	26.26	1	Horizontal	317	1.67	-	38.74	18.11	47.90			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.387G	57.27	74.00	-16.73	47.95	3	Vertical	20.3	2.91	-	38.83	13.95	43.46			
AV	12.38814G	45.59	54.00	-8.41	36.28	3	Vertical	20.3	2.91	-	38.82	13.95	43.46			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38901G	61.40	74.00	-12.60	52.09	3	Horizontal	59	3.00	-	38.82	13.95	43.46			
AV	12.3903G	49.63	54.00	-4.37	40.32	3	Horizontal	59	3.00	-	38.82	13.95	43.46			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58554G	46.74	83.54	-36.80	42.01	1	Vertical	248	1.55	-	37.64	15.74	48.65			
AV	18.5844G	32.88	63.54	-30.66	28.15	1	Vertical	248	1.55	-	37.64	15.74	48.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58597G	45.42	83.54	-38.12	40.69	1	Horizontal	178	1.54	-	37.64	15.74	48.65			
AV	18.58588G	32.90	63.54	-30.64	28.17	1	Horizontal	178	1.54	-	37.64	15.74	48.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82676G	48.20	88.20	-40.00	38.28	3	Vertical	350	1.80	-	39.05	14.37	43.50			
RMS	12.81512G	37.32	68.20	-30.88	27.43	3	Vertical	350	1.80	-	39.03	14.36	43.50			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81968G	49.34	88.20	-38.86	39.43	3	Horizontal	306	1.80	-	39.04	14.37	43.50			
RMS	12.8219G	36.31	68.20	-31.89	26.40	3	Horizontal	306	1.80	-	39.04	14.37	43.50			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24424G	46.79	83.54	-36.75	41.72	1	Vertical	331	1.52	-	37.87	16.05	48.85			
AV	19.24482G	34.13	63.54	-29.41	29.06	1	Vertical	331	1.52	-	37.87	16.05	48.85			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2446G	46.84	83.54	-36.70	41.77	1	Horizontal	334	1.51	-	37.87	16.05	48.85			
AV	19.24446G	34.05	63.54	-29.49	28.98	1	Horizontal	334	1.51	-	37.87	16.05	48.85			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08254G	53.88	88.20	-34.32	43.85	3	Vertical	8	3.00	-	38.90	14.62	43.49			
RMS	13.08293G	41.13	68.20	-27.07	31.10	3	Vertical	8	3.00	-	38.90	14.62	43.49			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06817G	50.63	88.20	-37.57	40.61	3	Horizontal	360	1.80	-	38.90	14.61	43.49			
RMS	13.07174G	37.86	68.20	-30.34	27.84	3	Horizontal	360	1.80	-	38.90	14.61	43.49			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60586G	46.57	83.54	-36.97	41.62	1	Vertical	77	1.51	-	37.59	16.20	48.84			
AV	19.60404G	34.21	63.54	-29.33	29.26	1	Vertical	77	1.51	-	37.59	16.20	48.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60491G	45.77	83.54	-37.77	40.82	1	Horizontal	33	1.52	-	37.59	16.20	48.84			
AV	19.60493G	34.14	63.54	-29.40	29.19	1	Horizontal	33	1.52	-	37.59	16.20	48.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39462G	59.61	74.00	-14.39	48.71	3	Vertical	6	1.80	-	39.49	14.92	43.51			
AV	13.39585G	46.39	54.00	-7.61	35.49	3	Vertical	6	1.80	-	39.49	14.92	43.51			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39666G	57.85	74.00	-16.15	46.95	3	Horizontal	307	1.80	-	39.49	14.92	43.51			
AV	13.39519G	46.00	54.00	-8.00	35.10	3	Horizontal	307	1.80	-	39.49	14.92	43.51			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08408G	45.59	83.54	-37.95	40.89	1	Vertical	67	1.54	-	37.27	16.41	48.98			
AV	20.08419G	33.44	63.54	-30.10	28.74	1	Vertical	67	1.54	-	37.27	16.41	48.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08555G	45.26	83.54	-38.28	40.56	1	Horizontal	232	1.55	-	37.27	16.41	48.98			
AV	20.08497G	33.44	63.54	-30.10	28.74	1	Horizontal	232	1.55	-	37.27	16.41	48.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71498G	67.41	88.20	-20.79	55.64	3	Vertical	18	1.56	-	40.14	15.23	43.60			
RMS	13.70736G	53.67	68.20	-14.53	41.86	3	Vertical	18	1.56	-	40.17	15.23	43.59			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70937G	62.17	88.20	-26.03	50.38	3	Horizontal	164	1.19	-	40.16	15.23	43.60			
RMS	13.71333G	47.75	68.20	-20.45	35.97	3	Horizontal	164	1.19	-	40.15	15.23	43.60			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56532G	45.66	83.54	-37.88	40.36	1	Vertical	203	1.54	-	37.56	16.64	48.90			
AV	20.56483G	33.34	63.54	-30.20	28.04	1	Vertical	203	1.54	-	37.56	16.64	48.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56452G	45.33	83.54	-38.21	40.03	1	Horizontal	275	1.54	-	37.56	16.64	48.90			
AV	20.56402G	33.34	63.54	-30.20	28.04	1	Horizontal	275	1.54	-	37.56	16.64	48.90			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 26
04-C-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	72.55	88.20	-15.65	74.52	3	Vertical	337	1.80	-	32.40	9.04	43.41
AV	5.9084G	57.29	68.20	-10.91	59.27	3	Vertical	337	1.80	-	32.40	9.03	43.41
PK	5.9624G	115.77	Inf	-Inf	117.64	3	Vertical	337	1.80	-	32.40	9.10	43.37
AV	5.9626G	103.82	Inf	-Inf	105.69	3	Vertical	337	1.80	-	32.40	9.10	43.37

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 26
04-C-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	73.72	88.20	-14.48	75.67	3	Horizontal	294	1.80	-	32.40	9.05	43.40			
AV	5.9206G	61.21	68.20	-6.99	63.16	3	Horizontal	294	1.80	-	32.40	9.05	43.40			
PK	5.9734G	117.38	Inf	-Inf	119.23	3	Horizontal	294	1.80	-	32.40	9.11	43.36			
AV	5.9824G	104.72	Inf	-Inf	106.55	3	Horizontal	294	1.80	-	32.40	9.12	43.35			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 26
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92949G	47.36	74.00	-26.64	38.19	3	Vertical	217	1.12	-	38.90	13.52	43.25			
AV	11.92947G	34.84	54.00	-19.16	25.67	3	Vertical	217	1.12	-	38.90	13.52	43.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 26
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93026G	47.20	74.00	-26.80	38.03	3	Horizontal	68	2.10	-	38.90	13.52	43.25			
AV	11.93002G	34.96	54.00	-19.04	25.79	3	Horizontal	68	2.10	-	38.90	13.52	43.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 26
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.848G	46.65	83.54	-36.89	37.52	1	Vertical	93	1.30	-	38.90	18.13	47.90			
AV	23.85769G	35.12	63.54	-28.42	25.98	1	Vertical	93	1.30	-	38.90	18.14	47.90			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 26
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86111G	47.84	83.54	-35.70	38.70	1	Horizontal	231	2.13	-	38.90	18.14	47.90			
AV	23.86207G	35.09	63.54	-28.45	25.95	1	Horizontal	231	2.13	-	38.90	18.14	47.90			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41097G	46.56	74.00	-27.44	37.33	3	Vertical	76	1.15	-	38.73	13.97	43.47			
AV	12.40947G	34.86	54.00	-19.14	25.62	3	Vertical	76	1.15	-	38.74	13.97	43.47			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41085G	46.61	74.00	-27.39	37.38	3	Horizontal	54	1.21	-	38.73	13.97	43.47			
AV	12.40976G	34.96	54.00	-19.04	25.72	3	Horizontal	54	1.21	-	38.74	13.97	43.47			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6141G	45.26	83.54	-38.28	40.51	1	Vertical	219	1.54	-	37.67	15.75	48.67			
AV	18.61573G	33.26	63.54	-30.28	28.50	1	Vertical	219	1.54	-	37.67	15.76	48.67			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61544G	44.98	83.54	-38.56	40.22	1	Horizontal	57	1.55	-	37.67	15.76	48.67			
AV	18.61561G	33.17	63.54	-30.37	28.41	1	Horizontal	57	1.55	-	37.67	15.76	48.67			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8107G	47.54	88.20	-40.66	37.66	3	Vertical	79	1.81	-	39.02	14.36	43.50			
RMS	12.81043G	35.82	68.20	-32.38	25.94	3	Vertical	79	1.81	-	39.02	14.36	43.50			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8093G	47.74	88.20	-40.46	37.86	3	Horizontal	13	2.58	-	39.02	14.36	43.50			
RMS	12.81055G	35.82	68.20	-32.38	25.94	3	Horizontal	13	2.58	-	39.02	14.36	43.50			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2144G	45.87	83.54	-37.67	41.01	1	Vertical	198	1.53	-	37.69	16.03	48.86			
AV	19.21582G	34.19	63.54	-29.35	29.33	1	Vertical	198	1.53	-	37.69	16.03	48.86			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21552G	46.53	83.54	-37.01	41.67	1	Horizontal	22	1.54	-	37.69	16.03	48.86			
AV	19.21525G	34.12	63.54	-29.42	29.26	1	Horizontal	22	1.54	-	37.69	16.03	48.86			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13034G	48.35	88.20	-39.85	38.10	3	Vertical	169	2.02	-	39.08	14.67	43.50			
RMS	13.13042G	35.80	68.20	-32.40	25.55	3	Vertical	169	2.02	-	39.08	14.67	43.50			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12994G	48.00	88.20	-40.20	37.75	3	Horizontal	89	2.09	-	39.08	14.67	43.50			
RMS	13.12978G	35.80	68.20	-32.40	25.55	3	Horizontal	89	2.09	-	39.08	14.67	43.50			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69509G	46.20	83.54	-37.34	41.16	1	Vertical	29	1.51	-	37.68	16.24	48.88			
AV	19.69466G	33.82	63.54	-29.72	28.78	1	Vertical	29	1.51	-	37.68	16.24	48.88			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6943G	46.03	83.54	-37.51	40.99	1	Horizontal	314	1.53	-	37.68	16.24	48.88			
AV	19.69471G	33.72	63.54	-29.82	28.68	1	Horizontal	314	1.53	-	37.68	16.24	48.88			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37028G	49.20	74.00	-24.80	38.37	3	Vertical	91	2.50	-	39.44	14.90	43.51			
AV	13.37062G	36.61	54.00	-17.39	25.78	3	Vertical	91	2.50	-	39.44	14.90	43.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37045G	49.06	74.00	-24.94	38.23	3	Horizontal	124	2.08	-	39.44	14.90	43.51			
AV	13.36926G	36.51	54.00	-17.49	25.68	3	Horizontal	124	2.08	-	39.44	14.90	43.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05519G	46.35	83.54	-37.19	41.73	1	Vertical	26	1.54	-	37.21	16.40	48.99			
AV	20.05471G	33.51	63.54	-30.03	28.89	1	Vertical	26	1.54	-	37.21	16.40	48.99			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0541G	46.21	83.54	-37.33	41.59	1	Horizontal	243	1.54	-	37.21	16.40	48.99			
AV	20.05449G	33.51	63.54	-30.03	28.89	1	Horizontal	243	1.54	-	37.21	16.40	48.99			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68952G	49.21	88.20	-38.99	37.41	3	Vertical	3	2.16	-	40.18	15.21	43.59			
RMS	13.68963G	36.79	68.20	-31.41	24.99	3	Vertical	3	2.16	-	40.18	15.21	43.59			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69007G	49.16	88.20	-39.04	37.36	3	Horizontal	121	2.02	-	40.18	15.21	43.59			
RMS	13.6891G	36.69	68.20	-31.51	24.89	3	Horizontal	121	2.02	-	40.18	15.21	43.59			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53526G	45.65	83.54	-37.89	40.40	1	Vertical	281	1.53	-	37.53	16.62	48.90			
AV	20.53414G	33.32	63.54	-30.22	28.07	1	Vertical	281	1.53	-	37.53	16.62	48.90			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53418G	45.15	83.54	-38.39	39.90	1	Horizontal	101	1.52	-	37.53	16.62	48.90			
AV	20.53437G	33.32	63.54	-30.22	28.07	1	Horizontal	101	1.52	-	37.53	16.62	48.90			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 27
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	68.69	88.20	-19.51	70.64	3	Vertical	324	1.80	-	32.40	9.05	43.40			
RMS	5.924G	56.47	68.20	-11.73	58.42	3	Vertical	324	1.80	-	32.40	9.05	43.40			
PK	6.023G	111.97	Inf	-Inf	113.70	3	Vertical	324	1.80	-	32.45	9.15	43.33			
RMS	6.022G	103.26	Inf	-Inf	105.00	3	Vertical	324	1.80	-	32.44	9.15	43.33			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 27
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	77.23	88.20	-10.97	79.18	3	Horizontal	293	1.79	-	32.40	9.05	43.40			
RMS	5.925G	61.30	68.20	-6.90	63.25	3	Horizontal	293	1.79	-	32.40	9.05	43.40			
PK	5.995G	113.03	Inf	-Inf	114.84	3	Horizontal	293	1.79	-	32.40	9.13	43.34			
RMS	6.011G	104.66	Inf	-Inf	106.42	3	Horizontal	293	1.79	-	32.42	9.15	43.33			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 27
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9704G	46.85	74.00	-27.15	37.68	3	Vertical	156	1.89	-	38.90	13.55	43.28			
AV	11.96963G	35.38	54.00	-18.62	26.21	3	Vertical	156	1.89	-	38.90	13.55	43.28			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 27
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97091G	47.49	74.00	-26.51	38.32	3	Horizontal	191	1.65	-	38.90	13.55	43.28			
AV	11.96948G	35.49	54.00	-18.51	26.32	3	Horizontal	191	1.65	-	38.90	13.55	43.28			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 27
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94G	46.88	83.54	-36.66	37.61	1	Vertical	249	1.63	-	38.98	18.19	47.90			
AV	23.92863G	35.01	63.54	-28.53	25.77	1	Vertical	249	1.63	-	38.96	18.18	47.90			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 27
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95464G	46.92	83.54	-36.62	37.64	1	Horizontal	261	1.13	-	38.99	18.19	47.90			
AV	23.92602G	35.00	63.54	-28.54	25.77	1	Horizontal	261	1.13	-	38.95	18.18	47.90			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4494G	46.83	74.00	-27.17	37.81	3	Vertical	125	1.08	-	38.50	14.01	43.49			
AV	12.44908G	34.42	54.00	-19.58	25.39	3	Vertical	125	1.08	-	38.51	14.01	43.49			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4497G	46.64	74.00	-27.36	37.62	3	Horizontal	357	2.91	-	38.50	14.01	43.49			
AV	12.44936G	34.41	54.00	-19.59	25.39	3	Horizontal	357	2.91	-	38.50	14.01	43.49			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67552G	46.35	83.54	-37.19	41.73	1	Vertical	20	1.55	-	37.55	15.78	48.71			
AV	18.6742G	33.42	63.54	-30.12	28.79	1	Vertical	20	1.55	-	37.55	15.78	48.70			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67509G	45.06	83.54	-38.48	40.44	1	Horizontal	262	1.51	-	37.55	15.78	48.71			
AV	18.67431G	33.33	63.54	-30.21	28.70	1	Horizontal	262	1.51	-	37.55	15.78	48.70			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76901G	48.22	88.20	-39.98	38.46	3	Vertical	194	1.78	-	38.94	14.32	43.50			
RMS	12.76904G	36.08	68.20	-32.12	26.32	3	Vertical	194	1.78	-	38.94	14.32	43.50			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77048G	48.32	88.20	-39.88	38.56	3	Horizontal	61	2.60	-	38.94	14.32	43.50			
RMS	12.769G	35.98	68.20	-32.22	26.22	3	Horizontal	61	2.60	-	38.94	14.32	43.50			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15451G	46.11	83.54	-37.43	41.19	1	Vertical	198	1.54	-	37.78	16.01	48.87			
AV	19.1545G	34.34	63.54	-29.20	29.42	1	Vertical	198	1.54	-	37.78	16.01	48.87			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 33
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15429G	46.25	83.54	-37.29	41.33	1	Horizontal	133	1.55	-	37.78	16.01	48.87			
AV	19.15418G	34.34	63.54	-29.20	29.42	1	Horizontal	133	1.55	-	37.78	16.01	48.87			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25013G	48.70	74.00	-25.30	38.23	3	Vertical	139	1.81	-	39.20	14.78	43.51			
RMS	13.24924G	36.01	68.20	-32.19	25.53	3	Vertical	139	1.81	-	39.20	14.78	43.50			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24931G	48.08	88.20	-40.12	37.60	3	Horizontal	137	2.74	-	39.20	14.78	43.50			
RMS	13.24983G	35.90	68.20	-32.30	25.42	3	Horizontal	137	2.74	-	39.20	14.78	43.50			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87564G	45.61	83.54	-37.93	40.64	1	Vertical	178	1.53	-	37.60	16.32	48.95			
AV	19.87423G	33.54	63.54	-30.00	28.57	1	Vertical	178	1.53	-	37.60	16.32	48.95			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.8747G	45.32	83.54	-38.22	40.35	1	Horizontal	57	1.52	-	37.60	16.32	48.95			
AV	19.87487G	33.45	63.54	-30.09	28.48	1	Horizontal	57	1.52	-	37.60	16.32	48.95			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40931G	49.56	88.20	-38.64	38.57	3	Vertical	73	2.23	-	39.56	14.94	43.51			
RMS	13.4093G	37.10	68.20	-31.10	26.11	3	Vertical	73	2.23	-	39.56	14.94	43.51			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40903G	49.23	88.20	-38.97	38.25	3	Horizontal	197	2.14	-	39.55	14.94	43.51			
RMS	13.41009G	37.21	68.20	-30.99	26.22	3	Horizontal	197	2.14	-	39.56	14.94	43.51			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11539G	45.25	83.54	-38.29	40.51	1	Vertical	205	1.54	-	37.30	16.42	48.98			
AV	20.11468G	33.43	63.54	-30.11	28.69	1	Vertical	205	1.54	-	37.30	16.42	48.98			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11529G	45.34	83.54	-38.20	40.60	1	Horizontal	112	1.51	-	37.30	16.42	48.98			
AV	20.11516G	33.52	63.54	-30.02	28.78	1	Horizontal	112	1.51	-	37.30	16.42	48.98			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57027G	49.93	88.20	-38.27	38.27	3	Vertical	274	2.90	-	40.12	15.09	43.55			
RMS	13.57019G	37.21	68.20	-30.99	25.55	3	Vertical	274	2.90	-	40.12	15.09	43.55			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57088G	49.46	88.20	-38.74	37.80	3	Horizontal	133	1.83	-	40.12	15.09	43.55			
RMS	13.57046G	37.20	68.20	-31.00	25.54	3	Horizontal	133	1.83	-	40.12	15.09	43.55			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35538G	45.77	83.54	-37.77	40.66	1	Vertical	81	1.55	-	37.50	16.54	48.93			
AV	20.35532G	33.73	63.54	-29.81	28.62	1	Vertical	81	1.55	-	37.50	16.54	48.93			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35549G	46.72	83.54	-36.82	41.61	1	Horizontal	130	1.55	-	37.50	16.54	48.93			
AV	20.35488G	33.73	63.54	-29.81	28.62	1	Horizontal	130	1.55	-	37.50	16.54	48.93			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 28
04-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	68.75	88.20	-19.45	70.71	3	Vertical	22	1.80	-	32.40	9.05	43.41			
RMS	5.925G	58.98	68.20	-9.22	60.93	3	Vertical	22	1.80	-	32.40	9.05	43.40			
PK	6.0874G	109.34	Inf	-Inf	110.93	3	Vertical	22	1.80	-	32.50	9.20	43.29			
RMS	6.1026G	99.31	Inf	-Inf	100.87	3	Vertical	22	1.80	-	32.51	9.21	43.28			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 28
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8882G	74.26	88.20	-13.94	76.33	3	Horizontal	290	1.80	-	32.35	9.01	43.43			
RMS	5.9242G	64.22	68.20	-3.98	66.17	3	Horizontal	290	1.80	-	32.40	9.05	43.40			
PK	6.0786G	109.50	Inf	-Inf	111.11	3	Horizontal	290	1.80	-	32.50	9.19	43.30			
RMS	6.0986G	100.15	Inf	-Inf	101.74	3	Horizontal	290	1.80	-	32.50	9.20	43.29			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 28
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04943G	48.12	74.00	-25.88	38.62	3	Vertical	65	1.06	-	39.20	13.62	43.32			
AV	12.04958G	35.43	54.00	-18.57	25.93	3	Vertical	65	1.06	-	39.20	13.62	43.32			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 28
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04948G	47.88	74.00	-26.12	38.38	3	Horizontal	218	2.83	-	39.20	13.62	43.32			
AV	12.04939G	35.33	54.00	-18.67	25.83	3	Horizontal	218	2.83	-	39.20	13.62	43.32			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 28
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07417G	44.28	83.54	-39.26	39.96	1	Vertical	95	1.51	-	37.25	15.50	48.43			
AV	18.07563G	32.60	63.54	-30.94	28.28	1	Vertical	95	1.51	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 28
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0749G	44.86	83.54	-38.68	40.54	1	Horizontal	302	1.53	-	37.25	15.50	48.43			
AV	18.0757G	32.60	63.54	-30.94	28.28	1	Horizontal	302	1.53	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36952G	46.33	74.00	-27.67	37.00	3	Vertical	93	2.06	-	38.86	13.93	43.46			
AV	12.36949G	34.66	54.00	-19.34	25.33	3	Vertical	93	2.06	-	38.86	13.93	43.46			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37G	46.62	74.00	-27.38	37.29	3	Horizontal	247	1.19	-	38.86	13.93	43.46			
AV	12.36911G	34.56	54.00	-19.44	25.23	3	Horizontal	247	1.19	-	38.86	13.93	43.46			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55477G	44.83	83.54	-38.71	40.21	1	Vertical	239	1.53	-	37.52	15.73	48.63			
AV	18.55556G	32.62	63.54	-30.92	28.00	1	Vertical	239	1.53	-	37.52	15.73	48.63			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55582G	44.76	83.54	-38.78	40.14	1	Horizontal	64	1.54	-	37.52	15.73	48.63			
AV	18.55594G	32.62	63.54	-30.92	28.00	1	Horizontal	64	1.54	-	37.52	15.73	48.63			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69013G	48.54	74.00	-25.46	39.04	3	Vertical	153	2.63	-	38.76	14.24	43.50			
AV	12.68951G	35.84	54.00	-18.16	26.34	3	Vertical	153	2.63	-	38.76	14.24	43.50			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68933G	48.52	74.00	-25.48	39.02	3	Horizontal	49	1.91	-	38.76	14.24	43.50			
AV	12.68936G	35.85	54.00	-18.15	26.35	3	Horizontal	49	1.91	-	38.76	14.24	43.50			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03468G	48.15	83.54	-35.39	43.32	1	Vertical	73	1.53	-	37.77	15.95	48.89			
AV	19.0359G	35.10	63.54	-28.44	30.26	1	Vertical	73	1.53	-	37.77	15.96	48.89			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03585G	46.93	83.54	-36.61	42.09	1	Horizontal	145	1.51	-	37.77	15.96	48.89			
AV	19.0359G	35.10	63.54	-28.44	30.26	1	Horizontal	145	1.51	-	37.77	15.96	48.89			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32987G	49.46	74.00	-24.54	38.71	3	Vertical	93	1.83	-	39.40	14.86	43.51			
AV	13.32925G	36.57	54.00	-17.43	25.82	3	Vertical	93	1.83	-	39.40	14.86	43.51			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33021G	48.81	74.00	-25.19	38.06	3	Horizontal	313	1.31	-	39.40	14.86	43.51			
AV	13.33018G	36.67	54.00	-17.33	25.92	3	Horizontal	313	1.31	-	39.40	14.86	43.51			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99412G	45.65	83.54	-37.89	40.86	1	Vertical	318	1.51	-	37.42	16.37	49.00			
AV	19.99452G	33.33	63.54	-30.21	28.54	1	Vertical	318	1.51	-	37.42	16.37	49.00			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99549G	45.66	83.54	-37.88	40.87	1	Horizontal	187	1.50	-	37.42	16.37	49.00			
AV	19.99415G	33.33	63.54	-30.21	28.54	1	Horizontal	187	1.50	-	37.42	16.37	49.00			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 30
04-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3354G	52.04	88.20	-36.16	55.99	3	Vertical	290	1.80	-	31.37	8.47	43.79			
RMS	5.305G	42.88	68.20	-25.32	46.91	3	Vertical	290	1.80	-	31.31	8.46	43.80			
PK	5.425G	53.19	74.00	-20.81	56.88	3	Vertical	290	1.80	-	31.55	8.52	43.76			
AV	5.4538G	43.85	54.00	-10.15	47.34	3	Vertical	290	1.80	-	31.71	8.55	43.75			
PK	5.9242G	75.79	88.20	-12.41	77.74	3	Vertical	290	1.80	-	32.40	9.05	43.40			
RMS	5.9242G	67.20	68.20	-1.00	69.15	3	Vertical	290	1.80	-	32.40	9.05	43.40			
PK	6.1306G	109.74	Inf	-Inf	111.23	3	Vertical	290	1.80	-	32.56	9.22	43.27			
AV	6.0778G	100.50	Inf	-Inf	102.11	3	Vertical	290	1.80	-	32.50	9.19	43.30			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 30
04-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.321G	52.19	88.20	-36.01	56.19	3	Horizontal	277	1.04	-	31.34	8.46	43.80			
RMS	5.305G	42.93	68.20	-25.27	46.96	3	Horizontal	277	1.04	-	31.31	8.46	43.80			
PK	5.441G	53.23	74.00	-20.77	56.81	3	Horizontal	277	1.04	-	31.65	8.53	43.76			
AV	5.4538G	43.75	54.00	-10.25	47.24	3	Horizontal	277	1.04	-	31.71	8.55	43.75			
PK	5.9178G	75.20	88.20	-13.00	77.16	3	Horizontal	277	1.04	-	32.40	9.05	43.41			
RMS	5.9242G	66.61	68.20	-1.59	68.56	3	Horizontal	277	1.04	-	32.40	9.05	43.40			
PK	6.057G	107.85	Inf	-Inf	109.48	3	Horizontal	277	1.04	-	32.50	9.18	43.31			
AV	6.0954G	99.11	Inf	-Inf	100.70	3	Horizontal	277	1.04	-	32.50	9.20	43.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20946G	47.30	74.00	-26.70	38.04	3	Vertical	263	2.51	-	38.88	13.77	43.39			
AV	12.21035G	35.24	54.00	-18.76	25.98	3	Vertical	263	2.51	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20926G	47.14	74.00	-26.86	37.88	3	Horizontal	327	2.66	-	38.88	13.77	43.39			
AV	12.20933G	35.13	54.00	-18.87	25.87	3	Horizontal	327	2.66	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31506G	45.41	83.54	-38.13	40.97	1	Vertical	137	1.52	-	37.36	15.61	48.53			
AV	18.31405G	33.41	63.54	-30.13	28.97	1	Vertical	137	1.52	-	37.36	15.61	48.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31572G	45.69	83.54	-37.85	41.25	1	Horizontal	101	1.55	-	37.36	15.61	48.53			
AV	18.31432G	33.32	63.54	-30.22	28.88	1	Horizontal	101	1.55	-	37.36	15.61	48.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52945G	46.10	74.00	-27.90	37.23	3	Vertical	172	2.85	-	38.30	14.08	43.51			
AV	12.52979G	34.15	54.00	-19.85	25.28	3	Vertical	172	2.85	-	38.30	14.08	43.51			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_V_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53083G	46.50	74.00	-27.50	37.63	3	Horizontal	106	2.19	-	38.30	14.08	43.51			
AV	12.52984G	34.26	54.00	-19.74	25.39	3	Horizontal	106	2.19	-	38.30	14.08	43.51			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79539G	45.70	83.54	-37.84	41.02	1	Vertical	290	1.51	-	37.62	15.84	48.78			
AV	18.79428G	33.62	63.54	-29.92	28.94	1	Vertical	290	1.51	-	37.62	15.84	48.78			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX

EUT Y_4TX
Setting 33
04-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79527G	46.23	83.54	-37.31	41.55	1	Horizontal	277	1.50	-	37.62	15.84	48.78			
AV	18.79453G	33.62	63.54	-29.92	28.94	1	Horizontal	277	1.50	-	37.62	15.84	48.78			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	Pass	RMS	5.9202G	68.17	68.20	-0.03	3	Horizontal	-	-	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11/19
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	79.29	88.20	-8.91	67.52	3	Vertical	52	1.80	-	34.10	10.11	32.44			
RMS	5.9146G	64.07	68.20	-4.13	52.30	3	Vertical	52	1.80	-	34.10	10.11	32.44			
PK	6.0218G	116.79	Inf	-Inf	104.92	3	Vertical	52	1.80	-	34.10	10.21	32.44			
RMS	6.0226G	107.14	Inf	-Inf	95.27	3	Vertical	52	1.80	-	34.10	10.21	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11/19
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	79.23	88.20	-8.97	67.46	3	Horizontal	296	1.80	-	34.10	10.11	32.44			
RMS	5.9194G	65.42	68.20	-2.78	53.65	3	Horizontal	296	1.80	-	34.10	10.11	32.44			
PK	5.9706G	114.40	Inf	-Inf	102.58	3	Horizontal	296	1.80	-	34.10	10.16	32.44			
RMS	6.0094G	105.56	Inf	-Inf	93.70	3	Horizontal	296	1.80	-	34.10	10.20	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Y_4TX
Setting 11/19
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9396G	56.57	74.00	-17.43	35.65	3	Vertical	20	2.84	-	38.70	14.99	32.77			
AV	11.9599G	44.44	54.00	-9.56	23.52	3	Vertical	20	2.84	-	38.70	15.00	32.78			
PK	17.9382G	56.15	74.00	-17.85	27.96	3	Vertical	345	1.15	-	43.71	15.89	31.41			
AV	17.9938G	42.92	54.00	-11.08	14.39	3	Vertical	345	1.15	-	43.98	15.91	31.36			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11/19
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.9724G	57.00	74.00	-17.00	36.09	3	Horizontal	360	3.00	-	38.70	15.00	32.79				
AV	11.9671G	44.32	54.00	-9.68	23.41	3	Horizontal	360	3.00	-	38.70	15.00	32.79				
PK	17.9996G	56.06	74.00	-17.94	27.51	3	Horizontal	157	1.85	-	44.00	15.91	31.36				
AV	17.9995G	43.18	54.00	-10.82	14.63	3	Horizontal	157	1.85	-	44.00	15.91	31.36				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11/19
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9874G	62.64	83.54	-20.90	53.78	1	Vertical	293	1.04	-	38.93	17.83	47.90			
AV	23.9676G	48.85	63.54	-14.69	39.95	1	Vertical	293	1.04	-	38.96	17.84	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_V_4TX
Setting 11/19
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9786G	61.81	83.54	-21.73	52.94	1	Horizontal	116	2.34	-	38.94	17.83	47.90			
AV	23.8988G	48.55	63.54	-14.99	39.66	1	Horizontal	116	2.34	-	38.90	17.89	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 12.5/17.5
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8954G	70.96	88.20	-17.24	59.23	3	Vertical	50	1.80	-	34.08	10.09	32.44			
RMS	5.915G	55.00	68.20	-13.20	43.23	3	Vertical	50	1.80	-	34.10	10.11	32.44			
PK	6.0234G	116.76	Inf	-Inf	104.89	3	Vertical	50	1.80	-	34.10	10.21	32.44			
RMS	6.023G	107.21	Inf	-Inf	95.34	3	Vertical	50	1.80	-	34.10	10.21	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 12.5/17.5
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.909G	69.36	88.20	-18.84	57.60	3	Horizontal	293	1.80	-	34.10	10.10	32.44			
RMS	5.9002G	55.59	68.20	-12.61	43.83	3	Horizontal	293	1.80	-	34.10	10.10	32.44			
PK	6.0094G	113.99	Inf	-Inf	102.13	3	Horizontal	293	1.80	-	34.10	10.20	32.44			
RMS	6.0094G	105.37	Inf	-Inf	93.51	3	Horizontal	293	1.80	-	34.10	10.20	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5985MHz_TX

EUT_Y_4TX
Setting 12.5/17.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0093G	56.58	74.00	-17.42	35.63	3	Vertical	40	1.11	-	38.72	15.02	32.79			
AV	11.9665G	44.15	54.00	-9.85	23.24	3	Vertical	40	1.11	-	38.70	15.00	32.79			
PK	17.9515G	56.23	74.00	-17.77	27.92	3	Vertical	176	1.36	-	43.81	15.90	31.40			
AV	17.9822G	43.00	54.00	-11.00	14.53	3	Vertical	176	1.36	-	43.93	15.91	31.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 12.5/17.5
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9323G	57.01	74.00	-16.99	36.10	3	Horizontal	25	2.83	-	38.70	14.98	32.77			
AV	11.9641G	44.04	54.00	-9.96	23.12	3	Horizontal	25	2.83	-	38.70	15.00	32.78			
PK	17.9502G	55.83	74.00	-18.17	27.53	3	Horizontal	275	1.95	-	43.80	15.90	31.40			
AV	17.9929G	43.15	54.00	-10.85	14.64	3	Horizontal	275	1.95	-	43.97	15.91	31.37			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_V_4TX
Setting 12.5/17.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.929G	62.04	83.54	-21.50	53.11	1	Vertical	211	1.37	-	38.96	17.87	47.90			
AV	23.973G	49.22	63.54	-14.32	40.33	1	Vertical	211	1.37	-	38.95	17.84	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_V_4TX
Setting 12.5/17.5
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8916G	61.64	83.54	-21.90	52.75	1	Horizontal	333	2.60	-	38.90	17.89	47.90			
AV	23.9762G	48.93	63.54	-14.61	40.04	1	Horizontal	333	2.60	-	38.95	17.84	47.90			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 11/19
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9138G	71.17	88.20	-17.03	59.40	3	Vertical	65	1.80	-	34.10	10.11	32.44			
RMS	5.9234G	57.76	68.20	-10.44	45.98	3	Vertical	65	1.80	-	34.10	10.12	32.44			
PK	6.0682G	112.40	Inf	-Inf	100.47	3	Vertical	65	1.80	-	34.10	10.26	32.43			
RMS	6.0882G	104.19	Inf	-Inf	92.24	3	Vertical	65	1.80	-	34.10	10.28	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 11/19
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	69.23	88.20	-18.97	57.46	3	Horizontal	32	1.80	-	34.10	10.11	32.44			
RMS	5.9226G	55.59	68.20	-12.61	43.81	3	Horizontal	32	1.80	-	34.10	10.12	32.44			
PK	6.0418G	109.42	Inf	-Inf	97.52	3	Horizontal	32	1.80	-	34.10	10.23	32.43			
RMS	6.0826G	100.81	Inf	-Inf	88.87	3	Horizontal	32	1.80	-	34.10	10.27	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 11/19
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0404G	56.59	74.00	-17.41	35.52	3	Vertical	348	1.91	-	38.78	15.03	32.74			
AV	12.019G	44.05	54.00	-9.95	23.06	3	Vertical	348	1.91	-	38.74	15.02	32.77			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 11/19
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.068G	56.31	74.00	-17.69	35.14	3	Horizontal	128	2.69	-	38.84	15.03	32.70			
AV	12.0426G	44.03	54.00	-9.97	22.95	3	Horizontal	128	2.69	-	38.79	15.03	32.74			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 11/19
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.1052G	57.84	83.54	-25.70	53.22	1	Vertical	287	1.85	-	37.30	15.76	48.44			
AV	18.1068G	44.57	63.54	-18.97	39.95	1	Vertical	287	1.85	-	37.30	15.76	48.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 11/19
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0384G	56.92	83.54	-26.62	52.38	1	Horizontal	17	2.16	-	37.25	15.71	48.42			
AV	18.107G	44.58	63.54	-18.96	39.96	1	Horizontal	17	2.16	-	37.30	15.76	48.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13/17
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9146G	72.08	88.20	-16.12	60.31	3	Vertical	68	1.80	-	34.10	10.11	32.44			
RMS	5.9202G	56.20	68.20	-12.00	44.43	3	Vertical	68	1.80	-	34.10	10.11	32.44			
PK	6.0858G	113.14	Inf	-Inf	101.19	3	Vertical	68	1.80	-	34.10	10.28	32.43			
RMS	6.0874G	104.58	Inf	-Inf	92.63	3	Vertical	68	1.80	-	34.10	10.28	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13/17
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	70.71	88.20	-17.49	58.93	3	Horizontal	29	1.80	-	34.10	10.12	32.44			
RMS	5.9234G	55.09	68.20	-13.11	43.31	3	Horizontal	29	1.80	-	34.10	10.12	32.44			
PK	6.1018G	108.06	Inf	-Inf	96.10	3	Horizontal	29	1.80	-	34.10	10.29	32.43			
RMS	6.1026G	100.80	Inf	-Inf	88.83	3	Horizontal	29	1.80	-	34.11	10.29	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13/17
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0514G	56.53	74.00	-17.47	35.43	3	Vertical	207	1.41	-	38.80	15.03	32.73			
AV	12.0358G	43.86	54.00	-10.14	22.82	3	Vertical	207	1.41	-	38.77	15.02	32.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 13/17
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0804G	57.01	74.00	-16.99	35.80	3	Horizontal	324	1.35	-	38.86	15.03	32.68			
AV	12.0603G	43.90	54.00	-10.10	22.76	3	Horizontal	324	1.35	-	38.82	15.03	32.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX


6025MHz_TX

EUT_Y_4TX
Setting 13/17
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.1152G	57.10	83.54	-26.44	52.48	1	Vertical	91	1.73	-	37.30	15.77	48.45			
AV	18.1196G	44.85	63.54	-18.69	40.23	1	Vertical	91	1.73	-	37.30	15.77	48.45			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX


6025MHz_TX

EUT_Y_4TX
Setting 13/17
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.1194G	57.77	83.54	-25.77	53.15	1	Horizontal	286	2.04	-	37.30	15.77	48.45			
AV	18.1098G	44.79	63.54	-18.75	40.16	1	Horizontal	286	2.04	-	37.30	15.77	48.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 14/16
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	66.12	88.20	-22.08	54.35	3	Vertical	324	1.80	-	34.10	10.11	32.44			
RMS	5.9186G	53.36	68.20	-14.84	41.59	3	Vertical	324	1.80	-	34.10	10.11	32.44			
PK	6.0986G	113.08	Inf	-Inf	101.12	3	Vertical	324	1.80	-	34.10	10.29	32.43			
RMS	6.0786G	104.12	Inf	-Inf	92.18	3	Vertical	324	1.80	-	34.10	10.27	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 14/16
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8042G	62.76	88.20	-25.44	51.49	3	Horizontal	30	1.80	-	33.72	10.00	32.45			
RMS	5.9226G	53.27	68.20	-14.93	41.49	3	Horizontal	30	1.80	-	34.10	10.12	32.44			
PK	6.1026G	109.60	Inf	-Inf	97.63	3	Horizontal	30	1.80	-	34.11	10.29	32.43			
RMS	6.0826G	101.74	Inf	-Inf	89.80	3	Horizontal	30	1.80	-	34.10	10.27	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 14/16
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0487G	56.97	74.00	-17.03	35.87	3	Vertical	106	1.98	-	38.80	15.03	32.73			
AV	12.0344G	44.09	54.00	-9.91	23.05	3	Vertical	106	1.98	-	38.77	15.02	32.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6025MHz_TX

EUT_Y_4TX
Setting 14/16
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0336G	56.37	74.00	-17.63	35.33	3	Horizontal	306	2.48	-	38.77	15.02	32.75			
AV	12.0413G	44.03	54.00	-9.97	22.96	3	Horizontal	306	2.48	-	38.78	15.03	32.74			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 14/16
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0516G	57.99	83.54	-25.55	53.49	1	Vertical	61	1.57	-	37.20	15.72	48.42			
AV	18.1078G	44.80	63.54	-18.74	40.17	1	Vertical	61	1.57	-	37.30	15.77	48.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_V_4TX
Setting 14/16
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.076G	57.43	83.54	-26.11	52.87	1	Horizontal	51	1.49	-	37.25	15.74	48.43			
AV	18.112G	44.72	63.54	-18.82	40.09	1	Horizontal	51	1.49	-	37.30	15.77	48.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 9/21
01-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	73.34	88.20	-14.86	61.56	3	Vertical	66	1.80	-	34.10	10.12	32.44			
RMS	5.921G	63.01	68.20	-5.19	51.24	3	Vertical	66	1.80	-	34.10	10.11	32.44			
PK	6.1066G	110.15	Inf	-Inf	98.17	3	Vertical	66	1.80	-	34.11	10.30	32.43			
RMS	6.1474G	102.27	Inf	-Inf	90.16	3	Vertical	66	1.80	-	34.19	10.34	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 9/21
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	76.29	88.20	-11.91	64.52	3	Horizontal	293	1.80	-	34.10	10.11	32.44			
RMS	5.9202G	65.25	68.20	-2.95	53.48	3	Horizontal	293	1.80	-	34.10	10.11	32.44			
PK	6.009G	108.24	Inf	-Inf	96.38	3	Horizontal	293	1.80	-	34.10	10.20	32.44			
RMS	5.9898G	99.24	Inf	-Inf	87.40	3	Horizontal	293	1.80	-	34.10	10.18	32.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 9/21
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1688G	56.59	74.00	-17.41	35.21	3	Vertical	222	1.65	-	38.90	15.04	32.56			
AV	12.2089G	43.92	54.00	-10.08	22.47	3	Vertical	222	1.65	-	38.90	15.05	32.50			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
Setting 9/21
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1695G	56.26	74.00	-17.74	34.88	3	Horizontal	350	2.53	-	38.90	15.04	32.56			
AV	12.2141G	44.02	54.00	-9.98	22.56	3	Horizontal	350	2.53	-	38.90	15.05	32.49			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 9/21
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.2784G	57.27	83.54	-26.27	52.49	1	Vertical	61	2.90	-	37.39	15.90	48.51			
AV	18.2808G	45.03	63.54	-18.51	40.26	1	Vertical	61	2.90	-	37.38	15.90	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
Setting 9/21
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3372G	58.09	83.54	-25.45	53.22	1	Horizontal	291	1.54	-	37.45	15.95	48.53			
AV	18.3366G	44.92	63.54	-18.62	40.05	1	Horizontal	291	1.54	-	37.45	15.95	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 10/20
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9138G	71.27	88.20	-16.93	59.50	3	Vertical	66	1.80	-	34.10	10.11	32.44			
RMS	5.921G	61.81	68.20	-6.39	50.04	3	Vertical	66	1.80	-	34.10	10.11	32.44			
PK	6.0274G	111.19	Inf	-Inf	99.31	3	Vertical	66	1.80	-	34.10	10.22	32.44			
RMS	6.1474G	101.91	Inf	-Inf	89.80	3	Vertical	66	1.80	-	34.19	10.34	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 10/20
01-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.00	88.20	-12.20	64.23	3	Horizontal	294	1.80	-	34.10	10.11	32.44			
RMS	5.9202G	64.39	68.20	-3.81	52.62	3	Horizontal	294	1.80	-	34.10	10.11	32.44			
PK	5.9482G	107.95	Inf	-Inf	96.15	3	Horizontal	294	1.80	-	34.10	10.14	32.44			
RMS	5.9898G	99.50	Inf	-Inf	87.66	3	Horizontal	294	1.80	-	34.10	10.18	32.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT Y_4TX
Setting 10/20
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2347G	56.19	74.00	-17.81	34.70	3	Vertical	275	1.85	-	38.90	15.05	32.46			
AV	12.1604G	43.28	54.00	-10.72	21.91	3	Vertical	275	1.85	-	38.90	15.04	32.57			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 10/20
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2086G	57.13	74.00	-16.87	35.68	3	Horizontal	273	1.70	-	38.90	15.05	32.50			
AV	12.1685G	43.35	54.00	-10.65	21.97	3	Horizontal	273	1.70	-	38.90	15.04	32.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_Y_4TX
Setting 10/20
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.328G	57.60	83.54	-25.94	52.78	1	Vertical	102	1.25	-	37.41	15.94	48.53			
AV	18.2654G	44.41	63.54	-19.13	39.59	1	Vertical	102	1.25	-	37.44	15.89	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 10/20
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.265G	58.03	83.54	-25.51	53.21	1	Horizontal	280	1.19	-	37.44	15.89	48.51			
AV	18.2656G	44.27	63.54	-19.27	39.45	1	Horizontal	280	1.19	-	37.44	15.89	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
Setting 8/22
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	74.71	88.20	-13.49	62.93	3	Vertical	-	-	-	34.10	10.12	32.44			
RMS	5.9226G	63.11	68.20	-5.09	51.33	3	Vertical	-	-	-	34.10	10.12	32.44			
PK	6.0226G	101.38	Inf	-Inf	89.51	3	Vertical	-	-	-	34.10	10.21	32.44			
RMS	6.0226G	101.38	Inf	-Inf	89.51	3	Vertical	-	-	-	34.10	10.21	32.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6105MHz_TX

EUT_Y_4TX
Setting 8/22
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	77.15	88.20	-11.05	65.37	3	Horizontal	-	-	-	34.10	10.12	32.44			
RMS	5.9202G	68.17	68.20	-0.03	56.40	3	Horizontal	-	-	-	34.10	10.11	32.44			
PK	6.2514G	111.88	Inf	-Inf	99.53	3	Horizontal	-	-	-	34.30	10.46	32.41			
RMS	6.2522G	102.91	Inf	-Inf	90.56	3	Horizontal	-	-	-	34.30	10.46	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
Setting 8/22
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1702G	55.92	74.00	-18.08	34.53	3	Vertical	211	1.86	-	38.90	15.04	32.55			
AV	12.2015G	43.68	54.00	-10.32	22.24	3	Vertical	211	1.86	-	38.90	15.05	32.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6105MHz_TX

EUT_Y_4TX
Setting 8/22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2405G	55.68	74.00	-18.32	34.18	3	Horizontal	169	1.52	-	38.90	15.05	32.45			
AV	12.1645G	43.73	54.00	-10.27	22.35	3	Horizontal	169	1.52	-	38.90	15.04	32.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
Setting 8/22
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3016G	57.16	83.54	-26.38	52.45	1	Vertical	205	2.45	-	37.31	15.92	48.52			
AV	18.2756G	44.81	63.54	-18.73	40.02	1	Vertical	205	2.45	-	37.40	15.90	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX

EUT_Y_4TX
Setting 8/22
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.3264G	57.71	83.54	-25.83	52.89	1	Horizontal	106	2.39	-	37.41	15.94	48.53			
AV	18.2746G	44.87	63.54	-18.67	40.08	1	Horizontal	106	2.39	-	37.40	15.90	48.51			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	RMS	5.9226G	67.95	68.20	-0.25	3	Vertical	357	1.80	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




EUT_Y_4TX
Setting 19.5
01-C-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9146G	80.05	88.20	-8.15	68.28	3	Vertical	52	1.80	-	34.10	10.11	32.44			
RMS	5.9222G	65.48	68.20	-2.72	53.70	3	Vertical	52	1.80	-	34.10	10.12	32.44			
PK	6.0034G	114.69	Inf	-Inf	102.84	3	Vertical	52	1.80	-	34.10	10.19	32.44			
RMS	6.0026G	106.37	Inf	-Inf	94.52	3	Vertical	52	1.80	-	34.10	10.19	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




EUT_Y_4TX
Setting 19.5
01-C-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	81.67	88.20	-6.53	69.90	3	Horizontal	295	1.80	-	34.10	10.11	32.44			
RMS	5.9202G	67.58	68.20	-0.62	55.81	3	Horizontal	295	1.80	-	34.10	10.11	32.44			
PK	5.9906G	115.47	Inf	-Inf	103.63	3	Horizontal	295	1.80	-	34.10	10.18	32.44			
RMS	5.9898G	106.58	Inf	-Inf	94.74	3	Horizontal	295	1.80	-	34.10	10.18	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 19.5
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97306G	62.25	74.00	-11.75	41.33	3	Vertical	296	2.21	-	38.70	15.01	32.79			
AV	11.96198G	48.58	54.00	-5.42	27.66	3	Vertical	296	2.21	-	38.70	15.00	32.78			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




EUT Y_4TX
Setting 19.5
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97326G	61.36	74.00	-12.64	40.44	3	Horizontal	331	2.57	-	38.70	15.01	32.79			
AV	11.97056G	48.47	54.00	-5.53	27.56	3	Horizontal	331	2.57	-	38.70	15.00	32.79			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




EUT_V_4TX
Setting 19.5
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9324G	56.23	83.54	-27.31	47.30	1	Vertical	102	2.94	-	38.96	17.87	47.90			
AV	23.94816G	43.19	63.54	-20.35	34.23	1	Vertical	102	2.94	-	39.00	17.86	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




EUT_Y_4TX
Setting 19.5
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94924G	56.12	83.54	-27.42	47.17	1	Horizontal	125	2.58	-	39.00	17.85	47.90			
AV	23.94556G	42.75	63.54	-20.79	33.80	1	Horizontal	125	2.58	-	38.99	17.86	47.90			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX




EUT_Y_4TX
Setting 19
01-C-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	81.14	88.20	-7.06	69.37	3	Vertical	324	1.80	-	34.10	10.11	32.44			
RMS	5.9205G	63.68	68.20	-4.52	51.91	3	Vertical	324	1.80	-	34.10	10.11	32.44			
PK	6.0385G	111.70	Inf	-Inf	99.81	3	Vertical	324	1.80	-	34.10	10.23	32.44			
RMS	6.079G	104.12	Inf	-Inf	92.18	3	Vertical	324	1.80	-	34.10	10.27	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX




EUT_Y_4TX
Setting 19
01-C-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	86.30	88.20	-1.90	74.52	3	Horizontal	30	1.80	-	34.10	10.12	32.44			
RMS	5.923G	66.61	68.20	-1.59	54.83	3	Horizontal	30	1.80	-	34.10	10.12	32.44			
PK	6.0235G	111.28	Inf	-Inf	99.41	3	Horizontal	30	1.80	-	34.10	10.21	32.44			
RMS	6.0825G	103.22	Inf	-Inf	91.28	3	Horizontal	30	1.80	-	34.10	10.27	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX




EUT_V_4TX
Setting 19
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0526G	61.36	74.00	-12.64	40.24	3	Vertical	170	2.80	-	38.81	15.03	32.72			
AV	12.04608G	48.27	54.00	-5.73	27.18	3	Vertical	170	2.80	-	38.79	15.03	32.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX


6025MHz_TX

EUT_Y_4TX
Setting 19
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04364G	61.56	74.00	-12.44	40.48	3	Horizontal	33	1.70	-	38.79	15.03	32.74			
AV	12.04578G	48.25	54.00	-5.75	27.16	3	Horizontal	33	1.70	-	38.79	15.03	32.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX




EUT_Y_4TX
Setting 19
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08692G	51.97	83.54	-31.57	47.38	1	Vertical	194	1.13	-	37.27	15.75	48.43			
AV	18.08304G	38.75	63.54	-24.79	34.16	1	Vertical	194	1.13	-	37.27	15.75	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX


6025MHz_TX

EUT_Y_4TX
Setting 19
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08336G	51.89	83.54	-31.65	47.30	1	Horizontal	180	1.65	-	37.27	15.75	48.43			
AV	18.0848G	38.72	63.54	-24.82	34.13	1	Horizontal	180	1.65	-	37.27	15.75	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 18.5
01-C-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	78.73	88.20	-9.47	66.95	3	Vertical	66	1.80	-	34.10	10.12	32.44			
RMS	5.921G	65.39	68.20	-2.81	53.62	3	Vertical	66	1.80	-	34.10	10.11	32.44			
PK	6.0865G	112.80	Inf	-Inf	100.85	3	Vertical	66	1.80	-	34.10	10.28	32.43			
RMS	6.088G	103.98	Inf	-Inf	92.03	3	Vertical	66	1.80	-	34.10	10.28	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX


6025MHz_TX

EUT_Y_4TX
Setting 18.5
01-C-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9175G	78.37	88.20	-9.83	66.60	3	Horizontal	31	1.80	-	34.10	10.11	32.44			
RMS	5.9225G	62.09	68.20	-6.11	50.31	3	Horizontal	31	1.80	-	34.10	10.12	32.44			
PK	6.0825G	111.77	Inf	-Inf	99.83	3	Horizontal	31	1.80	-	34.10	10.27	32.43			
RMS	6.0825G	102.06	Inf	-Inf	90.12	3	Horizontal	31	1.80	-	34.10	10.27	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT V_4TX
Setting 18.5
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05864G	61.06	74.00	-12.94	39.93	3	Vertical	216	2.38	-	38.82	15.03	32.72			
AV	12.04324G	48.22	54.00	-5.78	27.14	3	Vertical	216	2.38	-	38.79	15.03	32.74			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT V_4TX
Setting 18.5
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0517G	61.19	74.00	-12.81	40.09	3	Horizontal	323	2.56	-	38.80	15.03	32.73			
AV	12.04892G	48.28	54.00	-5.72	27.18	3	Horizontal	323	2.56	-	38.80	15.03	32.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 18.5
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0704G	51.98	83.54	-31.56	47.43	1	Vertical	2	1.80	-	37.24	15.74	48.43			
AV	18.08264G	38.76	63.54	-24.78	34.17	1	Vertical	2	1.80	-	37.27	15.75	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

6025MHz_TX




EUT V_4TX
Setting 18.5
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08264G	51.95	83.54	-31.59	47.36	1	Horizontal	181	2.44	-	37.27	15.75	48.43			
AV	18.08336G	38.74	63.54	-24.80	34.15	1	Horizontal	181	2.44	-	37.27	15.75	48.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
01-C-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	75.27	88.20	-12.93	63.49	3	Vertical	36	1.80	-	34.10	10.12	32.44			
RMS	5.9218G	66.12	68.20	-2.08	54.34	3	Vertical	36	1.80	-	34.10	10.12	32.44			
PK	6.089G	111.74	Inf	-Inf	99.79	3	Vertical	36	1.80	-	34.10	10.28	32.43			
RMS	6.1082G	101.88	Inf	-Inf	89.89	3	Vertical	36	1.80	-	34.12	10.30	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
01-C-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	78.48	88.20	-9.72	66.71	3	Horizontal	301	1.80	-	34.10	10.11	32.44			
RMS	5.913G	66.68	68.20	-1.52	54.91	3	Horizontal	301	1.80	-	34.10	10.11	32.44			
PK	6.1914G	109.80	Inf	-Inf	97.64	3	Horizontal	301	1.80	-	34.20	10.38	32.42			
RMS	6.2522G	99.80	Inf	-Inf	87.45	3	Horizontal	301	1.80	-	34.30	10.46	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21866G	61.09	74.00	-12.91	39.63	3	Vertical	85	1.28	-	38.90	15.05	32.49			
AV	12.21864G	47.84	54.00	-6.16	26.38	3	Vertical	85	1.28	-	38.90	15.05	32.49			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT V_4TX
Setting 20.5
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21018G	61.13	74.00	-12.87	39.68	3	Horizontal	65	1.66	-	38.90	15.05	32.50			
AV	12.20982G	47.89	54.00	-6.11	26.44	3	Horizontal	65	1.66	-	38.90	15.05	32.50			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 20.5
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30984G	51.77	83.54	-31.77	47.03	1	Vertical	292	2.37	-	37.34	15.92	48.52			
AV	18.31736G	38.78	63.54	-24.76	34.01	1	Vertical	292	2.37	-	37.37	15.93	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX


6105MHz_TX

EUT_V_4TX
Setting 20.5
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3168G	52.11	83.54	-31.43	47.34	1	Horizontal	193	1.08	-	37.37	15.93	48.53			
AV	18.32176G	38.85	63.54	-24.69	34.06	1	Horizontal	193	1.08	-	37.39	15.93	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 20
01-C-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	76.33	88.20	-11.87	64.55	3	Vertical	62	1.80	-	34.10	10.12	32.44			
RMS	5.921G	64.91	68.20	-3.29	53.14	3	Vertical	62	1.80	-	34.10	10.11	32.44			
PK	6.0474G	110.31	Inf	-Inf	98.40	3	Vertical	62	1.80	-	34.10	10.24	32.43			
RMS	6.0882G	101.87	Inf	-Inf	89.92	3	Vertical	62	1.80	-	34.10	10.28	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 20
01-C-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9114G	75.32	88.20	-12.88	63.55	3	Horizontal	301	1.80	-	34.10	10.11	32.44			
RMS	5.9202G	63.90	68.20	-4.30	52.13	3	Horizontal	301	1.80	-	34.10	10.11	32.44			
PK	6.0314G	107.32	Inf	-Inf	95.44	3	Horizontal	301	1.80	-	34.10	10.22	32.44			
RMS	6.2522G	99.29	Inf	-Inf	86.94	3	Horizontal	301	1.80	-	34.30	10.46	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 20
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20814G	61.68	74.00	-12.32	40.23	3	Vertical	165	1.06	-	38.90	15.05	32.50			
AV	12.21278G	47.85	54.00	-6.15	26.39	3	Vertical	165	1.06	-	38.90	15.05	32.49			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 20
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21652G	60.19	74.00	-13.81	38.73	3	Horizontal	262	2.11	-	38.90	15.05	32.49			
AV	12.21216G	47.93	54.00	-6.07	26.47	3	Horizontal	262	2.11	-	38.90	15.05	32.49			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 20
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.312G	51.75	83.54	-31.79	46.99	1	Vertical	114	1.76	-	37.35	15.93	48.52			
AV	18.305G	38.80	63.54	-24.74	34.08	1	Vertical	114	1.76	-	37.32	15.92	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 20
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.30684G	52.07	83.54	-31.47	47.34	1	Horizontal	82	2.84	-	37.33	15.92	48.52			
AV	18.32108G	38.74	63.54	-24.80	33.96	1	Horizontal	82	2.84	-	37.38	15.93	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 18
01-C-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	73.47	88.20	-14.73	61.69	3	Vertical	64	1.80	-	34.10	10.12	32.44			
RMS	5.921G	63.74	68.20	-4.46	51.97	3	Vertical	64	1.80	-	34.10	10.11	32.44			
PK	6.1282G	111.12	Inf	-Inf	99.06	3	Vertical	64	1.80	-	34.16	10.32	32.42			
RMS	6.1074G	101.00	Inf	-Inf	89.02	3	Vertical	64	1.80	-	34.11	10.30	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 18
01-C-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9122G	73.66	88.20	-14.54	61.89	3	Horizontal	304	1.80	-	34.10	10.11	32.44			
RMS	5.913G	62.10	68.20	-6.10	50.33	3	Horizontal	304	1.80	-	34.10	10.11	32.44			
PK	5.9722G	106.63	Inf	-Inf	94.81	3	Horizontal	304	1.80	-	34.10	10.16	32.44			
RMS	6.1522G	97.88	Inf	-Inf	85.76	3	Horizontal	304	1.80	-	34.20	10.34	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 18
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2191G	60.82	74.00	-13.18	39.35	3	Vertical	166	2.97	-	38.90	15.05	32.48			
AV	12.21522G	47.84	54.00	-6.16	26.38	3	Vertical	166	2.97	-	38.90	15.05	32.49			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX


6105MHz_TX

EUT_V_4TX
Setting 18
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21258G	60.87	74.00	-13.13	39.41	3	Horizontal	178	1.77	-	38.90	15.05	32.49			
AV	12.20852G	47.83	54.00	-6.17	26.38	3	Horizontal	178	1.77	-	38.90	15.05	32.50			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 18
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30712G	52.35	83.54	-31.19	47.62	1	Vertical	10	2.21	-	37.33	15.92	48.52			
AV	18.311G	38.63	63.54	-24.91	33.88	1	Vertical	10	2.21	-	37.34	15.93	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX



EUT_V_4TX
Setting 18
01-C-G-4


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32028G	52.95	83.54	-30.59	48.17	1	Horizontal	121	1.36	-	37.38	15.93	48.53			
AV	18.31492G	38.78	63.54	-24.76	34.02	1	Horizontal	121	1.36	-	37.36	15.93	48.53			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

06/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961398G	1.56	5.9885G	-45.27	-38.44	-6.83	1
5.958999G	1.70	5.96675G	-29.45	-18.30	-11.15	2
5.960974G	1.80	5.98845G	-42.35	-38.20	-4.15	3
5.963198G	1.07	5.9892G	-51.18	-38.93	-12.25	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

06/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.203823G	9.15	6.216125G	-17.17	-11.00	-6.17	1
6.204223G	9.26	6.217775G	-18.31	-10.75	-7.56	2
6.187427G	9.23	6.168875G	-23.08	-10.78	-12.30	3
6.188852G	9.19	6.219525G	-20.80	-10.84	-9.96	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

06/03/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.423523G	8.66	6.4346G	-17.99	-11.37	-6.62	1
6.405802G	8.89	6.43375G	-19.01	-11.47	-7.54	2
6.421473G	8.84	6.432525G	-17.16	-11.16	-6.00	3
6.420774G	9.05	6.43565G	-19.15	-11.91	-7.24	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

06/03/2026

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.543298G	8.28	6.488725G	-31.93	-31.72	-0.21	1
6.526802G	8.49	6.514725G	-17.45	-11.58	-5.87	2
6.525702G	8.43	6.485075G	-34.41	-28.73	-5.68	3
6.526627G	8.33	6.516175G	-19.74	-12.43	-7.31	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

06/03/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

06/03/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

06/03/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982896G	4.79	6.03025G	-39.74	-35.21	-4.53	1
5.971548G	4.25	6.0287G	-43.67	-35.66	-8.01	2
5.982246G	4.95	6.02965G	-39.66	-35.05	-4.61	3
5.981146G	4.37	6.0278G	-44.28	-35.63	-8.65	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

06/03/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.186805G	12.40	6.2521G	-14.89	-7.60	-7.29	1
6.211548G	12.27	6.2573G	-17.33	-7.75	-9.58	2
6.189004G	12.18	6.15715G	-15.19	-7.84	-7.35	3
6.212798G	11.80	6.2546G	-17.40	-8.21	-9.19	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

06/03/2026

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.414748G	7.89	6.44655G	-19.32	-12.18	-7.14	1
6.401351G	7.98	6.44395G	-20.02	-14.34	-5.68	2
6.423445G	8.14	6.4431G	-18.66	-11.98	-6.68	3
6.415297G	7.91	6.4441G	-20.32	-15.65	-4.67	4

Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

06/03/2026

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.547254G	11.87	6.5116G	-15.70	-8.14	-7.56	1
6.573198G	12.01	6.51285G	-18.51	-8.00	-10.51	2
6.548154G	11.69	6.5113G	-19.67	-8.31	-11.36	3
6.549754G	12.21	6.6182G	-17.85	-7.90	-9.95	4

Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

06/03/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.687999G	11.86	6.6344G	-16.84	-8.26	-8.58	1
6.670104G	12.49	6.73605G	-15.11	-7.55	-7.56	2
6.671453G	11.95	6.6339G	-16.76	-8.06	-8.70	3
6.702446G	12.07	6.63545G	-15.77	-7.94	-7.83	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

06/03/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.827504G	11.80	6.7968G	-16.05	-8.21	-7.84	1
6.853098G	12.31	6.79465G	-15.84	-7.77	-8.07	2
6.862246G	11.36	6.79375G	-19.04	-8.67	-10.37	3
6.831053G	11.84	6.8953G	-17.53	-8.19	-9.34	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

06/03/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

06/03/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

06/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40659G	7.43	6.5633G	-32.70	-32.39	-0.31	1
6.42089G	7.36	6.4655G	-18.34	-15.18	-3.16	2
6.40609G	7.41	6.4606G	-18.60	-13.25	-5.35	3
6.41199G	7.50	6.4655G	-19.15	-14.28	-4.87	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

06/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6423G	11.21	6.5175G	-17.55	-8.81	-8.74	1
6.59321G	11.68	6.7292G	-17.25	-8.35	-8.90	2
6.616G	11.41	6.5281G	-14.03	-8.61	-5.42	3
6.6194G	11.43	6.5212G	-16.93	-8.60	-8.33	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

06/03/2026

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7079G	11.51	6.5981G	-17.48	-8.56	-8.92	1
6.6911G	11.63	6.5957G	-19.38	-8.54	-10.84	2
6.7003G	11.47	6.5969G	-19.30	-8.54	-10.76	3
6.7155G	11.59	6.6039G	-16.02	-8.49	-7.53	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

06/03/2026

CF (Hz)
6.785G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7686G	11.49	6.6799G	-18.85	-8.52	-10.33	1
6.75191G	11.82	6.8863G	-17.07	-8.19	-8.88	2
6.76001G	11.55	6.8881G	-17.18	-8.46	-8.72	3
6.76381G	11.60	6.8897G	-18.63	-8.42	-10.21	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

06/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

06/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

12/03/2026

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41518G	2.57	6.6148G	-38.72	-37.43	-1.29	1
6.41438G	2.39	6.6072G	-38.17	-37.61	-0.56	2
6.41598G	2.83	6.6072G	-38.31	-37.17	-1.14	3
6.26902G	3.02	6.6144G	-39.13	-36.98	-2.15	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

06/03/2026

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60182G	6.33	6.3862G	-29.39	-26.75	-2.64	1
6.652G	7.04	6.3858G	-29.51	-27.54	-1.97	2
6.60422G	6.65	6.3908G	-30.30	-26.79	-3.51	3
6.61761G	6.47	6.374G	-29.11	-28.90	-0.21	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

06/03/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1114G	7.27	6.4982G	-19.04	-15.69	-3.35	1
6.13139G	7.34	6.5054G	-19.63	-15.48	-4.15	2
6.16898G	7.84	6.4966G	-18.09	-14.52	-3.57	3
6.17618G	7.12	6.505G	-19.92	-15.82	-4.10	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

06/03/2026

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41616G	6.07	6.5382G	-20.26	-14.62	-5.64	1
6.40417G	6.06	6.5798G	-21.47	-16.25	-5.22	2
6.41336G	5.87	6.5606G	-21.07	-15.81	-5.26	3
6.41296G	5.82	6.5682G	-21.62	-14.78	-6.84	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

28/04/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

28/04/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

28/04/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.424023G	8.68	6.4641G	-34.94	-30.33	-4.61	1
6.405777G	10.98	6.396325G	-15.40	-9.15	-6.25	2
6.420424G	8.96	6.39925G	-16.24	-11.74	-4.50	3
6.413625G	8.18	6.399525G	-18.22	-12.01	-6.21	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

28/04/2026

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.540074G	5.29	6.569G	-41.73	-34.71	-7.02	1
6.526002G	6.00	6.523025G	-21.24	-14.02	-7.22	2
6.528127G	7.69	6.502125G	-42.24	-32.31	-9.93	3
6.542723G	5.14	6.52345G	-20.61	-14.66	-5.95	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

28/04/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

28/04/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

28/04/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958452G	4.72	6.0283G	-44.82	-34.88	-9.94	1
5.954153G	4.31	6.0253G	-41.11	-33.00	-8.11	2
5.960101G	5.59	6.0266G	-35.87	-33.32	-2.55	3
5.962851G	4.98	6.03205G	-40.03	-35.02	-5.01	4


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

28/04/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.208649G	2.52	6.27515G	-38.63	-25.62	-13.01	1
6.213898G	3.03	6.259G	-31.23	-17.79	-13.44	2
6.199951G	2.79	6.2758G	-34.97	-21.55	-13.42	3
6.223195G	1.97	6.2814G	-38.09	-23.48	-14.61	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

28/04/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

28/04/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

28/04/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.696247G	5.98	6.74425G	-33.73	-15.68	-18.05	1
6.689899G	5.49	6.75435G	-30.85	-15.39	-15.46	2
6.680001G	5.04	6.74575G	-32.42	-16.11	-16.31	3
6.699046G	6.22	6.75985G	-34.10	-17.66	-16.44	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

28/04/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.862496G	1.93	6.91325G	-40.88	-29.24	-11.64	1
6.826505G	2.11	6.9199G	-45.35	-37.81	-7.54	2
6.839951G	3.00	6.87G	-28.57	-17.47	-11.10	3
6.860746G	3.14	6.94115G	-44.55	-36.86	-7.69	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

28/04/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

28/04/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

28/04/2026

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41729G	8.83	6.5188G	-32.16	-31.17	-0.99	1
6.36111G	9.95	6.2411G	-34.10	-30.05	-4.05	2
6.41179G	9.93	6.4743G	-19.82	-19.37	-0.45	3
6.34821G	10.18	6.4878G	-26.97	-22.14	-4.83	4


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

28/04/2026

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58711G	14.89	6.5113G	-13.97	-5.15	-8.82	1
6.6426G	14.99	6.7279G	-13.84	-5.01	-8.83	2
6.64699G	14.91	6.7243G	-12.35	-5.10	-7.25	3
6.60071G	14.03	6.5204G	-12.20	-6.02	-6.18	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

28/04/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

28/04/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

28/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08778G	3.64	6.2886G	-37.75	-36.36	-1.39	1
6.09318G	3.36	6.3002G	-39.62	-36.64	-2.98	2
6.10118G	3.87	6.304G	-37.86	-36.13	-1.73	3
6.08319G	3.89	6.2918G	-37.45	-36.11	-1.34	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

28/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1722G	4.75	6.4562G	-38.80	-35.25	-3.55	1
6.1732G	5.20	6.4414G	-38.70	-34.80	-3.90	2
6.1746G	4.63	6.4534G	-36.57	-35.37	-1.20	3
6.24638G	5.72	6.4478G	-39.11	-34.28	-4.83	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

28/04/2026




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

28/04/2026




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

28/04/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1158G	6.94	6.5174G	-24.22	-20.14	-4.08	1
6.13659G	7.21	6.4906G	-20.73	-15.80	-4.93	2
6.087G	7.45	6.4918G	-19.45	-15.84	-3.61	3
6.0914G	7.03	6.481G	-19.93	-15.06	-4.87	4


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

28/04/2026

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36977G	7.92	6.6614G	-18.43	-14.55	-3.88	1
6.39977G	8.72	6.653G	-17.73	-13.68	-4.05	2
6.2822G	8.88	6.6514G	-17.48	-13.78	-3.70	3
6.2514G	7.61	6.6502G	-19.73	-17.82	-1.91	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

15/04/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02189G	2.30	6.1175G	-38.81	-37.70	-1.11	1
6.02099G	2.64	6.1166G	-40.06	-37.34	-2.72	2
6.01529G	2.97	6.1187G	-40.04	-36.26	-3.78	3
6.01569G	3.03	6.1219G	-40.20	-36.97	-3.23	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

MASK

5985MHz_TX

15/04/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02089G	3.25	6.1309G	-39.47	-36.75	-2.72	1
6.01609G	3.36	6.1362G	-39.21	-36.64	-2.57	2
6.00719G	3.41	6.1281G	-42.05	-36.59	-5.46	3
6.02019G	3.78	6.1435G	-40.18	-36.22	-3.96	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6025MHz_TX

15/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10138G	3.77	6.2586G	-35.42	-34.39	-1.03	1
6.10078G	3.99	6.2754G	-37.30	-35.95	-1.35	2
6.09838G	3.44	6.294G	-37.02	-36.56	-0.46	3
6.09558G	3.14	6.3364G	-37.71	-36.86	-0.85	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

MASK

6025MHz_TX

15/04/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09998G	4.04	6.2834G	-41.48	-35.96	-5.52	1
6.10138G	3.85	6.2762G	-36.48	-36.15	-0.33	2
6.09918G	2.91	6.2822G	-38.01	-37.09	-0.92	3
6.09938G	2.77	6.3316G	-40.01	-37.23	-2.78	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

MASK

6025MHz_TX

15/04/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09998G	3.17	6.296G	-39.69	-36.83	-2.86	1
6.10018G	3.36	6.304G	-37.26	-36.64	-0.62	2
6.09998G	2.68	6.2926G	-37.72	-37.32	-0.40	3
6.09618G	2.75	6.363G	-38.37	-37.25	-1.12	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

15/04/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15099G	4.49	6.9026G	-38.99	-32.92	-6.07	1
6.13819G	5.02	6.905G	-39.22	-31.45	-7.77	2
6.16978G	5.39	6.905G	-39.14	-30.41	-8.73	3
6.17538G	5.39	6.9046G	-39.20	-31.45	-7.75	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

MASK

6105MHz_TX

15/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16978G	4.33	6.9046G	-39.44	-33.17	-6.27	1
6.15059G	4.89	6.905G	-39.46	-31.58	-7.88	2
6.17458G	5.06	6.905G	-39.45	-30.74	-8.71	3
6.17578G	5.45	6.905G	-39.41	-31.41	-8.00	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

MASK

6105MHz_TX

19/05/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23177G	5.43	6.4946G	-28.72	-17.43	-11.29	1
6.23577G	5.96	6.5026G	-26.63	-16.78	-9.85	2
6.24976G	5.80	6.495G	-26.77	-16.52	-10.25	3
6.23417G	6.30	6.4882G	-25.68	-16.17	-9.51	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

MASK

5985MHz_TX

15/04/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9888G	3.20	6.1173G	-43.94	-36.80	-7.14	1
5.9996G	3.81	6.1167G	-42.76	-36.19	-6.57	2
5.9978G	4.59	6.1219G	-39.69	-35.41	-4.28	3
6.0033G	3.93	6.1158G	-38.27	-36.01	-2.26	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

MASK

6025MHz_TX

15/04/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08239G	2.02	6.2694G	-39.70	-37.72	-1.98	1
6.08159G	1.92	6.2748G	-38.28	-37.94	-0.34	2
6.07919G	1.11	6.2706G	-40.21	-38.71	-1.50	3
6.08019G	1.42	6.3318G	-39.55	-38.58	-0.97	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

MASK

6025MHz_TX

15/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10198G	2.63	6.2722G	-40.12	-37.37	-2.75	1
6.10078G	2.79	6.2758G	-39.60	-37.21	-2.39	2
6.09778G	2.04	6.2868G	-38.37	-37.96	-0.41	3
6.09618G	1.95	6.3318G	-38.79	-38.05	-0.74	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

MASK

6105MHz_TX

15/04/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14899G	4.45	6.4174G	-20.39	-16.25	-4.14	1
6.23137G	4.50	6.9046G	-38.61	-31.95	-6.66	2
6.24896G	4.91	6.9046G	-38.66	-30.88	-7.78	3
6.23657G	5.16	6.9034G	-38.62	-31.63	-6.99	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

MASK

6105MHz_TX

15/04/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23057G	4.45	6.4778G	-19.46	-17.94	-1.52	1
6.23857G	4.50	6.9038G	-38.73	-31.92	-6.81	2
6.24417G	4.87	6.9046G	-38.78	-30.92	-7.86	3
6.23497G	5.14	6.9026G	-38.70	-31.62	-7.08	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

MASK

6105MHz_TX

15/04/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15259G	3.68	6.9026G	-38.85	-33.73	-5.12	1
6.15179G	3.66	6.9042G	-38.90	-32.78	-6.12	2
6.16538G	4.10	6.9046G	-38.84	-31.69	-7.15	3
6.17618G	4.58	6.903G	-38.83	-32.20	-6.63	4