

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5290MHz

22/04/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.13	4.13	-1.83	-1.74	-1.93	-1.78

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5290MHz

04/05/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.96	2.96	-3.04	-3.13	-2.75	-2.74

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5530MHz

22/04/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.61	1.61	-4.43	-4.00	-4.29	-4.49

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5530MHz

22/04/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.63	2.63	-3.33	-3.14	-3.09	-3.21

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5610MHz

22/04/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5610MHz

22/04/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

22/04/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

22/04/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

22/04/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

22/04/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5775MHz

22/04/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5775MHz

22/04/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/04/2026



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.68	-1.68	-7.54	-7.73	-7.66	-7.60

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.68	-1.68	-7.59	-7.58	-7.84	-7.51

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/04/2026



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.69	-1.69	-7.57	-7.56	-7.79	-7.53

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.85	-1.85	-7.81	-7.77	-7.84	-7.71

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/04/2026



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.81	-1.81	-7.63	-7.71	-7.86	-7.62

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.28	-2.28	-8.08	-8.20	-8.26	-8.23

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5570MHz

22/04/2026



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.10	-1.10	-7.11	-6.86	-7.08	-7.08


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

PSD

5570MHz

22/04/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.01	-2.01	-7.99	-7.63	-7.55	-7.80

Sum
Port 1
Port 2
Port 3
Port 4


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

PSD

5570MHz

22/04/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.44	-2.44	-8.49	-8.25	-8.17	-7.99

Sum
Port 1
Port 2
Port 3
Port 4

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-0.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-2.80
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	2.12
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-2.90
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	3.61
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-3.69
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	1.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	5.06	-6.59	-6.43	-6.79	-6.62	-0.68	17.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.96	-3.69	-3.91	-4.09	-3.66	2.12	11.00
5530MHz	Pass	6.14	-4.03	-3.76	-3.95	-3.90	1.93	10.86
5610MHz	Pass	6.14	-2.95	-3.09	-3.16	-2.90	2.95	10.86
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	6.14	-2.27	-2.49	-2.47	-2.22	3.61	10.86
5690MHz Straddle 5.725-5.85GHz	Pass	5.96	-4.10	-4.14	-3.87	-3.77	1.96	30.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	5.96	-5.18	-4.88	-5.26	-4.99	0.87	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.06	-9.14	-9.12	-9.41	-9.14	-3.28	17.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.06	-8.75	-8.65	-8.97	-8.65	-2.80	17.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.96	-9.37	-9.28	-9.59	-9.26	-3.40	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.96	-8.87	-8.78	-9.12	-8.76	-2.90	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.14	-9.98	-9.65	-9.60	-9.50	-3.82	10.86
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.14	-10.04	-9.54	-9.52	-9.44	-3.69	10.86


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

PSD

5210MHz

22/04/2026




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

PSD

5290MHz

22/04/2026



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

PSD

5530MHz

22/04/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.271

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.93	1.93	-4.03	-3.76	-3.95	-3.90

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

PSD

5610MHz

13/04/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.271

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.95	2.95	-2.95	-3.09	-3.16	-2.90

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

13/04/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

PSD

5775MHz

22/04/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/04/2026



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.28	-3.28	-9.14	-9.12	-9.41	-9.14

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.40	-3.40	-9.37	-9.28	-9.59	-9.26

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_4_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/04/2026



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.80	-2.80	-8.75	-8.65	-8.97	-8.65

5250~5350MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.90	-2.90	-8.87	-8.78	-9.12	-8.76


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

PSD

5570MHz

22/04/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.739
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.82	-3.82	-9.98	-9.65	-9.60	-9.50


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

PSD

5570MHz

22/04/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.739
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.69	-3.69	-10.04	-9.54	-9.52	-9.44




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	53.28M	36.59	40.00	-3.41	Vertical

Radiated Emissions below 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	53.28M	36.59	40.00	-3.41	-29.99	3	Vertical	360	1.00	"Worst"	66.58	13.38	1.32	44.69		
PK	119.24M	36.66	43.50	-6.84	-24.66	3	Vertical	38	1.25	-	61.32	18.08	1.93	44.67		
PK	159.98M	31.35	43.50	-12.15	-26.51	3	Vertical	239	1.00	-	57.86	15.85	2.23	44.59		
PK	267.65M	28.80	46.00	-17.20	-22.27	3	Vertical	235	1.50	-	51.07	19.23	2.87	44.37		
PK	626.55M	35.36	46.00	-10.64	-14.37	3	Vertical	181	1.00	-	49.73	25.24	4.25	43.86		
PK	859.35M	36.93	46.00	-9.07	-12.09	3	Vertical	201	3.00	-	49.02	26.51	4.96	43.56		

Radiated Emissions below 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	30M	34.53	40.00	-5.47	-19.12	3	Horizontal	201	2.00	"Worst"	53.65	24.35	0.96	44.43		
PK	343.31M	29.81	46.00	-16.19	-21.26	3	Horizontal	305	1.00	-	51.07	19.82	3.24	44.32		
PK	836.07M	36.78	46.00	-9.22	-12.37	3	Horizontal	313	1.25	-	49.15	26.33	4.90	43.60		
PK	850.62M	37.02	46.00	-8.98	-12.16	3	Horizontal	360	1.50	-	49.18	26.49	4.93	43.58		
PK	861.29M	36.81	46.00	-9.19	-12.08	3	Horizontal	52	1.25	-	48.89	26.52	4.96	43.56		
PK	958.29M	37.82	46.00	-8.18	-11.05	3	Horizontal	357	2.00	-	48.87	27.26	5.22	43.53		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.3528G	53.98	54.00	-0.02	3	Vertical	45	1.85	23

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 21
19.5\22.5\21
3.35\~3.65\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	69.64	74.00	-4.36	58.59	3	Vertical	16	2.97	21	33.60	7.58	30.13			
AV	5.15G	53.59	54.00	-0.41	42.54	3	Vertical	16	2.97	21	33.60	7.58	30.13			
PK	5.1826G	120.48	Inf	-Inf	109.36	3	Vertical	16	2.97	21	33.67	7.59	30.14			
AV	5.1832G	110.20	Inf	-Inf	99.09	3	Vertical	16	2.97	21	33.67	7.59	30.15			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 19.5
21\17.5\19\19.5
-3.49\3.63\1.44\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1472G	70.63	74.00	-3.37	59.59	3	Horizontal	29	1.96	19.5	33.59	7.58	30.13				
AV	5.1472G	53.66	54.00	-0.34	42.62	3	Horizontal	29	1.96	19.5	33.59	7.58	30.13				
PK	5.1856G	121.28	Inf	-Inf	110.17	3	Horizontal	29	1.96	19.5	33.67	7.59	30.15				
AV	5.1859G	110.59	Inf	-Inf	99.48	3	Horizontal	29	1.96	19.5	33.67	7.59	30.15				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35992G	48.86	68.20	-19.34	65.19	3	Vertical	360	1.80	19.5	38.38	11.96	66.67			
PK	15.54692G	45.77	74.00	-28.23	57.25	3	Vertical	42	1.19	19.5	37.91	14.44	63.83			
AV	15.55816G	32.19	54.00	-21.81	43.69	3	Vertical	42	1.19	19.5	37.88	14.45	63.83			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35984G	49.95	68.20	-18.25	66.28	3	Horizontal	75	2.53	19.5	38.38	11.96	66.67			
PK	15.54196G	46.68	74.00	-27.32	58.15	3	Horizontal	360	1.80	19.5	37.93	14.43	63.83			
AV	15.55756G	32.03	54.00	-21.97	43.53	3	Horizontal	360	1.80	19.5	37.88	14.45	63.83			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT Y_4TX
Setting 22
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1448G	65.24	74.00	-8.76	59.03	3	Vertical	325	1.80	-	33.09	8.23	35.11				
AV	5.1452G	52.28	54.00	-1.72	46.07	3	Vertical	325	1.80	-	33.09	8.23	35.11				
PK	5.2024G	120.10	Inf	-Inf	113.84	3	Vertical	325	1.80	-	33.10	8.25	35.09				
AV	5.2028G	111.80	Inf	-Inf	105.55	3	Vertical	325	1.80	-	33.09	8.25	35.09				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 22
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	66.56	74.00	-7.44	60.35	3	Horizontal	19.9	1.80	-	33.09	8.23	35.11			
AV	5.1468G	53.62	54.00	-0.38	47.41	3	Horizontal	19.9	1.80	-	33.09	8.23	35.11			
PK	5.2068G	122.23	Inf	-Inf	115.97	3	Horizontal	19.9	1.80	-	33.09	8.26	35.09			
AV	5.2064G	113.58	Inf	-Inf	107.32	3	Horizontal	19.9	1.80	-	33.09	8.26	35.09			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 22
05-X-j-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38554G	50.21	68.20	-17.99	44.94	3	Vertical	116	1.26	-	38.90	11.71	45.34			
PK	15.88824G	47.45	74.00	-26.55	38.59	3	Vertical	355	1.25	-	37.95	14.59	43.68			
AV	15.88542G	35.71	54.00	-18.29	26.85	3	Vertical	355	1.25	-	37.94	14.59	43.67			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 22
05-X-j-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40084G	49.81	68.20	-18.39	44.52	3	Horizontal	292	1.55	-	38.90	11.72	45.33			
PK	15.88872G	47.04	74.00	-26.96	38.18	3	Horizontal	14	1.70	-	37.95	14.59	43.68			
AV	15.885G	35.42	54.00	-18.58	26.56	3	Horizontal	14	1.70	-	37.94	14.59	43.67			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 27.5
20\25\27.5
5.37\5.00\4.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1422G	61.60	74.00	-12.40	50.56	3	Vertical	330	1.73	27.5	33.58	7.58	30.12			
AV	5.15G	49.18	54.00	-4.82	38.13	3	Vertical	330	1.73	27.5	33.60	7.58	30.13			
PK	5.2439G	125.06	Inf	-Inf	113.92	3	Vertical	330	1.73	27.5	33.70	7.62	30.18			
AV	5.2433G	114.36	Inf	-Inf	103.22	3	Vertical	330	1.73	27.5	33.70	7.62	30.18			
PK	5.3882G	61.27	74.00	-12.73	49.89	3	Vertical	330	1.73	27.5	33.90	7.73	30.25			
AV	5.3516G	48.89	54.00	-5.11	37.52	3	Vertical	330	1.73	27.5	33.90	7.70	30.23			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT Y_4TX
SET 27.5
27.5
3.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0936G	62.78	74.00	-11.22	51.82	3	Horizontal	26	1.92	27.5	33.49	7.57	30.10			
AV	5.15G	50.27	54.00	-3.73	39.22	3	Horizontal	26	1.92	27.5	33.60	7.58	30.13			
PK	5.2466G	128.89	Inf	-Inf	117.75	3	Horizontal	26	1.92	27.5	33.70	7.62	30.18			
AV	5.2469G	117.77	Inf	-Inf	106.62	3	Horizontal	26	1.92	27.5	33.70	7.63	30.18			
PK	5.3627G	63.09	74.00	-10.91	51.72	3	Horizontal	26	1.92	27.5	33.90	7.71	30.24			
AV	5.3537G	49.63	54.00	-4.37	38.25	3	Horizontal	26	1.92	27.5	33.90	7.71	30.23			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 27.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.48012G	47.96	68.20	-20.24	64.40	3	Vertical	0	1.80	27.5	38.26	12.02	66.72				
PK	15.72G	49.73	74.00	-24.27	61.47	3	Vertical	160	1.70	27.5	37.56	14.59	63.89				
AV	15.71984G	35.34	54.00	-18.66	47.08	3	Vertical	160	1.70	27.5	37.56	14.59	63.89				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48328G	54.98	68.20	-13.22	71.41	3	Horizontal	138	1.71	27.5	38.27	12.02	66.72			
PK	15.72404G	57.32	74.00	-16.68	69.08	3	Horizontal	132	2.33	27.5	37.55	14.59	63.90			
AV	15.72284G	43.13	54.00	-10.87	54.88	3	Horizontal	132	2.33	27.5	37.55	14.59	63.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 27.5
20\25\27.5
5.29\5.03\4.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1346G	61.88	74.00	-12.12	50.85	3	Vertical	329	1.70	27.5	33.57	7.58	30.12			
AV	5.1496G	48.74	54.00	-5.26	37.69	3	Vertical	329	1.70	27.5	33.60	7.58	30.13			
PK	5.2639G	125.42	Inf	-Inf	114.24	3	Vertical	329	1.70	27.5	33.73	7.64	30.19			
AV	5.2633G	114.82	Inf	-Inf	103.64	3	Vertical	329	1.70	27.5	33.73	7.64	30.19			
PK	5.3536G	62.13	74.00	-11.87	50.75	3	Vertical	329	1.70	27.5	33.90	7.71	30.23			
AV	5.3518G	49.42	54.00	-4.58	38.05	3	Vertical	329	1.70	27.5	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 27.5
27.5
3.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1409G	61.41	74.00	-12.59	50.37	3	Horizontal	24	1.80	27.5	33.58	7.58	30.12			
AV	5.1484G	49.29	54.00	-4.71	38.24	3	Horizontal	24	1.80	27.5	33.60	7.58	30.13			
PK	5.2672G	128.09	Inf	-Inf	116.91	3	Horizontal	24	1.80	27.5	33.73	7.64	30.19			
AV	5.2666G	117.43	Inf	-Inf	106.25	3	Horizontal	24	1.80	27.5	33.73	7.64	30.19			
PK	5.3551G	62.84	74.00	-11.16	51.46	3	Horizontal	24	1.80	27.5	33.90	7.71	30.23			
AV	5.35G	50.40	54.00	-3.60	39.03	3	Horizontal	24	1.80	27.5	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51989G	48.77	68.20	-19.43	65.14	3	Vertical	0	2.43	-	38.30	12.04	66.71			
PK	15.78492G	55.06	74.00	-18.94	66.91	3	Vertical	223	2.12	-	37.43	14.64	63.92			
AV	15.78496G	41.45	54.00	-12.55	53.30	3	Vertical	223	2.12	-	37.43	14.64	63.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52344G	55.40	68.20	-12.80	71.76	3	Horizontal	142	1.72	-	38.30	12.04	66.70			
PK	15.77507G	55.51	74.00	-18.49	67.33	3	Horizontal	131	1.72	-	37.45	14.64	63.91			
AV	15.785G	41.53	54.00	-12.47	53.38	3	Horizontal	131	1.72	-	37.43	14.64	63.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT Y_4TX
Setting 24.5
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2984G	123.49	Inf	-Inf	117.31	3	Vertical	18	1.80	-	32.90	8.33	35.05				
AV	5.298G	115.19	Inf	-Inf	109.01	3	Vertical	18	1.80	-	32.90	8.33	35.05				
PK	5.3592G	65.83	74.00	-8.17	59.57	3	Vertical	18	1.80	-	32.90	8.39	35.03				
AV	5.3584G	51.77	54.00	-2.23	45.52	3	Vertical	18	1.80	-	32.90	8.38	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 24.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3024G	125.38	Inf	-Inf	119.19	3	Horizontal	27	1.00	-	32.90	8.34	35.05			
AV	5.302G	117.50	Inf	-Inf	111.31	3	Horizontal	27	1.00	-	32.90	8.34	35.05			
PK	5.3556G	65.64	74.00	-8.36	59.39	3	Horizontal	27	1.00	-	32.90	8.38	35.03			
AV	5.3548G	52.94	54.00	-1.06	46.69	3	Horizontal	27	1.00	-	32.90	8.38	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 24.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61242G	50.44	74.00	-23.56	44.84	3	Vertical	337	1.35	-	39.25	11.87	45.52			
AV	10.60096G	37.41	54.00	-16.59	31.85	3	Vertical	337	1.35	-	39.20	11.86	45.50			
PK	15.88626G	47.69	74.00	-26.31	38.82	3	Vertical	329	1.42	-	37.95	14.59	43.67			
AV	15.88578G	35.62	54.00	-18.38	26.76	3	Vertical	329	1.42	-	37.94	14.59	43.67			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 24.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60216G	49.87	74.00	-24.13	44.30	3	Horizontal	307	2.09	-	39.21	11.86	45.50			
AV	10.60126G	37.74	54.00	-16.26	32.17	3	Horizontal	307	2.09	-	39.21	11.86	45.50			
PK	15.89166G	47.85	74.00	-26.15	38.97	3	Horizontal	192	1.65	-	37.97	14.59	43.68			
AV	15.885G	35.60	54.00	-18.40	26.74	3	Horizontal	192	1.65	-	37.94	14.59	43.67			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0368G	62.52	74.00	-11.48	56.36	3	Vertical	324	1.80	-	33.13	8.18	35.15
AV	5.1344G	51.54	54.00	-2.46	45.36	3	Vertical	324	1.80	-	33.07	8.22	35.11
PK	5.3232G	120.54	Inf	-Inf	114.33	3	Vertical	324	1.80	-	32.90	8.35	35.04
AV	5.3232G	112.38	Inf	-Inf	106.17	3	Vertical	324	1.80	-	32.90	8.35	35.04
PK	5.3632G	63.66	74.00	-10.34	57.40	3	Vertical	324	1.80	-	32.90	8.39	35.03
AV	5.3632G	51.12	54.00	-2.88	44.86	3	Vertical	324	1.80	-	32.90	8.39	35.03
PK	5.5168G	61.89	68.20	-6.31	55.35	3	Vertical	324	1.80	-	33.00	8.51	34.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	63.10	74.00	-10.90	56.92	3	Horizontal	26	1.03	-	33.07	8.22	35.11
AV	5.1344G	53.17	54.00	-0.83	46.99	3	Horizontal	26	1.03	-	33.07	8.22	35.11
PK	5.3232G	123.62	Inf	-Inf	117.41	3	Horizontal	26	1.03	-	32.90	8.35	35.04
AV	5.3216G	115.48	Inf	-Inf	109.27	3	Horizontal	26	1.03	-	32.90	8.35	35.04
PK	5.3632G	68.70	74.00	-5.30	62.44	3	Horizontal	26	1.03	-	32.90	8.39	35.03
AV	5.3536G	53.90	54.00	-0.10	47.65	3	Horizontal	26	1.03	-	32.90	8.38	35.03
PK	5.6064G	65.98	68.20	-2.22	59.42	3	Horizontal	26	1.03	-	32.91	8.58	34.93

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-j-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39094G	50.37	68.20	-17.83	45.09	3	Vertical	203	1.98	-	38.90	11.72	45.34			
PK	15.95346G	46.36	74.00	-27.64	37.86	3	Vertical	218	2.08	-	37.69	14.62	43.81			
AV	15.9651G	34.18	54.00	-19.82	25.76	3	Vertical	218	2.08	-	37.64	14.62	43.84			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-j-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39172G	50.53	68.20	-17.67	45.25	3	Horizontal	143	1.39	-	38.90	11.72	45.34			
PK	15.96048G	46.87	74.00	-27.13	38.42	3	Horizontal	294	1.26	-	37.66	14.62	43.83			
AV	15.9651G	34.27	54.00	-19.73	25.85	3	Horizontal	294	1.26	-	37.64	14.62	43.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_V_4TX
Setting 22
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2136G	63.97	68.20	-4.23	57.72	3	Vertical	322	1.80	-	33.07	8.26	35.08				
AV	5.1208G	53.84	54.00	-0.16	47.70	3	Vertical	322	1.80	-	33.04	8.22	35.12				
PK	5.46G	66.24	74.00	-7.76	59.85	3	Vertical	322	1.80	-	32.92	8.46	34.99				
AV	5.46G	53.62	54.00	-0.38	47.23	3	Vertical	322	1.80	-	32.92	8.46	34.99				
PK	5.4616G	67.31	68.20	-0.89	60.91	3	Vertical	322	1.80	-	32.92	8.47	34.99				
PK	5.5032G	120.64	Inf	-Inf	114.12	3	Vertical	322	1.80	-	33.00	8.50	34.98				
AV	5.5016G	112.68	Inf	-Inf	106.16	3	Vertical	322	1.80	-	33.00	8.50	34.98				
PK	5.7848G	62.61	68.20	-5.59	54.93	3	Vertical	322	1.80	-	33.74	8.78	34.84				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_V_4TX
Setting 22
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.204G	64.94	68.20	-3.26	58.69	3	Horizontal	59	1.80	-	33.09	8.25	35.09
AV	5.1128G	53.17	54.00	-0.83	47.04	3	Horizontal	59	1.80	-	33.03	8.22	35.12
PK	5.4568G	63.91	74.00	-10.09	57.54	3	Horizontal	59	1.80	-	32.91	8.46	35.00
AV	5.4488G	51.12	54.00	-2.88	44.76	3	Horizontal	59	1.80	-	32.90	8.46	35.00
PK	5.4664G	68.04	68.20	-0.16	61.63	3	Horizontal	59	1.80	-	32.93	8.47	34.99
PK	5.5064G	122.27	Inf	-Inf	115.75	3	Horizontal	59	1.80	-	33.00	8.50	34.98
AV	5.508G	114.22	Inf	-Inf	107.70	3	Horizontal	59	1.80	-	33.00	8.50	34.98
PK	5.7896G	62.11	68.20	-6.09	54.40	3	Horizontal	59	1.80	-	33.76	8.79	34.84

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 22
05-X-j-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00066G	51.80	74.00	-22.20	47.01	3	Vertical	121.1	1.80	-	38.90	12.14	46.25			
AV	11.00006G	38.62	54.00	-15.38	33.83	3	Vertical	121.1	1.80	-	38.90	12.14	46.25			
PK	16.51458G	42.69	68.20	-25.51	33.79	3	Vertical	357	1.84	-	38.57	14.89	44.56			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT Y_4TX
Setting 22
05-X-j-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9943G	50.92	74.00	-23.08	46.12	3	Horizontal	189	1.27	-	38.91	12.13	46.24			
AV	11.00012G	38.83	54.00	-15.17	34.04	3	Horizontal	189	1.27	-	38.90	12.14	46.25			
PK	16.51002G	43.13	68.20	-25.07	34.22	3	Horizontal	128	1.80	-	38.58	14.89	44.56			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27.5
20\25\27.5
5.35\5.19\5.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4549G	61.77	74.00	-12.23	50.38	3	Vertical	47	1.66	27.5	33.91	7.77	30.29			
AV	5.4369G	48.93	54.00	-5.07	37.55	3	Vertical	47	1.66	27.5	33.90	7.76	30.28			
PK	5.4657G	61.30	68.20	-6.90	49.88	3	Vertical	47	1.66	27.5	33.93	7.78	30.29			
PK	5.5749G	125.36	Inf	-Inf	113.75	3	Vertical	47	1.66	27.5	34.05	7.84	30.28			
AV	5.5752G	114.86	Inf	-Inf	103.24	3	Vertical	47	1.66	27.5	34.05	7.85	30.28			
PK	5.7285G	61.92	68.20	-6.28	50.07	3	Vertical	47	1.66	27.5	34.00	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27.5
27.5
4.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4435G	62.30	74.00	-11.70	50.91	3	Horizontal	28	2.34	27.5	33.90	7.77	30.28			
AV	5.4321G	49.65	54.00	-4.35	38.26	3	Horizontal	28	2.34	27.5	33.90	7.76	30.27			
PK	5.4642G	62.10	68.20	-6.10	50.68	3	Horizontal	28	2.34	27.5	33.93	7.78	30.29			
PK	5.5821G	128.35	Inf	-Inf	116.74	3	Horizontal	28	2.34	27.5	34.04	7.85	30.28			
AV	5.5821G	117.86	Inf	-Inf	106.25	3	Horizontal	28	2.34	27.5	34.04	7.85	30.28			
PK	5.73G	62.39	68.20	-5.81	50.53	3	Horizontal	28	2.34	27.5	34.00	8.09	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15985G	45.86	74.00	-28.14	61.18	3	Vertical	331	2.86	-	38.50	12.37	66.19			
AV	11.16429G	31.84	54.00	-22.16	47.16	3	Vertical	331	2.86	-	38.50	12.37	66.19			
PK	16.74266G	47.02	68.20	-21.18	56.06	3	Vertical	293	1.15	-	39.99	14.98	64.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16225G	46.30	74.00	-27.70	61.62	3	Horizontal	327	2.78	-	38.50	12.37	66.19			
AV	11.16432G	31.83	54.00	-22.17	47.15	3	Horizontal	327	2.78	-	38.50	12.37	66.19			
PK	16.74259G	47.29	68.20	-20.91	56.33	3	Horizontal	28	2.41	-	39.99	14.98	64.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_V_4TX
Setting 18
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3224G	61.30	68.20	-6.90	55.09	3	Vertical	322	1.80	-	32.90	8.35	35.04				
PK	5.412G	60.20	74.00	-13.80	53.88	3	Vertical	322	1.80	-	32.90	8.43	35.01				
AV	5.4136G	50.16	54.00	-3.84	43.84	3	Vertical	322	1.80	-	32.90	8.43	35.01				
PK	5.4696G	58.09	68.20	-10.11	51.67	3	Vertical	322	1.80	-	32.94	8.47	34.99				
PK	5.7032G	114.27	Inf	-Inf	107.05	3	Vertical	322	1.80	-	33.41	8.69	34.88				
AV	5.7032G	106.13	Inf	-Inf	98.91	3	Vertical	322	1.80	-	33.41	8.69	34.88				
PK	5.7256G	64.62	68.20	-3.58	57.28	3	Vertical	322	1.80	-	33.50	8.71	34.87				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_V_4TX
Setting 18
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)					
PK	5.3224G	62.09	68.20	-6.11	55.88	3	Horizontal	16.9	1.00	-	32.90	8.35	35.04					
PK	5.4136G	62.53	74.00	-11.47	56.21	3	Horizontal	16.9	1.00	-	32.90	8.43	35.01					
AV	5.4136G	52.39	54.00	-1.61	46.07	3	Horizontal	16.9	1.00	-	32.90	8.43	35.01					
PK	5.4632G	59.68	68.20	-8.52	53.27	3	Horizontal	16.9	1.00	-	32.93	8.47	34.99					
PK	5.7032G	118.12	Inf	-Inf	110.90	3	Horizontal	16.9	1.00	-	33.41	8.69	34.88					
AV	5.7032G	109.99	Inf	-Inf	102.77	3	Horizontal	16.9	1.00	-	33.41	8.69	34.88					
PK	5.7256G	67.94	68.20	-0.26	60.60	3	Horizontal	16.9	1.00	-	33.50	8.71	34.87					

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 18
05-X-j-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39124G	49.66	74.00	-24.34	44.06	3	Vertical	226	1.72	-	39.10	12.40	45.90			
AV	11.38806G	37.60	54.00	-16.40	32.00	3	Vertical	226	1.72	-	39.10	12.40	45.90			
PK	17.11374G	48.90	68.20	-19.30	40.37	3	Vertical	133	1.89	-	38.35	15.18	45.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 18
05-X-j-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38926G	50.24	74.00	-23.76	44.64	3	Horizontal	98	1.61	-	39.10	12.40	45.90			
AV	11.39088G	37.57	54.00	-16.43	31.97	3	Horizontal	98	1.61	-	39.10	12.40	45.90			
PK	17.09034G	49.49	68.20	-18.71	40.98	3	Horizontal	124	1.40	-	38.32	15.17	44.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 22
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3328G	63.89	68.20	-4.31	57.67	3	Vertical	342	1.80	-	32.90	8.36	35.04			
PK	5.4272G	62.67	74.00	-11.33	56.34	3	Vertical	342	1.80	-	32.90	8.44	35.01			
AV	5.424G	52.54	54.00	-1.46	46.21	3	Vertical	342	1.80	-	32.90	8.44	35.01			
PK	5.4608G	59.25	68.20	-8.95	52.85	3	Vertical	342	1.80	-	32.92	8.47	34.99			
PK	5.7136G	122.62	Inf	-Inf	115.35	3	Vertical	342	1.80	-	33.45	8.70	34.88			
AV	5.7136G	114.27	Inf	-Inf	107.00	3	Vertical	342	1.80	-	33.45	8.70	34.88			
PK	5.9552G	61.14	68.20	-7.06	52.72	3	Vertical	342	1.80	-	34.20	8.98	34.76			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 22
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3344G	63.03	68.20	-5.17	56.81	3	Horizontal	288	1.80	-	32.90	8.36	35.04				
PK	5.4256G	62.96	74.00	-11.04	56.63	3	Horizontal	288	1.80	-	32.90	8.44	35.01				
AV	5.4256G	53.09	54.00	-0.91	46.76	3	Horizontal	288	1.80	-	32.90	8.44	35.01				
PK	5.4624G	58.34	68.20	-9.86	51.94	3	Horizontal	288	1.80	-	32.92	8.47	34.99				
PK	5.7168G	120.51	Inf	-Inf	113.22	3	Horizontal	288	1.80	-	33.47	8.70	34.88				
AV	5.7152G	111.59	Inf	-Inf	104.31	3	Horizontal	288	1.80	-	33.46	8.70	34.88				
PK	5.9712G	61.14	68.20	-7.06	52.69	3	Horizontal	288	1.80	-	34.20	9.00	34.75				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 22
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43076G	50.24	74.00	-23.76	44.57	3	Vertical	183	1.34	-	39.10	12.43	45.86			
AV	11.44018G	37.51	54.00	-16.49	31.82	3	Vertical	183	1.34	-	39.10	12.44	45.85			
PK	17.15874G	48.30	68.20	-19.90	39.59	3	Vertical	45	1.73	-	38.55	15.20	45.04			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 22
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44468G	50.18	74.00	-23.82	44.49	3	Horizontal	55	1.56	-	39.10	12.44	45.85			
AV	11.44096G	37.48	54.00	-16.52	31.79	3	Horizontal	55	1.56	-	39.10	12.44	45.85			
PK	17.17398G	48.24	68.20	-19.96	39.44	3	Horizontal	29	2.01	-	38.64	15.21	45.05			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 27.5
20\24\26\27\27.5
4.33\2.69\2.64\1.98\1.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4606G	62.26	68.20	-5.94	50.85	3	Vertical	305	2.87	27.5	33.92	7.78	30.29				
AV	5.4492G	52.51	54.00	-1.49	41.12	3	Vertical	305	2.87	27.5	33.90	7.77	30.28				
PK	5.7378G	125.28	Inf	-Inf	113.40	3	Vertical	305	2.87	27.5	34.00	8.10	30.22				
AV	5.7378G	115.13	Inf	-Inf	103.25	3	Vertical	305	2.87	27.5	34.00	8.10	30.22				
PK	6.0204G	62.32	68.20	-5.88	50.01	3	Vertical	305	2.87	27.5	34.34	8.11	30.14				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 22.5
27.5\24.5\23\22.5
-2.91\ -1.07\ -0.77\ 0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5596G	64.85	68.20	-3.35	53.22	3	Horizontal	22	2.98	22.5	34.08	7.84	30.29			
AV	5.454G	53.72	54.00	-0.28	42.33	3	Horizontal	22	2.98	22.5	33.91	7.77	30.29			
PK	5.7444G	122.91	Inf	-Inf	111.02	3	Horizontal	22	2.98	22.5	34.00	8.11	30.22			
AV	5.7438G	113.23	Inf	-Inf	101.34	3	Horizontal	22	2.98	22.5	34.00	8.11	30.22			
PK	5.94G	62.43	68.20	-5.77	50.25	3	Horizontal	22	2.98	22.5	34.18	8.15	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48653G	45.87	74.00	-28.13	60.59	3	Vertical	109	1.72	-	38.95	12.53	66.20			
AV	11.48901G	32.06	54.00	-21.94	46.77	3	Vertical	109	1.72	-	38.96	12.53	66.20			
PK	17.23827G	47.92	68.20	-20.28	55.09	3	Vertical	152	1.28	-	42.03	15.08	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48965G	46.18	74.00	-27.82	60.89	3	Horizontal	41	1.07	-	38.96	12.53	66.20			
AV	11.48663G	32.05	54.00	-21.95	46.77	3	Horizontal	41	1.07	-	38.95	12.53	66.20			
PK	17.23993G	47.38	68.20	-20.82	54.54	3	Horizontal	268	2.73	-	42.04	15.08	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
SET 27.5
20\25.5\27.5
5.82\4.48\3.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.49271G	64.92	68.20	-3.28	53.44	3	Vertical	306	1.83	27.5	33.99	7.80	30.31			
PK	5.77827G	126.18	Inf	-Inf	114.22	3	Vertical	306	1.83	27.5	34.00	8.17	30.21			
AV	5.77766G	115.19	Inf	-Inf	103.23	3	Vertical	306	1.83	27.5	34.00	8.17	30.21			
PK	6.08198G	61.93	68.20	-6.27	49.56	3	Vertical	306	1.83	27.5	34.46	8.07	30.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
SET 25
27.5\26\25.5\25
-1.21\ -0.55\ -0.55\ 1.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5042G	66.88	68.20	-1.32	55.38	3	Horizontal	23	2.94	25	34.01	7.80	30.31			
PK	5.78371G	125.54	Inf	-Inf	113.57	3	Horizontal	23	2.94	25	34.00	8.18	30.21			
AV	5.78432G	115.97	Inf	-Inf	104.00	3	Horizontal	23	2.94	25	34.00	8.18	30.21			
PK	6.06201G	62.96	68.20	-5.24	50.60	3	Horizontal	23	2.94	25	34.42	8.09	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57292G	47.24	74.00	-26.76	61.65	3	Vertical	252	1.75	-	39.15	12.57	66.13			
AV	11.57275G	32.14	54.00	-21.86	46.55	3	Vertical	252	1.75	-	39.15	12.57	66.13			
PK	17.35613G	48.74	68.20	-19.46	54.98	3	Vertical	307	2.30	-	42.92	15.11	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56577G	46.94	74.00	-27.06	61.38	3	Horizontal	251	2.18	-	39.13	12.57	66.14			
AV	11.57243G	32.13	54.00	-21.87	46.55	3	Horizontal	251	2.18	-	39.14	12.57	66.13			
PK	17.3536G	49.14	68.20	-19.06	55.39	3	Horizontal	140	2.72	-	42.91	15.11	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
SET 27.5
25.5\27.5
4.05\2.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.534G	65.73	68.20	-2.47	54.14	3	Vertical	306	1.80	27.5	34.07	7.82	30.30					
PK	5.8178G	123.46	Inf	-Inf	111.50	3	Vertical	306	1.80	27.5	33.96	8.20	30.20					
AV	5.8178G	112.47	Inf	-Inf	100.51	3	Vertical	306	1.80	27.5	33.96	8.20	30.20					
PK	6.011G	62.91	68.20	-5.29	50.61	3	Vertical	306	1.80	27.5	34.32	8.11	30.13					

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
SET 27.5
27.5
0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5436G	67.92	68.20	-0.28	56.29	3	Horizontal	17	2.42	27.5	34.09	7.83	30.29				
PK	5.828G	124.52	Inf	-Inf	112.57	3	Horizontal	17	2.42	27.5	33.94	8.20	30.19				
AV	5.8274G	114.01	Inf	-Inf	102.05	3	Horizontal	17	2.42	27.5	33.95	8.20	30.19				
PK	6.1208G	62.61	68.20	-5.59	50.20	3	Horizontal	17	2.42	27.5	34.54	8.05	30.18				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6538G	46.43	74.00	-27.57	60.56	3	Vertical	232	2.87	-	39.31	12.62	66.06			
AV	11.64501G	32.12	54.00	-21.88	46.29	3	Vertical	232	2.87	-	39.29	12.61	66.07			
PK	17.47902G	49.10	68.20	-19.10	54.50	3	Vertical	312	1.92	-	43.73	15.13	64.26			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65189G	47.00	74.00	-27.00	61.15	3	Horizontal	274	2.39	-	39.30	12.61	66.06			
AV	11.645G	32.10	54.00	-21.90	46.27	3	Horizontal	274	2.39	-	39.29	12.61	66.07			
PK	17.47857G	49.55	68.20	-18.65	54.95	3	Horizontal	275	2.55	-	43.73	15.13	64.26			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_V_4TX
Setting 19.5
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1448G	63.44	74.00	-10.56	57.23	3	Vertical	326	1.80	-	33.09	8.23	35.11					
AV	5.1432G	51.89	54.00	-2.11	45.68	3	Vertical	326	1.80	-	33.09	8.23	35.11					
PK	5.1832G	120.72	Inf	-Inf	114.47	3	Vertical	326	1.80	-	33.10	8.24	35.09					
AV	5.1832G	109.21	Inf	-Inf	102.96	3	Vertical	326	1.80	-	33.10	8.24	35.09					
PK	5.3736G	61.22	74.00	-12.78	54.95	3	Vertical	326	1.80	-	32.90	8.40	35.03					
AV	5.3768G	49.94	54.00	-4.06	43.66	3	Vertical	326	1.80	-	32.90	8.40	35.02					
PK	5.4664G	61.77	68.20	-6.43	55.36	3	Vertical	326	1.80	-	32.93	8.47	34.99					

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_V_4TX
Setting 19.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1464G	65.93	74.00	-8.07	59.72	3	Horizontal	22	1.80	-	33.09	8.23	35.11				
AV	5.1464G	53.96	54.00	-0.04	47.75	3	Horizontal	22	1.80	-	33.09	8.23	35.11				
PK	5.1864G	121.19	Inf	-Inf	114.94	3	Horizontal	22	1.80	-	33.10	8.24	35.09				
AV	5.1864G	111.06	Inf	-Inf	104.81	3	Horizontal	22	1.80	-	33.10	8.24	35.09				
PK	5.3672G	64.34	74.00	-9.66	58.08	3	Horizontal	22	1.80	-	32.90	8.39	35.03				
PK	5.476G	64.04	68.20	-4.16	57.60	3	Horizontal	22	1.80	-	32.95	8.48	34.99				
AV	5.46G	53.39	54.00	-0.61	47.00	3	Horizontal	22	1.80	-	32.92	8.46	34.99				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 19.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3696G	50.31	68.20	-17.89	45.05	3	Vertical	123	1.43	-	38.90	11.70	45.34			
PK	15.53172G	50.92	74.00	-23.08	40.93	3	Vertical	99	1.81	-	38.50	14.43	42.94			
AV	15.52548G	39.61	54.00	-14.39	29.60	3	Vertical	99	1.81	-	38.50	14.43	42.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 19.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36498G	50.84	68.20	-17.36	45.58	3	Horizontal	110	1.81	-	38.90	11.70	45.34			
PK	15.52542G	50.78	74.00	-23.22	40.77	3	Horizontal	196	1.90	-	38.50	14.43	42.92			
AV	15.52542G	39.50	54.00	-14.50	29.49	3	Horizontal	196	1.90	-	38.50	14.43	42.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 25.5
20\25.5\27.5\26.5\26\25.5
5.73\0.81\3.98\2.75\0.77\0.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	70.46	74.00	-3.54	59.41	3	Vertical	16	2.95	25.5	33.60	7.58	30.13			
AV	5.15G	53.20	54.00	-0.80	42.15	3	Vertical	16	2.95	25.5	33.60	7.58	30.13			
PK	5.202G	125.41	Inf	-Inf	114.28	3	Vertical	16	2.95	25.5	33.70	7.59	30.16			
AV	5.2032G	113.00	Inf	-Inf	101.87	3	Vertical	16	2.95	25.5	33.70	7.59	30.16			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 23.5
25.5\20\24.5\22.5\23.5\24\23.5
-5.29\4.67\1.17\3.40\1.71\1.03\1.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.144G	69.85	74.00	-4.15	58.80	3	Horizontal	33	2.08	23.5	33.59	7.58	30.12			
AV	5.145G	52.27	54.00	-1.73	41.23	3	Horizontal	33	2.08	23.5	33.59	7.58	30.13			
PK	5.205G	126.07	Inf	-Inf	114.94	3	Horizontal	33	2.08	23.5	33.70	7.59	30.16			
AV	5.2044G	113.95	Inf	-Inf	102.82	3	Horizontal	33	2.08	23.5	33.70	7.59	30.16			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX



EUT_Y_4TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39992G	49.63	68.20	-18.57	66.04	3	Vertical	30	1.80	23.5	38.30	11.98	66.69			
PK	15.59148G	45.93	74.00	-28.07	57.47	3	Vertical	0	1.30	23.5	37.82	14.48	63.84			
AV	15.58324G	31.97	54.00	-22.03	43.51	3	Vertical	0	1.30	23.5	37.83	14.47	63.84			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40576G	53.55	68.20	-14.65	69.97	3	Horizontal	135	1.66	23.5	38.29	11.98	66.69			
PK	15.58956G	47.78	74.00	-26.22	59.33	3	Horizontal	133	1.35	23.5	37.82	14.47	63.84			
AV	15.58952G	33.51	54.00	-20.49	45.06	3	Horizontal	133	1.35	23.5	37.82	14.47	63.84			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 25
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1446G	73.55	74.00	-0.45	62.51	3	Vertical	331	1.70	-	33.59	7.58	30.13			
AV	5.1443G	51.31	54.00	-2.69	40.27	3	Vertical	331	1.70	-	33.59	7.58	30.13			
PK	5.2421G	123.49	Inf	-Inf	112.35	3	Vertical	331	1.70	-	33.70	7.62	30.18			
AV	5.2439G	112.94	Inf	-Inf	101.80	3	Vertical	331	1.70	-	33.70	7.62	30.18			
PK	5.3534G	62.68	74.00	-11.32	51.30	3	Vertical	331	1.70	-	33.90	7.71	30.23			
AV	5.3534G	47.94	54.00	-6.06	36.56	3	Vertical	331	1.70	-	33.90	7.71	30.23			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 25
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	72.08	74.00	-1.92	61.03	3	Horizontal	30	2.07	-	33.60	7.58	30.13			
AV	5.15G	53.59	54.00	-0.41	42.54	3	Horizontal	30	2.07	-	33.60	7.58	30.13			
PK	5.2448G	128.84	Inf	-Inf	117.70	3	Horizontal	30	2.07	-	33.70	7.62	30.18			
AV	5.2445G	116.62	Inf	-Inf	105.48	3	Horizontal	30	2.07	-	33.70	7.62	30.18			
PK	5.3507G	67.02	74.00	-6.98	55.65	3	Horizontal	30	2.07	-	33.90	7.70	30.23			
AV	5.3543G	49.99	54.00	-4.01	38.61	3	Horizontal	30	2.07	-	33.90	7.71	30.23			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5240MHz_TX

EUT_Y_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4798G	47.49	68.20	-20.71	63.93	3	Vertical	0	2.46	25	38.26	12.02	66.72			
PK	15.70832G	44.63	74.00	-29.37	56.36	3	Vertical	0	2.56	25	37.58	14.58	63.89			
AV	15.71664G	31.91	54.00	-22.09	43.65	3	Vertical	0	2.56	25	37.57	14.58	63.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48384G	55.41	68.20	-12.79	71.84	3	Horizontal	135	1.70	25	38.27	12.02	66.72			
PK	15.72908G	49.48	74.00	-24.52	61.24	3	Horizontal	132	1.54	25	37.54	14.60	63.90			
AV	15.7278G	35.15	54.00	-18.85	46.92	3	Horizontal	132	1.54	25	37.54	14.59	63.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 27.5
20\25\27.5
5.34\5.10\4.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1325G	61.24	74.00	-12.76	50.21	3	Vertical	330	1.60	27.5	33.57	7.58	30.12					
AV	5.1418G	48.80	54.00	-5.20	37.76	3	Vertical	330	1.60	27.5	33.58	7.58	30.12					
PK	5.2639G	126.88	Inf	-Inf	115.70	3	Vertical	330	1.60	27.5	33.73	7.64	30.19					
AV	5.2642G	114.22	Inf	-Inf	103.04	3	Vertical	330	1.60	27.5	33.73	7.64	30.19					
PK	5.3515G	61.86	74.00	-12.14	50.49	3	Vertical	330	1.60	27.5	33.90	7.70	30.23					
AV	5.3542G	49.35	54.00	-4.65	37.97	3	Vertical	330	1.60	27.5	33.90	7.71	30.23					

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
SET 27.5
27.5
3.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1499G	62.12	74.00	-11.88	51.07	3	Horizontal	30	2.07	27.5	33.60	7.58	30.13			
AV	5.1499G	49.70	54.00	-4.30	38.65	3	Horizontal	30	2.07	27.5	33.60	7.58	30.13			
PK	5.2651G	129.49	Inf	-Inf	118.31	3	Horizontal	30	2.07	27.5	33.73	7.64	30.19			
AV	5.2645G	117.70	Inf	-Inf	106.52	3	Horizontal	30	2.07	27.5	33.73	7.64	30.19			
PK	5.365G	64.26	74.00	-9.74	52.89	3	Horizontal	30	2.07	27.5	33.90	7.71	30.24			
AV	5.353G	50.98	54.00	-3.02	39.61	3	Horizontal	30	2.07	27.5	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51996G	48.34	68.20	-19.86	64.71	3	Vertical	0	2.57	-	38.30	12.04	66.71			
PK	15.78108G	53.89	74.00	-20.11	65.73	3	Vertical	254	1.76	-	37.44	14.64	63.92			
AV	15.785G	40.80	54.00	-13.20	52.65	3	Vertical	254	1.76	-	37.43	14.64	63.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52278G	54.66	68.20	-13.54	71.03	3	Horizontal	143	1.69	-	38.30	12.04	66.71			
PK	15.77659G	54.08	74.00	-19.92	65.91	3	Horizontal	324	1.86	-	37.45	14.64	63.92			
AV	15.785G	40.71	54.00	-13.29	52.56	3	Horizontal	324	1.86	-	37.43	14.64	63.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 26
20\24.5\26.5\25.5\26
4.85\1.79\0.08\0.83\0.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3068G	126.73	Inf	-Inf	115.46	3	Vertical	40	2.48	26	33.81	7.67	30.21			
AV	5.3072G	113.09	Inf	-Inf	101.82	3	Vertical	40	2.48	26	33.81	7.67	30.21			
PK	5.3584G	69.13	74.00	-4.87	57.76	3	Vertical	40	2.48	26	33.90	7.71	30.24			
AV	5.35G	53.39	54.00	-0.61	42.02	3	Vertical	40	2.48	26	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 25
26\24.5\25
-1.14\0.95\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3054G	126.45	Inf	-Inf	115.18	3	Horizontal	30	2.07	25	33.81	7.67	30.21			
AV	5.3048G	114.56	Inf	-Inf	103.29	3	Horizontal	30	2.07	25	33.81	7.67	30.21			
PK	5.3556G	68.66	74.00	-5.34	57.28	3	Horizontal	30	2.07	25	33.90	7.71	30.23			
AV	5.3544G	53.54	54.00	-0.46	42.16	3	Horizontal	30	2.07	25	33.90	7.71	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59981G	47.74	68.20	-20.46	63.88	3	Vertical	0	2.39	-	38.40	12.08	66.62			
PK	15.89595G	46.33	74.00	-27.67	57.87	3	Vertical	106	1.11	-	37.68	14.74	63.96			
AV	15.89534G	33.43	54.00	-20.57	44.97	3	Vertical	106	1.11	-	37.68	14.74	63.96			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60369G	57.42	74.00	-16.58	73.56	3	Horizontal	128	1.80	-	38.40	12.08	66.62			
AV	10.60355G	42.54	54.00	-11.46	58.68	3	Horizontal	128	1.80	-	38.40	12.08	66.62			
PK	15.89695G	46.46	74.00	-27.54	57.99	3	Horizontal	208	2.33	-	37.69	14.74	63.96			
AV	15.89513G	33.43	54.00	-20.57	44.97	3	Horizontal	208	2.33	-	37.68	14.74	63.96			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 20
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	61.44	74.00	-12.56	55.26	3	Vertical	325	1.80	-	33.07	8.22	35.11
AV	5.136G	50.18	54.00	-3.82	44.00	3	Vertical	325	1.80	-	33.07	8.22	35.11
PK	5.322G	119.76	Inf	-Inf	113.55	3	Vertical	325	1.80	-	32.90	8.35	35.04
AV	5.323G	109.81	Inf	-Inf	103.60	3	Vertical	325	1.80	-	32.90	8.35	35.04
PK	5.361G	64.20	74.00	-9.80	57.94	3	Vertical	325	1.80	-	32.90	8.39	35.03
AV	5.362G	51.21	54.00	-2.79	44.95	3	Vertical	325	1.80	-	32.90	8.39	35.03
PK	5.508G	61.57	68.20	-6.63	55.05	3	Vertical	325	1.80	-	33.00	8.50	34.98

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 20
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3208G	124.48	Inf	-Inf	118.27	3	Horizontal	27	1.02	-	32.90	8.35	35.04				
AV	5.322G	112.54	Inf	-Inf	106.33	3	Horizontal	27	1.02	-	32.90	8.35	35.04				
PK	5.362G	68.82	74.00	-5.18	62.56	3	Horizontal	27	1.02	-	32.90	8.39	35.03				
AV	5.3536G	53.80	54.00	-0.20	47.55	3	Horizontal	27	1.02	-	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 20
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64006G	49.50	74.00	-24.50	43.82	3	Vertical	62	1.44	-	39.36	11.89	45.57			
AV	10.64012G	37.52	54.00	-16.48	31.84	3	Vertical	62	1.44	-	39.36	11.89	45.57			
PK	15.9651G	46.28	74.00	-27.72	37.86	3	Vertical	153	1.98	-	37.64	14.62	43.84			
AV	15.96588G	34.22	54.00	-19.78	25.80	3	Vertical	153	1.98	-	37.64	14.62	43.84			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 20
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65182G	50.00	74.00	-24.00	44.30	3	Horizontal	153	1.34	-	39.40	11.90	45.60			
AV	10.64006G	37.51	54.00	-16.49	31.83	3	Horizontal	153	1.34	-	39.36	11.89	45.57			
PK	15.96462G	46.33	74.00	-27.67	37.91	3	Horizontal	275	1.97	-	37.64	14.62	43.84			
AV	15.96624G	34.29	54.00	-19.71	25.87	3	Horizontal	275	1.97	-	37.64	14.62	43.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_V_4TX
Setting 21.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2136G	63.56	68.20	-4.64	57.31	3	Vertical	324	1.80	-	33.07	8.26	35.08
AV	5.1208G	52.01	54.00	-1.99	45.87	3	Vertical	324	1.80	-	33.04	8.22	35.12
PK	5.46G	66.28	74.00	-7.72	59.89	3	Vertical	324	1.80	-	32.92	8.46	34.99
AV	5.46G	53.00	54.00	-1.00	46.61	3	Vertical	324	1.80	-	32.92	8.46	34.99
PK	5.4632G	67.18	68.20	-1.02	60.77	3	Vertical	324	1.80	-	32.93	8.47	34.99
PK	5.5016G	121.33	Inf	-Inf	114.81	3	Vertical	324	1.80	-	33.00	8.50	34.98
AV	5.5016G	109.98	Inf	-Inf	103.46	3	Vertical	324	1.80	-	33.00	8.50	34.98
PK	5.7832G	62.18	68.20	-6.02	54.51	3	Vertical	324	1.80	-	33.73	8.78	34.84

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 21.5
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.454G	64.38	74.00	-9.62	58.01	3	Horizontal	56	1.80	-	32.91	8.46	35.00			
AV	5.4564G	51.28	54.00	-2.72	44.91	3	Horizontal	56	1.80	-	32.91	8.46	35.00			
PK	5.4656G	65.94	68.20	-2.26	59.53	3	Horizontal	56	1.80	-	32.93	8.47	34.99			
PK	5.5076G	121.67	Inf	-Inf	115.15	3	Horizontal	56	1.80	-	33.00	8.50	34.98			
AV	5.5076G	111.42	Inf	-Inf	104.90	3	Horizontal	56	1.80	-	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 21.5
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00012G	51.40	74.00	-22.60	46.61	3	Vertical	73	1.82	-	38.90	12.14	46.25			
AV	11.00012G	39.53	54.00	-14.47	34.74	3	Vertical	73	1.82	-	38.90	12.14	46.25			
PK	16.50918G	43.60	68.20	-24.60	34.69	3	Vertical	95	1.94	-	38.58	14.89	44.56			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 21.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99352G	51.74	74.00	-22.26	46.94	3	Horizontal	318	1.52	-	38.91	12.13	46.24			
AV	11.00024G	39.53	54.00	-14.47	34.74	3	Horizontal	318	1.52	-	38.90	12.14	46.25			
PK	16.50648G	43.77	68.20	-24.43	34.84	3	Horizontal	79	1.46	-	38.59	14.89	44.55			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27.5
20\25\27.5
5.40\5.26\5.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	63.43	74.00	-10.57	52.03	3	Vertical	46	1.68	27.5	33.92	7.77	30.29
AV	5.4534G	48.88	54.00	-5.12	37.49	3	Vertical	46	1.68	27.5	33.91	7.77	30.29
PK	5.4618G	60.96	68.20	-7.24	49.55	3	Vertical	46	1.68	27.5	33.92	7.78	30.29
PK	5.5758G	126.59	Inf	-Inf	114.97	3	Vertical	46	1.68	27.5	34.05	7.85	30.28
AV	5.5749G	114.08	Inf	-Inf	102.47	3	Vertical	46	1.68	27.5	34.05	7.84	30.28
PK	5.7273G	61.82	68.20	-6.38	49.97	3	Vertical	46	1.68	27.5	34.00	8.08	30.23

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27.5
27.5
4.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4339G	62.99	74.00	-11.01	51.61	3	Horizontal	28	2.36	27.5	33.90	7.76	30.28			
AV	5.4414G	49.64	54.00	-4.36	38.26	3	Horizontal	28	2.36	27.5	33.90	7.76	30.28			
PK	5.4618G	62.47	68.20	-5.73	51.06	3	Horizontal	28	2.36	27.5	33.92	7.78	30.29			
PK	5.5821G	129.16	Inf	-Inf	117.55	3	Horizontal	28	2.36	27.5	34.04	7.85	30.28			
AV	5.5824G	117.39	Inf	-Inf	105.78	3	Horizontal	28	2.36	27.5	34.04	7.85	30.28			
PK	5.7282G	62.59	68.20	-5.61	50.74	3	Horizontal	28	2.36	27.5	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16255G	45.89	74.00	-28.11	61.21	3	Vertical	172	1.51	-	38.50	12.37	66.19			
AV	11.16366G	31.78	54.00	-22.22	47.10	3	Vertical	172	1.51	-	38.50	12.37	66.19			
PK	16.73913G	47.01	68.20	-21.19	56.05	3	Vertical	216	2.07	-	39.98	14.98	64.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX


EUT Y_4TX
SET 27.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1628G	45.89	74.00	-28.11	61.21	3	Horizontal	1	2.81	-	38.50	12.37	66.19			
AV	11.16426G	31.80	54.00	-22.20	47.12	3	Horizontal	1	2.81	-	38.50	12.37	66.19			
PK	16.74478G	47.24	68.20	-20.96	56.28	3	Horizontal	133	2.30	-	39.99	14.98	64.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3208G	62.09	68.20	-6.11	55.88	3	Vertical	321	1.80	-	32.90	8.35	35.04					
PK	5.412G	61.49	74.00	-12.51	55.17	3	Vertical	321	1.80	-	32.90	8.43	35.01					
AV	5.4136G	51.43	54.00	-2.57	45.11	3	Vertical	321	1.80	-	32.90	8.43	35.01					
PK	5.4616G	58.99	68.20	-9.21	52.59	3	Vertical	321	1.80	-	32.92	8.47	34.99					
PK	5.7032G	118.55	Inf	-Inf	111.33	3	Vertical	321	1.80	-	33.41	8.69	34.88					
AV	5.7032G	108.24	Inf	-Inf	101.02	3	Vertical	321	1.80	-	33.41	8.69	34.88					
PK	5.7256G	67.68	68.20	-0.52	60.34	3	Vertical	321	1.80	-	33.50	8.71	34.87					

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_V_4TX
Setting 20.5
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3144G	61.54	68.20	-6.66	55.34	3	Horizontal	290	1.80	-	32.90	8.35	35.05					
PK	5.4056G	62.44	74.00	-11.56	56.13	3	Horizontal	290	1.80	-	32.90	8.42	35.01					
AV	5.404G	52.05	54.00	-1.95	45.74	3	Horizontal	290	1.80	-	32.90	8.42	35.01					
PK	5.4696G	58.89	68.20	-9.31	52.47	3	Horizontal	290	1.80	-	32.94	8.47	34.99					
PK	5.6952G	120.38	Inf	-Inf	113.23	3	Horizontal	290	1.80	-	33.36	8.68	34.89					
AV	5.6968G	109.40	Inf	-Inf	102.24	3	Horizontal	290	1.80	-	33.37	8.68	34.89					
PK	5.7352G	67.38	68.20	-0.82	59.98	3	Horizontal	290	1.80	-	33.54	8.73	34.87					

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
Setting 20.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39964G	50.72	74.00	-23.28	45.10	3	Vertical	151	1.32	-	39.10	12.41	45.89			
AV	11.38662G	37.72	54.00	-16.28	32.12	3	Vertical	151	1.32	-	39.10	12.40	45.90			
PK	17.08794G	48.90	68.20	-19.30	40.39	3	Vertical	360	1.46	-	38.32	15.17	44.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 20.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4045G	49.31	74.00	-24.69	43.69	3	Horizontal	200	1.84	-	39.10	12.41	45.89			
AV	11.38824G	37.68	54.00	-16.32	32.08	3	Horizontal	200	1.84	-	39.10	12.40	45.90			
PK	17.08542G	48.10	68.20	-20.10	39.58	3	Horizontal	147	1.79	-	38.33	15.17	44.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 27.5
20\24\26\27\27.5
4.03\2.24\1.34\1.18\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.423G	64.75	74.00	-9.25	53.37	3	Vertical	312	1.79	27.5	33.90	7.75	30.27			
AV	5.4404G	52.93	54.00	-1.07	41.55	3	Vertical	312	1.79	27.5	33.90	7.76	30.28			
PK	5.4614G	60.80	68.20	-7.40	49.39	3	Vertical	312	1.79	27.5	33.92	7.78	30.29			
PK	5.7122G	124.89	Inf	-Inf	113.06	3	Vertical	312	1.79	27.5	34.00	8.06	30.23			
AV	5.7128G	113.80	Inf	-Inf	101.97	3	Vertical	312	1.79	27.5	34.00	8.06	30.23			
PK	5.9738G	62.35	68.20	-5.85	50.11	3	Vertical	312	1.79	27.5	34.25	8.13	30.14			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 21.5
27.5\23.5\21.5
-3.79\ -1.66\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4236G	65.77	74.00	-8.23	54.39	3	Horizontal	23	2.45	21.5	33.90	7.75	30.27			
AV	5.4308G	53.75	54.00	-0.25	42.36	3	Horizontal	23	2.45	21.5	33.90	7.76	30.27			
PK	5.462G	60.52	68.20	-7.68	49.11	3	Horizontal	23	2.45	21.5	33.92	7.78	30.29			
PK	5.7218G	122.98	Inf	-Inf	111.14	3	Horizontal	23	2.45	21.5	34.00	8.07	30.23			
AV	5.7218G	111.72	Inf	-Inf	99.88	3	Horizontal	23	2.45	21.5	34.00	8.07	30.23			
PK	5.861G	61.93	68.20	-6.27	49.99	3	Horizontal	23	2.45	21.5	33.94	8.18	30.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44054G	46.38	74.00	-27.62	61.29	3	Vertical	228	2.44	-	38.78	12.51	66.20			
AV	11.44229G	32.20	54.00	-21.80	47.11	3	Vertical	228	2.44	-	38.78	12.51	66.20			
PK	17.1586G	47.12	68.20	-21.08	54.70	3	Vertical	55	2.53	-	41.63	15.07	64.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44006G	46.78	74.00	-27.22	61.69	3	Horizontal	358	1.66	-	38.78	12.51	66.20			
AV	11.44179G	32.20	54.00	-21.80	47.11	3	Horizontal	358	1.66	-	38.78	12.51	66.20			
PK	17.16317G	47.41	68.20	-20.79	54.97	3	Horizontal	262	2.29	-	41.65	15.07	64.28			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 27.5
20\23.5\25\25.5\26\26.5\27\27.5
3.94\2.63\1.85\1.86\1.94\1.03\0.69\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5446G	64.18	68.20	-4.02	52.55	3	Vertical	305	1.69	27.5	34.09	7.83	30.29			
AV	5.4486G	53.61	54.00	-0.39	42.22	3	Vertical	305	1.69	27.5	33.90	7.77	30.28			
PK	5.7402G	125.36	Inf	-Inf	113.47	3	Vertical	305	1.69	27.5	34.00	8.11	30.22			
AV	5.7396G	114.12	Inf	-Inf	102.24	3	Vertical	305	1.69	27.5	34.00	8.10	30.22			
PK	5.9412G	61.96	68.20	-6.24	49.78	3	Vertical	305	1.69	27.5	34.18	8.15	30.15			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 22
27.5\24.5\23\22.5\22
-2.51\ -0.79\ -0.43\ -0.25\0.71

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.55G	65.06	68.20	-3.14	53.42	3	Horizontal	24	3.00	22	34.10	7.83	30.29			
AV	5.4528G	53.29	54.00	-0.71	41.90	3	Horizontal	24	3.00	22	33.91	7.77	30.29			
PK	5.7432G	123.48	Inf	-Inf	111.59	3	Horizontal	24	3.00	22	34.00	8.11	30.22			
AV	5.7438G	112.20	Inf	-Inf	100.31	3	Horizontal	24	3.00	22	34.00	8.11	30.22			
PK	6.0258G	62.21	68.20	-5.99	49.89	3	Horizontal	24	3.00	22	34.35	8.11	30.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT Y_4TX
SET 22.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.49316G	46.41	74.00	-27.59	61.11	3	Vertical	145	2.45	-	38.97	12.53	66.20				
AV	11.48673G	32.12	54.00	-21.88	46.84	3	Vertical	145	2.45	-	38.95	12.53	66.20				
PK	17.23402G	49.23	68.20	-18.97	56.43	3	Vertical	233	2.90	-	42.00	15.08	64.28				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49486G	46.32	74.00	-27.68	61.01	3	Horizontal	190	1.42	-	38.98	12.53	66.20			
AV	11.48656G	32.13	54.00	-21.87	46.85	3	Horizontal	190	1.42	-	38.95	12.53	66.20			
PK	17.2383G	47.98	68.20	-20.22	55.15	3	Horizontal	155	1.88	-	42.03	15.08	64.28			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
SET 27.5
20\25\27.5
5.26\4.61\2.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.50541G	65.52	68.20	-2.68	54.02	3	Vertical	311	1.88	27.5	34.01	7.80	30.31			
PK	5.77766G	126.88	Inf	-Inf	114.92	3	Vertical	311	1.88	27.5	34.00	8.17	30.21			
AV	5.77706G	114.60	Inf	-Inf	102.64	3	Vertical	311	1.88	27.5	34.00	8.17	30.21			
PK	6.036G	63.00	68.20	-5.20	50.67	3	Vertical	311	1.88	27.5	34.37	8.10	30.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
SET 26
27.5\26
-1.04\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.50178G	67.90	68.20	-0.30	56.41	3	Horizontal	21	2.93	26	34.00	7.80	30.31			
PK	5.78371G	127.93	Inf	-Inf	115.96	3	Horizontal	21	2.93	26	34.00	8.18	30.21			
AV	5.78432G	116.36	Inf	-Inf	104.39	3	Horizontal	21	2.93	26	34.00	8.18	30.21			
PK	6.0481G	63.15	68.20	-5.05	50.81	3	Horizontal	21	2.93	26	34.40	8.09	30.15			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57292G	46.50	74.00	-27.50	60.91	3	Vertical	291	2.03	-	39.15	12.57	66.13			
AV	11.57237G	32.20	54.00	-21.80	46.62	3	Vertical	291	2.03	-	39.14	12.57	66.13			
PK	17.35582G	50.14	68.20	-18.06	56.38	3	Vertical	126	1.98	-	42.92	15.11	64.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56644G	46.00	74.00	-28.00	60.44	3	Horizontal	193	2.02	-	39.13	12.57	66.14			
AV	11.56691G	32.18	54.00	-21.82	46.62	3	Horizontal	193	2.02	-	39.13	12.57	66.14			
PK	17.35817G	50.34	68.20	-17.86	56.57	3	Horizontal	123	2.77	-	42.93	15.11	64.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 27.5
20\22.5\23.5\24\24.5\25\25.5\26\26.5\27\27.5
2.87\1.90\1.98\2.23\2.10\2.60\1.86\0.77\1.30\2.15\2.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.534G	66.13	68.20	-2.07	54.54	3	Vertical	305	2.07	27.5	34.07	7.82	30.30				
PK	5.8172G	122.97	Inf	-Inf	111.00	3	Vertical	305	2.07	27.5	33.97	8.20	30.20				
AV	5.8166G	111.73	Inf	-Inf	99.76	3	Vertical	305	2.07	27.5	33.97	8.20	30.20				
PK	6.1208G	62.60	68.20	-5.60	50.19	3	Vertical	305	2.07	27.5	34.54	8.05	30.18				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 24
27.5\26\25.5\25\24.5\24
-1.01\ -0.65\ -0.22\ -0.78\ -0.56\ 0.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5436G	68.13	68.20	-0.07	56.50	3	Horizontal	18	2.82	24	34.09	7.83	30.29				
PK	5.8262G	126.02	Inf	-Inf	114.06	3	Horizontal	18	2.82	24	33.95	8.20	30.19				
AV	5.8256G	113.81	Inf	-Inf	101.85	3	Horizontal	18	2.82	24	33.95	8.20	30.19				
PK	5.9768G	63.33	68.20	-4.87	51.09	3	Horizontal	18	2.82	24	34.25	8.13	30.14				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX


EUT_Y_4TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.64829G	46.43	74.00	-27.57	60.59	3	Vertical	130	1.79	-	39.30	12.61	66.07				
AV	11.64503G	32.17	54.00	-21.83	46.34	3	Vertical	130	1.79	-	39.29	12.61	66.07				
PK	17.47929G	50.17	68.20	-18.03	55.57	3	Vertical	35	1.35	-	43.73	15.13	64.26				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6483G	46.27	74.00	-27.73	60.43	3	Horizontal	279	1.89	-	39.30	12.61	66.07			
AV	11.64503G	32.18	54.00	-21.82	46.35	3	Horizontal	279	1.89	-	39.29	12.61	66.07			
PK	17.4782G	49.77	68.20	-18.43	55.17	3	Horizontal	275	1.74	-	43.73	15.13	64.26			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_V_4TX
Setting 18.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1404G	63.06	74.00	-10.94	56.86	3	Vertical	322	1.80	-	33.08	8.23	35.11				
AV	5.1404G	51.16	54.00	-2.84	44.96	3	Vertical	322	1.80	-	33.08	8.23	35.11				
PK	5.1932G	115.89	Inf	-Inf	109.63	3	Vertical	322	1.80	-	33.10	8.25	35.09				
AV	5.1932G	105.22	Inf	-Inf	98.96	3	Vertical	322	1.80	-	33.10	8.25	35.09				
PK	5.3644G	60.16	74.00	-13.84	53.90	3	Vertical	322	1.80	-	32.90	8.39	35.03				
PK	5.486G	61.38	68.20	-6.82	54.92	3	Vertical	322	1.80	-	32.97	8.48	34.99				
AV	5.46G	48.70	54.00	-5.30	42.31	3	Vertical	322	1.80	-	32.92	8.46	34.99				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 18.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	66.20	74.00	-7.80	59.99	3	Horizontal	20	1.80	-	33.09	8.23	35.11
AV	5.1452G	53.51	54.00	-0.49	47.30	3	Horizontal	20	1.80	-	33.09	8.23	35.11
PK	5.1772G	116.26	Inf	-Inf	110.02	3	Horizontal	20	1.80	-	33.10	8.24	35.10
AV	5.1964G	106.60	Inf	-Inf	100.34	3	Horizontal	20	1.80	-	33.10	8.25	35.09
PK	5.46G	62.79	74.00	-11.21	56.40	3	Horizontal	20	1.80	-	32.92	8.46	34.99
AV	5.46G	52.83	54.00	-1.17	46.44	3	Horizontal	20	1.80	-	32.92	8.46	34.99
PK	5.486G	63.64	68.20	-4.56	57.18	3	Horizontal	20	1.80	-	32.97	8.48	34.99

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 18.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36716G	50.57	68.20	-17.63	45.31	3	Vertical	19	1.45	-	38.90	11.70	45.34			
PK	15.58428G	50.52	74.00	-23.48	40.75	3	Vertical	316	1.53	-	38.36	14.46	43.05			
AV	15.5574G	38.56	54.00	-15.44	28.64	3	Vertical	316	1.53	-	38.47	14.44	42.99			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 18.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38534G	50.58	68.20	-17.62	45.31	3	Horizontal	258	1.41	-	38.90	11.71	45.34			
PK	15.5718G	50.94	74.00	-23.06	41.10	3	Horizontal	350	1.35	-	38.41	14.45	43.02			
AV	15.5577G	38.54	54.00	-15.46	28.62	3	Horizontal	350	1.35	-	38.47	14.44	42.99			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 24.5
20\25.5\23\24\24.5
5.61\ -1.71\4.03\1.52\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.135G	67.99	74.00	-6.01	56.96	3	Vertical	11	2.81	24.5	33.57	7.58	30.12			
AV	5.1486G	53.82	54.00	-0.18	42.77	3	Vertical	11	2.81	24.5	33.60	7.58	30.13			
PK	5.215G	122.30	Inf	-Inf	111.16	3	Vertical	11	2.81	24.5	33.70	7.60	30.16			
AV	5.2142G	109.84	Inf	-Inf	98.70	3	Vertical	11	2.81	24.5	33.70	7.60	30.16			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 23.5
24.5\20.5\24\22.5\23\23.5
-3.79\4.17\1.90\2.45\1.54\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	70.62	74.00	-3.38	59.57	3	Horizontal	27	1.98	23.5	33.60	7.58	30.13			
AV	5.1496G	53.58	54.00	-0.42	42.53	3	Horizontal	27	1.98	23.5	33.60	7.58	30.13			
PK	5.235G	124.25	Inf	-Inf	113.10	3	Horizontal	27	1.98	23.5	33.70	7.62	30.17			
AV	5.2356G	111.53	Inf	-Inf	100.38	3	Horizontal	27	1.98	23.5	33.70	7.62	30.17			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45988G	47.37	68.20	-20.83	63.85	3	Vertical	28	2.94	-	38.22	12.01	66.71			
PK	15.69153G	51.29	74.00	-22.71	62.99	3	Vertical	158	1.58	-	37.62	14.56	63.88			
AV	15.69119G	36.68	54.00	-17.32	48.38	3	Vertical	158	1.58	-	37.62	14.56	63.88			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46366G	55.65	68.20	-12.55	72.12	3	Horizontal	137	1.70	-	38.23	12.01	66.71			
PK	15.69401G	60.75	74.00	-13.25	72.45	3	Horizontal	129	2.25	-	37.61	14.57	63.88			
AV	15.69461G	46.10	54.00	-7.90	57.80	3	Horizontal	129	2.25	-	37.61	14.57	63.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 23
20\23.5\22\22.5\23
3.99\ -0.89\1.78\1.09\0.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2532G	119.93	Inf	-Inf	108.77	3	Vertical	45	1.85	23	33.71	7.63	30.18			
AV	5.2536G	107.69	Inf	-Inf	96.53	3	Vertical	45	1.85	23	33.71	7.63	30.18			
PK	5.3526G	70.33	74.00	-3.67	58.96	3	Vertical	45	1.85	23	33.90	7.70	30.23			
AV	5.3528G	53.98	54.00	-0.02	42.61	3	Vertical	45	1.85	23	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 22
23\21.5\22\22.5\22
-1.13\1.47\0.58\0.05\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2546G	122.36	Inf	-Inf	111.20	3	Horizontal	30	1.96	22	33.71	7.63	30.18			
AV	5.255G	109.71	Inf	-Inf	98.55	3	Horizontal	30	1.96	22	33.71	7.63	30.18			
PK	5.3548G	68.78	74.00	-5.22	57.40	3	Horizontal	30	1.96	22	33.90	7.71	30.23			
AV	5.3556G	53.35	54.00	-0.65	41.97	3	Horizontal	30	1.96	22	33.90	7.71	30.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53997G	47.54	68.20	-20.66	63.88	3	Vertical	359	2.36	-	38.30	12.05	66.69			
PK	15.81735G	47.96	74.00	-26.04	59.79	3	Vertical	335	1.62	-	37.43	14.67	63.93			
AV	15.81807G	34.12	54.00	-19.88	45.94	3	Vertical	335	1.62	-	37.44	14.67	63.93			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53943G	46.88	68.20	-21.32	63.22	3	Horizontal	247	1.63	-	38.30	12.05	66.69			
PK	15.81981G	45.85	74.00	-28.15	57.67	3	Horizontal	249	1.87	-	37.44	14.67	63.93			
AV	15.80571G	33.02	54.00	-20.98	44.88	3	Horizontal	249	1.87	-	37.41	14.66	63.93			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_V_4TX
Setting 15
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.0812G	59.30	74.00	-14.70	53.19	3	Vertical	325	1.80	-	33.04	8.20	35.13					
AV	5.03G	47.64	54.00	-6.36	41.47	3	Vertical	325	1.80	-	33.14	8.18	35.15					
PK	5.3132G	112.61	Inf	-Inf	106.41	3	Vertical	325	1.80	-	32.90	8.35	35.05					
AV	5.2924G	102.53	Inf	-Inf	96.33	3	Vertical	325	1.80	-	32.92	8.33	35.05					
AV	5.3516G	48.77	54.00	-5.23	42.52	3	Vertical	325	1.80	-	32.90	8.38	35.03					
PK	5.3916G	59.84	74.00	-14.16	53.55	3	Vertical	325	1.80	-	32.90	8.41	35.02					
PK	5.6124G	60.61	68.20	-7.59	54.04	3	Vertical	325	1.80	-	32.92	8.58	34.93					

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 15
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0924G	58.93	74.00	-15.07	52.83	3	Horizontal	26	1.01	-	33.02	8.21	35.13
AV	5.0316G	48.25	54.00	-5.75	42.08	3	Horizontal	26	1.01	-	33.14	8.18	35.15
PK	5.3116G	116.54	Inf	-Inf	110.35	3	Horizontal	26	1.01	-	32.90	8.34	35.05
AV	5.3132G	105.47	Inf	-Inf	99.27	3	Horizontal	26	1.01	-	32.90	8.35	35.05
PK	5.382G	61.46	74.00	-12.54	55.18	3	Horizontal	26	1.01	-	32.90	8.40	35.02
AV	5.3516G	49.79	54.00	-4.21	43.54	3	Horizontal	26	1.01	-	32.90	8.38	35.03
PK	5.6156G	62.47	68.20	-5.73	55.87	3	Horizontal	26	1.01	-	32.93	8.59	34.92

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 15
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61844G	49.96	74.00	-24.04	44.35	3	Vertical	0	1.41	-	39.27	11.87	45.53			
AV	10.62162G	37.87	54.00	-16.13	32.24	3	Vertical	0	1.41	-	39.29	11.88	45.54			
PK	15.56172G	50.74	74.00	-23.26	40.85	3	Vertical	210	1.91	-	38.45	14.44	43.00			
AV	15.55566G	38.49	54.00	-15.51	28.56	3	Vertical	210	1.91	-	38.48	14.44	42.99			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 15
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60926G	50.49	74.00	-23.51	44.90	3	Horizontal	4	1.66	-	39.24	11.87	45.52			
AV	10.62084G	37.78	54.00	-16.22	32.16	3	Horizontal	4	1.66	-	39.28	11.88	45.54			
PK	15.91536G	46.27	74.00	-27.73	37.49	3	Horizontal	206	1.97	-	37.91	14.60	43.73			
AV	15.91506G	34.53	54.00	-19.47	25.75	3	Horizontal	206	1.97	-	37.91	14.60	43.73			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_V_4TX
Setting 18.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2108G	61.29	68.20	-6.91	55.03	3	Vertical	323	1.80	-	33.08	8.26	35.08
AV	5.1308G	48.84	54.00	-5.16	42.67	3	Vertical	323	1.80	-	33.06	8.22	35.11
PK	5.4524G	62.48	74.00	-11.52	56.12	3	Vertical	323	1.80	-	32.90	8.46	35.00
AV	5.4524G	51.04	54.00	-2.96	44.68	3	Vertical	323	1.80	-	32.90	8.46	35.00
PK	5.47G	64.18	68.20	-4.02	57.76	3	Vertical	323	1.80	-	32.94	8.47	34.99
PK	5.4924G	116.47	Inf	-Inf	109.98	3	Vertical	323	1.80	-	32.98	8.49	34.98
AV	5.4924G	105.53	Inf	-Inf	99.04	3	Vertical	323	1.80	-	32.98	8.49	34.98
PK	5.7836G	61.79	68.20	-6.41	54.12	3	Vertical	323	1.80	-	33.73	8.78	34.84

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_V_4TX
Setting 18.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2108G	63.00	68.20	-5.20	56.74	3	Horizontal	21	1.02	-	33.08	8.26	35.08
AV	5.1308G	49.31	54.00	-4.69	43.14	3	Horizontal	21	1.02	-	33.06	8.22	35.11
PK	5.4508G	64.28	74.00	-9.72	57.92	3	Horizontal	21	1.02	-	32.90	8.46	35.00
AV	5.4524G	53.29	54.00	-0.71	46.93	3	Horizontal	21	1.02	-	32.90	8.46	35.00
PK	5.47G	66.47	68.20	-1.73	60.05	3	Horizontal	21	1.02	-	32.94	8.47	34.99
PK	5.4924G	119.85	Inf	-Inf	113.36	3	Horizontal	21	1.02	-	32.98	8.49	34.98
AV	5.5132G	108.82	Inf	-Inf	102.29	3	Horizontal	21	1.02	-	33.00	8.50	34.97
PK	5.7964G	65.37	68.20	-2.83	57.62	3	Horizontal	21	1.02	-	33.79	8.80	34.84

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Y_4TX
Setting 18.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01196G	50.85	74.00	-23.15	46.03	3	Vertical	301	1.73	-	38.92	12.14	46.24			
AV	11.01022G	38.53	54.00	-15.47	33.71	3	Vertical	301	1.73	-	38.92	12.14	46.24			
PK	16.5372G	45.08	68.20	-23.12	36.23	3	Vertical	112	1.46	-	38.53	14.90	44.58			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 18.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00902G	50.60	74.00	-23.40	45.78	3	Horizontal	350	1.95	-	38.92	12.14	46.24			
AV	11.0107G	38.44	54.00	-15.56	33.62	3	Horizontal	350	1.95	-	38.92	12.14	46.24			
PK	16.54476G	45.30	68.20	-22.90	36.47	3	Horizontal	207	2.02	-	38.51	14.90	44.58			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 24
20\25\20.5\22.5\23.5\24
5.35\5.24\5.25\4.52\1.75\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4524G	63.27	74.00	-10.73	51.89	3	Vertical	48	1.84	24	33.90	7.77	30.29			
AV	5.4534G	50.90	54.00	-3.10	39.51	3	Vertical	48	1.84	24	33.91	7.77	30.29			
PK	5.4624G	67.70	68.20	-0.50	56.29	3	Vertical	48	1.84	24	33.92	7.78	30.29			
PK	5.564G	120.95	Inf	-Inf	109.33	3	Vertical	48	1.84	24	34.07	7.84	30.29			
AV	5.5646G	108.08	Inf	-Inf	96.46	3	Vertical	48	1.84	24	34.07	7.84	30.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 22.5
24\21\22.5
-2.97\3.45\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4522G	63.84	74.00	-10.16	52.46	3	Horizontal	26	2.48	22.5	33.90	7.77	30.29			
AV	5.452G	51.15	54.00	-2.85	39.77	3	Horizontal	26	2.48	22.5	33.90	7.77	30.29			
PK	5.4698G	67.89	68.20	-0.31	56.46	3	Horizontal	26	2.48	22.5	33.94	7.78	30.29			
PK	5.5518G	122.31	Inf	-Inf	110.67	3	Horizontal	26	2.48	22.5	34.10	7.83	30.29			
AV	5.5522G	109.67	Inf	-Inf	98.03	3	Horizontal	26	2.48	22.5	34.10	7.83	30.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0994G	47.57	74.00	-26.43	62.82	3	Vertical	118	1.80	-	38.60	12.34	66.19			
AV	11.10099G	33.96	54.00	-20.04	49.21	3	Vertical	118	1.80	-	38.60	12.34	66.19			
PK	16.65567G	47.92	68.20	-20.28	57.06	3	Vertical	276	1.33	-	39.81	14.96	63.91			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09562G	46.17	74.00	-27.83	61.44	3	Horizontal	258	1.73	-	38.59	12.33	66.19			
AV	11.09733G	33.14	54.00	-20.86	48.41	3	Horizontal	258	1.73	-	38.59	12.33	66.19			
PK	16.65702G	47.65	68.20	-20.55	56.79	3	Horizontal	8	1.07	-	39.81	14.96	63.91			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 21
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6637G	117.22	Inf	-Inf	105.50	3	Vertical	48	1.88	-	34.00	7.97	30.25			
AV	5.664G	106.05	Inf	-Inf	94.33	3	Vertical	48	1.88	-	34.00	7.97	30.25			
PK	5.7267G	62.86	68.20	-5.34	51.01	3	Vertical	48	1.88	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 21
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6529G	119.08	Inf	-Inf	107.38	3	Horizontal	24	2.39	-	34.00	7.95	30.25			
AV	5.6523G	109.19	Inf	-Inf	97.50	3	Horizontal	24	2.39	-	34.00	7.95	30.26			
PK	5.7531G	67.91	68.20	-0.29	56.00	3	Horizontal	24	2.39	-	34.00	8.13	30.22			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33675G	46.28	74.00	-27.72	61.35	3	Vertical	123	2.57	-	38.67	12.46	66.20			
AV	11.34347G	32.32	54.00	-21.68	47.37	3	Vertical	123	2.57	-	38.69	12.46	66.20			
PK	17.01361G	47.73	68.20	-20.47	55.75	3	Vertical	171	1.80	-	41.23	15.04	64.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.33988G	46.57	74.00	-27.43	61.63	3	Horizontal	28	2.17	-	38.68	12.46	66.20			
AV	11.34376G	32.35	54.00	-21.65	47.40	3	Horizontal	28	2.17	-	38.69	12.46	66.20			
PK	17.01272G	48.39	68.20	-19.81	56.41	3	Horizontal	82	2.24	-	41.23	15.04	64.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 25.5
20\23.5\25\25.5
3.90\1.79\1.32\0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4334G	65.61	74.00	-8.39	54.23	3	Vertical	309	2.03	25.5	33.90	7.76	30.28			
AV	5.4166G	53.95	54.00	-0.05	42.57	3	Vertical	309	2.03	25.5	33.90	7.75	30.27			
PK	5.4694G	60.73	68.20	-7.47	49.30	3	Vertical	309	2.03	25.5	33.94	7.78	30.29			
PK	5.7214G	122.88	Inf	-Inf	111.04	3	Vertical	309	2.03	25.5	34.00	8.07	30.23			
AV	5.7214G	109.76	Inf	-Inf	97.92	3	Vertical	309	2.03	25.5	34.00	8.07	30.23			
PK	5.968G	62.46	68.20	-5.74	50.23	3	Vertical	309	2.03	25.5	34.24	8.13	30.14			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 22
25.5\21.5\23.5\22.5\22
-3.51\0.57\1.46\0.81\0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4304G	65.57	74.00	-8.43	54.18	3	Horizontal	22	2.48	22	33.90	7.76	30.27			
AV	5.4208G	53.79	54.00	-0.21	42.41	3	Horizontal	22	2.48	22	33.90	7.75	30.27			
PK	5.464G	61.55	68.20	-6.65	50.13	3	Horizontal	22	2.48	22	33.93	7.78	30.29			
PK	5.7124G	122.04	Inf	-Inf	110.21	3	Horizontal	22	2.48	22	34.00	8.06	30.23			
AV	5.7118G	109.51	Inf	-Inf	97.68	3	Horizontal	22	2.48	22	34.00	8.06	30.23			
PK	5.9698G	62.00	68.20	-6.20	49.77	3	Horizontal	22	2.48	22	34.24	8.13	30.14			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4242G	46.11	74.00	-27.89	61.06	3	Vertical	150	1.87	-	38.75	12.50	66.20			
AV	11.4197G	32.01	54.00	-21.99	46.97	3	Vertical	150	1.87	-	38.74	12.50	66.20			
PK	17.13212G	46.82	68.20	-21.38	54.51	3	Vertical	83	1.10	-	41.53	15.06	64.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41885G	45.98	74.00	-28.02	60.94	3	Horizontal	175	1.82	-	38.74	12.50	66.20			
AV	11.4198G	32.03	54.00	-21.97	46.99	3	Horizontal	175	1.82	-	38.74	12.50	66.20			
PK	17.13431G	46.73	68.20	-21.47	54.41	3	Horizontal	103	1.21	-	41.54	15.06	64.28			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 26
20\24.5\26.5\25.5\26
4.51\2.76\0.55\1.27\1.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
AV	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.455G	52.42	54.00	-1.58	41.03	3	Vertical	306	2.02	26	33.91	7.77	30.29			
PK	5.6452G	67.08	68.20	-1.12	55.40	3	Vertical	306	2.02	26	34.00	7.94	30.26			
PK	5.7658G	122.94	Inf	-Inf	111.00	3	Vertical	306	2.02	26	34.00	8.15	30.21			
AV	5.7664G	110.90	Inf	-Inf	98.96	3	Vertical	306	2.02	26	34.00	8.15	30.21			
PK	6.0544G	62.79	68.20	-5.41	50.44	3	Vertical	306	2.02	26	34.41	8.09	30.15			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 24
26\22.5\24
-3.08\0.63\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.46G	67.52	74.00	-6.48	56.11	3	Horizontal	22	2.96	24	33.92	7.78	30.29					
AV	5.4592G	53.86	54.00	-0.14	42.45	3	Horizontal	22	2.96	24	33.92	7.78	30.29					
PK	5.7544G	124.79	Inf	-Inf	112.88	3	Horizontal	22	2.96	24	34.00	8.13	30.22					
AV	5.7538G	111.94	Inf	-Inf	100.03	3	Horizontal	22	2.96	24	34.00	8.13	30.22					
PK	6.0466G	62.38	68.20	-5.82	50.05	3	Horizontal	22	2.96	24	34.39	8.09	30.15					

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51043G	46.22	74.00	-27.78	60.85	3	Vertical	265	1.95	-	39.02	12.54	66.19			
AV	11.50845G	31.91	54.00	-22.09	46.54	3	Vertical	265	1.95	-	39.02	12.54	66.19			
PK	17.26812G	47.95	68.20	-20.25	54.89	3	Vertical	308	2.61	-	42.24	15.09	64.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5094G	46.48	74.00	-27.52	61.11	3	Horizontal	209	1.07	-	39.02	12.54	66.19			
AV	11.50564G	31.94	54.00	-22.06	46.58	3	Horizontal	209	1.07	-	39.01	12.54	66.19			
PK	17.26016G	48.31	68.20	-19.89	55.31	3	Horizontal	353	2.07	-	42.18	15.09	64.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX


EUT_Y_4TX
SET 27.5
20\24.5\27.5
4.97\4.16\1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.516G	67.04	68.20	-1.16	55.50	3	Vertical	325	1.84	27.5	34.03	7.81	30.30			
PK	5.7788G	122.68	Inf	-Inf	110.72	3	Vertical	325	1.84	27.5	34.00	8.17	30.21			
AV	5.7794G	110.79	Inf	-Inf	98.83	3	Vertical	325	1.84	27.5	34.00	8.17	30.21			
PK	6.0098G	62.74	68.20	-5.46	50.44	3	Vertical	325	1.84	27.5	34.32	8.11	30.13			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 26.5
27.5\27\26.5
-0.13\ -0.23\0.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5028G	67.80	68.20	-0.40	56.30	3	Horizontal	19	2.44	26.5	34.01	7.80	30.31			
PK	5.7776G	125.29	Inf	-Inf	113.33	3	Horizontal	19	2.44	26.5	34.00	8.17	30.21			
AV	5.777G	113.67	Inf	-Inf	101.71	3	Horizontal	19	2.44	26.5	34.00	8.17	30.21			
PK	6.0344G	62.49	68.20	-5.71	50.16	3	Horizontal	19	2.44	26.5	34.37	8.10	30.14			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5942G	45.62	74.00	-28.38	59.96	3	Vertical	253	1.19	-	39.19	12.59	66.12			
AV	11.59475G	31.76	54.00	-22.24	46.09	3	Vertical	253	1.19	-	39.19	12.59	66.11			
PK	17.38427G	49.93	68.20	-18.27	56.05	3	Vertical	238	2.67	-	43.04	15.11	64.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59431G	46.28	74.00	-27.72	60.62	3	Horizontal	191	2.42	-	39.19	12.59	66.12			
AV	11.5946G	31.72	54.00	-22.28	46.05	3	Horizontal	191	2.42	-	39.19	12.59	66.11			
PK	17.38271G	49.56	68.20	-18.64	55.69	3	Horizontal	359	2.28	-	43.03	15.11	64.27			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 16.5
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1332G	62.08	74.00	-11.92	55.90	3	Vertical	323	1.80	-	33.07	8.22	35.11			
AV	5.1332G	51.29	54.00	-2.71	45.11	3	Vertical	323	1.80	-	33.07	8.22	35.11			
PK	5.194G	111.99	Inf	-Inf	105.73	3	Vertical	323	1.80	-	33.10	8.25	35.09			
AV	5.234G	100.64	Inf	-Inf	94.41	3	Vertical	323	1.80	-	33.03	8.28	35.08			
PK	5.4452G	60.08	74.00	-13.92	53.73	3	Vertical	323	1.80	-	32.90	8.45	35.00			
AV	5.4596G	49.16	54.00	-4.84	42.77	3	Vertical	323	1.80	-	32.92	8.46	34.99			
PK	5.5044G	62.40	68.20	-5.80	55.88	3	Vertical	323	1.80	-	33.00	8.50	34.98			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_V_4TX
Setting 16.5
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1364G	64.78	74.00	-9.22	58.60	3	Horizontal	22	1.80	-	33.07	8.22	35.11			
AV	5.1364G	53.02	54.00	-0.98	46.84	3	Horizontal	22	1.80	-	33.07	8.22	35.11			
PK	5.1956G	114.10	Inf	-Inf	107.84	3	Horizontal	22	1.80	-	33.10	8.25	35.09			
AV	5.1972G	102.51	Inf	-Inf	96.25	3	Horizontal	22	1.80	-	33.10	8.25	35.09			
PK	5.4596G	61.85	74.00	-12.15	55.46	3	Horizontal	22	1.80	-	32.92	8.46	34.99			
AV	5.4596G	52.44	54.00	-1.56	46.05	3	Horizontal	22	1.80	-	32.92	8.46	34.99			
PK	5.4772G	65.36	68.20	-2.84	58.92	3	Horizontal	22	1.80	-	32.95	8.48	34.99			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 16.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40626G	50.50	68.20	-17.70	45.20	3	Vertical	113	2.08	-	38.90	11.73	45.33			
PK	15.62874G	50.00	74.00	-24.00	40.60	3	Vertical	109	1.93	-	38.07	14.47	43.14			
AV	15.63072G	37.80	54.00	-16.20	28.41	3	Vertical	109	1.93	-	38.05	14.48	43.14			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 16.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4077G	50.46	68.20	-17.74	45.16	3	Horizontal	260	1.56	-	38.90	11.73	45.33			
PK	15.6288G	50.18	74.00	-23.82	40.78	3	Horizontal	195	1.33	-	38.07	14.47	43.14			
AV	15.63048G	37.79	54.00	-16.21	28.39	3	Horizontal	195	1.33	-	38.06	14.48	43.14			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_V_4TX
Setting 19.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0244G	60.88	74.00	-13.12	54.70	3	Vertical	326	1.80	-	33.15	8.18	35.15
AV	5.0388G	49.37	54.00	-4.63	43.21	3	Vertical	326	1.80	-	33.12	8.19	35.15
PK	5.2916G	115.35	Inf	-Inf	109.16	3	Vertical	326	1.80	-	32.92	8.33	35.06
AV	5.2932G	104.41	Inf	-Inf	98.22	3	Vertical	326	1.80	-	32.91	8.33	35.05
PK	5.37G	62.09	74.00	-11.91	55.83	3	Vertical	326	1.80	-	32.90	8.39	35.03
AV	5.3508G	50.97	54.00	-3.03	44.72	3	Vertical	326	1.80	-	32.90	8.38	35.03
PK	5.5428G	62.66	68.20	-5.54	56.09	3	Vertical	326	1.80	-	33.00	8.53	34.96

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_V_4TX
Setting 19.5
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1332G	61.12	74.00	-12.88	54.94	3	Horizontal	26	1.02	-	33.07	8.22	35.11			
AV	5.0276G	50.00	54.00	-4.00	43.83	3	Horizontal	26	1.02	-	33.14	8.18	35.15			
PK	5.3124G	117.70	Inf	-Inf	111.50	3	Horizontal	26	1.02	-	32.90	8.35	35.05			
AV	5.3124G	106.87	Inf	-Inf	100.67	3	Horizontal	26	1.02	-	32.90	8.35	35.05			
PK	5.3524G	64.94	74.00	-9.06	58.69	3	Horizontal	26	1.02	-	32.90	8.38	35.03			
AV	5.3524G	53.93	54.00	-0.07	47.68	3	Horizontal	26	1.02	-	32.90	8.38	35.03			
PK	5.5636G	66.73	68.20	-1.47	60.17	3	Horizontal	26	1.02	-	32.97	8.54	34.95			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 19.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58798G	51.12	68.20	-17.08	45.62	3	Vertical	21	1.98	-	39.13	11.85	45.48			
PK	15.86166G	49.15	74.00	-24.85	40.34	3	Vertical	297	1.87	-	37.85	14.58	43.62			
AV	15.85578G	36.55	54.00	-17.45	27.76	3	Vertical	297	1.87	-	37.82	14.58	43.61			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX

EUT_Y_4TX
Setting 19.5
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.586G	49.98	68.20	-18.22	44.48	3	Horizontal	323	1.60	-	39.12	11.85	45.47			
PK	15.86334G	48.79	74.00	-25.21	39.99	3	Horizontal	240	1.51	-	37.85	14.58	43.63			
AV	15.85512G	36.58	54.00	-17.42	27.79	3	Horizontal	240	1.51	-	37.82	14.58	43.61			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2612G	61.13	68.20	-7.07	54.92	3	Vertical	322	1.80	-	32.98	8.30	35.07
AV	5.1492G	48.32	54.00	-5.68	42.10	3	Vertical	322	1.80	-	33.10	8.23	35.11
PK	5.4516G	63.36	74.00	-10.64	57.00	3	Vertical	322	1.80	-	32.90	8.46	35.00
AV	5.4516G	52.59	54.00	-1.41	46.23	3	Vertical	322	1.80	-	32.90	8.46	35.00
PK	5.4692G	62.41	68.20	-5.79	55.99	3	Vertical	322	1.80	-	32.94	8.47	34.99
AV	5.4916G	101.40	Inf	-Inf	94.91	3	Vertical	322	1.80	-	32.98	8.49	34.98
PK	5.5316G	111.99	Inf	-Inf	105.43	3	Vertical	322	1.80	-	33.00	8.52	34.96
PK	5.8004G	62.30	68.20	-5.90	54.54	3	Vertical	322	1.80	-	33.80	8.80	34.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_V_4TX
Setting 17.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2532G	62.41	68.20	-5.79	56.19	3	Horizontal	51	1.80	-	32.99	8.30	35.07			
AV	5.1428G	49.00	54.00	-5.00	42.79	3	Horizontal	51	1.80	-	33.09	8.23	35.11			
PK	5.458G	63.45	74.00	-10.55	57.07	3	Horizontal	51	1.80	-	32.92	8.46	35.00			
AV	5.458G	53.16	54.00	-0.84	46.78	3	Horizontal	51	1.80	-	32.92	8.46	35.00			
PK	5.466G	62.75	68.20	-5.45	56.34	3	Horizontal	51	1.80	-	32.93	8.47	34.99			
PK	5.5572G	114.71	Inf	-Inf	108.13	3	Horizontal	51	1.80	-	32.99	8.54	34.95			
AV	5.5572G	102.74	Inf	-Inf	96.16	3	Horizontal	51	1.80	-	32.99	8.54	34.95			
PK	5.7828G	62.39	68.20	-5.81	54.72	3	Horizontal	51	1.80	-	33.73	8.78	34.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17.5
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.07476G	49.64	74.00	-24.36	44.58	3	Vertical	88	1.80	-	39.05	12.19	46.18			
AV	11.06012G	37.38	54.00	-16.62	32.38	3	Vertical	88	1.80	-	39.02	12.18	46.20			
PK	16.58256G	45.66	68.20	-22.54	36.92	3	Vertical	81	1.68	-	38.43	14.92	44.61			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17.5
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.56758G	50.94	68.20	-17.26	45.53	3	Horizontal	134	1.35	-	39.01	11.84	45.44			
PK	16.59426G	45.79	68.20	-22.41	37.07	3	Horizontal	278	1.76	-	38.41	14.93	44.62			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_V_4TX
Setting 17.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2964G	60.63	68.20	-7.57	54.44	3	Vertical	321	1.80	-	32.91	8.33	35.05			
PK	5.386G	59.74	74.00	-14.26	53.45	3	Vertical	321	1.80	-	32.90	8.41	35.02			
AV	5.3588G	48.62	54.00	-5.38	42.37	3	Vertical	321	1.80	-	32.90	8.38	35.03			
PK	5.4676G	59.19	68.20	-9.01	52.77	3	Vertical	321	1.80	-	32.94	8.47	34.99			
PK	5.5924G	109.64	Inf	-Inf	103.10	3	Vertical	321	1.80	-	32.92	8.56	34.94			
AV	5.5732G	98.73	Inf	-Inf	92.17	3	Vertical	321	1.80	-	32.95	8.55	34.94			
PK	5.9636G	61.99	68.20	-6.21	53.56	3	Vertical	321	1.80	-	34.20	8.99	34.76			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_V_4TX
Setting 17.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2836G	63.48	68.20	-4.72	57.29	3	Horizontal	321	1.80	-	32.93	8.32	35.06
PK	5.4308G	61.65	74.00	-12.35	55.31	3	Horizontal	321	1.80	-	32.90	8.44	35.00
AV	5.3604G	51.38	54.00	-2.62	45.12	3	Horizontal	321	1.80	-	32.90	8.39	35.03
PK	5.466G	60.43	68.20	-7.77	54.02	3	Horizontal	321	1.80	-	32.93	8.47	34.99
PK	5.5732G	115.52	Inf	-Inf	108.96	3	Horizontal	321	1.80	-	32.95	8.55	34.94
AV	5.5732G	105.04	Inf	-Inf	98.48	3	Horizontal	321	1.80	-	32.95	8.55	34.94
PK	5.8628G	61.80	68.20	-6.40	53.79	3	Horizontal	321	1.80	-	33.95	8.87	34.81

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
Setting 17.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21088G	50.20	74.00	-23.80	44.98	3	Vertical	342	1.98	-	39.00	12.28	46.06			
AV	11.20806G	37.81	54.00	-16.19	32.59	3	Vertical	342	1.98	-	39.00	12.28	46.06			
PK	16.83024G	48.03	68.20	-20.17	39.42	3	Vertical	210	1.31	-	38.36	15.04	44.79			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
Setting 17.5
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.20884G	49.92	74.00	-24.08	44.70	3	Horizontal	303	1.93	-	39.00	12.28	46.06			
AV	11.20698G	37.76	54.00	-16.24	32.54	3	Horizontal	303	1.93	-	39.00	12.28	46.06			
PK	16.83438G	47.68	68.20	-20.52	39.06	3	Horizontal	194	1.36	-	38.37	15.04	44.79			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 24
20\24\26\25\24.5\24
4.31\1.74\ -29.63\ -29.38\ -27.85\1.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4176G	64.56	74.00	-9.44	53.18	3	Vertical	48	1.80	24	33.90	7.75	30.27
AV	5.3918G	52.11	54.00	-1.89	40.73	3	Vertical	48	1.80	24	33.90	7.73	30.25
PK	5.4644G	64.62	68.20	-3.58	53.20	3	Vertical	48	1.80	24	33.93	7.78	30.29
PK	5.684G	118.05	Inf	-Inf	106.28	3	Vertical	48	1.80	24	34.00	8.01	30.24
AV	5.6642G	104.90	Inf	-Inf	93.18	3	Vertical	48	1.80	24	34.00	7.97	30.25
PK	5.85G	63.49	68.20	-4.71	51.58	3	Vertical	48	1.80	24	33.90	8.19	30.18

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 21.5
24\21.5
-2.34\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4386G	65.75	74.00	-8.25	54.37	3	Horizontal	25	2.42	21.5	33.90	7.76	30.28			
AV	5.4398G	53.72	54.00	-0.28	42.34	3	Horizontal	25	2.42	21.5	33.90	7.76	30.28			
PK	5.4698G	63.24	68.20	-4.96	51.81	3	Horizontal	25	2.42	21.5	33.94	7.78	30.29			
PK	5.6732G	118.10	Inf	-Inf	106.36	3	Horizontal	25	2.42	21.5	34.00	7.99	30.25			
AV	5.6516G	106.01	Inf	-Inf	94.32	3	Horizontal	25	2.42	21.5	34.00	7.95	30.26			
PK	5.8526G	65.57	68.20	-2.63	53.65	3	Horizontal	25	2.42	21.5	33.91	8.19	30.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3818G	47.08	74.00	-26.92	62.10	3	Vertical	144	1.45	-	38.70	12.48	66.20			
AV	11.37532G	32.32	54.00	-21.68	47.35	3	Vertical	144	1.45	-	38.70	12.47	66.20			
PK	17.07139G	46.78	68.20	-21.42	54.68	3	Vertical	106	2.50	-	41.34	15.05	64.29			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37668G	46.27	74.00	-27.73	61.29	3	Horizontal	166	2.64	-	38.70	12.48	66.20			
AV	11.37519G	32.36	54.00	-21.64	47.39	3	Horizontal	166	2.64	-	38.70	12.47	66.20			
PK	17.0732G	46.39	68.20	-21.81	54.28	3	Horizontal	31	2.74	-	41.35	15.05	64.29			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
SET 23
20\23
3.33\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6376G	68.09	68.20	-0.11	56.42	3	Vertical	0	1.98	23	34.00	7.93	30.26
PK	5.7576G	118.67	Inf	-Inf	106.75	3	Vertical	0	1.98	23	34.00	8.14	30.22
AV	5.7582G	105.27	Inf	-Inf	93.35	3	Vertical	0	1.98	23	34.00	8.14	30.22
PK	6.027G	62.84	68.20	-5.36	50.52	3	Vertical	0	1.98	23	34.35	8.11	30.14

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
SET 21.5
23\20\21.5
-2.86\1.49\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.643G	67.92	68.20	-0.28	56.24	3	Horizontal	21	2.97	21.5	34.00	7.94	30.26				
PK	5.7732G	118.79	Inf	-Inf	106.84	3	Horizontal	21	2.97	21.5	34.00	8.16	30.21				
AV	5.7744G	106.31	Inf	-Inf	94.35	3	Horizontal	21	2.97	21.5	34.00	8.17	30.21				
PK	5.9646G	62.61	68.20	-5.59	50.38	3	Horizontal	21	2.97	21.5	34.23	8.14	30.14				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55342G	46.27	74.00	-27.73	60.75	3	Vertical	141	2.26	-	39.11	12.56	66.15			
AV	11.55286G	32.18	54.00	-21.82	46.66	3	Vertical	141	2.26	-	39.11	12.56	66.15			
PK	17.32734G	49.20	68.20	-19.00	55.65	3	Vertical	40	1.80	-	42.72	15.10	64.27			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 27.5
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5499G	46.49	74.00	-27.51	60.99	3	Horizontal	30	2.02	-	39.10	12.56	66.16			
AV	11.55287G	32.23	54.00	-21.77	46.71	3	Horizontal	30	2.02	-	39.11	12.56	66.15			
PK	17.329G	48.55	68.20	-19.65	54.99	3	Horizontal	205	1.97	-	42.73	15.10	64.27			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 16
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.112G	62.27	74.00	-11.73	56.16	3	Vertical	324	1.80	-	33.02	8.21	35.12			
AV	5.092G	50.25	54.00	-3.75	44.15	3	Vertical	324	1.80	-	33.02	8.21	35.13			
PK	5.234G	108.21	Inf	-Inf	101.98	3	Vertical	324	1.80	-	33.03	8.28	35.08			
AV	5.272G	97.67	Inf	-Inf	91.46	3	Vertical	324	1.80	-	32.96	8.31	35.06			
PK	5.394G	65.04	74.00	-8.96	58.75	3	Vertical	324	1.80	-	32.90	8.41	35.02			
AV	5.412G	52.64	54.00	-1.36	46.32	3	Vertical	324	1.80	-	32.90	8.43	35.01			
PK	5.746G	60.88	68.20	-7.32	53.42	3	Vertical	324	1.80	-	33.58	8.74	34.86			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 16
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.116G	63.60	74.00	-10.40	57.47	3	Horizontal	22	1.80	-	33.03	8.22	35.12			
AV	5.076G	51.81	54.00	-2.19	45.69	3	Horizontal	22	1.80	-	33.05	8.20	35.13			
PK	5.176G	110.28	Inf	-Inf	104.04	3	Horizontal	22	1.80	-	33.10	8.24	35.10			
AV	5.236G	99.12	Inf	-Inf	92.89	3	Horizontal	22	1.80	-	33.03	8.28	35.08			
PK	5.45G	64.98	74.00	-9.02	58.62	3	Horizontal	22	1.80	-	32.90	8.46	35.00			
AV	5.396G	53.63	54.00	-0.37	47.33	3	Horizontal	22	1.80	-	32.90	8.42	35.02			
PK	5.48G	63.25	68.20	-4.95	56.80	3	Horizontal	22	1.80	-	32.96	8.48	34.99			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 16
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5012G	50.03	68.20	-18.17	44.75	3	Vertical	324	1.73	-	38.80	11.79	45.31			
PK	15.75744G	49.61	74.00	-24.39	40.42	3	Vertical	193	1.72	-	38.07	14.53	43.41			
AV	15.7353G	37.43	54.00	-16.57	28.20	3	Vertical	193	1.72	-	38.07	14.52	43.36			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 16
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.49574G	49.48	68.20	-18.72	44.19	3	Horizontal	317	1.52	-	38.81	11.79	45.31			
PK	15.7368G	49.34	74.00	-24.66	40.11	3	Horizontal	65	2.00	-	38.07	14.52	43.36			
AV	15.73542G	37.26	54.00	-16.74	28.03	3	Horizontal	65	2.00	-	38.07	14.52	43.36			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_V_4TX
Setting 15.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	61.90	68.20	-6.30	55.65	3	Vertical	323	1.80	-	32.90	8.38	35.03			
AV	5.35G	50.94	54.00	-3.06	44.69	3	Vertical	323	1.80	-	32.90	8.38	35.03			
PK	5.392G	66.29	74.00	-7.71	60.00	3	Vertical	323	1.80	-	32.90	8.41	35.02			
AV	5.392G	53.82	54.00	-0.18	47.53	3	Vertical	323	1.80	-	32.90	8.41	35.02			
PK	5.47G	61.34	68.20	-6.86	54.92	3	Vertical	323	1.80	-	32.94	8.47	34.99			
PK	5.512G	107.67	Inf	-Inf	101.14	3	Vertical	323	1.80	-	33.00	8.50	34.97			
AV	5.492G	96.34	Inf	-Inf	89.85	3	Vertical	323	1.80	-	32.98	8.49	34.98			
PK	5.734G	64.19	68.20	-4.01	56.80	3	Vertical	323	1.80	-	33.54	8.72	34.87			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_V_4TX
Setting 15.5
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.258G	61.48	68.20	-6.72	55.27	3	Horizontal	50.9	1.84	-	32.98	8.30	35.07			
PK	5.424G	63.60	74.00	-10.40	57.27	3	Horizontal	50.9	1.84	-	32.90	8.44	35.01			
AV	5.35G	48.52	54.00	-5.48	42.27	3	Horizontal	50.9	1.84	-	32.90	8.38	35.03			
AV	5.418G	52.43	54.00	-1.57	46.11	3	Horizontal	50.9	1.84	-	32.90	8.43	35.01			
PK	5.464G	61.22	68.20	-6.98	54.81	3	Horizontal	50.9	1.84	-	32.93	8.47	34.99			
PK	5.576G	106.68	Inf	-Inf	100.12	3	Horizontal	50.9	1.84	-	32.95	8.55	34.94			
AV	5.558G	97.09	Inf	-Inf	90.52	3	Horizontal	50.9	1.84	-	32.98	8.54	34.95			
PK	5.738G	64.86	68.20	-3.34	57.45	3	Horizontal	50.9	1.84	-	33.55	8.73	34.87			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
Setting 15.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15488G	50.20	74.00	-23.80	45.07	3	Vertical	296	1.28	-	39.00	12.24	46.11			
AV	11.12524G	37.50	54.00	-16.50	32.37	3	Vertical	296	1.28	-	39.05	12.22	46.14			
PK	16.70634G	47.21	68.20	-20.99	38.64	3	Vertical	286	1.44	-	38.29	14.98	44.70			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX

EUT_Y_4TX
Setting 15.5
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15326G	50.11	74.00	-23.89	44.98	3	Horizontal	347	1.68	-	39.00	12.24	46.11			
AV	11.1466G	37.48	54.00	-16.52	32.35	3	Horizontal	347	1.68	-	39.01	12.24	46.12			
PK	16.71048G	47.09	68.20	-21.11	38.53	3	Horizontal	70	1.64	-	38.28	14.98	44.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.46G	53.99	54.00	-0.01	3	Vertical	11	3.00	-

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 27
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	72.01	74.00	-1.99	61.74	3	Vertical	356	2.56	-	33.10	9.71	32.54			
AV	5.1484G	52.28	54.00	-1.72	42.02	3	Vertical	356	2.56	-	33.09	9.71	32.54			
PK	5.1884G	122.47	Inf	-Inf	112.25	3	Vertical	356	2.56	-	33.02	9.73	32.53			
AV	5.185G	110.05	Inf	-Inf	99.83	3	Vertical	356	2.56	-	33.03	9.73	32.54			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 27
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	72.49	74.00	-1.51	62.22	3	Horizontal	281	1.80	-	33.10	9.71	32.54			
AV	5.1484G	53.98	54.00	-0.02	43.72	3	Horizontal	281	1.80	-	33.09	9.71	32.54			
PK	5.1716G	121.56	Inf	-Inf	111.31	3	Horizontal	281	1.80	-	33.06	9.73	32.54			
AV	5.1713G	109.47	Inf	-Inf	99.22	3	Horizontal	281	1.80	-	33.06	9.73	32.54			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 27
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34803G	48.02	68.20	-20.18	40.76	3	Vertical	55	2.86	-	38.50	14.11	45.35			
PK	15.54408G	52.63	74.00	-21.37	42.32	3	Vertical	132	1.34	-	37.91	15.36	42.96			
AV	15.52671G	39.92	54.00	-14.08	29.54	3	Vertical	132	1.34	-	37.95	15.36	42.93			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 27
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35747G	48.84	68.20	-19.36	41.56	3	Horizontal	180	1.58	-	38.50	14.12	45.34			
PK	15.53963G	53.30	74.00	-20.70	42.97	3	Horizontal	181	2.00	-	37.92	15.36	42.95			
AV	15.53509G	39.73	54.00	-14.27	29.38	3	Horizontal	181	2.00	-	37.93	15.36	42.94			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 28
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1466G	64.89	74.00	-9.11	54.63	3	Vertical	25	2.98	-	33.09	9.71	32.54			
AV	5.1492G	51.16	54.00	-2.84	40.89	3	Vertical	25	2.98	-	33.10	9.71	32.54			
PK	5.1954G	125.37	Inf	-Inf	115.15	3	Vertical	25	2.98	-	33.01	9.74	32.53			
AV	5.1962G	112.09	Inf	-Inf	101.87	3	Vertical	25	2.98	-	33.01	9.74	32.53			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 28
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1474G	63.36	74.00	-10.64	53.10	3	Horizontal	319	1.80	-	33.09	9.71	32.54			
AV	5.15G	49.67	54.00	-4.33	39.40	3	Horizontal	319	1.80	-	33.10	9.71	32.54			
PK	5.1928G	122.86	Inf	-Inf	112.64	3	Horizontal	319	1.80	-	33.01	9.74	32.53			
AV	5.1918G	111.06	Inf	-Inf	100.83	3	Horizontal	319	1.80	-	33.02	9.74	32.53			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 28
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39925G	48.18	68.20	-20.02	40.87	3	Vertical	324	1.25	-	38.50	14.14	45.33			
PK	15.60291G	52.59	74.00	-21.41	42.42	3	Vertical	177	2.87	-	37.89	15.36	43.08			
AV	15.59926G	39.09	54.00	-14.91	28.91	3	Vertical	177	2.87	-	37.90	15.36	43.08			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 28
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39574G	47.65	68.20	-20.55	40.35	3	Horizontal	313	1.95	-	38.50	14.14	45.34			
PK	15.59738G	51.94	74.00	-22.06	41.75	3	Horizontal	150	1.25	-	37.90	15.36	43.07			
AV	15.60101G	38.97	54.00	-15.03	28.79	3	Horizontal	150	1.25	-	37.90	15.36	43.08			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 33
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1467G	65.20	74.00	-8.80	54.94	3	Vertical	31	3.00	-	33.09	9.71	32.54			
AV	5.15G	53.27	54.00	-0.73	43.00	3	Vertical	31	3.00	-	33.10	9.71	32.54			
PK	5.2325G	127.04	Inf	-Inf	116.90	3	Vertical	31	3.00	-	32.93	9.73	32.52			
AV	5.2325G	114.84	Inf	-Inf	104.70	3	Vertical	31	3.00	-	32.93	9.73	32.52			
PK	5.3546G	61.53	74.00	-12.47	51.55	3	Vertical	31	3.00	-	32.79	9.68	32.49			
AV	5.351G	49.04	54.00	-4.96	39.06	3	Vertical	31	3.00	-	32.80	9.68	32.50			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 33
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.46	74.00	-11.54	52.19	3	Horizontal	286	1.80	-	33.10	9.71	32.54
AV	5.15G	49.60	54.00	-4.40	39.33	3	Horizontal	286	1.80	-	33.10	9.71	32.54
PK	5.2322G	125.74	Inf	-Inf	115.59	3	Horizontal	286	1.80	-	32.94	9.73	32.52
AV	5.2322G	115.38	Inf	-Inf	105.23	3	Horizontal	286	1.80	-	32.94	9.73	32.52
PK	5.3594G	59.34	74.00	-14.66	49.37	3	Horizontal	286	1.80	-	32.78	9.68	32.49
AV	5.3546G	46.98	54.00	-7.02	37.00	3	Horizontal	286	1.80	-	32.79	9.68	32.49

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 33
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4842G	48.17	68.20	-20.03	40.69	3	Vertical	0	2.87	-	38.60	14.19	45.31			
PK	15.71834G	51.60	74.00	-22.40	41.71	3	Vertical	352	1.30	-	37.84	15.37	43.32			
AV	15.71663G	38.52	54.00	-15.48	28.64	3	Vertical	352	1.30	-	37.83	15.37	43.32			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 33
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.48238G	48.27	68.20	-19.93	40.79	3	Horizontal	75	2.01	-	38.60	14.19	45.31			
PK	15.72309G	52.00	74.00	-22.00	42.11	3	Horizontal	154	2.50	-	37.85	15.37	43.33			
AV	15.71543G	38.49	54.00	-15.51	28.61	3	Horizontal	154	2.50	-	37.83	15.37	43.32			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 33
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1469G	60.86	74.00	-13.14	50.60	3	Vertical	356	2.42	-	33.09	9.71	32.54			
AV	5.1484G	48.24	54.00	-5.76	37.98	3	Vertical	356	2.42	-	33.09	9.71	32.54			
PK	5.2525G	129.55	Inf	-Inf	119.46	3	Vertical	356	2.42	-	32.89	9.72	32.52			
AV	5.251G	117.99	Inf	-Inf	107.89	3	Vertical	356	2.42	-	32.90	9.72	32.52			
PK	5.35G	60.83	74.00	-13.17	50.85	3	Vertical	356	2.42	-	32.80	9.68	32.50			
AV	5.35G	49.35	54.00	-4.65	39.37	3	Vertical	356	2.42	-	32.80	9.68	32.50			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5260MHz_TX

EUT Y_4TX
Setting 33
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	58.95	74.00	-15.05	48.71	3	Horizontal	284	1.80	-	33.08	9.71	32.55
AV	5.1484G	47.19	54.00	-6.81	36.93	3	Horizontal	284	1.80	-	33.09	9.71	32.54
PK	5.2675G	126.56	Inf	-Inf	116.50	3	Horizontal	284	1.80	-	32.87	9.71	32.52
AV	5.263G	115.53	Inf	-Inf	105.47	3	Horizontal	284	1.80	-	32.87	9.71	32.52
PK	5.3557G	61.43	74.00	-12.57	51.45	3	Horizontal	284	1.80	-	32.79	9.68	32.49
AV	5.3503G	48.47	54.00	-5.53	38.49	3	Horizontal	284	1.80	-	32.80	9.68	32.50

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5260MHz_TX

EUT_Y_4TX
Setting 33
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51842G	47.79	68.20	-20.41	40.32	3	Vertical	111	1.30	-	38.60	14.21	45.34			
PK	15.77733G	50.85	74.00	-23.15	41.25	3	Vertical	82	1.48	-	37.68	15.37	43.45			
AV	15.78312G	37.49	54.00	-16.51	27.94	3	Vertical	82	1.48	-	37.64	15.37	43.46			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 33
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52433G	48.16	68.20	-20.04	40.71	3	Horizontal	348	2.37	-	38.60	14.21	45.36			
PK	15.77968G	50.86	74.00	-23.14	41.28	3	Horizontal	163	1.48	-	37.66	15.37	43.45			
AV	15.77781G	37.49	54.00	-16.51	27.89	3	Horizontal	163	1.48	-	37.68	15.37	43.45			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 30
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3046G	126.17	Inf	-Inf	116.18	3	Vertical	337	3.00	-	32.80	9.70	32.51			
AV	5.3022G	115.12	Inf	-Inf	105.13	3	Vertical	337	3.00	-	32.80	9.70	32.51			
PK	5.355G	68.63	74.00	-5.37	58.65	3	Vertical	337	3.00	-	32.79	9.68	32.49			
AV	5.3504G	53.18	54.00	-0.82	43.20	3	Vertical	337	3.00	-	32.80	9.68	32.50			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 30
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.295G	124.61	Inf	-Inf	114.61	3	Horizontal	291	1.80	-	32.81	9.70	32.51			
AV	5.2918G	113.14	Inf	-Inf	103.13	3	Horizontal	291	1.80	-	32.82	9.70	32.51			
PK	5.3502G	64.90	74.00	-9.10	54.92	3	Horizontal	291	1.80	-	32.80	9.68	32.50			
AV	5.35G	51.31	54.00	-2.69	41.33	3	Horizontal	291	1.80	-	32.80	9.68	32.50			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 30
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6025G	48.46	74.00	-25.54	40.70	3	Vertical	109	1.81	-	39.01	14.25	45.50			
AV	10.60456G	34.96	54.00	-19.04	27.21	3	Vertical	109	1.81	-	39.01	14.25	45.51			
PK	15.90353G	51.32	74.00	-22.68	41.96	3	Vertical	35	1.64	-	37.69	15.38	43.71			
AV	15.90487G	38.35	54.00	-15.65	28.99	3	Vertical	35	1.64	-	37.69	15.38	43.71			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 30
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60087G	49.45	74.00	-24.55	41.70	3	Horizontal	121	1.19	-	39.00	14.25	45.50			
AV	10.60499G	34.96	54.00	-19.04	27.21	3	Horizontal	121	1.19	-	39.01	14.25	45.51			
PK	15.90206G	51.87	74.00	-22.13	42.50	3	Horizontal	147	2.78	-	37.70	15.38	43.71			
AV	15.90198G	38.38	54.00	-15.62	29.01	3	Horizontal	147	2.78	-	37.70	15.38	43.71			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 26
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3241G	121.02	Inf	-Inf	111.03	3	Vertical	23	3.00	-	32.80	9.69	32.50			
AV	5.3241G	109.02	Inf	-Inf	99.03	3	Vertical	23	3.00	-	32.80	9.69	32.50			
PK	5.351G	67.42	74.00	-6.58	57.44	3	Vertical	23	3.00	-	32.80	9.68	32.50			
AV	5.35G	53.74	54.00	-0.26	43.76	3	Vertical	23	3.00	-	32.80	9.68	32.50			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 26
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3157G	120.01	Inf	-Inf	110.02	3	Horizontal	290	1.77	-	32.80	9.69	32.50			
AV	5.3125G	107.86	Inf	-Inf	97.87	3	Horizontal	290	1.77	-	32.80	9.70	32.51			
PK	5.3596G	61.91	74.00	-12.09	51.94	3	Horizontal	290	1.77	-	32.78	9.68	32.49			
AV	5.3501G	49.20	54.00	-4.80	39.22	3	Horizontal	290	1.77	-	32.80	9.68	32.50			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 26
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6373G	49.50	74.00	-24.50	41.73	3	Vertical	165	2.19	-	39.07	14.27	45.57			
AV	10.63958G	35.57	54.00	-18.43	27.79	3	Vertical	165	2.19	-	39.08	14.27	45.57			
PK	15.95583G	52.11	74.00	-21.89	42.96	3	Vertical	344	1.67	-	37.59	15.38	43.82			
AV	15.95529G	39.12	54.00	-14.88	29.97	3	Vertical	344	1.67	-	37.59	15.38	43.82			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5320MHz_TX

EUT_Y_4TX
Setting 26
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64478G	49.11	74.00	-24.89	41.33	3	Horizontal	354	2.42	-	39.09	14.27	45.58			
AV	10.64469G	35.40	54.00	-18.60	27.62	3	Horizontal	354	2.42	-	39.09	14.27	45.58			
PK	15.95514G	51.87	74.00	-22.13	42.72	3	Horizontal	51	1.17	-	37.59	15.38	43.82			
AV	15.95852G	39.06	54.00	-14.94	29.92	3	Horizontal	51	1.17	-	37.58	15.38	43.82			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5500MHz_TX


EUT Y_4TX
Setting 25
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4593G	66.71	74.00	-7.29	56.69	3	Vertical	332	2.89	-	32.72	9.77	32.47			
AV	5.46G	51.60	54.00	-2.40	41.58	3	Vertical	332	2.89	-	32.72	9.77	32.47			
PK	5.4677G	66.81	68.20	-1.39	56.75	3	Vertical	332	2.89	-	32.74	9.79	32.47			
PK	5.4907G	123.62	Inf	-Inf	113.47	3	Vertical	332	2.89	-	32.78	9.83	32.46			
AV	5.4911G	112.23	Inf	-Inf	102.08	3	Vertical	332	2.89	-	32.78	9.83	32.46			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 25
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4583G	59.93	74.00	-14.07	49.91	3	Horizontal	82	3.00	-	32.72	9.77	32.47			
AV	5.4598G	47.70	54.00	-6.30	37.68	3	Horizontal	82	3.00	-	32.72	9.77	32.47			
PK	5.4697G	61.05	68.20	-7.15	50.99	3	Horizontal	82	3.00	-	32.74	9.79	32.47			
PK	5.4949G	118.84	Inf	-Inf	108.67	3	Horizontal	82	3.00	-	32.79	9.84	32.46			
AV	5.4915G	106.14	Inf	-Inf	95.99	3	Horizontal	82	3.00	-	32.78	9.83	32.46			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 25
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99583G	47.76	74.00	-26.24	40.73	3	Vertical	310	1.26	-	38.80	14.47	46.24			
AV	10.99833G	33.66	54.00	-20.34	26.64	3	Vertical	310	1.26	-	38.80	14.47	46.25			
PK	16.50371G	53.06	68.20	-15.14	43.52	3	Vertical	191	2.09	-	38.58	15.51	44.55			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 25
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00018G	46.15	74.00	-27.85	39.13	3	Horizontal	263	2.64	-	38.80	14.47	46.25			
AV	11.00111G	33.38	54.00	-20.62	26.36	3	Horizontal	263	2.64	-	38.80	14.47	46.25			
PK	16.49931G	53.44	68.20	-14.76	43.88	3	Horizontal	255	1.64	-	38.60	15.51	44.55			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 33
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.202G	67.67	68.20	-0.53	57.46	3	Vertical	340	2.97	-	33.00	9.74	32.53
PK	5.394G	64.49	74.00	-9.51	54.61	3	Vertical	340	2.97	-	32.71	9.66	32.49
AV	5.35G	47.99	54.00	-6.01	38.01	3	Vertical	340	2.97	-	32.80	9.68	32.50
AV	5.395G	53.82	54.00	-0.18	43.94	3	Vertical	340	2.97	-	32.71	9.66	32.49
PK	5.469G	61.10	68.20	-7.10	51.04	3	Vertical	340	2.97	-	32.74	9.79	32.47
PK	5.589G	126.99	Inf	-Inf	116.74	3	Vertical	340	2.97	-	32.70	10.01	32.46
AV	5.589G	118.14	Inf	-Inf	107.89	3	Vertical	340	2.97	-	32.70	10.01	32.46
PK	5.779G	65.62	68.20	-2.58	54.50	3	Vertical	340	2.97	-	33.57	10.00	32.45

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 33
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.289G	63.64	68.20	-4.56	53.63	3	Horizontal	318	1.80	-	32.82	9.70	32.51			
PK	5.389G	60.76	74.00	-13.24	50.87	3	Horizontal	318	1.80	-	32.72	9.66	32.49			
AV	5.35G	46.50	54.00	-7.50	36.52	3	Horizontal	318	1.80	-	32.80	9.68	32.50			
AV	5.397G	50.53	54.00	-3.47	40.64	3	Horizontal	318	1.80	-	32.71	9.66	32.48			
PK	5.467G	60.01	68.20	-8.19	49.97	3	Horizontal	318	1.80	-	32.73	9.78	32.47			
PK	5.582G	124.48	Inf	-Inf	114.24	3	Horizontal	318	1.80	-	32.70	10.00	32.46			
AV	5.588G	114.41	Inf	-Inf	104.16	3	Horizontal	318	1.80	-	32.70	10.01	32.46			
PK	5.662G	60.67	68.20	-7.53	49.11	3	Horizontal	318	1.80	-	33.95	10.06	32.45			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 33
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15965G	48.56	74.00	-25.44	41.19	3	Vertical	132	1.81	-	38.92	14.56	46.11			
AV	11.16067G	34.99	54.00	-19.01	27.62	3	Vertical	132	1.81	-	38.92	14.56	46.11			
PK	16.73989G	51.39	68.20	-16.81	42.11	3	Vertical	281	2.25	-	38.42	15.58	44.72			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 33
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16046G	47.98	74.00	-26.02	40.61	3	Horizontal	170	2.38	-	38.92	14.56	46.11			
AV	11.16245G	34.70	54.00	-19.30	27.32	3	Horizontal	170	2.38	-	38.92	14.56	46.10			
PK	16.73581G	51.07	68.20	-17.13	41.79	3	Horizontal	355	2.25	-	38.43	15.57	44.72			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 25
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6955G	124.23	Inf	-Inf	113.49	3	Vertical	333	2.95	-	33.17	10.02	32.45				
AV	5.6922G	111.81	Inf	-Inf	101.09	3	Vertical	333	2.95	-	33.15	10.02	32.45				
PK	5.7261G	68.02	68.20	-0.18	57.16	3	Vertical	333	2.95	-	33.30	10.01	32.45				

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 25
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.709G	119.28	Inf	-Inf	108.48	3	Horizontal	43	1.80	-	33.24	10.01	32.45			
AV	5.7085G	107.92	Inf	-Inf	97.13	3	Horizontal	43	1.80	-	33.23	10.01	32.45			
PK	5.7263G	67.95	68.20	-0.25	57.08	3	Horizontal	43	1.80	-	33.31	10.01	32.45			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 25
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4039G	48.76	74.00	-25.24	40.78	3	Vertical	45	2.36	-	39.18	14.69	45.89			
AV	11.39766G	35.60	54.00	-18.40	27.60	3	Vertical	45	2.36	-	39.20	14.69	45.89			
PK	17.1039G	52.53	68.20	-15.67	43.34	3	Vertical	346	2.97	-	38.51	15.67	44.99			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 25
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39909G	47.92	74.00	-26.08	39.92	3	Horizontal	76	2.83	-	39.20	14.69	45.89			
AV	11.39719G	35.35	54.00	-18.65	27.34	3	Horizontal	76	2.83	-	39.21	14.69	45.89			
PK	17.09864G	51.66	68.20	-16.54	42.48	3	Horizontal	115	2.90	-	38.50	15.67	44.99			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.332G	61.80	68.20	-6.40	51.81	3	Vertical	345	2.20	-	32.80	9.69	32.50			
AV	5.35G	46.06	54.00	-7.94	36.08	3	Vertical	345	2.20	-	32.80	9.68	32.50			
PK	5.44G	64.13	74.00	-9.87	54.17	3	Vertical	345	2.20	-	32.70	9.73	32.47			
AV	5.428G	53.30	54.00	-0.70	43.37	3	Vertical	345	2.20	-	32.70	9.71	32.48			
PK	5.468G	58.64	68.20	-9.56	48.58	3	Vertical	345	2.20	-	32.74	9.79	32.47			
PK	5.727G	126.77	Inf	-Inf	115.90	3	Vertical	345	2.20	-	33.31	10.01	32.45			
AV	5.729G	117.31	Inf	-Inf	106.43	3	Vertical	345	2.20	-	33.32	10.01	32.45			
PK	5.858G	59.42	68.20	-8.78	47.88	3	Vertical	345	2.20	-	33.93	10.06	32.45			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
01-E-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.333G	58.46	68.20	-9.74	48.47	3	Horizontal	30	1.80	-	32.80	9.69	32.50			
AV	5.35G	45.99	54.00	-8.01	36.01	3	Horizontal	30	1.80	-	32.80	9.68	32.50			
PK	5.423G	60.33	74.00	-13.67	50.41	3	Horizontal	30	1.80	-	32.70	9.70	32.48			
AV	5.423G	48.89	54.00	-5.11	38.97	3	Horizontal	30	1.80	-	32.70	9.70	32.48			
PK	5.465G	56.96	68.20	-11.24	46.92	3	Horizontal	30	1.80	-	32.73	9.78	32.47			
PK	5.712G	119.37	Inf	-Inf	108.56	3	Horizontal	30	1.80	-	33.25	10.01	32.45			
AV	5.714G	108.00	Inf	-Inf	97.18	3	Horizontal	30	1.80	-	33.26	10.01	32.45			
PK	5.945G	59.27	68.20	-8.93	47.47	3	Horizontal	30	1.80	-	34.10	10.14	32.44			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 28
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43995G	49.21	74.00	-24.79	41.31	3	Vertical	352	2.32	-	39.04	14.71	45.85			
AV	11.44202G	35.42	54.00	-18.58	27.53	3	Vertical	352	2.32	-	39.03	14.71	45.85			
PK	17.15533G	51.51	68.20	-16.69	42.23	3	Vertical	320	1.48	-	38.62	15.69	45.03			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44269G	48.26	74.00	-25.74	40.37	3	Horizontal	341	1.66	-	39.03	14.71	45.85			
AV	11.43809G	35.14	54.00	-18.86	27.24	3	Horizontal	341	1.66	-	39.05	14.71	45.86			
PK	17.15853G	52.70	68.20	-15.50	43.42	3	Horizontal	313	2.74	-	38.63	15.69	45.04			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 25
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	62.29	74.00	-11.71	52.27	3	Vertical	357	2.88	-	32.72	9.77	32.47			
AV	5.455G	52.81	54.00	-1.19	42.81	3	Vertical	357	2.88	-	32.71	9.76	32.47			
PK	5.736G	120.37	Inf	-Inf	109.47	3	Vertical	357	2.88	-	33.34	10.01	32.45			
AV	5.736G	110.68	Inf	-Inf	99.78	3	Vertical	357	2.88	-	33.34	10.01	32.45			
PK	6.124G	59.98	68.20	-8.22	47.95	3	Vertical	357	2.88	-	34.15	10.31	32.43			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 25
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.466G	59.86	68.20	-8.34	49.82	3	Horizontal	300	1.80	-	32.73	9.78	32.47			
AV	5.46G	49.09	54.00	-4.91	39.07	3	Horizontal	300	1.80	-	32.72	9.77	32.47			
PK	5.753G	119.44	Inf	-Inf	108.46	3	Horizontal	300	1.80	-	33.42	10.01	32.45			
AV	5.752G	108.03	Inf	-Inf	97.06	3	Horizontal	300	1.80	-	33.41	10.01	32.45			
PK	5.956G	59.68	68.20	-8.52	47.87	3	Horizontal	300	1.80	-	34.10	10.15	32.44			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 25
01-E-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48781G	49.25	74.00	-24.75	41.32	3	Vertical	171	1.76	-	39.00	14.74	45.81			
AV	11.49408G	36.18	54.00	-17.82	28.25	3	Vertical	171	1.76	-	39.00	14.74	45.81			
PK	17.2395G	51.94	68.20	-16.26	42.37	3	Vertical	120	2.63	-	38.96	15.71	45.10			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 25
01-E-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.48504G	48.11	74.00	-25.89	40.18	3	Horizontal	206	2.66	-	39.00	14.74	45.81			
AV	11.49492G	34.89	54.00	-19.11	26.95	3	Horizontal	206	2.66	-	39.00	14.74	45.80			
PK	17.23636G	51.54	68.20	-16.66	41.98	3	Horizontal	313	2.71	-	38.95	15.71	45.10			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 27
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.505G	65.49	68.20	-2.71	55.31	3	Vertical	13.9	3.00	-	32.79	9.85	32.46			
AV	5.409G	53.93	54.00	-0.07	44.03	3	Vertical	13.9	3.00	-	32.70	9.68	32.48			
PK	5.778G	123.45	Inf	-Inf	112.33	3	Vertical	13.9	3.00	-	33.57	10.00	32.45			
AV	5.78G	113.03	Inf	-Inf	101.90	3	Vertical	13.9	3.00	-	33.58	10.00	32.45			
PK	6.233G	59.92	68.20	-8.28	47.63	3	Vertical	13.9	3.00	-	34.27	10.43	32.41			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 27
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.491G	61.06	68.20	-7.14	50.91	3	Horizontal	303	1.80	-	32.78	9.83	32.46			
AV	5.407G	49.78	54.00	-4.22	39.89	3	Horizontal	303	1.80	-	32.70	9.67	32.48			
PK	5.781G	118.39	Inf	-Inf	107.25	3	Horizontal	303	1.80	-	33.59	10.00	32.45			
AV	5.793G	108.94	Inf	-Inf	97.73	3	Horizontal	303	1.80	-	33.66	10.00	32.45			
PK	6.267G	60.90	68.20	-7.30	48.50	3	Horizontal	303	1.80	-	34.33	10.48	32.41			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 27
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56774G	49.50	74.00	-24.50	41.75	3	Vertical	145	2.24	-	38.79	14.78	45.82			
AV	11.57042G	35.29	54.00	-18.71	27.55	3	Vertical	145	2.24	-	38.78	14.78	45.82			
PK	17.3572G	52.27	68.20	-15.93	42.40	3	Vertical	231	2.05	-	39.33	15.74	45.20			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 27
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.56758G	48.30	74.00	-25.70	40.55	3	Horizontal	321	1.43	-	38.79	14.78	45.82			
AV	11.57347G	34.97	54.00	-19.03	27.24	3	Horizontal	321	1.43	-	38.76	14.79	45.82			
PK	17.35416G	50.90	68.20	-17.30	41.03	3	Horizontal	360	2.64	-	39.32	15.74	45.19			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
Setting 29
01-E-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.533G	63.71	68.20	-4.49	53.53	3	Vertical	26	1.80	-	32.73	9.91	32.46
AV	5.448G	53.29	54.00	-0.71	43.31	3	Vertical	26	1.80	-	32.70	9.75	32.47
PK	5.832G	122.69	Inf	-Inf	111.28	3	Vertical	26	1.80	-	33.83	10.03	32.45
AV	5.832G	112.88	Inf	-Inf	101.47	3	Vertical	26	1.80	-	33.83	10.03	32.45
PK	6.112G	59.83	68.20	-8.37	47.84	3	Vertical	26	1.80	-	34.12	10.30	32.43

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 29
01-E-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.53G	60.01	68.20	-8.19	49.83	3	Horizontal	311	1.80	-	32.74	9.90	32.46			
AV	5.433G	53.72	54.00	-0.28	43.78	3	Horizontal	311	1.80	-	32.70	9.72	32.48			
PK	5.822G	120.39	Inf	-Inf	109.03	3	Horizontal	311	1.80	-	33.79	10.02	32.45			
AV	5.821G	110.00	Inf	-Inf	98.65	3	Horizontal	311	1.80	-	33.78	10.02	32.45			
PK	6.128G	59.71	68.20	-8.49	47.65	3	Horizontal	311	1.80	-	34.16	10.32	32.42			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 29
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64751G	48.17	74.00	-25.83	40.69	3	Vertical	137	1.46	-	38.50	14.83	45.85			
AV	11.65453G	34.97	54.00	-19.03	27.47	3	Vertical	137	1.46	-	38.52	14.83	45.85			
PK	17.47057G	51.38	68.20	-16.82	41.36	3	Vertical	275	2.33	-	39.54	15.77	45.29			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 29
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.6468G	48.32	74.00	-25.68	40.83	3	Horizontal	315	2.90	-	38.51	14.83	45.85			
AV	11.65472G	34.74	54.00	-19.26	27.24	3	Horizontal	315	2.90	-	38.52	14.83	45.85			
PK	17.47053G	51.70	68.20	-16.50	41.68	3	Horizontal	311	1.78	-	39.54	15.77	45.29			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 25
05-X-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	63.49	74.00	-10.51	57.29	3	Vertical	360.1	3.00	-	33.08	8.23	35.11			
AV	5.15G	50.04	54.00	-3.96	43.82	3	Vertical	360.1	3.00	-	33.10	8.23	35.11			
PK	5.1873G	115.23	Inf	-Inf	108.98	3	Vertical	360.1	3.00	-	33.10	8.24	35.09			
AV	5.1879G	108.12	Inf	-Inf	101.86	3	Vertical	360.1	3.00	-	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 25
05-X-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	63.98	74.00	-10.02	57.76	3	Horizontal	292	1.80	-	33.10	8.23	35.11			
AV	5.15G	53.23	54.00	-0.77	47.01	3	Horizontal	292	1.80	-	33.10	8.23	35.11			
PK	5.1942G	117.31	Inf	-Inf	111.05	3	Horizontal	292	1.80	-	33.10	8.25	35.09			
AV	5.1834G	106.71	Inf	-Inf	100.46	3	Horizontal	292	1.80	-	33.10	8.24	35.09			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 25
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38427G	48.67	68.20	-19.53	41.38	3	Vertical	195	1.22	-	38.50	14.13	45.34			
PK	15.57429G	52.93	74.00	-21.07	42.69	3	Vertical	9	2.79	-	37.90	15.36	43.02			
AV	15.57224G	39.73	54.00	-14.27	29.49	3	Vertical	9	2.79	-	37.90	15.36	43.02			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 25
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.38484G	48.91	68.20	-19.29	41.62	3	Horizontal	243	1.57	-	38.50	14.13	45.34			
PK	15.57196G	52.59	74.00	-21.41	42.35	3	Horizontal	259	2.66	-	37.90	15.36	43.02			
AV	15.56832G	39.71	54.00	-14.29	29.46	3	Horizontal	259	2.66	-	37.90	15.36	43.01			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 28
05-X-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1499G	60.23	74.00	-13.77	54.01	3	Vertical	337	1.80	-	33.10	8.23	35.11			
AV	5.1328G	48.46	54.00	-5.54	42.28	3	Vertical	337	1.80	-	33.07	8.22	35.11			
PK	5.248G	120.76	Inf	-Inf	114.54	3	Vertical	337	1.80	-	33.00	8.29	35.07			
AV	5.2483G	108.93	Inf	-Inf	102.71	3	Vertical	337	1.80	-	33.00	8.29	35.07			
PK	5.3731G	61.00	74.00	-13.00	54.73	3	Vertical	337	1.80	-	32.90	8.40	35.03			
AV	5.35G	48.70	54.00	-5.30	42.45	3	Vertical	337	1.80	-	32.90	8.38	35.03			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 28
05-X-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	63.54	74.00	-10.46	57.32	3	Horizontal	268.3	2.20	-	33.10	8.23	35.11			
AV	5.1499G	51.36	54.00	-2.64	45.14	3	Horizontal	268.3	2.20	-	33.10	8.23	35.11			
PK	5.2435G	119.08	Inf	-Inf	112.85	3	Horizontal	268.3	2.20	-	33.01	8.29	35.07			
AV	5.2387G	109.10	Inf	-Inf	102.87	3	Horizontal	268.3	2.20	-	33.02	8.28	35.07			
PK	5.3509G	61.04	74.00	-12.96	54.79	3	Horizontal	268.3	2.20	-	32.90	8.38	35.03			
AV	5.3521G	48.61	54.00	-5.39	42.36	3	Horizontal	268.3	2.20	-	32.90	8.38	35.03			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 28
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4615G	48.92	68.20	-19.28	41.47	3	Vertical	330	1.12	-	38.60	14.17	45.32			
PK	15.68549G	52.38	74.00	-21.62	42.51	3	Vertical	351	2.84	-	37.77	15.36	43.26			
AV	15.68592G	38.28	54.00	-15.72	28.41	3	Vertical	351	2.84	-	37.77	15.36	43.26			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 28
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.45936G	48.38	68.20	-19.82	40.93	3	Horizontal	94	1.26	-	38.60	14.17	45.32				
PK	15.6866G	50.98	74.00	-23.02	41.11	3	Horizontal	165	2.27	-	37.77	15.36	43.26				
AV	15.68797G	38.35	54.00	-15.65	28.47	3	Horizontal	165	2.27	-	37.78	15.36	43.26				

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX



EUT Y_4TX
Setting 29
05-X-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1248G	59.75	74.00	-14.25	53.60	3	Vertical	338.3	1.80	-	33.05	8.22	35.12
AV	5.1458G	49.06	54.00	-4.94	42.85	3	Vertical	338.3	1.80	-	33.09	8.23	35.11
PK	5.2589G	121.24	Inf	-Inf	115.03	3	Vertical	338.3	1.80	-	32.98	8.30	35.07
AV	5.2595G	111.69	Inf	-Inf	105.48	3	Vertical	338.3	1.80	-	32.98	8.30	35.07
PK	5.3639G	68.18	74.00	-5.82	61.92	3	Vertical	338.3	1.80	-	32.90	8.39	35.03
AV	5.35G	52.07	54.00	-1.93	45.82	3	Vertical	338.3	1.80	-	32.90	8.38	35.03