


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 14  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.06856G | 51.86    | 83.54    | -31.68 | 47.32  | 1    | Vertical  | 130     | 2.92   | -       | 37.24 | 15.73 | 48.43 |  |  |  |
| AV   | 18.0784G  | 38.72    | 63.54    | -24.82 | 34.15  | 1    | Vertical  | 130     | 2.92   | -       | 37.26 | 15.74 | 48.43 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 14  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07288G | 52.18    | 83.54    | -31.36 | 47.62  | 1    | Horizontal | 332     | 1.62   | -       | 37.25 | 15.74 | 48.43 |  |  |  |
| AV   | 18.08296G | 38.51    | 63.54    | -25.03 | 33.92  | 1    | Horizontal | 332     | 1.62   | -       | 37.27 | 15.75 | 48.43 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP\_2\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 14  
01-C-S-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 5.9225G | 65.27    | 88.20    | -22.93 | 53.49  | 3    | Vertical  | 66      | 1.80   | -       | 34.10 | 10.12 | 32.44 |  |  |  |
| RMS  | 5.922G  | 52.66    | 68.20    | -15.54 | 40.88  | 3    | Vertical  | 66      | 1.80   | -       | 34.10 | 10.12 | 32.44 |  |  |  |
| PK   | 6.088G  | 109.26   | Inf      | -Inf   | 97.31  | 3    | Vertical  | 66      | 1.80   | -       | 34.10 | 10.28 | 32.43 |  |  |  |
| RMS  | 6.088G  | 99.53    | Inf      | -Inf   | 87.58  | 3    | Vertical  | 66      | 1.80   | -       | 34.10 | 10.28 | 32.43 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP\_2\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 14  
01-C-S-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.8905G      | 62.77             | 88.20             | -25.43         | 51.06         | 3           | Horizontal | 31             | 1.80          | -       | 34.06      | 10.09      | 32.44      |  |  |  |
| RMS  | 5.9155G      | 52.42             | 68.20             | -15.78         | 40.65         | 3           | Horizontal | 31             | 1.80          | -       | 34.10      | 10.11      | 32.44      |  |  |  |
| PK   | 6.1015G      | 107.45            | Inf               | -Inf           | 95.49         | 3           | Horizontal | 31             | 1.80          | -       | 34.10      | 10.29      | 32.43      |  |  |  |
| RMS  | 6.0825G      | 97.98             | Inf               | -Inf           | 86.04         | 3           | Horizontal | 31             | 1.80          | -       | 34.10      | 10.27      | 32.43      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

6025MHz\_TX




EUT V\_4TX  
Setting 14  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.05264G    | 61.13             | 74.00             | -12.87         | 40.01         | 3           | Vertical  | 14             | 2.01          | -       | 38.81      | 15.03      | 32.72      |  |  |  |
| AV   | 12.04114G    | 48.19             | 54.00             | -5.81          | 27.12         | 3           | Vertical  | 14             | 2.01          | -       | 38.78      | 15.03      | 32.74      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 14  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04882G | 61.78    | 74.00    | -12.22 | 40.68  | 3    | Horizontal | 356     | 1.64   | -       | 38.80 | 15.03 | 32.73 |  |  |  |
| AV   | 12.04974G | 48.22    | 54.00    | -5.78  | 27.12  | 3    | Horizontal | 356     | 1.64   | -       | 38.80 | 15.03 | 32.73 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP\_2\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 14  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.08464G | 51.75    | 83.54    | -31.79 | 47.16  | 1    | Vertical  | 68      | 1.71   | -       | 37.27 | 15.75 | 48.43 |  |  |  |
| AV   | 18.08488G | 38.75    | 63.54    | -24.79 | 34.16  | 1    | Vertical  | 68      | 1.71   | -       | 37.27 | 15.75 | 48.43 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP\_2\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 14  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07548G | 51.97    | 83.54    | -31.57 | 47.41  | 1    | Horizontal | 12      | 1.63   | -       | 37.25 | 15.74 | 48.43 |  |  |  |
| AV   | 18.0696G  | 38.73    | 63.54    | -24.81 | 34.19  | 1    | Horizontal | 12      | 1.63   | -       | 37.24 | 15.73 | 48.43 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 15.5  
01-C-S-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.947G       | 109.54            | Inf               | -Inf           | 95.36         | 3           | Vertical  | 317            | 1.80          | -       | 35.91      | 10.98      | 32.71      |  |  |  |
| RMS  | 7.008G       | 99.93             | Inf               | -Inf           | 85.67         | 3           | Vertical  | 317            | 1.80          | -       | 36.03      | 10.98      | 32.75      |  |  |  |
| PK   | 7.129G       | 78.09             | 88.20             | -10.11         | 62.81         | 3           | Vertical  | 317            | 1.80          | -       | 36.67      | 11.31      | 32.70      |  |  |  |
| RMS  | 7.129G       | 61.04             | 68.20             | -7.16          | 45.76         | 3           | Vertical  | 317            | 1.80          | -       | 36.67      | 11.31      | 32.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 15.5  
01-C-S-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 6.9515G | 109.14   | Inf      | -Inf   | 94.97  | 3    | Horizontal | 282     | 1.80   | -       | 35.90 | 10.98 | 32.71 |  |  |  |
| RMS  | 6.9515G | 100.35   | Inf      | -Inf   | 86.18  | 3    | Horizontal | 282     | 1.80   | -       | 35.90 | 10.98 | 32.71 |  |  |  |
| PK   | 7.157G  | 71.05    | 88.20    | -17.15 | 55.52  | 3    | Horizontal | 282     | 1.80   | -       | 36.83 | 11.39 | 32.69 |  |  |  |
| RMS  | 7.133G  | 60.77    | 68.20    | -7.43  | 45.44  | 3    | Horizontal | 282     | 1.80   | -       | 36.70 | 11.33 | 32.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 15.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.96216G | 66.47    | 88.20    | -21.73 | 41.63  | 3    | Vertical  | 90      | 2.43   | -       | 40.80 | 15.28 | 31.24 |  |  |  |
| RMS  | 13.9788G  | 53.42    | 68.20    | -14.78 | 28.59  | 3    | Vertical  | 90      | 2.43   | -       | 40.80 | 15.28 | 31.25 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 15.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97532G | 66.58    | 88.20    | -21.62 | 41.75  | 3    | Horizontal | 137     | 2.02   | -       | 40.80 | 15.28 | 31.25 |  |  |  |
| RMS  | 13.97302G | 53.38    | 68.20    | -14.82 | 28.55  | 3    | Horizontal | 137     | 2.02   | -       | 40.80 | 15.28 | 31.25 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 15.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.9632G  | 57.46    | 83.54    | -26.08 | 51.09  | 1    | Vertical  | 216     | 1.27   | -       | 37.77 | 17.50 | 48.90 |  |  |  |
| AV   | 20.95568G | 44.19    | 63.54    | -19.35 | 37.81  | 1    | Vertical  | 216     | 1.27   | -       | 37.79 | 17.49 | 48.90 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 15.5  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95584G    | 57.59             | 83.54             | -25.95         | 51.21         | 1           | Horizontal | 322            | 2.68          | -       | 37.79      | 17.49      | 48.90      |  |  |  |
| AV   | 20.9608G     | 44.13             | 63.54             | -19.41         | 37.76         | 1           | Horizontal | 322            | 2.68          | -       | 37.78      | 17.49      | 48.90      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-C-S-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0075G      | 109.41            | Inf               | -Inf           | 95.15         | 3           | Vertical  | 314            | 1.80          | -       | 36.03      | 10.98      | 32.75      |  |  |  |
| RMS  | 7.0075G      | 100.03            | Inf               | -Inf           | 85.77         | 3           | Vertical  | 314            | 1.80          | -       | 36.03      | 10.98      | 32.75      |  |  |  |
| PK   | 7.1365G      | 72.66             | 88.20             | -15.54         | 57.30         | 3           | Vertical  | 314            | 1.80          | -       | 36.72      | 11.34      | 32.70      |  |  |  |
| RMS  | 7.129G       | 60.26             | 68.20             | -7.94          | 44.98         | 3           | Vertical  | 314            | 1.80          | -       | 36.67      | 11.31      | 32.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-C-S-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 6.9325G | 110.27   | Inf      | -Inf   | 96.04  | 3    | Horizontal | 282     | 1.80   | -       | 35.94 | 10.99 | 32.70 |  |  |  |
| RMS  | 6.9115G | 100.55   | Inf      | -Inf   | 86.25  | 3    | Horizontal | 282     | 1.80   | -       | 35.98 | 11.00 | 32.68 |  |  |  |
| PK   | 7.131G  | 70.87    | 88.20    | -17.33 | 55.56  | 3    | Horizontal | 282     | 1.80   | -       | 36.69 | 11.32 | 32.70 |  |  |  |
| RMS  | 7.1315G | 59.71    | 68.20    | -8.49  | 44.40  | 3    | Horizontal | 282     | 1.80   | -       | 36.69 | 11.32 | 32.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP\_2\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 13  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.97696G    | 66.90             | 88.20             | -21.30         | 42.07         | 3           | Vertical  | 228            | 2.55          | -       | 40.80      | 15.28      | 31.25      |  |  |  |
| RMS  | 13.97326G    | 53.46             | 68.20             | -14.74         | 28.63         | 3           | Vertical  | 228            | 2.55          | -       | 40.80      | 15.28      | 31.25      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP\_2\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 13  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.97818G    | 68.36             | 88.20             | -19.84         | 43.53         | 3           | Horizontal | 58             | 1.24          | -       | 40.80      | 15.28      | 31.25      |  |  |  |
| RMS  | 13.97606G    | 53.49             | 68.20             | -14.71         | 28.66         | 3           | Horizontal | 58             | 1.24          | -       | 40.80      | 15.28      | 31.25      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

6985MHz\_TX




EUT V\_4TX  
Setting 13  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.96316G    | 57.80             | 83.54             | -25.74         | 51.43         | 1           | Vertical  | 169            | 1.31          | -       | 37.77      | 17.50      | 48.90      |  |  |  |
| AV   | 20.95568G    | 44.70             | 63.54             | -18.84         | 38.32         | 1           | Vertical  | 169            | 1.31          | -       | 37.79      | 17.49      | 48.90      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.9556G  | 59.13    | 83.54    | -24.41 | 52.75  | 1    | Horizontal | 203     | 2.30   | -       | 37.79 | 17.49 | 48.90 |  |  |  |
| AV   | 20.95056G | 45.20    | 63.54    | -18.34 | 38.81  | 1    | Horizontal | 203     | 2.30   | -       | 37.80 | 17.49 | 48.90 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
01-C-S-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.913G       | 76.99             | 88.20             | -11.21         | 65.22         | 3           | Vertical  | 62             | 1.80          | -       | 34.10      | 10.11      | 32.44      |  |  |  |
| RMS  | 5.921G       | 60.72             | 68.20             | -7.48          | 48.95         | 3           | Vertical  | 62             | 1.80          | -       | 34.10      | 10.11      | 32.44      |  |  |  |
| PK   | 6.069G       | 109.97            | Inf               | -Inf           | 98.04         | 3           | Vertical  | 62             | 1.80          | -       | 34.10      | 10.26      | 32.43      |  |  |  |
| RMS  | 6.1082G      | 100.44            | Inf               | -Inf           | 88.45         | 3           | Vertical  | 62             | 1.80          | -       | 34.12      | 10.30      | 32.43      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
01-C-S-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.913G       | 73.61             | 88.20             | -14.59         | 61.84         | 3           | Horizontal | 301            | 1.80          | -       | 34.10      | 10.11      | 32.44      |  |  |  |
| RMS  | 5.9202G      | 59.64             | 68.20             | -8.56          | 47.87         | 3           | Horizontal | 301            | 1.80          | -       | 34.10      | 10.11      | 32.44      |  |  |  |
| PK   | 6.1938G      | 108.95            | Inf               | -Inf           | 96.79         | 3           | Horizontal | 301            | 1.80          | -       | 34.20      | 10.38      | 32.42      |  |  |  |
| RMS  | 6.2522G      | 99.18             | Inf               | -Inf           | 86.83         | 3           | Horizontal | 301            | 1.80          | -       | 34.30      | 10.46      | 32.41      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 19.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20242G | 61.07    | 74.00    | -12.93 | 39.63  | 3    | Vertical  | 12      | 1.39   | -       | 38.90 | 15.05 | 32.51 |  |  |  |
| AV   | 12.20974G | 47.77    | 54.00    | -6.23  | 26.32  | 3    | Vertical  | 12      | 1.39   | -       | 38.90 | 15.05 | 32.50 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 19.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20638G | 60.59    | 74.00    | -13.41 | 39.14  | 3    | Horizontal | 249     | 1.90   | -       | 38.90 | 15.05 | 32.50 |  |  |  |
| AV   | 12.2164G  | 47.96    | 54.00    | -6.04  | 26.50  | 3    | Horizontal | 249     | 1.90   | -       | 38.90 | 15.05 | 32.49 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 19.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.32196G | 51.85    | 83.54    | -31.69 | 47.06  | 1    | Vertical  | 295     | 1.20   | -       | 37.39 | 15.93 | 48.53 |  |  |  |
| AV   | 18.30504G | 38.82    | 63.54    | -24.72 | 34.10  | 1    | Vertical  | 295     | 1.20   | -       | 37.32 | 15.92 | 48.52 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT V\_4TX  
Setting 19.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.32356G | 51.63    | 83.54    | -31.91 | 46.83  | 1    | Horizontal | 237     | 2.96   | -       | 37.39 | 15.94 | 48.53 |  |  |  |
| AV   | 18.32476G | 38.45    | 63.54    | -25.09 | 33.64  | 1    | Horizontal | 237     | 2.96   | -       | 37.40 | 15.94 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.5  
01-C-S-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 5.9122G | 67.11    | 88.20    | -21.09 | 55.34  | 3    | Vertical  | 62      | 1.80   | -       | 34.10 | 10.11 | 32.44 |  |  |  |
| RMS  | 5.921G  | 55.98    | 68.20    | -12.22 | 44.21  | 3    | Vertical  | 62      | 1.80   | -       | 34.10 | 10.11 | 32.44 |  |  |  |
| PK   | 6.029G  | 108.77   | Inf      | -Inf   | 96.89  | 3    | Vertical  | 62      | 1.80   | -       | 34.10 | 10.22 | 32.44 |  |  |  |
| RMS  | 6.0882G | 100.00   | Inf      | -Inf   | 88.05  | 3    | Vertical  | 62      | 1.80   | -       | 34.10 | 10.28 | 32.43 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.5  
01-C-S-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 5.9106G | 67.56    | 88.20    | -20.64 | 55.79  | 3    | Horizontal | 301     | 1.80   | -       | 34.10 | 10.11 | 32.44 |  |  |  |
| RMS  | 5.921G  | 56.49    | 68.20    | -11.71 | 44.72  | 3    | Horizontal | 301     | 1.80   | -       | 34.10 | 10.11 | 32.44 |  |  |  |
| PK   | 6.2538G | 107.06   | Inf      | -Inf   | 94.70  | 3    | Horizontal | 301     | 1.80   | -       | 34.31 | 10.46 | 32.41 |  |  |  |
| RMS  | 6.2522G | 98.40    | Inf      | -Inf   | 86.05  | 3    | Horizontal | 301     | 1.80   | -       | 34.30 | 10.46 | 32.41 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT V\_4TX  
Setting 17.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.207G   | 61.13    | 74.00    | -12.87 | 39.68  | 3    | Vertical  | 253     | 1.91   | -       | 38.90 | 15.05 | 32.50 |  |  |  |
| AV   | 12.21268G | 47.81    | 54.00    | -6.19  | 26.35  | 3    | Vertical  | 253     | 1.91   | -       | 38.90 | 15.05 | 32.49 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 17.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20424G | 60.69    | 74.00    | -13.31 | 39.25  | 3    | Horizontal | 215     | 1.25   | -       | 38.90 | 15.05 | 32.51 |  |  |  |
| AV   | 12.2153G  | 47.81    | 54.00    | -6.19  | 26.35  | 3    | Horizontal | 215     | 1.25   | -       | 38.90 | 15.05 | 32.49 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.30588G | 51.76    | 83.54    | -31.78 | 47.04  | 1    | Vertical  | 169     | 2.30   | -       | 37.32 | 15.92 | 48.52 |  |  |  |
| AV   | 18.31592G | 38.59    | 63.54    | -24.95 | 33.83  | 1    | Vertical  | 169     | 2.30   | -       | 37.36 | 15.93 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 17.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.30896G | 51.38    | 83.54    | -32.16 | 46.64  | 1    | Horizontal | 197     | 2.44   | -       | 37.34 | 15.92 | 48.52 |  |  |  |
| AV   | 18.32372G | 38.67    | 63.54    | -24.87 | 33.87  | 1    | Horizontal | 197     | 2.44   | -       | 37.39 | 15.94 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.5  
01-C-S-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.921G       | 67.50             | 88.20             | -20.70         | 55.73         | 3           | Vertical  | 64             | 1.80          | -       | 34.10      | 10.11      | 32.44      |  |  |  |
| RMS  | 5.9202G      | 55.50             | 68.20             | -12.70         | 43.73         | 3           | Vertical  | 64             | 1.80          | -       | 34.10      | 10.11      | 32.44      |  |  |  |
| PK   | 6.1082G      | 110.32            | Inf               | -Inf           | 98.33         | 3           | Vertical  | 64             | 1.80          | -       | 34.12      | 10.30      | 32.43      |  |  |  |
| RMS  | 6.1074G      | 100.32            | Inf               | -Inf           | 88.34         | 3           | Vertical  | 64             | 1.80          | -       | 34.11      | 10.30      | 32.43      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.5  
01-C-S-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 5.913G  | 68.94    | 88.20    | -19.26 | 57.17  | 3    | Horizontal | 304     | 1.80   | -       | 34.10 | 10.11 | 32.44 |  |  |  |
| RMS  | 5.9114G | 55.46    | 68.20    | -12.74 | 43.69  | 3    | Horizontal | 304     | 1.80   | -       | 34.10 | 10.11 | 32.44 |  |  |  |
| PK   | 6.1538G | 107.98   | Inf      | -Inf   | 95.86  | 3    | Horizontal | 304     | 1.80   | -       | 34.20 | 10.34 | 32.42 |  |  |  |
| RMS  | 6.1522G | 98.33    | Inf      | -Inf   | 86.21  | 3    | Horizontal | 304     | 1.80   | -       | 34.20 | 10.34 | 32.42 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT V\_4TX  
Setting 17.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21216G | 60.67    | 74.00    | -13.33 | 39.21  | 3    | Vertical  | 200     | 1.46   | -       | 38.90 | 15.05 | 32.49 |  |  |  |
| AV   | 12.21498G | 47.76    | 54.00    | -6.24  | 26.30  | 3    | Vertical  | 200     | 1.46   | -       | 38.90 | 15.05 | 32.49 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT V\_4TX  
Setting 17.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.2078G  | 60.48    | 74.00    | -13.52 | 39.03  | 3    | Horizontal | 10      | 2.60   | -       | 38.90 | 15.05 | 32.50 |  |  |  |
| AV   | 12.21612G | 47.64    | 54.00    | -6.36  | 26.18  | 3    | Horizontal | 10      | 2.60   | -       | 38.90 | 15.05 | 32.49 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT V\_4TX  
Setting 17.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31808G | 51.41    | 83.54    | -32.13 | 46.64  | 1    | Vertical  | 259     | 2.53   | -       | 37.37 | 15.93 | 48.53 |  |  |  |
| AV   | 18.31848G | 38.33    | 63.54    | -25.21 | 33.56  | 1    | Vertical  | 259     | 2.53   | -       | 37.37 | 15.93 | 48.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 17.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.313G   | 51.93    | 83.54    | -31.61 | 47.18  | 1    | Horizontal | 311     | 2.34   | -       | 37.35 | 15.93 | 48.53 |  |  |  |
| AV   | 18.32376G | 38.21    | 63.54    | -25.33 | 33.40  | 1    | Horizontal | 311     | 2.34   | -       | 37.40 | 15.94 | 48.53 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 12  
01-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.7592G      | 101.37            | Inf               | -Inf           | 86.97         | 3           | Vertical  | 69             | 1.80          | -       | 36.00      | 10.97      | 32.57      |  |  |  |
| RMS  | 6.7586G      | 92.89             | Inf               | -Inf           | 78.49         | 3           | Vertical  | 69             | 1.80          | -       | 36.00      | 10.97      | 32.57      |  |  |  |
| PK   | 7.1684G      | 66.81             | 88.20             | -21.39         | 51.21         | 3           | Vertical  | 69             | 1.80          | -       | 36.87      | 11.42      | 32.69      |  |  |  |
| RMS  | 7.205G       | 56.77             | 68.20             | -11.43         | 40.91         | 3           | Vertical  | 69             | 1.80          | -       | 37.01      | 11.52      | 32.67      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 12  
01-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7928G      | 105.44            | Inf               | -Inf           | 91.00         | 3           | Horizontal | 290            | 1.80          | -       | 36.00      | 11.04      | 32.60      |
| RMS  | 6.752G       | 96.50             | Inf               | -Inf           | 82.11         | 3           | Horizontal | 290            | 1.80          | -       | 36.00      | 10.96      | 32.57      |
| PK   | 7.1882G      | 67.73             | 88.20             | -20.47         | 51.98         | 3           | Horizontal | 290            | 1.80          | -       | 36.95      | 11.48      | 32.68      |
| RMS  | 7.1942G      | 56.87             | 68.20             | -11.33         | 41.08         | 3           | Horizontal | 290            | 1.80          | -       | 36.98      | 11.49      | 32.68      |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz\_TX




EUT V\_4TX  
Setting 12  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81138G    | 66.24             | 88.20             | -21.96         | 41.56         | 3           | Vertical  | 167            | 1.87          | -       | 40.60      | 15.26      | 31.18      |  |  |  |
| RMS  | 13.8003G     | 52.72             | 68.20             | -15.48         | 28.04         | 3           | Vertical  | 167            | 1.87          | -       | 40.60      | 15.25      | 31.17      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz\_TX




EUT V\_4TX  
Setting 12  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81988G | 65.86    | 88.20    | -22.34 | 41.18  | 3    | Horizontal | 347     | 1.64   | -       | 40.60 | 15.26 | 31.18 |  |  |  |
| RMS  | 13.8002G  | 52.71    | 68.20    | -15.49 | 28.03  | 3    | Horizontal | 347     | 1.64   | -       | 40.60 | 15.25 | 31.17 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 12  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71468G    | 54.85             | 83.54             | -28.69         | 48.89         | 1           | Vertical  | 320            | 2.48          | -       | 37.59      | 17.27      | 48.90      |  |  |  |
| AV   | 20.70728G    | 41.43             | 63.54             | -22.11         | 35.53         | 1           | Vertical  | 320            | 2.48          | -       | 37.54      | 17.26      | 48.90      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 12  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.7222G     | 55.62             | 83.54             | -27.92         | 49.61         | 1           | Horizontal | 197            | 2.77          | -       | 37.63      | 17.28      | 48.90      |  |  |  |
| AV   | 20.71012G    | 42.14             | 63.54             | -21.40         | 36.21         | 1           | Horizontal | 197            | 2.77          | -       | 37.56      | 17.27      | 48.90      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 12.5  
01-C-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 6.7592G | 104.48   | Inf      | -Inf   | 90.08  | 3    | Vertical  | 65      | 1.80   | -       | 36.00 | 10.97 | 32.57 |  |  |  |
| RMS  | 6.7784G | 94.98    | Inf      | -Inf   | 80.56  | 3    | Vertical  | 65      | 1.80   | -       | 36.00 | 11.01 | 32.59 |  |  |  |
| PK   | 7.1924G | 66.39    | 88.20    | -21.81 | 50.61  | 3    | Vertical  | 65      | 1.80   | -       | 36.97 | 11.49 | 32.68 |  |  |  |
| RMS  | 7.1936G | 56.67    | 68.20    | -11.53 | 40.89  | 3    | Vertical  | 65      | 1.80   | -       | 36.97 | 11.49 | 32.68 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 12.5  
01-C-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 6.7928G | 106.20   | Inf      | -Inf   | 91.76  | 3    | Horizontal | 289     | 1.80   | -       | 36.00 | 11.04 | 32.60 |  |  |  |
| RMS  | 6.7724G | 97.09    | Inf      | -Inf   | 82.67  | 3    | Horizontal | 289     | 1.80   | -       | 36.00 | 11.00 | 32.58 |  |  |  |
| PK   | 7.1918G | 67.58    | 88.20    | -20.62 | 51.80  | 3    | Horizontal | 289     | 1.80   | -       | 36.97 | 11.49 | 32.68 |  |  |  |
| RMS  | 7.205G  | 56.84    | 68.20    | -11.36 | 40.98  | 3    | Horizontal | 289     | 1.80   | -       | 37.01 | 11.52 | 32.67 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6905MHz\_TX




EUT V\_4TX  
Setting 12.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80274G | 65.70    | 88.20    | -22.50 | 41.02  | 3    | Vertical  | 117     | 2.30   | -       | 40.60 | 15.25 | 31.17 |  |  |  |
| RMS  | 13.80238G | 53.09    | 68.20    | -15.11 | 28.41  | 3    | Vertical  | 117     | 2.30   | -       | 40.60 | 15.25 | 31.17 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 12.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81024G | 66.27    | 88.20    | -21.93 | 41.59  | 3    | Horizontal | 329     | 2.21   | -       | 40.60 | 15.26 | 31.18 |  |  |  |
| RMS  | 13.80256G | 53.13    | 68.20    | -15.07 | 28.45  | 3    | Horizontal | 329     | 2.21   | -       | 40.60 | 15.25 | 31.17 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 12.5  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.70956G | 55.58    | 83.54    | -27.96 | 49.65  | 1    | Vertical  | 121     | 2.30   | -       | 37.56 | 17.27 | 48.90 |  |  |  |
| AV   | 20.71312G | 42.17    | 63.54    | -21.37 | 36.22  | 1    | Vertical  | 121     | 2.30   | -       | 37.58 | 17.27 | 48.90 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 12.5  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71528G    | 56.31             | 83.54             | -27.23         | 50.35         | 1           | Horizontal | 291            | 2.15          | -       | 37.59      | 17.27      | 48.90      |  |  |  |
| AV   | 20.72452G    | 42.40             | 63.54             | -21.14         | 36.37         | 1           | Horizontal | 291            | 2.15          | -       | 37.65      | 17.28      | 48.90      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 12  
01-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.872G       | 104.92            | Inf               | -Inf           | 90.62         | 3           | Vertical  | 300            | 1.80          | -       | 35.94      | 11.02      | 32.66      |  |  |  |
| RMS  | 6.833G       | 94.51             | Inf               | -Inf           | 80.17         | 3           | Vertical  | 300            | 1.80          | -       | 35.93      | 11.04      | 32.63      |  |  |  |
| PK   | 7.1918G      | 67.04             | 88.20             | -21.16         | 51.26         | 3           | Vertical  | 300            | 1.80          | -       | 36.97      | 11.49      | 32.68      |  |  |  |
| RMS  | 7.2038G      | 56.58             | 68.20             | -11.62         | 40.72         | 3           | Vertical  | 300            | 1.80          | -       | 37.01      | 11.52      | 32.67      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 12  
01-C-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.851G       | 105.90            | Inf               | -Inf           | 91.61         | 3           | Horizontal | 283            | 1.80          | -       | 35.90      | 11.03      | 32.64      |  |  |  |
| RMS  | 6.8318G      | 96.94             | Inf               | -Inf           | 82.59         | 3           | Horizontal | 283            | 1.80          | -       | 35.94      | 11.04      | 32.63      |  |  |  |
| PK   | 7.1522G      | 67.08             | 88.20             | -21.12         | 51.58         | 3           | Horizontal | 283            | 1.80          | -       | 36.81      | 11.38      | 32.69      |  |  |  |
| RMS  | 7.205G       | 56.77             | 68.20             | -11.43         | 40.91         | 3           | Horizontal | 283            | 1.80          | -       | 37.01      | 11.52      | 32.67      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 12  
01-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.82482G | 66.07    | 88.20    | -22.13 | 41.39  | 3    | Vertical  | 152     | 2.12   | -       | 40.60 | 15.26 | 31.18 |  |  |  |
| RMS  | 13.79593G | 52.95    | 68.20    | -15.25 | 28.27  | 3    | Vertical  | 152     | 2.12   | -       | 40.60 | 15.25 | 31.17 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 12  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81483G    | 66.06             | 88.20             | -22.14         | 41.38         | 3           | Horizontal | 174            | 1.43          | -       | 40.60      | 15.26      | 31.18      |  |  |  |
| RMS  | 13.79752G    | 52.94             | 68.20             | -15.26         | 28.26         | 3           | Horizontal | 174            | 1.43          | -       | 40.60      | 15.25      | 31.17      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX

6905MHz\_TX




EUT\_V\_4TX  
Setting 12  
01-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71236G    | 55.43             | 83.54             | -28.11         | 49.49         | 1           | Vertical  | 219            | 1.19          | -       | 37.57      | 17.27      | 48.90      |  |  |  |
| AV   | 20.70168G    | 42.21             | 63.54             | -21.33         | 36.34         | 1           | Vertical  | 219            | 1.19          | -       | 37.51      | 17.26      | 48.90      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 9\_4TX

6905MHz\_TX



EUT\_V\_4TX  
Setting 12  
01-C-G-4


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71386G    | 55.00             | 83.54             | -28.54         | 49.05         | 1           | Horizontal | 113            | 2.91          | -       | 37.58      | 17.27      | 48.90      |  |  |  |
| AV   | 20.7015G     | 42.09             | 63.54             | -21.45         | 36.22         | 1           | Horizontal | 113            | 2.91          | -       | 37.51      | 17.26      | 48.90      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

06/03/2026




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 5.962998G | -6.94    | 5.9895G   | -60.48     | -46.94     | -13.54     | 1    |
| 5.961898G | -6.53    | 5.96655G  | -37.60     | -26.33     | -11.27     | 2    |
| 5.962798G | -6.94    | 5.989525G | -59.50     | -46.94     | -12.56     | 3    |
| 5.961348G | -7.47    | 6.004675G | -61.09     | -47.47     | -13.62     | 4    |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6195MHz\_TX

06/03/2026




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.186902G | -9.64    | 6.147575G | -61.08     | -49.64     | -11.44     | 1    |
| 6.202623G | -9.51    | 6.2425G   | -61.19     | -49.51     | -11.68     | 2    |
| 6.196525G | -9.45    | 6.1564G   | -61.19     | -49.45     | -11.74     | 3    |
| 6.190801G | -9.35    | 6.18335G  | -39.16     | -27.35     | -11.81     | 4    |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TX

06/03/2026




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.422573G | -7.45    | 6.45695G  | -59.48     | -47.45     | -12.03     | 1    |
| 6.410351G | -7.12    | 6.42685G  | -39.53     | -27.16     | -12.37     | 2    |
| 6.421398G | -7.34    | 6.450075G | -60.18     | -47.34     | -12.84     | 3    |
| 6.421398G | -6.87    | 6.426975G | -40.24     | -26.87     | -13.37     | 4    |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TX

06/03/2026




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.442673G | -7.10    | 6.473175G | -60.10     | -47.10     | -13.00     | 1    |
| 6.440499G | -7.13    | 6.480025G | -60.42     | -47.13     | -13.29     | 2    |
| 6.441398G | -7.11    | 6.44655G  | -38.05     | -27.12     | -10.93     | 3    |
| 6.439024G | -7.12    | 6.4233G   | -39.06     | -27.12     | -11.94     | 4    |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TX

06/03/2026




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.467277G | -9.25    | 6.430225G | -61.04     | -49.25     | -11.79     | 1    |
| 6.483398G | -8.82    | 6.440375G | -60.70     | -48.82     | -11.88     | 2    |
| 6.466477G | -8.76    | 6.507675G | -60.24     | -48.67     | -11.57     | 3    |
| 6.478699G | -9.29    | 6.437925G | -60.96     | -49.29     | -11.67     | 4    |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TX

06/03/2026



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.523248G | -5.85    | 6.48005G  | -60.20     | -45.85     | -14.35     | 1    |
| 6.520799G | -5.82    | 6.527125G | -38.88     | -25.90     | -12.98     | 2    |
| 6.523573G | -5.86    | 6.48G     | -59.97     | -45.86     | -14.11     | 3    |
| 6.523948G | -5.88    | 6.52695G  | -38.42     | -25.93     | -12.49     | 4    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

06/03/2026

CF (Hz)  
6.535G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.543923G | -7.02    | 6.57605G  | -58.09     | -47.02     | -11.07     | 1    |
| 6.544373G | -6.70    | 6.546825G | -38.91     | -26.50     | -12.41     | 2    |
| 6.525827G | -7.27    | 6.576G    | -59.81     | -47.27     | -12.54     | 3    |
| 6.528802G | -6.97    | 6.546875G | -39.15     | -26.98     | -12.17     | 4    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

06/03/2026

CF (Hz)  
6.695G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.697024G | -7.21    | 6.652825G | -59.96     | -47.21     | -12.75     | 1    |
| 6.686127G | -6.71    | 6.7411G   | -60.15     | -46.71     | -13.44     | 2    |
| 6.703548G | -7.21    | 6.73385G  | -59.78     | -47.21     | -12.57     | 3    |
| 6.703848G | -7.05    | 6.65915G  | -60.37     | -47.05     | -13.32     | 4    |


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TX

06/03/2026

CF (Hz)  
6.855G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.848602G | -6.93    | 6.822325G | -59.94     | -46.93     | -13.01     | 1    |
| 6.864048G | -6.44    | 6.809675G | -59.25     | -46.44     | -12.81     | 2    |
| 6.862148G | -6.83    | 6.8179G   | -59.90     | -46.83     | -13.07     | 3    |
| 6.862473G | -6.04    | 6.894075G | -59.66     | -46.04     | -13.62     | 4    |


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6875MHz\_TX

06/03/2026

CF (Hz)  
6.875G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.868352G | -6.90    | 6.8311G   | -60.13     | -46.90     | -13.23     | 1    |
| 6.867752G | -6.20    | 6.8416G   | -59.01     | -46.20     | -12.81     | 2    |
| 6.868852G | -6.42    | 6.886975G | -39.26     | -26.42     | -12.84     | 3    |
| 6.867102G | -6.35    | 6.84035G  | -59.53     | -46.35     | -13.18     | 4    |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

06/03/2026




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

06/03/2026



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7115MHz\_TX

06/03/2026

CF (Hz)  
7.115G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 7.1144G   | -12.29   | 7.077125G | -64.23     | -52.29     | -11.94     | 1    |
| 7.107102G | -11.31   | 7.069075G | -64.22     | -51.31     | -12.91     | 2    |
| 7.1146G   | -11.99   | 7.075925G | -63.96     | -51.99     | -11.97     | 3    |
| 7.108702G | -11.43   | 7.066825G | -63.91     | -51.43     | -12.48     | 4    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

06/03/2026

CF (Hz)  
5.965G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.982646G | -3.20    | 5.9869G  | -31.38     | -23.20     | -8.18      | 1    |
| 5.983595G | -3.83    | 5.98725G | -34.62     | -23.88     | -10.74     | 2    |
| 5.975647G | -3.29    | 5.98735G | -33.83     | -23.29     | -10.54     | 3    |
| 5.978797G | -3.60    | 5.98745G | -36.03     | -23.60     | -12.43     | 4    |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

06/03/2026

CF (Hz)  
6.205G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.212498G | -5.20    | 6.11515G | -56.87     | -45.20     | -11.67     | 1    |
| 6.211098G | -5.05    | 6.2275G  | -36.62     | -24.95     | -11.67     | 2    |
| 6.223695G | -5.23    | 6.2276G  | -36.74     | -25.38     | -11.36     | 3    |
| 6.208499G | -5.33    | 6.29105G | -56.79     | -45.33     | -11.46     | 4    |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

06/03/2026

CF (Hz)  
6.405G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.423745G | -4.53    | 6.42735G | -35.63     | -24.56     | -11.07     | 1    |
| 6.418997G | -4.30    | 6.4275G  | -36.35     | -24.32     | -12.03     | 2    |
| 6.412998G | -4.91    | 6.42735G | -35.51     | -25.05     | -10.46     | 3    |
| 6.416197G | -4.82    | 6.4268G  | -34.86     | -24.85     | -10.01     | 4    |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TX

06/03/2026




6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TX

06/03/2026




6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6525MHz\_TX

06/03/2026




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

06/03/2026




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

06/03/2026

CF (Hz)  
6.685G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.700446G | -3.42    | 6.66275G | -33.34     | -23.47     | -9.87      | 1    |
| 6.674553G | -3.23    | 6.7601G  | -55.85     | -43.23     | -12.62     | 2    |
| 6.688849G | -3.24    | 6.6624G  | -34.32     | -23.36     | -10.96     | 3    |
| 6.698097G | -3.47    | 6.70735G | -35.38     | -23.47     | -11.91     | 4    |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

06/03/2026

CF (Hz)  
6.845G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.847349G | -3.24    | 6.92815G | -56.11     | -43.24     | -12.87     | 1    |
| 6.832103G | -3.14    | 6.86775G | -35.28     | -23.24     | -12.04     | 2    |
| 6.841051G | -3.26    | 6.8232G  | -33.32     | -23.26     | -10.06     | 3    |
| 6.836202G | -3.18    | 6.94465G | -55.49     | -43.18     | -12.31     | 4    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6885MHz\_TX

06/03/2026




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

06/03/2026



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

06/03/2026

CF (Hz)  
7.085G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 7.070904G | -4.95    | 7.06255G | -36.43     | -24.99     | -11.44     | 1    |
| 7.090599G | -5.29    | 7.06215G | -38.05     | -25.32     | -12.73     | 2    |
| 7.068804G | -4.93    | 7.0624G  | -36.99     | -24.95     | -12.04     | 3    |
| 7.069054G | -4.84    | 7.06325G | -34.28     | -24.04     | -10.24     | 4    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

06/03/2026

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.02279G | 0.90     | 6.0312G  | -30.20     | -19.18     | -11.02     | 1    |
| 6.02309G | 1.41     | 6.0296G  | -26.03     | -18.62     | -7.41      | 2    |
| 5.9876G  | 0.50     | 6.0298G  | -27.64     | -19.50     | -8.14      | 3    |
| 6.02099G | 0.08     | 6.0289G  | -27.57     | -19.94     | -7.63      | 4    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

06/03/2026




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

06/03/2026



6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TX

06/03/2026

CF (Hz)  
6.465G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.50119G | -1.50    | 6.51G    | -30.02     | -21.54     | -8.48      | 1    |
| 6.4459G  | -1.22    | 6.5096G  | -30.82     | -21.27     | -9.55      | 2    |
| 6.50199G | -0.86    | 6.5111G  | -32.11     | -20.88     | -11.23     | 3    |
| 6.43121G | -1.58    | 6.6296G  | -51.75     | -41.58     | -10.17     | 4    |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6545MHz\_TX

06/03/2026

CF (Hz)  
6.545G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.51941G | -2.85    | 6.5001G  | -32.47     | -22.85     | -9.62      | 1    |
| 6.5561G  | -2.94    | 6.718G   | -53.46     | -42.94     | -10.52     | 2    |
| 6.51011G | -3.15    | 6.5889G  | -31.24     | -23.15     | -8.09      | 3    |
| 6.5257G  | -3.07    | 6.735G   | -52.16     | -43.07     | -9.09      | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

06/03/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.64679G | -1.69    | 6.5802G  | -31.06     | -21.80     | -9.26      | 1    |
| 6.6308G  | -1.11    | 6.6698G  | -31.16     | -21.20     | -9.96      | 2    |
| 6.66179G | -1.49    | 6.6699G  | -31.26     | -21.49     | -9.77      | 3    |
| 6.6058G  | -1.64    | 6.5816G  | -28.92     | -21.65     | -7.27      | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

06/03/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.72639G | -0.38    | 6.6603G  | -29.43     | -20.41     | -9.02      | 1    |
| 6.73229G | 0.02     | 6.7496G  | -29.18     | -19.99     | -9.19      | 2    |
| 6.7025G  | -0.42    | 6.6603G  | -29.11     | -20.49     | -8.62      | 3    |
| 6.7187G  | -0.37    | 6.6615G  | -28.02     | -20.42     | -7.60      | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

06/03/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.74751G | -0.23    | 6.7388G  | -30.94     | -20.27     | -10.67     | 1    |
| 6.7942G  | -0.12    | 6.7402G  | -30.34     | -20.17     | -10.17     | 2    |
| 6.8048G  | -0.23    | 6.7408G  | -29.26     | -20.27     | -8.99      | 3    |
| 6.74771G | -0.37    | 6.7411G  | -28.79     | -20.41     | -8.38      | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6865MHz\_TX

06/03/2026



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.82701G | 0.06     | 6.9097G  | -28.93     | -20.01     | -8.92      | 1    |
| 6.8543G  | 0.05     | 6.9089G  | -29.61     | -19.95     | -9.66      | 2    |
| 6.90029G | -0.11    | 6.819G   | -30.45     | -20.15     | -10.30     | 3    |
| 6.82811G | -0.23    | 6.8189G  | -30.46     | -20.23     | -10.23     | 4    |


6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TX

06/03/2026

CF (Hz)  
6.945G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.90671G | 0.15     | 6.8114G  | -49.95     | -39.75     | -10.20     | 1    |
| 6.9518G  | -0.12    | 6.8101G  | -50.43     | -40.12     | -10.31     | 2    |
| 6.90811G | -0.31    | 6.9889G  | -28.52     | -20.33     | -8.19      | 3    |
| 6.91201G | -0.19    | 6.8999G  | -29.36     | -20.21     | -9.15      | 4    |


6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TX

06/03/2026

CF (Hz)  
7.025G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.98691G | 0.16     | 6.9797G  | -29.24     | -19.88     | -9.36      | 1    |
| 7.0353G  | 0.28     | 6.9797G  | -30.20     | -19.76     | -10.44     | 2    |
| 6.98811G | 0.74     | 6.9798G  | -29.66     | -19.30     | -10.36     | 3    |
| 6.98781G | 0.51     | 6.9788G  | -30.05     | -19.51     | -10.54     | 4    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6025MHz\_TX

06/03/2026

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07379G | 0.74     | 6.225G   | -37.35     | -31.97     | -5.38      | 1    |
| 6.032G   | -0.28    | 6.296G   | -46.68     | -40.28     | -6.40      | 2    |
| 6.05439G | 0.72     | 6.2262G  | -33.76     | -32.16     | -1.60      | 3    |
| 6.09458G | -0.15    | 6.3334G  | -44.72     | -40.15     | -4.57      | 4    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

06/03/2026

CF (Hz)  
6.185G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.15381G | 3.16     | 6.3864G  | -32.55     | -29.98     | -2.57      | 1    |
| 6.10822G | 3.31     | 6.396G   | -32.03     | -29.90     | -2.13      | 2    |
| 6.11022G | 3.42     | 6.3952G  | -35.34     | -30.83     | -4.51      | 3    |
| 6.1816G  | 1.70     | 6.4502G  | -42.47     | -38.30     | -4.17      | 4    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TX

12/03/2026

CF (Hz)  
6.345G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.40399G | 1.78     | 6.6162G  | -42.98     | -38.22     | -4.76      | 1    |
| 6.28881G | 1.22     | 6.6126G  | -41.76     | -38.78     | -2.98      | 2    |
| 6.42098G | 1.30     | 6.6146G  | -42.13     | -38.70     | -3.43      | 3    |
| 6.27222G | 1.14     | 6.6082G  | -42.39     | -38.86     | -3.53      | 4    |


6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6505MHz\_TX

06/03/2026

CF (Hz)  
6.505G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.4988G  | 4.00     | 6.7686G  | -40.38     | -36.00     | -4.38      | 1    |
| 6.42802G | 4.86     | 6.77G    | -36.84     | -34.83     | -2.01      | 2    |
| 6.44861G | 4.64     | 6.2378G  | -37.17     | -35.36     | -1.81      | 3    |
| 6.509G   | 3.47     | 6.2314G  | -40.48     | -36.53     | -3.95      | 4    |


6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

06/03/2026

CF (Hz)  
6.665G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6474G  | 1.47     | 6.453G   | -34.36     | -33.20     | -1.16      | 1    |
| 6.59162G | 2.90     | 6.4052G  | -38.41     | -36.98     | -1.43      | 2    |
| 6.62881G | 1.57     | 6.3998G  | -41.26     | -38.43     | -2.83      | 3    |
| 6.6596G  | 0.77     | 6.3552G  | -43.01     | -39.23     | -3.78      | 4    |


6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6825MHz\_TX

06/03/2026

CF (Hz)  
6.825G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.819G   | 0.71     | 6.5618G  | -43.08     | -39.29     | -3.79      | 1    |
| 6.75162G | 2.29     | 6.6198G  | -31.78     | -31.09     | -0.69      | 2    |
| 6.80421G | 0.86     | 6.5536G  | -40.61     | -39.14     | -1.47      | 3    |
| 6.818G   | 0.32     | 6.5166G  | -41.64     | -39.68     | -1.96      | 4    |


## 6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

### 6985MHz\_TX

06/03/2026

CF (Hz)  
6.985G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.0006G  | 0.33     | 6.7264G  | -40.22     | -39.67     | -0.55      | 1    |
| 6.93401G | 1.63     | 7.255G   | -42.31     | -38.37     | -3.94      | 2    |
| 6.9666G  | 0.89     | 6.7206G  | -40.41     | -39.11     | -1.30      | 3    |
| 6.90942G | 0.23     | 6.718G   | -41.58     | -39.77     | -1.81      | 4    |


## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

### 6105MHz\_TX

06/03/2026

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.1106G  | 3.68     | 6.5194G  | -30.55     | -30.54     | -0.01      | 1    |
| 6.06981G | 3.55     | 6.5478G  | -33.44     | -32.91     | -0.53      | 2    |
| 6.1138G  | 3.76     | 6.6466G  | -36.29     | -34.83     | -1.46      | 3    |
| 6.0966G  | 3.39     | 6.5246G  | -31.33     | -30.80     | -0.53      | 4    |


5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6265MHz\_TX

06/03/2026

CF (Hz)  
6.265G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
6.4m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.41136G | 2.27     | 6.7614G  | -39.08     | -37.64     | -1.44      | 1    |
| 6.40297G | 2.23     | 6.7766G  | -39.00     | -37.77     | -1.23      | 2    |
| 6.41016G | 2.13     | 6.7706G  | -39.46     | -37.78     | -1.68      | 3    |
| 6.41536G | 2.20     | 6.8242G  | -41.31     | -37.77     | -3.54      | 4    |


5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6425MHz\_TX

06/03/2026

CF (Hz)  
6.425G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
6.4m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.52537G | 3.31     | 6.8162G  | -30.04     | -28.26     | -1.78      | 1    |
| 6.51218G | 3.36     | 6.8318G  | -31.20     | -29.53     | -1.67      | 2    |
| 6.51258G | 3.35     | 6.6994G  | -24.57     | -19.76     | -4.81      | 3    |
| 6.45059G | 3.10     | 6.721G   | -25.42     | -21.46     | -3.96      | 4    |

## 6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

### 6585MHz\_TX

06/03/2026

CF (Hz)  
6.585G


Span (Hz)  
1.6G

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
6.4m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.52422G | 3.32     | 6.897G   | -25.70     | -22.27     | -3.43      | 1    |
| 6.573G   | 3.75     | 6.8534G  | -23.48     | -19.17     | -4.31      | 2    |
| 6.52821G | 3.34     | 6.8614G  | -24.41     | -21.11     | -3.30      | 3    |
| 6.53061G | 3.58     | 6.8858G  | -25.57     | -22.54     | -3.03      | 4    |

## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

### 6745MHz\_TX

06/03/2026

CF (Hz)  
6.745G


Span (Hz)  
1.6G

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
6.4m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.61583G | 6.77     | 6.4254G  | -20.43     | -13.30     | -7.13      | 1    |
| 6.61223G | 7.26     | 6.443G   | -19.77     | -12.78     | -6.99      | 2    |
| 6.61623G | 6.90     | 6.4914G  | -17.75     | -13.24     | -4.51      | 3    |
| 6.61663G | 7.07     | 6.471G   | -18.29     | -13.25     | -5.04      | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

06/03/2026




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

28/04/2026




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6195MHz\_TX

28/04/2026




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TX

28/04/2026




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.410576G | -8.68    | 6.463G    | -60.29     | -48.68     | -11.61     | 1    |
| 6.422323G | -7.30    | 6.462975G | -60.62     | -47.30     | -13.32     | 2    |
| 6.421473G | -8.25    | 6.46465G  | -60.56     | -48.25     | -12.31     | 3    |
| 6.406852G | -9.45    | 6.4536G   | -60.51     | -49.45     | -11.06     | 4    |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TX

28/04/2026




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.442423G | -5.88    | 6.4691G   | -60.08     | -45.88     | -14.20     | 1    |
| 6.427952G | -5.96    | 6.48055G  | -60.26     | -45.96     | -14.30     | 2    |
| 6.443773G | -6.28    | 6.468425G | -60.24     | -46.28     | -13.96     | 3    |
| 6.442948G | -6.84    | 6.392975G | -60.42     | -46.84     | -13.58     | 4    |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TX

28/04/2026




6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TX

28/04/2026




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

28/04/2026

CF (Hz)  
6.535G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.537949G | -6.97    | 6.492G    | -60.08     | -46.97     | -13.11     | 1    |
| 6.525627G | -6.78    | 6.568125G | -60.51     | -46.78     | -13.73     | 2    |
| 6.542973G | -6.89    | 6.569G    | -60.38     | -46.89     | -13.49     | 3    |
| 6.528477G | -7.54    | 6.500225G | -60.43     | -47.54     | -12.89     | 4    |


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

28/04/2026

CF (Hz)  
6.695G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.702198G | -9.27    | 6.7281G   | -60.63     | -49.27     | -11.36     | 1    |
| 6.688502G | -8.97    | 6.65195G  | -60.46     | -48.97     | -11.49     | 2    |
| 6.686877G | -9.04    | 6.6521G   | -60.77     | -49.04     | -11.73     | 3    |
| 6.702798G | -9.91    | 6.729975G | -60.34     | -49.91     | -10.43     | 4    |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TX

28/04/2026




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.852101G | -8.11    | 6.887375G | -60.31     | -48.11     | -12.20     | 1    |
| 6.846852G | -7.92    | 6.811975G | -60.29     | -47.92     | -12.37     | 2    |
| 6.862623G | -7.71    | 6.811925G | -60.27     | -47.71     | -12.56     | 3    |
| 6.860149G | -8.92    | 6.889975G | -60.17     | -48.92     | -11.25     | 4    |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6875MHz\_TX

28/04/2026



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.882498G | -7.97    | 6.90785G  | -60.33     | -47.97     | -12.36     | 1    |
| 6.865827G | -7.68    | 6.832G    | -60.16     | -47.68     | -12.48     | 2    |
| 6.880424G | -7.75    | 6.832G    | -60.28     | -47.75     | -12.53     | 3    |
| 6.868727G | -8.94    | 6.909475G | -60.64     | -48.94     | -11.70     | 4    |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

28/04/2026

CF (Hz)  
6.995G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 7.000874G | -8.13    | 7.02935G  | -60.45     | -48.13     | -12.32     | 1    |
| 6.985602G | -7.71    | 7.028175G | -60.47     | -47.71     | -12.76     | 2    |
| 6.987777G | -7.77    | 6.952025G | -60.02     | -47.77     | -12.25     | 3    |
| 7.000574G | -8.66    | 7.028175G | -60.53     | -48.66     | -11.87     | 4    |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

28/04/2026

CF (Hz)  
7.095G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 7.100574G | -9.10    | 7.129075G | -60.35     | -49.10     | -11.25     | 1    |
| 7.088952G | -8.43    | 7.045425G | -60.51     | -48.43     | -12.08     | 2    |
| 7.101673G | -8.81    | 7.1289G   | -60.50     | -48.81     | -11.69     | 3    |
| 7.103473G | -10.09   | 7.12965G  | -59.96     | -50.09     | -9.87      | 4    |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

7115MHz\_TX

28/04/2026




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 7.121748G | -15.40   | 7.1495G   | -60.91     | -55.40     | -5.51      | 1    |
| 7.106227G | -14.84   | 7.1488G   | -60.74     | -54.84     | -5.90      | 2    |
| 7.105702G | -14.58   | 7.152025G | -60.22     | -54.58     | -5.64      | 3    |
| 7.122173G | -15.72   | 7.156225G | -60.63     | -55.72     | -4.91      | 4    |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

28/04/2026



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.971998G | -2.30    | 6.06025G | -55.95     | -42.30     | -13.65     | 1    |
| 5.979346G | -2.07    | 6.05615G | -55.57     | -42.07     | -13.50     | 2    |
| 5.982146G | -1.48    | 6.0332G  | -54.23     | -41.48     | -12.75     | 3    |
| 5.982996G | -2.08    | 6.06065G | -55.14     | -42.08     | -13.06     | 4    |


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

28/04/2026

CF (Hz)  
6.205G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.210599G | -4.30    | 6.2959G  | -56.73     | -44.30     | -12.43     | 1    |
| 6.219646G | -4.27    | 6.27865G | -56.81     | -44.27     | -12.54     | 2    |
| 6.213198G | -3.61    | 6.29505G | -56.64     | -43.61     | -13.03     | 3    |
| 6.218797G | -4.07    | 6.29655G | -56.23     | -44.07     | -12.16     | 4    |


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

28/04/2026

CF (Hz)  
6.405G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.388154G | -3.91    | 6.49815G | -53.86     | -43.91     | -9.95      | 1    |
| 6.418847G | -3.71    | 6.47575G | -56.51     | -43.71     | -12.80     | 2    |
| 6.422946G | -3.86    | 6.49965G | -56.39     | -43.86     | -12.53     | 3    |
| 6.422296G | -3.64    | 6.50295G | -56.04     | -43.64     | -12.40     | 4    |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TX

28/04/2026

CF (Hz)  
6.445G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.463545G | -4.57    | 6.53675G | -56.50     | -44.57     | -11.93     | 1    |
| 6.459346G | -4.61    | 6.52135G | -56.68     | -44.61     | -12.07     | 2    |
| 6.458647G | -4.58    | 6.5445G  | -56.60     | -44.58     | -12.02     | 3    |
| 6.454498G | -4.97    | 6.5332G  | -56.09     | -44.97     | -11.12     | 4    |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TX

28/04/2026

CF (Hz)  
6.485G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.491748G | -1.65    | 6.56815G | -55.23     | -41.65     | -13.58     | 1    |
| 6.502196G | -1.48    | 6.56595G | -55.70     | -41.48     | -14.22     | 2    |
| 6.495447G | -1.47    | 6.5558G  | -54.86     | -41.47     | -13.39     | 3    |
| 6.498597G | -1.64    | 6.58085G | -54.63     | -41.64     | -12.99     | 4    |


6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6525MHz\_TX

28/04/2026

CF (Hz)  
6.525G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.537647G | -2.89    | 6.59175G | -55.56     | -42.89     | -12.67     | 1    |
| 6.537897G | -2.87    | 6.5919G  | -56.18     | -42.87     | -13.31     | 2    |
| 6.529949G | -2.63    | 6.62105G | -55.12     | -42.63     | -12.49     | 3    |
| 6.542196G | -2.79    | 6.6217G  | -54.96     | -42.79     | -12.17     | 4    |


6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

28/04/2026

CF (Hz)  
6.565G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.546955G | -3.92    | 6.495G   | -56.23     | -43.92     | -12.31     | 1    |
| 6.56645G  | -4.00    | 6.4969G  | -55.83     | -44.00     | -11.83     | 2    |
| 6.556302G | -3.75    | 6.48835G | -55.78     | -43.75     | -12.03     | 3    |
| 6.547554G | -4.10    | 6.47835G | -55.69     | -44.10     | -11.59     | 4    |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

28/04/2026

CF (Hz)  
6.685G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.666705G | -3.75    | 6.5937G  | -56.52     | -43.75     | -12.77     | 1    |
| 6.679151G | -3.80    | 6.6102G  | -56.62     | -43.80     | -12.82     | 2    |
| 6.697047G | -3.70    | 6.6098G  | -55.89     | -43.70     | -12.19     | 3    |
| 6.671253G | -4.17    | 6.59795G | -55.89     | -44.17     | -11.72     | 4    |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

28/04/2026

CF (Hz)  
6.845G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.827754G | -2.87    | 6.7697G  | -55.85     | -42.87     | -12.98     | 1    |
| 6.840001G | -2.52    | 6.78005G | -55.83     | -42.52     | -13.31     | 2    |
| 6.859296G | -2.77    | 6.7715G  | -55.88     | -42.77     | -13.11     | 3    |
| 6.861646G | -2.97    | 6.7662G  | -55.45     | -42.97     | -12.48     | 4    |


6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6885MHz\_TX

28/04/2026

CF (Hz)  
6.885G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.868804G | -3.80    | 6.8186G  | -56.59     | -43.80     | -12.79     | 1    |
| 6.883G    | -3.47    | 6.7999G  | -56.50     | -43.47     | -13.03     | 2    |
| 6.873003G | -3.30    | 6.78805G | -55.78     | -43.30     | -12.48     | 3    |
| 6.869504G | -4.20    | 6.8026G  | -56.06     | -44.20     | -11.86     | 4    |


6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

28/04/2026

CF (Hz)  
7.005G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.987854G | -2.45    | 6.9262G  | -55.93     | -42.45     | -13.48     | 1    |
| 7.0036G   | -2.84    | 6.9381G  | -55.81     | -42.84     | -12.97     | 2    |
| 7.001401G | -2.38    | 6.93185G | -55.31     | -42.38     | -12.93     | 3    |
| 7.017447G | -2.62    | 6.92675G | -55.35     | -42.62     | -12.73     | 4    |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

28/04/2026

CF (Hz)  
7.085G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 7.068804G | -4.92    | 6.9851G  | -56.52     | -44.92     | -11.60     | 1    |
| 7.087049G | -4.66    | 7.0195G  | -56.51     | -44.66     | -11.85     | 2    |
| 7.074003G | -4.52    | 7.00315G | -56.53     | -44.52     | -12.01     | 3    |
| 7.099446G | -4.67    | 6.9982G  | -56.04     | -44.67     | -11.37     | 4    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

28/04/2026

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.02229G | -0.10    | 6.1329G  | -48.18     | -40.10     | -8.08      | 1    |
| 6.01439G | -0.01    | 6.0769G  | -40.26     | -29.52     | -10.74     | 2    |
| 6.02179G | -0.44    | 6.1791G  | -48.66     | -37.07     | -11.59     | 3    |
| 6.02039G | -0.39    | 6.1848G  | -50.28     | -40.00     | -10.28     | 4    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

28/04/2026




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

28/04/2026



6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TX

28/04/2026

CF (Hz)  
6.465G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.49729G | -1.62    | 6.3202G  | -52.17     | -41.62     | -10.55     | 1    |
| 6.48639G | -1.64    | 6.6197G  | -51.64     | -41.64     | -10.00     | 2    |
| 6.42811G | -1.60    | 6.6076G  | -52.31     | -41.60     | -10.71     | 3    |
| 6.50089G | -2.00    | 6.6198G  | -51.38     | -42.00     | -9.38      | 4    |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6545MHz\_TX

28/04/2026

CF (Hz)  
6.545G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.58029G | -1.57    | 6.6981G  | -52.17     | -41.57     | -10.60     | 1    |
| 6.5566G  | -1.75    | 6.6777G  | -52.11     | -41.75     | -10.36     | 2    |
| 6.51921G | -1.72    | 6.7021G  | -52.36     | -41.72     | -10.64     | 3    |
| 6.58169G | -1.95    | 6.7393G  | -51.50     | -41.95     | -9.55      | 4    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

28/04/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6074G  | -3.21    | 6.4881G  | -53.26     | -43.21     | -10.05     | 1    |
| 6.58701G | -3.41    | 6.4886G  | -53.01     | -43.41     | -9.60      | 2    |
| 6.605G   | -3.16    | 6.7753G  | -53.37     | -43.16     | -10.21     | 3    |
| 6.58951G | -3.12    | 6.7861G  | -52.42     | -43.12     | -9.30      | 4    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

28/04/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6877G  | -1.27    | 6.5682G  | -49.86     | -41.27     | -8.59      | 1    |
| 6.707G   | -0.63    | 6.8564G  | -49.71     | -40.63     | -9.08      | 2    |
| 6.68161G | -0.89    | 6.8535G  | -50.45     | -40.89     | -9.56      | 3    |
| 6.66981G | -0.93    | 6.8541G  | -50.77     | -40.93     | -9.84      | 4    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

28/04/2026




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6865MHz\_TX

28/04/2026




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TX

28/04/2026

CF (Hz)  
6.945G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.9278G  | -2.11    | 6.8061G  | -52.48     | -42.11     | -10.37     | 1    |
| 6.90771G | -1.77    | 7.0994G  | -52.07     | -41.77     | -10.30     | 2    |
| 6.9274G  | -1.52    | 6.8052G  | -52.20     | -41.52     | -10.68     | 3    |
| 6.90711G | -1.93    | 7.1058G  | -51.95     | -41.93     | -10.02     | 4    |


6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TX

28/04/2026

CF (Hz)  
7.025G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.0061G  | -3.22    | 7.2154G  | -53.71     | -43.22     | -10.49     | 1    |
| 6.99101G | -3.06    | 7.2208G  | -53.00     | -43.06     | -9.94      | 2    |
| 6.98771G | -2.84    | 6.8687G  | -53.09     | -42.84     | -10.25     | 3    |
| 6.99061G | -2.98    | 7.1811G  | -52.56     | -42.98     | -9.58      | 4    |


5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6025MHz\_TX

28/04/2026

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.08778G | 3.64     | 6.2886G  | -37.75     | -36.36     | -1.39      | 1    |
| 6.09318G | 3.36     | 6.3002G  | -39.62     | -36.64     | -2.98      | 2    |
| 6.10118G | 3.87     | 6.304G   | -37.86     | -36.13     | -1.73      | 3    |
| 6.08319G | 3.89     | 6.2918G  | -37.45     | -36.11     | -1.34      | 4    |


5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

28/04/2026

CF (Hz)  
6.185G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.1722G  | 4.75     | 6.4562G  | -38.80     | -35.25     | -3.55      | 1    |
| 6.1732G  | 5.20     | 6.4414G  | -38.70     | -34.80     | -3.90      | 2    |
| 6.1746G  | 4.63     | 6.4534G  | -36.57     | -35.37     | -1.20      | 3    |
| 6.24638G | 5.72     | 6.4478G  | -39.11     | -34.28     | -4.83      | 4    |


5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TX

28/04/2026

CF (Hz)  
6.345G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.37719G | 6.88     | 6.6084G  | -36.57     | -33.12     | -3.45      | 1    |
| 6.3326G  | 6.55     | 6.5938G  | -36.21     | -33.45     | -2.76      | 2    |
| 6.28661G | 5.61     | 6.609G   | -34.47     | -34.39     | -0.08      | 3    |
| 6.27762G | 5.40     | 6.6112G  | -35.92     | -34.60     | -1.32      | 4    |


6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6505MHz\_TX

28/04/2026

CF (Hz)  
6.505G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.57518G | 5.61     | 6.2298G  | -37.03     | -34.39     | -2.64      | 1    |
| 6.4932G  | 6.56     | 6.7616G  | -36.42     | -33.44     | -2.98      | 2    |
| 6.47481G | 5.54     | 6.7724G  | -35.90     | -34.46     | -1.44      | 3    |
| 6.519G   | 5.68     | 6.2324G  | -36.10     | -34.32     | -1.78      | 4    |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

28/04/2026




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6825MHz\_TX

28/04/2026




6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TX

28/04/2026

CF (Hz)  
6.985G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.95701G | -1.74    | 7.2456G  | -46.57     | -41.74     | -4.83      | 1    |
| 6.91862G | -1.24    | 6.7226G  | -45.05     | -41.24     | -3.81      | 2    |
| 6.981G   | -0.78    | 6.6634G  | -44.43     | -40.78     | -3.65      | 3    |
| 6.91682G | -2.44    | 6.6256G  | -42.48     | -42.44     | -0.04      | 4    |


5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

28/04/2026

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.1158G  | 6.94     | 6.5174G  | -24.22     | -20.14     | -4.08      | 1    |
| 6.13659G | 7.21     | 6.4906G  | -20.73     | -15.80     | -4.93      | 2    |
| 6.087G   | 7.45     | 6.4918G  | -19.45     | -15.84     | -3.61      | 3    |
| 6.0914G  | 7.03     | 6.481G   | -19.93     | -15.06     | -4.87      | 4    |


5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6265MHz\_TX

28/04/2026

CF (Hz)  
6.265G  
Span (Hz)  
1.6G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.36977G | 7.92     | 6.6614G  | -18.43     | -14.55     | -3.88      | 1    |
| 6.39977G | 8.72     | 6.653G   | -17.73     | -13.68     | -4.05      | 2    |
| 6.2822G  | 8.88     | 6.6514G  | -17.48     | -13.78     | -3.70      | 3    |
| 6.2514G  | 7.61     | 6.6502G  | -19.73     | -17.82     | -1.91      | 4    |


5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6425MHz\_TX

28/04/2026

CF (Hz)  
6.425G  
Span (Hz)  
1.6G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.45539G | 3.61     | 6.7814G  | -32.17     | -16.53     | -15.64     | 1    |
| 6.49618G | 3.79     | 6.8198G  | -32.47     | -17.49     | -14.98     | 2    |
| 6.29223G | 5.25     | 6.8058G  | -31.67     | -15.43     | -16.24     | 3    |
| 6.47939G | 3.01     | 6.8462G  | -35.94     | -17.19     | -18.75     | 4    |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6585MHz\_TX

28/04/2026




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6745MHz\_TX

28/04/2026




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

28/04/2026




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

MASK

5985MHz\_TX

14/04/2026




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

MASK

5985MHz\_TX

14/04/2026




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

MASK

7025MHz\_TX

14/04/2026




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

MASK

7025MHz\_TX

14/04/2026



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

MASK

6025MHz\_TX

14/04/2026

CF (Hz)  
6.025G


Span (Hz)  
800M

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.05839G | 0.38     | 6.3014G  | -46.30     | -39.62     | -6.68      | 1    |
| 6.07279G | 0.83     | 6.291G   | -46.29     | -39.17     | -7.12      | 2    |
| 6.08838G | 0.42     | 6.269G   | -44.98     | -38.60     | -6.38      | 3    |
| 6.09738G | 0.70     | 6.3334G  | -41.44     | -39.30     | -2.14      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

MASK

6025MHz\_TX

14/04/2026

CF (Hz)  
6.025G


Span (Hz)  
800M

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.042G   | 0.66     | 6.2972G  | -46.36     | -39.34     | -7.02      | 1    |
| 6.10078G | 0.89     | 6.281G   | -46.29     | -39.11     | -7.18      | 2    |
| 6.09558G | 0.93     | 6.2828G  | -45.20     | -39.07     | -6.13      | 3    |
| 6.10058G | 1.12     | 6.3814G  | -41.37     | -38.88     | -2.49      | 4    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

MASK

6025MHz\_TX

14/04/2026

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07919G | -0.14    | 6.309G   | -46.76     | -40.14     | -6.62      | 1    |
| 6.08818G | -0.01    | 6.307G   | -46.68     | -40.01     | -6.67      | 2    |
| 6.06979G | 0.39     | 6.2944G  | -47.79     | -39.61     | -8.18      | 3    |
| 6.09518G | 0.33     | 6.3644G  | -39.77     | -39.67     | -0.10      | 4    |


6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

MASK

6985MHz\_TX

15/04/2026

CF (Hz)  
6.985G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.91902G | -1.91    | 6.7076G  | -45.04     | -41.91     | -3.13      | 1    |
| 6.91302G | -1.47    | 6.7044G  | -45.34     | -41.47     | -3.87      | 2    |
| 6.94101G | -1.92    | 6.7062G  | -45.86     | -41.92     | -3.94      | 3    |
| 6.93481G | -1.23    | 6.647G   | -42.59     | -41.23     | -1.36      | 4    |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+3xRU242 MRU 1\_4TX

MASK

6985MHz\_TX

15/04/2026




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

MASK

6985MHz\_TX

15/04/2026




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

MASK

6105MHz\_TX

14/04/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.18058G | 0.54     | 6.5038G  | -38.16     | -32.54     | -5.62      | 1    |
| 6.17098G | 0.97     | 6.4914G  | -31.83     | -31.36     | -0.47      | 2    |
| 6.17818G | 1.39     | 6.6774G  | -51.57     | -38.61     | -12.96     | 3    |
| 6.17538G | 1.46     | 6.5654G  | -43.63     | -35.67     | -7.96      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

MASK

6105MHz\_TX

14/04/2026



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.15059G | 1.66     | 6.6014G  | -46.02     | -38.34     | -7.68      | 1    |
| 6.17978G | 2.04     | 6.5238G  | -39.18     | -32.66     | -6.52      | 2    |
| 6.15139G | 2.42     | 6.6726G  | -51.52     | -37.58     | -13.94     | 3    |
| 6.15899G | 2.37     | 6.565G   | -42.94     | -34.73     | -8.21      | 4    |


5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

MASK

6105MHz\_TX

20/05/2026

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.18938G | -0.11    | 6.509G   | -33.76     | -33.57     | -0.19      | 1    |
| 6.25096G | 0.87     | 6.5002G  | -33.61     | -32.10     | -1.51      | 2    |
| 6.20977G | 0.50     | 6.5018G  | -33.54     | -28.84     | -4.70      | 3    |
| 6.19898G | 0.95     | 6.493G   | -32.98     | -30.97     | -2.01      | 4    |


6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

MASK

6905MHz\_TX

14/04/2026

CF (Hz)  
6.905G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
6.4m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.85541G | -5.11    | 6.4014G  | -55.35     | -45.11     | -10.24     | 1    |
| 6.86181G | -5.36    | 6.407G   | -55.35     | -45.29     | -10.06     | 2    |
| 6.84861G | -5.46    | 6.4038G  | -55.17     | -45.46     | -9.71      | 3    |
| 6.85781G | -5.04    | 6.4458G  | -45.32     | -42.08     | -3.24      | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

MASK

6905MHz\_TX

14/04/2026




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 4\_4TX

MASK

5985MHz\_TX

15/04/2026




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.9885G | -3.93    | 6.1413G  | -54.76     | -43.93     | -10.83     | 1    |
| 6.0033G | -3.85    | 6.1441G  | -54.26     | -43.85     | -10.41     | 2    |
| 5.9909G | -3.48    | 6.1811G  | -53.70     | -43.48     | -10.22     | 3    |
| 6.0006G | -3.22    | 6.1732G  | -51.67     | -43.22     | -8.45      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 8\_4TX

MASK

6025MHz\_TX

15/04/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.08199G | -0.88    | 6.2678G  | -46.61     | -39.73     | -6.88      | 1    |
| 6.08179G | -0.95    | 6.2742G  | -46.73     | -40.72     | -6.01      | 2    |
| 6.08259G | -1.68    | 6.274G   | -44.54     | -41.42     | -3.12      | 3    |
| 6.08139G | -1.62    | 6.3384G  | -43.67     | -41.62     | -2.05      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

MASK

6025MHz\_TX

15/04/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.09938G | -0.17    | 6.283G   | -46.81     | -40.17     | -6.64      | 1    |
| 6.10138G | -0.16    | 6.2898G  | -46.25     | -40.16     | -6.09      | 2    |
| 6.10038G | -0.82    | 6.2944G  | -44.38     | -40.82     | -3.56      | 3    |
| 6.08818G | -1.07    | 6.3354G  | -43.28     | -41.07     | -2.21      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 3\_4TX

MASK

6105MHz\_TX

15/04/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.0922G  | -0.20    | 6.5402G  | -36.18     | -35.94     | -0.24      | 1    |
| 6.13859G | 0.30     | 6.587G   | -41.26     | -39.04     | -2.22      | 2    |
| 6.1106G  | 0.04     | 6.4938G  | -34.28     | -28.79     | -5.49      | 3    |
| 6.0986G  | 0.55     | 6.4906G  | -33.06     | -31.20     | -1.86      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

MASK

6105MHz\_TX

15/04/2026




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 3\_4TX

MASK

6105MHz\_TX

15/04/2026




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP\_4\_TX

MASK

6905MHz\_TX

15/04/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.76304G | -4.54    | 7.461G   | -52.36     | -44.54     | -7.82      | 1    |
| 6.75464G | -4.11    | 7.4538G  | -52.57     | -44.11     | -8.46      | 2    |
| 6.78183G | -4.58    | 6.3858G  | -52.17     | -44.58     | -7.59      | 3    |
| 6.75584G | -4.64    | 6.4042G  | -45.02     | -44.64     | -0.38      | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP\_3\_4\_TX

MASK

6905MHz\_TX

15/04/2026



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.76424G | -3.57    | 6.4002G  | -53.43     | -43.57     | -9.86      | 1    |
| 6.77903G | -3.91    | 6.3982G  | -53.38     | -43.91     | -9.47      | 2    |
| 6.80622G | -3.62    | 6.3978G  | -51.33     | -43.62     | -7.71      | 3    |
| 6.77183G | -3.81    | 6.4058G  | -43.84     | -43.73     | -0.11      | 4    |


6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP\_9\_4TX

MASK

6905MHz\_TX

15/04/2026

CF (Hz)  
6.905G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.85821G | -3.66    | 6.4042G  | -54.64     | -43.51     | -11.13     | 1    |
| 6.85861G | -4.18    | 6.4054G  | -54.87     | -44.18     | -10.69     | 2    |
| 6.88261G | -3.91    | 6.4038G  | -54.14     | -43.91     | -10.23     | 3    |
| 6.87421G | -3.77    | 6.445G   | -44.18     | -40.87     | -3.31      | 4    |


6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP\_3\_4TX

MASK

7025MHz\_TX

15/04/2026

CF (Hz)  
7.025G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.04699G | -4.65    | 6.8918G  | -54.05     | -44.65     | -9.40      | 1    |
| 7.05249G | -4.57    | 6.8836G  | -53.84     | -44.57     | -9.27      | 2    |
| 6.98871G | -4.31    | 6.8925G  | -53.76     | -44.31     | -9.45      | 3    |
| 6.99331G | -4.64    | 6.8603G  | -52.14     | -44.64     | -7.50      | 4    |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 1\_4TX

MASK

6985MHz\_TX

15/04/2026




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.96321G | -0.34    | 6.7362G  | -40.41     | -39.96     | -0.45      | 1    |
| 7.05238G | -0.62    | 6.7312G  | -43.39     | -40.62     | -2.77      | 2    |
| 7.06058G | 0.58     | 7.241G   | -42.57     | -39.42     | -3.15      | 3    |
| 6.95701G | -0.55    | 6.6744G  | -41.57     | -40.55     | -1.02      | 4    |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 2\_4TX

MASK

6985MHz\_TX

15/04/2026



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.92761G | -2.93    | 6.7026G  | -47.46     | -42.93     | -4.53      | 1    |
| 6.93241G | -2.57    | 6.6978G  | -48.29     | -42.57     | -5.72      | 2    |
| 6.94161G | -3.42    | 6.7034G  | -47.42     | -43.42     | -4.00      | 3    |
| 6.93561G | -2.81    | 6.6456G  | -43.66     | -42.81     | -0.85      | 4    |

| Contention Based Protocol Threshold Level 802.11be EHT20 |         |                 |                 |                              |      |            |                           |                |                      |                       |
|----------------------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                                        | 53      | 20              | 6215            | Center                       | 6215 | OFF        | -66.94                    | 2.06           | -69.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -67.94                    | 2.06           | -70.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
| 6                                                        | 101     | 20              | 6455            | Center                       | 6455 | OFF        | -69.94                    | 2.06           | -72.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -70.94                    | 2.06           | -73.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
| 7                                                        | 149     | 20              | 6695            | Center                       | 6695 | OFF        | -65.94                    | 2.06           | -68.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -66.94                    | 2.06           | -69.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
| 8                                                        | 213     | 20              | 7015            | Center                       | 7015 | OFF        | -64.94                    | 2.06           | -67.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -65.94                    | 2.06           | -68.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |

| Contention Based Protocol Threshold Level 802.11be EHT320 |         |                 |                 |                              |      |            |                           |                |                      |                       |
|-----------------------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                                         | 31      | 320             | 6105            | Low edge                     | 5950 | OFF        | -69.94                    | 2.06           | -72.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -70.94                    | 2.06           | -73.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6105 | OFF        | -68.94                    | 2.06           | -71.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -69.94                    | 2.06           | -72.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6260 | OFF        | -67.94                    | 2.06           | -70.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -68.94                    | 2.06           | -71.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
| 5/6/7                                                     | 95      | 320             | 6425            | Low edge                     | 6270 | OFF        | -64.94                    | 2.06           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -65.94                    | 2.06           | -68.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6425 | OFF        | -63.94                    | 2.06           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -64.94                    | 2.06           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6580 | OFF        | -63.94                    | 2.06           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -64.94                    | 2.06           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
| 7/8                                                       | 159     | 320             | 6745            | Low edge                     | 6590 | OFF        | -63.94                    | 2.06           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -64.94                    | 2.06           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6745 | OFF        | -64.94                    | 2.06           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -65.94                    | 2.06           | -68.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6900 | OFF        | -64.94                    | 2.06           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -65.94                    | 2.06           | -68.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
| 7/8                                                       | 191     | 320             | 6905            | Low edge                     | 6750 | OFF        | -59.94                    | 2.06           | -62.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -60.94                    | 2.06           | -63.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6905 | OFF        | -63.94                    | 2.06           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -64.94                    | 2.06           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 7060 | OFF        | -64.94                    | 2.06           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -65.94                    | 2.06           | -68.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -79.94                    | 2.06           | -82.00               | ≤ -62                 |


| Contention Based protocol 802.11be EHT20 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                        | 53      | 20              | 6215            | Center                       | 6215 | -69.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 6                                        | 101     | 20              | 6455            | Center                       | 6455 | -72.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 7                                        | 149     | 20              | 6695            | Center                       | 6695 | -68.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 8                                        | 213     | 20              | 7015            | Center                       | 7015 | -67.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |

| Contention Based protocol 802.11be EHT320 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                         | 31      | 320             | 6105            | Low edge                     | 5950 | -72.00                     | OFF        | 10                                   | 100                       | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6105 | -71.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6260 | -70.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 5/6/7                                     | 95      | 320             | 6425            | Low edge                     | 6270 | -67.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6425 | -66.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6580 | -66.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 7/8                                       | 159     | 320             | 6745            | Low edge                     | 6590 | -66.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6745 | -67.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6900 | -67.00                     | OFF        | 10                                   | 100                       | 90        | PASS        |
| 7/8                                       | 191     | 320             | 6905            | Low edge                     | 6750 | -62.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6905 | -66.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 7060 | -67.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |

## Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 17.APR.2026 14:36:01

Frequency (MHz): 6455 MHz




Date: 17.APR.2026 14:35:33

## Frequency (MHz): 6695 MHz



Date: 17.APR.2026 14:35:02


## Frequency (MHz): 7015 MHz



Date: 17.APR.2026 14:34:27


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 17.APR.2026 14:36:47

Frequency (MHz): 6105 MHz




Date: 17.APR.2026 14:37:15

## Frequency (MHz): 6260 MHz




Date: 17.APR.2026 14:37:40

## Frequency (MHz): 6270 MHz




Date: 17.APR.2026 14:38:24

## Frequency (MHz): 6425 MHz




Date: 17.APR.2026 14:38:47

## Frequency (MHz): 6580 MHz




Date: 17.APR.2026 14:39:14

## Frequency (MHz): 6590 MHz




Date: 17.APR.2026 14:39:48

## Frequency (MHz): 6745 MHz




Date: 17.APR.2026 14:40:15

## Frequency (MHz): 6750 MHz




Date: 17.APR.2026 14:41:49

## Frequency (MHz): 6900 MHz




Date: 17.APR.2026 14:40:45

## Frequency (MHz): 6905 MHz




## Frequency (MHz): 7060 MHz



## Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal


## Test CH 149 ; Incumbent signal 6695 MHz



Date: 15.APR.2026 21:39:30

Note : M1 : Inject AWGN signal

## Test CH 213 ; Incumbent signal 7015 MHz




Date: 15.APR.2026 22:13:39

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 9 APR 2026 02:07:28

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 9 APR 2026 02:13:48

Note : M1 : Inject AWGN signal


## Test CH 31 ; Incumbent signal 6260 MHz



Date: 9.APR.2026 02:35:10

Note : M1 : Inject AWGN signal


## Test CH 95 ; Incumbent signal 6270 MHz



Date: 15.APR.2026 00:53:54

Note : M1 : Inject AWGN signal


## Test CH 95 ; Incumbent signal 6425 MHz



Date: 15.APR.2026 02:13:54

Note : M1 : Inject AWGN signal


## Test CH 95 ; Incumbent signal 6580 MHz



Date: 15.APR.2026 22:49:54

Note : M1 : Inject AWGN signal


## Test CH 159 ; Incumbent signal 6590 MHz



Date: 15.APR.2026 23:55:04

Note : M1 : Inject AWGN signal


## Test CH 159 ; Incumbent signal 6745 MHz



Date: 16.APR.2026 00:23:56

Note : M1 : Inject AWGN signal


## Test CH 159 ; Incumbent signal 6900 MHz



Date: 16.APR.2026 00:47:11

Note : M1 : Inject AWGN signal


## Test CH 191 ; Incumbent signal 6750 MHz



Date: 16.APR.2026 01:09:43

Note : M1 : Inject AWGN signal


## Test CH 191 ; Incumbent signal 6905 MHz



Date: 16.APR.2026 01:11:30

Note : M1 : Inject AWGN signal

## Test CH 191 ; Incumbent signal 7060 MHz



Date: 16.APR.2026 01:37:30

Note : M1 : Inject AWGN signal