


5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 18.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3104G	115.82	Inf	-Inf	107.34	3	Horizontal	14	2.87	-	33.90	5.39	30.81			
AV	5.3108G	103.45	Inf	-Inf	94.97	3	Horizontal	14	2.87	-	33.90	5.39	30.81			
PK	5.3512G	71.12	74.00	-2.88	62.66	3	Horizontal	14	2.87	-	33.90	5.40	30.84			
AV	5.35G	53.07	54.00	-0.93	44.61	3	Horizontal	14	2.87	-	33.90	5.40	30.84			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 18.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61758G	60.08	74.00	-13.92	43.66	3	Vertical	39	1.99	-	39.80	10.15	33.53			
AV	10.61709G	47.13	54.00	-6.87	30.71	3	Vertical	39	1.99	-	39.80	10.15	33.53			
PK	15.93386G	58.87	74.00	-15.13	42.43	3	Vertical	105	1.03	-	37.56	12.64	33.76			
AV	15.92718G	46.09	54.00	-7.91	29.62	3	Vertical	105	1.03	-	37.59	12.64	33.76			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 18.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61656G	59.61	74.00	-14.39	43.19	3	Horizontal	54	2.33	-	39.80	10.15	33.53			
AV	10.62039G	47.06	54.00	-6.94	30.64	3	Horizontal	54	2.33	-	39.80	10.15	33.53			
PK	15.93149G	58.41	74.00	-15.59	41.96	3	Horizontal	162	1.37	-	37.57	12.64	33.76			
AV	15.93377G	46.14	54.00	-7.86	29.70	3	Horizontal	162	1.37	-	37.56	12.64	33.76			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	62.86	74.00	-11.14	54.31	3	Vertical	357	1.59	-	34.02	5.46	30.93			
AV	5.4596G	50.06	54.00	-3.94	41.51	3	Vertical	357	1.59	-	34.02	5.46	30.93			
PK	5.4684G	66.35	68.20	-1.85	57.78	3	Vertical	357	1.59	-	34.04	5.46	30.93			
PK	5.509G	113.32	Inf	-Inf	104.70	3	Vertical	357	1.59	-	34.08	5.50	30.96			
AV	5.5086G	100.05	Inf	-Inf	91.43	3	Vertical	357	1.59	-	34.08	5.50	30.96			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	61.48	74.00	-12.52	52.93	3	Horizontal	19	2.84	-	34.02	5.46	30.93			
AV	5.46G	48.34	54.00	-5.66	39.79	3	Horizontal	19	2.84	-	34.02	5.46	30.93			
PK	5.4696G	62.93	68.20	-5.27	54.36	3	Horizontal	19	2.84	-	34.04	5.47	30.94			
PK	5.5094G	112.21	Inf	-Inf	103.59	3	Horizontal	19	2.84	-	34.08	5.50	30.96			
AV	5.5088G	99.31	Inf	-Inf	90.69	3	Horizontal	19	2.84	-	34.08	5.50	30.96			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 16.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01884G	58.83	74.00	-15.17	41.86	3	Vertical	44	1.92	-	40.12	10.34	33.49			
AV	11.01663G	46.41	54.00	-7.59	29.43	3	Vertical	44	1.92	-	40.13	10.34	33.49			
PK	16.52998G	61.00	68.20	-7.20	42.19	3	Vertical	35	1.93	-	39.70	12.91	33.80			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 16.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01864G	58.66	74.00	-15.34	41.68	3	Horizontal	67	2.17	-	40.13	10.34	33.49			
AV	11.01711G	46.41	54.00	-7.59	29.43	3	Horizontal	67	2.17	-	40.13	10.34	33.49			
PK	16.53201G	60.98	68.20	-7.22	42.17	3	Horizontal	233	1.50	-	39.70	12.91	33.80			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 18.5
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	65.56	74.00	-8.44	58.55	3	Vertical	356	1.66	-	31.72	7.13	31.84			
AV	5.4579G	52.06	54.00	-1.94	45.05	3	Vertical	356	1.66	-	31.72	7.13	31.84			
PK	5.4699G	66.31	68.20	-1.89	59.27	3	Vertical	356	1.66	-	31.74	7.14	31.84			
PK	5.5476G	112.43	Inf	-Inf	105.29	3	Vertical	356	1.66	-	31.80	7.19	31.85			
AV	5.5485G	102.45	Inf	-Inf	95.31	3	Vertical	356	1.66	-	31.80	7.19	31.85			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 18.5
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4567G	66.64	74.00	-7.36	59.64	3	Horizontal	15	1.00	-	31.71	7.13	31.84			
AV	5.4573G	52.35	54.00	-1.65	45.35	3	Horizontal	15	1.00	-	31.71	7.13	31.84			
PK	5.4663G	67.89	68.20	-0.31	60.87	3	Horizontal	15	1.00	-	31.73	7.13	31.84			
PK	5.5455G	114.10	Inf	-Inf	106.96	3	Horizontal	15	1.00	-	31.80	7.18	31.84			
AV	5.5464G	102.33	Inf	-Inf	95.18	3	Horizontal	15	1.00	-	31.80	7.19	31.84			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 18.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10094G	59.42	74.00	-14.58	42.78	3	Vertical	86	1.63	-	39.79	10.38	33.53			
AV	11.10014G	47.07	54.00	-6.93	30.42	3	Vertical	86	1.63	-	39.80	10.38	33.53			
PK	16.6496G	60.87	68.20	-7.33	42.09	3	Vertical	9	1.57	-	39.70	12.96	33.88			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 18.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09673G	59.97	74.00	-14.03	43.31	3	Horizontal	291	2.40	-	39.81	10.38	33.53			
AV	11.09574G	47.00	54.00	-7.00	30.33	3	Horizontal	291	2.40	-	39.82	10.38	33.53			
PK	16.65361G	61.17	68.20	-7.03	42.39	3	Horizontal	18	1.06	-	39.70	12.96	33.88			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6668G	110.75	Inf	-Inf	102.20	3	Vertical	353	1.66	-	34.00	5.59	31.04			
AV	5.6684G	98.20	Inf	-Inf	89.65	3	Vertical	353	1.66	-	34.00	5.59	31.04			
PK	5.7276G	66.78	68.20	-1.42	58.23	3	Vertical	353	1.66	-	34.00	5.61	31.06			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6686G	109.92	Inf	-Inf	101.37	3	Horizontal	9	2.85	-	34.00	5.59	31.04			
AV	5.669G	97.77	Inf	-Inf	89.22	3	Horizontal	9	2.85	-	34.00	5.59	31.04			
PK	5.727G	64.88	68.20	-3.32	56.33	3	Horizontal	9	2.85	-	34.00	5.61	31.06			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 16.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34053G	60.11	74.00	-13.89	43.61	3	Vertical	237	1.61	-	39.66	10.50	33.66			
AV	11.34479G	47.67	54.00	-6.33	31.16	3	Vertical	237	1.61	-	39.68	10.50	33.67			
PK	17.01205G	62.88	68.20	-5.32	43.51	3	Vertical	165	1.66	-	40.35	13.13	34.11			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 16.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34276G	60.17	74.00	-13.83	43.67	3	Horizontal	296	1.83	-	39.67	10.50	33.67			
AV	11.34448G	47.68	54.00	-6.32	31.17	3	Horizontal	296	1.83	-	39.68	10.50	33.67			
PK	17.00707G	62.71	68.20	-5.49	43.37	3	Horizontal	203	1.46	-	40.33	13.12	34.11			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 19
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7084G	114.21	Inf	-Inf	106.70	3	Vertical	360	1.59	-	32.10	7.31	31.90			
AV	5.708G	102.40	Inf	-Inf	94.89	3	Vertical	360	1.59	-	32.10	7.31	31.90			
PK	5.8568G	68.04	68.20	-0.16	60.34	3	Vertical	360	1.59	-	32.23	7.41	31.94			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 19
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7112G	112.69	Inf	-Inf	105.18	3	Horizontal	15	2.04	-	32.10	7.31	31.90			
AV	5.7116G	101.61	Inf	-Inf	94.10	3	Horizontal	15	2.04	-	32.10	7.31	31.90			
PK	5.85G	68.02	68.20	-0.18	60.35	3	Horizontal	15	2.04	-	32.20	7.41	31.94			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_X_2TX
Setting 19
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41672G	59.95	74.00	-14.05	43.33	3	Vertical	138	1.55	-	39.80	10.53	33.71			
AV	11.41614G	47.29	54.00	-6.71	30.66	3	Vertical	138	1.55	-	39.80	10.53	33.70			
PK	17.13095G	61.88	68.20	-6.32	42.26	3	Vertical	120	2.11	-	40.46	13.18	34.02			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_X_2TX
Setting 19
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42095G	60.49	74.00	-13.51	43.87	3	Horizontal	135	1.30	-	39.80	10.53	33.71			
AV	11.41506G	47.31	54.00	-6.69	30.68	3	Horizontal	135	1.30	-	39.80	10.53	33.70			
PK	17.13248G	62.25	68.20	-5.95	42.63	3	Horizontal	75	2.30	-	40.46	13.18	34.02			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
Setting 17
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	64.05	68.20	-4.15	55.50	3	Vertical	0	1.05	-	34.00	5.58	31.03			
PK	5.7575G	110.57	Inf	-Inf	102.01	3	Vertical	0	1.05	-	34.02	5.62	31.08			
AV	5.757G	98.89	Inf	-Inf	90.34	3	Vertical	0	1.05	-	34.01	5.62	31.08			
PK	5.985G	60.14	68.20	-8.06	51.22	3	Vertical	0	1.05	-	34.27	5.83	31.18			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
Setting 17
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6275G	64.67	68.20	-3.53	56.11	3	Horizontal	68	1.46	-	34.00	5.58	31.02			
PK	5.758G	111.48	Inf	-Inf	102.92	3	Horizontal	68	1.46	-	34.02	5.62	31.08			
AV	5.7575G	99.20	Inf	-Inf	90.64	3	Horizontal	68	1.46	-	34.02	5.62	31.08			
PK	5.9475G	60.60	68.20	-7.60	51.78	3	Horizontal	68	1.46	-	34.20	5.79	31.17			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_X_2TX
Setting 17
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5126G	59.46	74.00	-14.54	42.73	3	Vertical	274	2.98	-	39.90	10.58	33.75			
AV	11.50577G	46.96	54.00	-7.04	30.23	3	Vertical	274	2.98	-	39.90	10.58	33.75			
PK	17.26871G	63.32	68.20	-4.88	42.93	3	Vertical	111	2.50	-	41.07	13.24	33.92			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_X_2TX
Setting 17
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50934G	59.52	74.00	-14.48	42.79	3	Horizontal	99	2.96	-	39.90	10.58	33.75			
AV	11.50558G	46.96	54.00	-7.04	30.23	3	Horizontal	99	2.96	-	39.90	10.58	33.75			
PK	17.26683G	63.15	68.20	-5.05	42.76	3	Horizontal	9	1.89	-	41.07	13.24	33.92			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
Setting 17.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	67.63	68.20	-0.57	59.08	3	Vertical	360	1.51	-	34.00	5.58	31.03			
PK	5.791G	112.86	Inf	-Inf	104.24	3	Vertical	360	1.51	-	34.08	5.63	31.09			
AV	5.7925G	100.24	Inf	-Inf	91.61	3	Vertical	360	1.51	-	34.09	5.63	31.09			
PK	5.9805G	60.32	68.20	-7.88	51.41	3	Vertical	360	1.51	-	34.26	5.83	31.18			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
Setting 17.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	66.32	68.20	-1.88	57.77	3	Horizontal	12	2.72	-	34.00	5.58	31.03			
PK	5.7925G	112.29	Inf	-Inf	103.66	3	Horizontal	12	2.72	-	34.09	5.63	31.09			
AV	5.793G	100.30	Inf	-Inf	91.67	3	Horizontal	12	2.72	-	34.09	5.63	31.09			
PK	6.023G	60.51	68.20	-7.69	51.55	3	Horizontal	12	2.72	-	34.30	5.86	31.20			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
Setting 17.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59256G	59.64	74.00	-14.36	43.07	3	Vertical	341	1.47	-	39.73	10.62	33.78			
AV	11.58724G	47.39	54.00	-6.61	30.81	3	Vertical	341	1.47	-	39.75	10.61	33.78			
PK	17.38636G	64.73	68.20	-3.47	43.31	3	Vertical	124	1.09	-	41.96	13.29	33.83			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
Setting 17.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59104G	60.34	74.00	-13.66	43.76	3	Horizontal	133	2.72	-	39.74	10.62	33.78			
AV	11.58694G	47.39	54.00	-6.61	30.81	3	Horizontal	133	2.72	-	39.75	10.61	33.78			
PK	17.3868G	64.98	68.20	-3.22	43.55	3	Horizontal	123	1.51	-	41.97	13.29	33.83			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_X_2TX
Setting 17.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	66.12	74.00	-7.88	57.89	3	Vertical	351	1.47	-	33.60	5.31	30.68			
AV	5.149G	53.49	54.00	-0.51	45.26	3	Vertical	351	1.47	-	33.60	5.31	30.68			
PK	5.2085G	110.89	Inf	-Inf	102.53	3	Vertical	351	1.47	-	33.72	5.37	30.73			
AV	5.2085G	99.42	Inf	-Inf	91.06	3	Vertical	351	1.47	-	33.72	5.37	30.73			
PK	5.3625G	59.91	74.00	-14.09	51.44	3	Vertical	351	1.47	-	33.92	5.40	30.85			
AV	5.401G	47.34	54.00	-6.66	38.81	3	Vertical	351	1.47	-	34.00	5.41	30.88			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_X_2TX
Setting 17.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.59	74.00	-9.41	56.35	3	Horizontal	12	2.84	-	33.60	5.32	30.68			
AV	5.15G	52.65	54.00	-1.35	44.41	3	Horizontal	12	2.84	-	33.60	5.32	30.68			
PK	5.2115G	111.12	Inf	-Inf	102.76	3	Horizontal	12	2.84	-	33.72	5.37	30.73			
AV	5.2105G	99.87	Inf	-Inf	91.51	3	Horizontal	12	2.84	-	33.72	5.37	30.73			
PK	5.3705G	60.37	74.00	-13.63	51.89	3	Horizontal	12	2.84	-	33.94	5.40	30.86			
AV	5.4015G	47.49	54.00	-6.51	38.96	3	Horizontal	12	2.84	-	34.00	5.41	30.88			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_X_2TX
Setting 17.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42248G	58.19	68.20	-10.01	42.04	3	Vertical	204	1.66	-	39.64	10.06	33.55			
PK	15.62502G	58.57	74.00	-15.43	42.08	3	Vertical	99	2.44	-	37.75	12.49	33.75			
AV	15.62573G	46.66	54.00	-7.34	30.18	3	Vertical	99	2.44	-	37.74	12.49	33.75			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_X_2TX
Setting 17.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41637G	58.48	68.20	-9.72	42.34	3	Horizontal	172	1.08	-	39.63	10.06	33.55			
PK	15.63206G	58.38	74.00	-15.62	41.95	3	Horizontal	341	2.54	-	37.68	12.50	33.75			
AV	15.63086G	46.76	54.00	-7.24	30.33	3	Horizontal	341	2.54	-	37.69	12.49	33.75			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 18
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	59.78	74.00	-14.22	51.54	3	Vertical	0	1.44	-	33.60	5.32	30.68			
AV	5.1475G	47.40	54.00	-6.60	39.17	3	Vertical	0	1.44	-	33.60	5.31	30.68			
PK	5.2875G	110.66	Inf	-Inf	102.19	3	Vertical	0	1.44	-	33.87	5.39	30.79			
AV	5.288G	97.77	Inf	-Inf	89.29	3	Vertical	0	1.44	-	33.88	5.39	30.79			
PK	5.356G	68.30	74.00	-5.70	59.83	3	Vertical	0	1.44	-	33.91	5.40	30.84			
AV	5.357G	53.64	54.00	-0.36	45.18	3	Vertical	0	1.44	-	33.91	5.40	30.85			
PK	5.5225G	59.62	68.20	-8.58	51.03	3	Vertical	0	1.44	-	34.05	5.51	30.97			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 18
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1225G	59.61	74.00	-14.39	51.39	3	Horizontal	15	1.13	-	33.60	5.28	30.66			
AV	5.105G	47.48	54.00	-6.52	39.25	3	Horizontal	15	1.13	-	33.60	5.27	30.64			
PK	5.289G	110.67	Inf	-Inf	102.19	3	Horizontal	15	1.13	-	33.88	5.39	30.79			
AV	5.2885G	99.05	Inf	-Inf	90.57	3	Horizontal	15	1.13	-	33.88	5.39	30.79			
PK	5.3575G	68.96	74.00	-5.04	60.50	3	Horizontal	15	1.13	-	33.91	5.40	30.85			
AV	5.3585G	53.58	54.00	-0.42	45.11	3	Horizontal	15	1.13	-	33.92	5.40	30.85			
PK	5.5325G	60.13	68.20	-8.07	51.55	3	Horizontal	15	1.13	-	34.03	5.52	30.97			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 18
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58347G	59.87	68.20	-8.33	43.49	3	Vertical	269	1.52	-	39.77	10.14	33.53			
PK	15.86931G	59.05	74.00	-14.95	42.55	3	Vertical	9	2.12	-	37.64	12.61	33.75			
AV	15.86989G	46.80	54.00	-7.20	30.30	3	Vertical	9	2.12	-	37.64	12.61	33.75			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 18
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57654G	59.24	68.20	-8.96	42.89	3	Horizontal	331	1.31	-	39.75	10.13	33.53			
PK	15.87468G	58.74	74.00	-15.26	42.23	3	Horizontal	140	1.19	-	37.65	12.61	33.75			
AV	15.87285G	46.75	54.00	-7.25	30.24	3	Horizontal	140	1.19	-	37.65	12.61	33.75			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.28G	60.78	68.20	-7.42	52.31	3	Vertical	360	1.47	-	33.86	5.39	30.78			
AV	5.35G	46.64	54.00	-7.36	38.18	3	Vertical	360	1.47	-	33.90	5.40	30.84			
PK	5.4585G	65.81	74.00	-8.19	57.26	3	Vertical	360	1.47	-	34.02	5.46	30.93			
AV	5.46G	53.34	54.00	-0.66	44.79	3	Vertical	360	1.47	-	34.02	5.46	30.93			
PK	5.469G	66.17	68.20	-2.03	57.60	3	Vertical	360	1.47	-	34.04	5.47	30.94			
PK	5.5275G	109.71	Inf	-Inf	101.12	3	Vertical	360	1.47	-	34.05	5.51	30.97			
AV	5.5275G	98.02	Inf	-Inf	89.43	3	Vertical	360	1.47	-	34.05	5.51	30.97			
PK	5.7335G	60.27	68.20	-7.93	51.73	3	Vertical	360	1.47	-	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.28G	60.84	68.20	-7.36	52.37	3	Horizontal	15	2.83	-	33.86	5.39	30.78			
AV	5.35G	46.75	54.00	-7.25	38.29	3	Horizontal	15	2.83	-	33.90	5.40	30.84			
PK	5.451G	62.95	74.00	-11.05	54.42	3	Horizontal	15	2.83	-	34.00	5.45	30.92			
AV	5.46G	51.40	54.00	-2.60	42.85	3	Horizontal	15	2.83	-	34.02	5.46	30.93			
PK	5.4695G	65.17	68.20	-3.03	56.60	3	Horizontal	15	2.83	-	34.04	5.47	30.94			
PK	5.529G	109.30	Inf	-Inf	100.72	3	Horizontal	15	2.83	-	34.04	5.51	30.97			
AV	5.529G	97.15	Inf	-Inf	88.57	3	Horizontal	15	2.83	-	34.04	5.51	30.97			
PK	5.754G	59.91	68.20	-8.29	51.36	3	Horizontal	15	2.83	-	34.01	5.62	31.08			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 16.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06033G	59.53	74.00	-14.47	42.72	3	Vertical	205	2.45	-	39.96	10.36	33.51			
AV	11.0646G	47.15	54.00	-6.85	30.35	3	Vertical	205	2.45	-	39.94	10.37	33.51			
PK	16.59468G	60.65	68.20	-7.55	42.03	3	Vertical	112	1.56	-	39.52	12.94	33.84			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 16.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.063G	58.89	74.00	-15.11	42.09	3	Horizontal	143	2.46	-	39.95	10.36	33.51			
AV	11.0625G	47.14	54.00	-6.86	30.34	3	Horizontal	143	2.46	-	39.95	10.36	33.51			
PK	16.58503G	60.38	68.20	-7.82	41.73	3	Horizontal	93	2.53	-	39.56	12.93	33.84			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 18.5
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	62.95	74.00	-11.05	55.94	3	Vertical	0	1.68	-	31.72	7.13	31.84			
AV	5.458G	50.16	54.00	-3.84	43.15	3	Vertical	0	1.68	-	31.72	7.13	31.84			
PK	5.468G	64.37	68.20	-3.83	57.34	3	Vertical	0	1.68	-	31.74	7.13	31.84			
PK	5.6092G	109.93	Inf	-Inf	102.82	3	Vertical	0	1.68	-	31.74	7.23	31.86			
AV	5.6084G	99.52	Inf	-Inf	92.42	3	Vertical	0	1.68	-	31.73	7.23	31.86			
PK	5.7276G	68.03	68.20	-0.17	60.50	3	Vertical	0	1.68	-	32.10	7.33	31.90			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 18.5
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	60.98	74.00	-13.02	53.97	3	Horizontal	14	1.00	-	31.72	7.13	31.84			
AV	5.4568G	49.75	54.00	-4.25	42.75	3	Horizontal	14	1.00	-	31.71	7.13	31.84			
PK	5.4656G	61.19	68.20	-7.01	54.17	3	Horizontal	14	1.00	-	31.73	7.13	31.84			
PK	5.614G	110.26	Inf	-Inf	103.14	3	Horizontal	14	1.00	-	31.76	7.23	31.87			
AV	5.6052G	98.96	Inf	-Inf	91.88	3	Horizontal	14	1.00	-	31.72	7.22	31.86			
PK	5.7252G	67.83	68.20	-0.37	60.30	3	Horizontal	14	1.00	-	32.10	7.33	31.90			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 18.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22282G	59.75	74.00	-14.25	43.46	3	Vertical	293	1.98	-	39.45	10.44	33.60			
AV	11.22236G	46.98	54.00	-7.02	30.70	3	Vertical	293	1.98	-	39.44	10.44	33.60			
PK	16.82892G	63.80	68.20	-4.40	44.03	3	Vertical	173	1.03	-	40.73	13.04	34.00			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 18.5
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2155G	59.13	74.00	-14.87	42.86	3	Horizontal	82	2.18	-	39.43	10.44	33.60			
AV	11.22479G	46.86	54.00	-7.14	30.57	3	Horizontal	82	2.18	-	39.45	10.44	33.60			
PK	16.82531G	64.18	68.20	-4.02	44.44	3	Horizontal	92	2.40	-	40.70	13.04	34.00			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 19
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4545G	63.88	74.00	-10.12	56.88	3	Vertical	-0.1	1.64	-	31.71	7.13	31.84			
AV	5.4535G	51.03	54.00	-2.97	44.04	3	Vertical	-0.1	1.64	-	31.71	7.12	31.84			
PK	5.4665G	62.92	68.20	-5.28	55.90	3	Vertical	-0.1	1.64	-	31.73	7.13	31.84			
PK	5.6875G	111.15	Inf	-Inf	103.70	3	Vertical	-0.1	1.64	-	32.05	7.29	31.89			
AV	5.688G	99.73	Inf	-Inf	92.28	3	Vertical	-0.1	1.64	-	32.05	7.29	31.89			
PK	5.8515G	64.59	68.20	-3.61	56.91	3	Vertical	-0.1	1.64	-	32.21	7.41	31.94			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 19
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4555G	64.68	74.00	-9.32	57.68	3	Horizontal	16	1.00	-	31.71	7.13	31.84			
PK	5.4615G	65.48	68.20	-2.72	58.47	3	Horizontal	16	1.00	-	31.72	7.13	31.84			
AV	5.46G	52.38	54.00	-1.62	45.37	3	Horizontal	16	1.00	-	31.72	7.13	31.84			
PK	5.685G	110.22	Inf	-Inf	102.78	3	Horizontal	16	1.00	-	32.04	7.29	31.89			
AV	5.6855G	100.40	Inf	-Inf	92.96	3	Horizontal	16	1.00	-	32.04	7.29	31.89			
PK	5.852G	66.02	68.20	-2.18	58.34	3	Horizontal	16	1.00	-	32.21	7.41	31.94			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 19
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37695G	60.87	74.00	-13.13	44.29	3	Vertical	87	2.88	-	39.75	10.51	33.68			
AV	11.38357G	48.19	54.00	-5.81	31.59	3	Vertical	87	2.88	-	39.77	10.52	33.69			
PK	17.07054G	62.84	68.20	-5.36	43.30	3	Vertical	159	2.69	-	40.46	13.15	34.07			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 19
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37838G	60.92	74.00	-13.08	44.33	3	Horizontal	21	1.38	-	39.76	10.51	33.68			
AV	11.38304G	48.18	54.00	-5.82	31.58	3	Horizontal	21	1.38	-	39.77	10.52	33.69			
PK	17.06663G	62.34	68.20	-5.86	42.79	3	Horizontal	70	2.67	-	40.47	13.15	34.07			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
Setting 17
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6465G	67.11	68.20	-1.09	58.56	3	Vertical	357	1.69	-	34.00	5.58	31.03			
PK	5.773G	108.30	Inf	-Inf	99.72	3	Vertical	357	1.69	-	34.05	5.62	31.09			
AV	5.773G	96.92	Inf	-Inf	88.34	3	Vertical	357	1.69	-	34.05	5.62	31.09			
PK	5.9885G	60.27	68.20	-7.93	51.33	3	Vertical	357	1.69	-	34.28	5.84	31.18			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
Setting 17
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	66.72	68.20	-1.48	58.17	3	Horizontal	11	1.05	-	34.00	5.58	31.03			
PK	5.78G	109.50	Inf	-Inf	100.91	3	Horizontal	11	1.05	-	34.06	5.62	31.09			
AV	5.7695G	97.33	Inf	-Inf	88.75	3	Horizontal	11	1.05	-	34.04	5.62	31.08			
PK	5.935G	60.05	68.20	-8.15	51.23	3	Horizontal	11	1.05	-	34.20	5.78	31.16			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_X_2TX
Setting 17
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54847G	60.14	74.00	-13.86	43.41	3	Vertical	284	1.46	-	39.90	10.60	33.77			
AV	11.55478G	47.91	54.00	-6.09	31.20	3	Vertical	284	1.46	-	39.88	10.60	33.77			
PK	17.3209G	65.59	68.20	-2.61	44.84	3	Vertical	297	2.16	-	41.37	13.26	33.88			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_X_2TX
Setting 17
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55102G	59.80	74.00	-14.20	43.07	3	Horizontal	320	1.56	-	39.90	10.60	33.77			
AV	11.55463G	47.85	54.00	-6.15	31.14	3	Horizontal	320	1.56	-	39.88	10.60	33.77			
PK	17.32888G	64.40	68.20	-3.80	43.58	3	Horizontal	268	2.03	-	41.43	13.27	33.88			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 15
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	62.87	74.00	-11.13	55.91	3	Vertical	44	1.79	-	31.96	6.91	31.91			
AV	5.1192G	51.16	54.00	-2.84	44.29	3	Vertical	44	1.79	-	31.88	6.90	31.91			
PK	5.238G	103.85	Inf	-Inf	97.30	3	Vertical	44	1.79	-	31.47	6.97	31.89			
AV	5.2482G	92.56	Inf	-Inf	86.06	3	Vertical	44	1.79	-	31.41	6.98	31.89			
PK	5.4246G	60.61	74.00	-13.39	53.75	3	Vertical	44	1.79	-	31.60	7.11	31.85			
AV	5.3676G	48.79	54.00	-5.21	42.14	3	Vertical	44	1.79	-	31.44	7.07	31.86			
PK	5.4858G	61.48	68.20	-6.72	54.39	3	Vertical	44	1.79	-	31.77	7.15	31.83			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 15
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1102G	65.21	74.00	-8.79	58.39	3	Horizontal	16	2.98	-	31.84	6.90	31.92			
AV	5.1204G	52.91	54.00	-1.09	46.04	3	Horizontal	16	2.98	-	31.88	6.90	31.91			
PK	5.2398G	106.01	Inf	-Inf	99.47	3	Horizontal	16	2.98	-	31.46	6.97	31.89			
AV	5.2404G	94.57	Inf	-Inf	88.03	3	Horizontal	16	2.98	-	31.46	6.97	31.89			
PK	5.3508G	61.12	74.00	-12.88	54.53	3	Horizontal	16	2.98	-	31.40	7.05	31.86			
AV	5.3592G	49.32	54.00	-4.68	42.70	3	Horizontal	16	2.98	-	31.42	7.06	31.86			
PK	5.4876G	61.17	68.20	-7.03	54.07	3	Horizontal	16	2.98	-	31.78	7.15	31.83			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 15
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49451G	59.23	68.20	-8.97	42.98	3	Vertical	42	2.06	-	39.70	10.09	33.54			
PK	15.74493G	59.46	74.00	-14.54	42.87	3	Vertical	97	2.77	-	37.79	12.55	33.75			
AV	15.73992G	47.60	54.00	-6.40	31.02	3	Vertical	97	2.77	-	37.78	12.55	33.75			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 15
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49814G	59.37	68.20	-8.83	43.11	3	Horizontal	32	1.41	-	39.70	10.10	33.54			
PK	15.7386G	59.38	74.00	-14.62	42.80	3	Horizontal	95	2.60	-	37.78	12.55	33.75			
AV	15.74022G	47.53	54.00	-6.47	30.95	3	Horizontal	95	2.60	-	37.78	12.55	33.75			

5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 16
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3498G	59.54	68.20	-8.66	52.95	3	Vertical	360	1.59	-	31.40	7.05	31.86			
PK	5.4488G	64.51	74.00	-9.49	57.53	3	Vertical	360	1.59	-	31.70	7.12	31.84			
PK	5.4602G	63.88	68.20	-4.32	56.87	3	Vertical	360	1.59	-	31.72	7.13	31.84			
AV	5.4584G	53.49	54.00	-0.51	46.48	3	Vertical	360	1.59	-	31.72	7.13	31.84			
PK	5.5676G	105.88	Inf	-Inf	98.77	3	Vertical	360	1.59	-	31.76	7.20	31.85			
AV	5.5676G	95.23	Inf	-Inf	88.12	3	Vertical	360	1.59	-	31.76	7.20	31.85			
PK	5.7254G	64.34	68.20	-3.86	56.81	3	Vertical	360	1.59	-	32.10	7.33	31.90			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 16
06-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.333G	59.12	68.20	-9.08	52.58	3	Horizontal	18	1.07	-	31.37	7.04	31.87			
PK	5.4584G	65.33	74.00	-8.67	58.32	3	Horizontal	18	1.07	-	31.72	7.13	31.84			
AV	5.4584G	53.75	54.00	-0.25	46.74	3	Horizontal	18	1.07	-	31.72	7.13	31.84			
PK	5.4686G	63.87	68.20	-4.33	56.84	3	Horizontal	18	1.07	-	31.74	7.13	31.84			
PK	5.5772G	106.09	Inf	-Inf	98.98	3	Horizontal	18	1.07	-	31.75	7.21	31.85			
AV	5.5664G	95.42	Inf	-Inf	88.30	3	Horizontal	18	1.07	-	31.77	7.20	31.85			
PK	5.726G	63.18	68.20	-5.02	55.65	3	Horizontal	18	1.07	-	32.10	7.33	31.90			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_X_2TX
Setting 16
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12734G	59.79	74.00	-14.21	43.30	3	Vertical	75	1.29	-	39.64	10.40	33.55			
AV	11.13217G	47.16	54.00	-6.84	30.70	3	Vertical	75	1.29	-	39.61	10.40	33.55			
PK	16.72392G	63.05	68.20	-5.15	44.14	3	Vertical	274	2.41	-	39.84	13.00	33.93			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX

EUT_X_2TX
Setting 16
06-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14003G	58.92	74.00	-15.08	42.52	3	Horizontal	218	2.79	-	39.56	10.40	33.56			
AV	11.12515G	47.08	54.00	-6.92	30.59	3	Horizontal	218	2.79	-	39.65	10.39	33.55			
PK	16.71669G	62.60	68.20	-5.60	43.74	3	Horizontal	149	2.04	-	39.80	12.99	33.93			




Radiated Emissions above 1GHz_Co-location Emission

Appendix F


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.2452G	29.96	54.00	-24.04	Vertical

Mode 1



Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.25455G	36.63	74.00	-37.37	-6.71	3	Horizontal	131	1.05	-	43.34	25.65	4.46	36.82		
AV	1.2535G	29.05	54.00	-24.95	-6.70	3	Horizontal	131	1.05	"Worst"	35.75	25.66	4.46	36.82		