


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT V\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.01552G | 55.04    | 74.00    | -18.96 | 39.88  | 3    | Horizontal | 267     | 2.87   | -       | 38.50 | 8.66 | 32.00 |  |  |  |
| AV   | 11.01536G | 42.29    | 54.00    | -11.71 | 27.13  | 3    | Horizontal | 267     | 2.87   | -       | 38.50 | 8.66 | 32.00 |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT V\_2TX  
Setting 20  
02-L-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4384G      | 66.57             | 74.00             | -7.43          | 57.46         | 3           | Vertical  | 186            | 2.06          | -       | 34.08      | 5.94       | 30.91      |  |  |  |
| PK   | 5.4684G      | 67.40             | 68.20             | -0.80          | 58.26         | 3           | Vertical  | 186            | 2.06          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| AV   | 5.4594G      | 52.06             | 54.00             | -1.94          | 42.93         | 3           | Vertical  | 186            | 2.06          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.5632G      | 118.07            | Inf               | -Inf           | 108.93        | 3           | Vertical  | 186            | 2.06          | -       | 34.07      | 6.06       | 30.99      |  |  |  |
| AV   | 5.553G       | 105.94            | Inf               | -Inf           | 96.78         | 3           | Vertical  | 186            | 2.06          | -       | 34.09      | 6.05       | 30.98      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT V\_2TX  
Setting 20  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.09544G    | 56.11             | 74.00             | -17.89         | 40.86         | 3           | Vertical  | 200            | 2.80          | -       | 38.59      | 8.68       | 32.02      |  |  |  |
| AV   | 11.10116G    | 42.64             | 54.00             | -11.36         | 27.37         | 3           | Vertical  | 200            | 2.80          | -       | 38.60      | 8.69       | 32.02      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT V\_2TX  
Setting 20  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.10342G    | 55.46             | 74.00             | -18.54         | 40.20         | 3           | Horizontal | 55             | 2.23          | -       | 38.60      | 8.69       | 32.03      |  |  |  |
| AV   | 11.10012G    | 42.53             | 54.00             | -11.47         | 27.26         | 3           | Horizontal | 55             | 2.23          | -       | 38.60      | 8.69       | 32.02      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT V\_2TX  
Setting 18  
02-L-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.673G       | 116.59            | Inf               | -Inf           | 107.58        | 3           | Vertical  | 180            | 2.44          | -       | 33.95      | 6.10       | 31.04      |  |  |  |
| AV   | 5.673G       | 104.71            | Inf               | -Inf           | 95.70         | 3           | Vertical  | 180            | 2.44          | -       | 33.95      | 6.10       | 31.04      |  |  |  |
| PK   | 5.727G       | 67.95             | 68.20             | -0.25          | 58.91         | 3           | Vertical  | 180            | 2.44          | -       | 34.00      | 6.10       | 31.06      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT V\_2TX  
Setting 18  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.34054G    | 55.18             | 74.00             | -18.82         | 39.92         | 3           | Vertical  | 0              | 1.14          | -       | 38.60      | 8.77       | 32.11      |  |  |  |
| AV   | 11.33556G    | 42.57             | 54.00             | -11.43         | 27.30         | 3           | Vertical  | 0              | 1.14          | -       | 38.60      | 8.77       | 32.10      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT V\_2TX  
Setting 18  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.34102G | 55.27    | 74.00    | -18.73 | 40.01  | 3    | Horizontal | 104     | 1.90   | -       | 38.60 | 8.77 | 32.11 |  |  |  |
| AV   | 11.33574G | 42.57    | 54.00    | -11.43 | 27.30  | 3    | Horizontal | 104     | 1.90   | -       | 38.60 | 8.77 | 32.10 |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_2TX  
Setting 22.5  
02-L-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4556G      | 62.37             | 74.00             | -11.63         | 53.23         | 3           | Vertical  | 178            | 2.13          | -       | 34.10      | 5.96       | 30.92      |  |  |  |
| AV   | 5.4568G      | 50.47             | 54.00             | -3.53          | 41.34         | 3           | Vertical  | 178            | 2.13          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.4664G      | 61.71             | 68.20             | -6.49          | 52.57         | 3           | Vertical  | 178            | 2.13          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| PK   | 5.7088G      | 122.99            | Inf               | -Inf           | 113.95        | 3           | Vertical  | 178            | 2.13          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| AV   | 5.7088G      | 110.00            | Inf               | -Inf           | 100.96        | 3           | Vertical  | 178            | 2.13          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| PK   | 5.85G        | 67.73             | 68.20             | -0.47          | 58.71         | 3           | Vertical  | 178            | 2.13          | -       | 34.00      | 6.14       | 31.12      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 22.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.41714G | 54.86    | 74.00    | -19.14 | 39.46  | 3    | Vertical  | 8       | 1.91   | -       | 38.73 | 8.80 | 32.13 |  |  |  |
| AV   | 11.42102G | 42.33    | 54.00    | -11.67 | 26.92  | 3    | Vertical  | 8       | 1.91   | -       | 38.74 | 8.80 | 32.13 |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 22.5  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.42482G    | 55.08             | 74.00             | -18.92         | 39.66         | 3           | Horizontal | 169            | 2.65          | -       | 38.75      | 8.80       | 32.13      |  |  |  |
| AV   | 11.41532G    | 42.37             | 54.00             | -11.63         | 26.97         | 3           | Horizontal | 169            | 2.65          | -       | 38.73      | 8.80       | 32.13      |  |  |  |

### 5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

#### 5290MHz\_TX




EUT\_V\_2TX  
Setting 17.5  
02-L-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.091G       | 62.83             | 74.00             | -11.17         | 54.21         | 3           | Vertical  | 356            | 1.81          | -       | 33.50      | 5.75       | 30.63      |  |  |  |
| AV   | 5.137G       | 50.16             | 54.00             | -3.84          | 41.49         | 3           | Vertical  | 356            | 1.81          | -       | 33.57      | 5.77       | 30.67      |  |  |  |
| PK   | 5.3G         | 112.77            | Inf               | -Inf           | 103.82        | 3           | Vertical  | 356            | 1.81          | -       | 33.90      | 5.85       | 30.80      |  |  |  |
| AV   | 5.299G       | 100.73            | Inf               | -Inf           | 91.78         | 3           | Vertical  | 356            | 1.81          | -       | 33.90      | 5.85       | 30.80      |  |  |  |
| PK   | 5.369G       | 69.93             | 74.00             | -4.07          | 60.91         | 3           | Vertical  | 356            | 1.81          | -       | 34.00      | 5.88       | 30.86      |  |  |  |
| AV   | 5.35G        | 53.61             | 54.00             | -0.39          | 44.58         | 3           | Vertical  | 356            | 1.81          | -       | 34.00      | 5.87       | 30.84      |  |  |  |
| PK   | 5.461G       | 62.64             | 68.20             | -5.56          | 53.51         | 3           | Vertical  | 356            | 1.81          | -       | 34.10      | 5.96       | 30.93      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_V\_2TX  
Setting 17.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.87374G | 55.64    | 74.00    | -18.36 | 39.87  | 3    | Vertical  | 304     | 2.04   | -       | 37.30 | 10.45 | 31.98 |  |  |  |
| AV   | 15.86682G | 43.73    | 54.00    | -10.27 | 27.96  | 3    | Vertical  | 304     | 2.04   | -       | 37.30 | 10.45 | 31.98 |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_V\_2TX  
Setting 17.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.86828G | 56.63    | 74.00    | -17.37 | 40.86  | 3    | Horizontal | 223     | 2.25   | -       | 37.30 | 10.45 | 31.98 |  |  |  |
| AV   | 15.875G   | 43.72    | 54.00    | -10.28 | 27.95  | 3    | Horizontal | 223     | 2.25   | -       | 37.30 | 10.45 | 31.98 |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_V\_2TX  
Setting 18  
02-L-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3G         | 62.07             | 68.20             | -6.13          | 53.12         | 3           | Vertical  | 182            | 1.80          | -       | 33.90      | 5.85       | 30.80      |  |  |  |
| PK   | 5.446G       | 66.96             | 74.00             | -7.04          | 57.84         | 3           | Vertical  | 182            | 1.80          | -       | 34.09      | 5.95       | 30.92      |  |  |  |
| PK   | 5.463G       | 67.95             | 68.20             | -0.25          | 58.82         | 3           | Vertical  | 182            | 1.80          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| AV   | 5.456G       | 52.76             | 54.00             | -1.24          | 43.62         | 3           | Vertical  | 182            | 1.80          | -       | 34.10      | 5.96       | 30.92      |  |  |  |
| PK   | 5.517G       | 112.54            | Inf               | -Inf           | 103.39        | 3           | Vertical  | 182            | 1.80          | -       | 34.10      | 6.02       | 30.97      |  |  |  |
| AV   | 5.526G       | 100.28            | Inf               | -Inf           | 91.12         | 3           | Vertical  | 182            | 1.80          | -       | 34.10      | 6.03       | 30.97      |  |  |  |
| PK   | 5.729G       | 62.56             | 68.20             | -5.64          | 53.53         | 3           | Vertical  | 182            | 1.80          | -       | 34.00      | 6.10       | 31.07      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT V\_2TX  
Setting 18  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.06018G | 55.10    | 74.00    | -18.90 | 39.92  | 3    | Vertical  | 252     | 1.70   | -       | 38.52 | 8.67 | 32.01 |  |  |  |
| AV   | 11.05818G | 42.50    | 54.00    | -11.50 | 27.32  | 3    | Vertical  | 252     | 1.70   | -       | 38.52 | 8.67 | 32.01 |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT V\_2TX  
Setting 18  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.0589G  | 54.97    | 74.00    | -19.03 | 39.79  | 3    | Horizontal | 183     | 1.93   | -       | 38.52 | 8.67 | 32.01 |  |  |  |
| AV   | 11.05736G | 42.49    | 54.00    | -11.51 | 27.32  | 3    | Horizontal | 183     | 1.93   | -       | 38.51 | 8.67 | 32.01 |  |  |  |

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-L-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.458G       | 64.63             | 74.00             | -9.37          | 55.50         | 3           | Vertical  | 181            | 2.12          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| AV   | 5.457G       | 50.69             | 54.00             | -3.31          | 41.56         | 3           | Vertical  | 181            | 2.12          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.466G       | 64.04             | 68.20             | -4.16          | 54.90         | 3           | Vertical  | 181            | 2.12          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| PK   | 5.617G       | 111.81            | Inf               | -Inf           | 102.75        | 3           | Vertical  | 181            | 2.12          | -       | 33.97      | 6.10       | 31.01      |  |  |  |
| AV   | 5.617G       | 100.66            | Inf               | -Inf           | 91.60         | 3           | Vertical  | 181            | 2.12          | -       | 33.97      | 6.10       | 31.01      |  |  |  |
| PK   | 5.727G       | 67.79             | 68.20             | -0.41          | 58.75         | 3           | Vertical  | 181            | 2.12          | -       | 34.00      | 6.10       | 31.06      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.21906G | 55.22    | 74.00    | -18.78 | 39.91  | 3    | Vertical  | 228     | 2.33   | -       | 38.64 | 8.73 | 32.06 |  |  |  |
| AV   | 11.22294G | 42.69    | 54.00    | -11.31 | 27.38  | 3    | Vertical  | 228     | 2.33   | -       | 38.65 | 8.73 | 32.07 |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_V\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.21772G    | 55.76             | 74.00             | -18.24         | 40.45         | 3           | Horizontal | 346            | 2.93          | -       | 38.64      | 8.73       | 32.06      |  |  |  |
| AV   | 11.2157G     | 42.60             | 54.00             | -11.40         | 27.30         | 3           | Horizontal | 346            | 2.93          | -       | 38.63      | 8.73       | 32.06      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_2TX  
Setting 20  
02-L-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4452G      | 68.76             | 74.00             | -5.24          | 59.64         | 3           | Vertical  | 176            | 2.15          | -       | 34.09      | 5.95       | 30.92      |  |  |  |
| AV   | 5.4536G      | 53.07             | 54.00             | -0.93          | 43.94         | 3           | Vertical  | 176            | 2.15          | -       | 34.10      | 5.95       | 30.92      |  |  |  |
| PK   | 5.4644G      | 67.89             | 68.20             | -0.31          | 58.76         | 3           | Vertical  | 176            | 2.15          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.6864G      | 114.85            | Inf               | -Inf           | 105.83        | 3           | Vertical  | 176            | 2.15          | -       | 33.97      | 6.10       | 31.05      |  |  |  |
| AV   | 5.696G       | 103.03            | Inf               | -Inf           | 93.99         | 3           | Vertical  | 176            | 2.15          | -       | 33.99      | 6.10       | 31.05      |  |  |  |
| PK   | 5.8568G      | 67.14             | 68.20             | -1.06          | 58.08         | 3           | Vertical  | 176            | 2.15          | -       | 34.03      | 6.15       | 31.12      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT V\_2TX  
Setting 20  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.37846G    | 55.69             | 74.00             | -18.31         | 40.37         | 3           | Vertical  | 328            | 1.76          | -       | 38.66      | 8.78       | 32.12      |  |  |  |
| AV   | 11.3809G     | 42.45             | 54.00             | -11.55         | 27.13         | 3           | Vertical  | 328            | 1.76          | -       | 38.66      | 8.78       | 32.12      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX



EUT V\_2TX  
Setting 20  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.37804G    | 55.66             | 74.00             | -18.34         | 40.34         | 3           | Horizontal | 114            | 1.24          | -       | 38.66      | 8.78       | 32.12      |  |  |  |
| AV   | 11.37506G    | 42.46             | 54.00             | -11.54         | 27.15         | 3           | Horizontal | 114            | 1.24          | -       | 38.65      | 8.78       | 32.12      |  |  |  |




**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.47-5.725GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass   | PK   | 5.466G       | 68.08             | 68.20             | -0.12          | 3           | Horizontal | 2              | 1.81          | -        |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.146G       | 63.14             | 74.00             | -10.86         | 54.46         | 3           | Vertical  | 360            | 1.93          | -       | 33.59      | 5.77       | 30.68      |  |  |  |
| AV   | 5.1454G      | 51.38             | 54.00             | -2.62          | 42.70         | 3           | Vertical  | 360            | 1.93          | -       | 33.59      | 5.77       | 30.68      |  |  |  |
| PK   | 5.2582G      | 122.99            | Inf               | -Inf           | 114.11        | 3           | Vertical  | 360            | 1.93          | -       | 33.82      | 5.83       | 30.77      |  |  |  |
| AV   | 5.2564G      | 113.97            | Inf               | -Inf           | 105.10        | 3           | Vertical  | 360            | 1.93          | -       | 33.81      | 5.83       | 30.77      |  |  |  |
| PK   | 5.362G       | 63.57             | 74.00             | -10.43         | 54.54         | 3           | Vertical  | 360            | 1.93          | -       | 34.00      | 5.88       | 30.85      |  |  |  |
| AV   | 5.3758G      | 51.83             | 54.00             | -2.17          | 42.80         | 3           | Vertical  | 360            | 1.93          | -       | 34.00      | 5.89       | 30.86      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.113G       | 63.76             | 74.00             | -10.24         | 55.12         | 3           | Horizontal | -0             | 1.57          | -       | 33.53      | 5.76       | 30.65      |  |  |  |
| AV   | 5.15G        | 52.30             | 54.00             | -1.70          | 43.60         | 3           | Horizontal | -0             | 1.57          | -       | 33.60      | 5.78       | 30.68      |  |  |  |
| PK   | 5.2618G      | 126.48            | Inf               | -Inf           | 117.60        | 3           | Horizontal | -0             | 1.57          | -       | 33.82      | 5.83       | 30.77      |  |  |  |
| AV   | 5.2588G      | 116.69            | Inf               | -Inf           | 107.81        | 3           | Horizontal | -0             | 1.57          | -       | 33.82      | 5.83       | 30.77      |  |  |  |
| PK   | 5.3728G      | 64.59             | 74.00             | -9.41          | 55.56         | 3           | Horizontal | -0             | 1.57          | -       | 34.00      | 5.89       | 30.86      |  |  |  |
| AV   | 5.3518G      | 52.88             | 54.00             | -1.12          | 43.84         | 3           | Horizontal | -0             | 1.57          | -       | 34.00      | 5.88       | 30.84      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.78236G | 56.95    | 74.00    | -17.05 | 41.04  | 3    | Vertical  | 290     | 1.40   | -       | 37.47 | 10.41 | 31.97 |  |  |  |
| AV   | 15.7823G  | 44.76    | 54.00    | -9.24  | 28.85  | 3    | Vertical  | 290     | 1.40   | -       | 37.47 | 10.41 | 31.97 |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.77562G | 57.07    | 74.00    | -16.93 | 41.13  | 3    | Horizontal | 10      | 1.05   | -       | 37.50 | 10.41 | 31.97 |  |  |  |
| AV   | 15.78106G | 44.78    | 54.00    | -9.22  | 28.86  | 3    | Horizontal | 10      | 1.05   | -       | 37.48 | 10.41 | 31.97 |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3028G      | 120.91            | Inf               | -Inf           | 111.95        | 3           | Vertical  | 360            | 2.00          | -       | 33.91      | 5.85       | 30.80      |  |  |  |
| AV   | 5.3032G      | 112.10            | Inf               | -Inf           | 103.14        | 3           | Vertical  | 360            | 2.00          | -       | 33.91      | 5.85       | 30.80      |  |  |  |
| PK   | 5.3516G      | 62.94             | 74.00             | -11.06         | 53.90         | 3           | Vertical  | 360            | 2.00          | -       | 34.00      | 5.88       | 30.84      |  |  |  |
| AV   | 5.35G        | 51.98             | 54.00             | -2.02          | 42.95         | 3           | Vertical  | 360            | 2.00          | -       | 34.00      | 5.87       | 30.84      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.302G       | 125.02            | Inf               | -Inf           | 116.07        | 3           | Horizontal | -0             | 1.55          | -       | 33.90      | 5.85       | 30.80      |  |  |  |
| AV   | 5.3032G      | 114.81            | Inf               | -Inf           | 105.85        | 3           | Horizontal | -0             | 1.55          | -       | 33.91      | 5.85       | 30.80      |  |  |  |
| PK   | 5.35G        | 65.01             | 74.00             | -8.99          | 55.98         | 3           | Horizontal | -0             | 1.55          | -       | 34.00      | 5.87       | 30.84      |  |  |  |
| AV   | 5.3504G      | 53.54             | 54.00             | -0.46          | 44.50         | 3           | Horizontal | -0             | 1.55          | -       | 34.00      | 5.88       | 30.84      |  |  |  |

### 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

#### 5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.90278G | 56.68    | 74.00    | -17.32 | 40.89  | 3    | Vertical  | 269     | 2.47   | -       | 37.31 | 10.46 | 31.98 |  |  |  |
| AV   | 15.90414G | 44.60    | 54.00    | -9.40  | 28.81  | 3    | Vertical  | 269     | 2.47   | -       | 37.31 | 10.46 | 31.98 |  |  |  |

### 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

#### 5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.9048G | 56.81    | 74.00    | -17.19 | 41.02  | 3    | Horizontal | 287     | 2.85   | -       | 37.31 | 10.46 | 31.98 |  |  |  |
| AV   | 15.8961G | 44.69    | 54.00    | -9.31  | 28.91  | 3    | Horizontal | 287     | 2.85   | -       | 37.30 | 10.46 | 31.98 |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3232G      | 119.54            | Inf               | -Inf           | 110.55        | 3           | Vertical  | 1              | 2.08          | -       | 33.95      | 5.86       | 30.82      |  |  |  |
| AV   | 5.3228G      | 110.30            | Inf               | -Inf           | 101.31        | 3           | Vertical  | 1              | 2.08          | -       | 33.95      | 5.86       | 30.82      |  |  |  |
| PK   | 5.351G       | 64.08             | 74.00             | -9.92          | 55.04         | 3           | Vertical  | 1              | 2.08          | -       | 34.00      | 5.88       | 30.84      |  |  |  |
| AV   | 5.35G        | 52.71             | 54.00             | -1.29          | 43.68         | 3           | Vertical  | 1              | 2.08          | -       | 34.00      | 5.87       | 30.84      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3218G      | 122.53            | Inf               | -Inf           | 113.55        | 3           | Horizontal | 360            | 1.72          | -       | 33.94      | 5.86       | 30.82      |  |  |  |
| AV   | 5.3168G      | 112.58            | Inf               | -Inf           | 103.60        | 3           | Horizontal | 360            | 1.72          | -       | 33.93      | 5.86       | 30.81      |  |  |  |
| PK   | 5.3508G      | 64.58             | 74.00             | -9.42          | 55.54         | 3           | Horizontal | 360            | 1.72          | -       | 34.00      | 5.88       | 30.84      |  |  |  |
| AV   | 5.3502G      | 53.69             | 54.00             | -0.31          | 44.65         | 3           | Horizontal | 360            | 1.72          | -       | 34.00      | 5.88       | 30.84      |  |  |  |

### 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

#### 5320MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.961G   | 56.84    | 74.00    | -17.16 | 40.91  | 3    | Vertical  | 25      | 2.64   | -       | 37.44 | 10.48 | 31.99 |  |  |  |
| AV   | 15.95824G | 44.90    | 54.00    | -9.10  | 28.98  | 3    | Vertical  | 25      | 2.64   | -       | 37.43 | 10.48 | 31.99 |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.9557G  | 56.64    | 74.00    | -17.36 | 40.73  | 3    | Horizontal | 191     | 1.10   | -       | 37.42 | 10.48 | 31.99 |  |  |  |
| AV   | 15.95602G | 44.99    | 54.00    | -9.01  | 29.08  | 3    | Horizontal | 191     | 1.10   | -       | 37.42 | 10.48 | 31.99 |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4574G      | 62.74             | 74.00             | -11.26         | 53.61         | 3           | Vertical  | 1              | 1.82          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| AV   | 5.4588G      | 51.50             | 54.00             | -2.50          | 42.37         | 3           | Vertical  | 1              | 1.82          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.4688G      | 63.76             | 68.20             | -4.44          | 54.63         | 3           | Vertical  | 1              | 1.82          | -       | 34.10      | 5.97       | 30.94      |  |  |  |
| PK   | 5.503G       | 119.20            | Inf               | -Inf           | 110.06        | 3           | Vertical  | 1              | 1.82          | -       | 34.10      | 6.00       | 30.96      |  |  |  |
| AV   | 5.4988G      | 110.48            | Inf               | -Inf           | 101.34        | 3           | Vertical  | 1              | 1.82          | -       | 34.10      | 6.00       | 30.96      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4502G      | 62.68             | 74.00             | -11.32         | 53.55         | 3           | Horizontal | 2              | 1.78          | -       | 34.10      | 5.95       | 30.92      |  |  |  |
| PK   | 5.4678G      | 67.91             | 68.20             | -0.29          | 58.77         | 3           | Horizontal | 2              | 1.78          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| AV   | 5.4598G      | 51.88             | 54.00             | -2.12          | 42.75         | 3           | Horizontal | 2              | 1.78          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.5018G      | 122.48            | Inf               | -Inf           | 113.34        | 3           | Horizontal | 2              | 1.78          | -       | 34.10      | 6.00       | 30.96      |  |  |  |
| AV   | 5.4968G      | 112.63            | Inf               | -Inf           | 103.49        | 3           | Horizontal | 2              | 1.78          | -       | 34.10      | 6.00       | 30.96      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.9981G     | 54.71             | 74.00             | -19.29         | 39.55         | 3           | Vertical  | 93             | 1.86          | -       | 38.50      | 8.65       | 31.99      |  |  |  |
| AV   | 11.00058G    | 42.97             | 54.00             | -11.03         | 27.81         | 3           | Vertical  | 93             | 1.86          | -       | 38.50      | 8.65       | 31.99      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00366G    | 54.83             | 74.00             | -19.17         | 39.67         | 3           | Horizontal | 193            | 1.82          | -       | 38.50      | 8.65       | 31.99      |  |  |  |
| AV   | 10.99592G    | 42.98             | 54.00             | -11.02         | 27.82         | 3           | Horizontal | 193            | 1.82          | -       | 38.50      | 8.65       | 31.99      |  |  |  |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4232G      | 62.48             | 74.00             | -11.52         | 53.41         | 3           | Vertical  | 360            | 2.02          | -       | 34.05      | 5.92       | 30.90      |  |  |  |
| AV   | 5.3864G      | 51.53             | 54.00             | -2.47          | 42.51         | 3           | Vertical  | 360            | 2.02          | -       | 34.00      | 5.89       | 30.87      |  |  |  |
| PK   | 5.468G       | 62.51             | 68.20             | -5.69          | 53.37         | 3           | Vertical  | 360            | 2.02          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| PK   | 5.5872G      | 123.77            | Inf               | -Inf           | 114.65        | 3           | Vertical  | 360            | 2.02          | -       | 34.03      | 6.09       | 31.00      |  |  |  |
| AV   | 5.5824G      | 114.29            | Inf               | -Inf           | 105.17        | 3           | Vertical  | 360            | 2.02          | -       | 34.04      | 6.08       | 31.00      |  |  |  |
| PK   | 5.7544G      | 63.47             | 68.20             | -4.73          | 54.45         | 3           | Vertical  | 360            | 2.02          | -       | 34.00      | 6.10       | 31.08      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4456G      | 64.47             | 74.00             | -9.53          | 55.35         | 3           | Horizontal | -0             | 1.69          | -       | 34.09      | 5.95       | 30.92      |  |  |  |
| PK   | 5.4672G      | 66.21             | 68.20             | -1.99          | 57.07         | 3           | Horizontal | -0             | 1.69          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| AV   | 5.4592G      | 52.75             | 54.00             | -1.25          | 43.62         | 3           | Horizontal | -0             | 1.69          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.5792G      | 126.28            | Inf               | -Inf           | 117.16        | 3           | Horizontal | -0             | 1.69          | -       | 34.04      | 6.08       | 31.00      |  |  |  |
| AV   | 5.5792G      | 116.84            | Inf               | -Inf           | 107.72        | 3           | Horizontal | -0             | 1.69          | -       | 34.04      | 6.08       | 31.00      |  |  |  |
| PK   | 5.748G       | 63.74             | 68.20             | -4.46          | 54.71         | 3           | Horizontal | -0             | 1.69          | -       | 34.00      | 6.10       | 31.07      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.15522G | 55.07    | 74.00    | -18.93 | 39.81  | 3    | Vertical  | 184     | 2.13   | -       | 38.60 | 8.70 | 32.04 |  |  |  |
| AV   | 11.16462G | 43.08    | 54.00    | -10.92 | 27.82  | 3    | Vertical  | 184     | 2.13   | -       | 38.60 | 8.71 | 32.05 |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.16044G | 55.21    | 74.00    | -18.79 | 39.94  | 3    | Horizontal | 102     | 2.51   | -       | 38.60 | 8.71 | 32.04 |  |  |  |
| AV   | 11.15748G | 43.12    | 54.00    | -10.88 | 27.85  | 3    | Horizontal | 102     | 2.51   | -       | 38.60 | 8.71 | 32.04 |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.699G       | 118.11            | Inf               | -Inf           | 109.06        | 3           | Vertical  | -0             | 1.88          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| AV   | 5.699G       | 109.29            | Inf               | -Inf           | 100.24        | 3           | Vertical  | -0             | 1.88          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| PK   | 5.7252G      | 66.59             | 68.20             | -1.61          | 57.55         | 3           | Vertical  | -0             | 1.88          | -       | 34.00      | 6.10       | 31.06      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7018G      | 121.23            | Inf               | -Inf           | 112.18        | 3           | Horizontal | 5              | 1.80          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| AV   | 5.7028G      | 110.71            | Inf               | -Inf           | 101.66        | 3           | Horizontal | 5              | 1.80          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| PK   | 5.7266G      | 67.97             | 68.20             | -0.23          | 58.93         | 3           | Horizontal | 5              | 1.80          | -       | 34.00      | 6.10       | 31.06      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.3972G | 55.82    | 74.00    | -18.18 | 40.47  | 3    | Vertical  | 253     | 2.78   | -       | 38.69 | 8.79 | 32.13 |  |  |  |
| AV   | 11.3972G | 43.58    | 54.00    | -10.42 | 28.23  | 3    | Vertical  | 253     | 2.78   | -       | 38.69 | 8.79 | 32.13 |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39844G    | 56.09             | 74.00             | -17.91         | 40.73         | 3           | Horizontal | 40             | 2.06          | -       | 38.70      | 8.79       | 32.13      |  |  |  |
| AV   | 11.39786G    | 43.48             | 54.00             | -10.52         | 28.12         | 3           | Horizontal | 40             | 2.06          | -       | 38.70      | 8.79       | 32.13      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7232G      | 124.62            | Inf               | -Inf           | 115.58        | 3           | Vertical  | -0             | 1.80          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| AV   | 5.7192G      | 115.24            | Inf               | -Inf           | 106.20        | 3           | Vertical  | -0             | 1.80          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| PK   | 5.8704G      | 63.15             | 68.20             | -5.05          | 54.04         | 3           | Vertical  | -0             | 1.80          | -       | 34.08      | 6.16       | 31.13      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7272G      | 125.91            | Inf               | -Inf           | 116.87        | 3           | Horizontal | 2              | 1.70          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| AV   | 5.7208G      | 115.74            | Inf               | -Inf           | 106.70        | 3           | Horizontal | 2              | 1.70          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| PK   | 5.8536G      | 62.93             | 68.20             | -5.27          | 53.89         | 3           | Horizontal | 2              | 1.70          | -       | 34.01      | 6.15       | 31.12      |  |  |  |

### 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

#### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.43748G | 55.30    | 74.00    | -18.70 | 39.87  | 3    | Vertical  | 254     | 1.88   | -       | 38.77 | 8.80 | 32.14 |  |  |  |
| AV   | 11.43842G | 43.06    | 54.00    | -10.94 | 27.62  | 3    | Vertical  | 254     | 1.88   | -       | 38.78 | 8.80 | 32.14 |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.43876G | 55.60    | 74.00    | -18.40 | 40.16  | 3    | Horizontal | 224     | 1.23   | -       | 38.78 | 8.80 | 32.14 |  |  |  |
| AV   | 11.43976G | 42.82    | 54.00    | -11.18 | 27.38  | 3    | Horizontal | 224     | 1.23   | -       | 38.78 | 8.80 | 32.14 |  |  |  |

## 5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1256G      | 63.19             | 74.00             | -10.81         | 54.54         | 3           | Vertical  | -0             | 1.93          | -       | 33.55      | 5.76       | 30.66      |  |  |  |
| AV   | 5.1418G      | 51.20             | 54.00             | -2.80          | 42.52         | 3           | Vertical  | -0             | 1.93          | -       | 33.58      | 5.77       | 30.67      |  |  |  |
| PK   | 5.2594G      | 124.32            | Inf               | -Inf           | 115.44        | 3           | Vertical  | -0             | 1.93          | -       | 33.82      | 5.83       | 30.77      |  |  |  |
| AV   | 5.2564G      | 112.97            | Inf               | -Inf           | 104.10        | 3           | Vertical  | -0             | 1.93          | -       | 33.81      | 5.83       | 30.77      |  |  |  |
| PK   | 5.3836G      | 62.81             | 74.00             | -11.19         | 53.79         | 3           | Vertical  | -0             | 1.93          | -       | 34.00      | 5.89       | 30.87      |  |  |  |
| AV   | 5.3758G      | 51.45             | 54.00             | -2.55          | 42.42         | 3           | Vertical  | -0             | 1.93          | -       | 34.00      | 5.89       | 30.86      |  |  |  |

## 5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.149G       | 64.34             | 74.00             | -9.66          | 55.65         | 3           | Horizontal | -0             | 1.57          | -       | 33.60      | 5.77       | 30.68      |  |  |  |
| AV   | 5.1424G      | 51.77             | 54.00             | -2.23          | 43.09         | 3           | Horizontal | -0             | 1.57          | -       | 33.58      | 5.77       | 30.67      |  |  |  |
| PK   | 5.2546G      | 127.82            | Inf               | -Inf           | 118.94        | 3           | Horizontal | -0             | 1.57          | -       | 33.81      | 5.83       | 30.76      |  |  |  |
| AV   | 5.263G       | 115.51            | Inf               | -Inf           | 106.62        | 3           | Horizontal | -0             | 1.57          | -       | 33.83      | 5.83       | 30.77      |  |  |  |
| PK   | 5.3626G      | 64.23             | 74.00             | -9.77          | 55.20         | 3           | Horizontal | -0             | 1.57          | -       | 34.00      | 5.88       | 30.85      |  |  |  |
| AV   | 5.3512G      | 52.53             | 54.00             | -1.47          | 43.49         | 3           | Horizontal | -0             | 1.57          | -       | 34.00      | 5.88       | 30.84      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.78264G | 56.93    | 74.00    | -17.07 | 41.02  | 3    | Vertical  | 225     | 2.54   | -       | 37.47 | 10.41 | 31.97 |  |  |  |
| AV   | 15.77606G | 44.38    | 54.00    | -9.62  | 28.44  | 3    | Vertical  | 225     | 2.54   | -       | 37.50 | 10.41 | 31.97 |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.77922G | 57.13    | 74.00    | -16.87 | 41.21  | 3    | Horizontal | 314     | 2.61   | -       | 37.48 | 10.41 | 31.97 |  |  |  |
| AV   | 15.77692G | 44.37    | 54.00    | -9.63  | 28.44  | 3    | Horizontal | 314     | 2.61   | -       | 37.49 | 10.41 | 31.97 |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3024G      | 123.09            | Inf               | -Inf           | 114.14        | 3           | Vertical  | -0             | 1.82          | -       | 33.90      | 5.85       | 30.80      |  |  |  |
| AV   | 5.302G       | 111.05            | Inf               | -Inf           | 102.10        | 3           | Vertical  | -0             | 1.82          | -       | 33.90      | 5.85       | 30.80      |  |  |  |
| PK   | 5.3508G      | 65.18             | 74.00             | -8.82          | 56.14         | 3           | Vertical  | -0             | 1.82          | -       | 34.00      | 5.88       | 30.84      |  |  |  |
| AV   | 5.35G        | 52.35             | 54.00             | -1.65          | 43.32         | 3           | Vertical  | -0             | 1.82          | -       | 34.00      | 5.87       | 30.84      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3052G      | 125.22            | Inf               | -Inf           | 116.26        | 3           | Horizontal | 1              | 1.53          | -       | 33.91      | 5.85       | 30.80      |  |  |  |
| AV   | 5.3056G      | 112.87            | Inf               | -Inf           | 103.91        | 3           | Horizontal | 1              | 1.53          | -       | 33.91      | 5.85       | 30.80      |  |  |  |
| PK   | 5.3504G      | 67.06             | 74.00             | -6.94          | 58.02         | 3           | Horizontal | 1              | 1.53          | -       | 34.00      | 5.88       | 30.84      |  |  |  |
| AV   | 5.35G        | 53.54             | 54.00             | -0.46          | 44.51         | 3           | Horizontal | 1              | 1.53          | -       | 34.00      | 5.87       | 30.84      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.89534G | 56.45    | 74.00    | -17.55 | 40.67  | 3    | Vertical  | 104     | 1.22   | -       | 37.30 | 10.46 | 31.98 |  |  |  |
| AV   | 15.8982G  | 44.36    | 54.00    | -9.64  | 28.58  | 3    | Vertical  | 104     | 1.22   | -       | 37.30 | 10.46 | 31.98 |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.89518G | 56.61    | 74.00    | -17.39 | 40.83  | 3    | Horizontal | 192     | 1.69   | -       | 37.30 | 10.46 | 31.98 |  |  |  |
| AV   | 15.89812G | 44.25    | 54.00    | -9.75  | 28.47  | 3    | Horizontal | 192     | 1.69   | -       | 37.30 | 10.46 | 31.98 |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3176G      | 121.55            | Inf               | -Inf           | 112.56        | 3           | Vertical  | 2              | 2.00          | -       | 33.94      | 5.86       | 30.81      |  |  |  |
| AV   | 5.3158G      | 108.90            | Inf               | -Inf           | 99.92         | 3           | Vertical  | 2              | 2.00          | -       | 33.93      | 5.86       | 30.81      |  |  |  |
| PK   | 5.3504G      | 66.72             | 74.00             | -7.28          | 57.68         | 3           | Vertical  | 2              | 2.00          | -       | 34.00      | 5.88       | 30.84      |  |  |  |
| AV   | 5.35G        | 53.69             | 54.00             | -0.31          | 44.66         | 3           | Vertical  | 2              | 2.00          | -       | 34.00      | 5.87       | 30.84      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.323G       | 122.73            | Inf               | -Inf           | 113.74        | 3           | Horizontal | 360            | 1.77          | -       | 33.95      | 5.86       | 30.82      |  |  |  |
| AV   | 5.314G       | 110.90            | Inf               | -Inf           | 101.92        | 3           | Horizontal | 360            | 1.77          | -       | 33.93      | 5.86       | 30.81      |  |  |  |
| PK   | 5.3504G      | 67.54             | 74.00             | -6.46          | 58.50         | 3           | Horizontal | 360            | 1.77          | -       | 34.00      | 5.88       | 30.84      |  |  |  |
| AV   | 5.3504G      | 53.85             | 54.00             | -0.15          | 44.81         | 3           | Horizontal | 360            | 1.77          | -       | 34.00      | 5.88       | 30.84      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.95842G | 56.63    | 74.00    | -17.37 | 40.71  | 3    | Vertical  | 343     | 2.71   | -       | 37.43 | 10.48 | 31.99 |  |  |  |
| AV   | 15.9593G  | 44.48    | 54.00    | -9.52  | 28.55  | 3    | Vertical  | 343     | 2.71   | -       | 37.44 | 10.48 | 31.99 |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.96104G | 56.54    | 74.00    | -17.46 | 40.61  | 3    | Horizontal | 78      | 2.38   | -       | 37.44 | 10.48 | 31.99 |  |  |  |
| AV   | 15.96438G | 44.52    | 54.00    | -9.48  | 28.56  | 3    | Horizontal | 78      | 2.38   | -       | 37.46 | 10.49 | 31.99 |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.454G       | 62.95             | 74.00             | -11.05         | 53.82         | 3           | Vertical  | 1              | 2.06          | -       | 34.10      | 5.95       | 30.92      |  |  |  |
| AV   | 5.4574G      | 51.10             | 54.00             | -2.90          | 41.97         | 3           | Vertical  | 1              | 2.06          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.4692G      | 64.82             | 68.20             | -3.38          | 55.69         | 3           | Vertical  | 1              | 2.06          | -       | 34.10      | 5.97       | 30.94      |  |  |  |
| PK   | 5.4948G      | 121.20            | Inf               | -Inf           | 112.07        | 3           | Vertical  | 1              | 2.06          | -       | 34.10      | 5.99       | 30.96      |  |  |  |
| AV   | 5.503G       | 109.21            | Inf               | -Inf           | 100.07        | 3           | Vertical  | 1              | 2.06          | -       | 34.10      | 6.00       | 30.96      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4576G      | 63.59             | 74.00             | -10.41         | 54.46         | 3           | Horizontal | 3              | 1.82          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| AV   | 5.4598G      | 52.06             | 54.00             | -1.94          | 42.93         | 3           | Horizontal | 3              | 1.82          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.4698G      | 67.82             | 68.20             | -0.38          | 58.69         | 3           | Horizontal | 3              | 1.82          | -       | 34.10      | 5.97       | 30.94      |  |  |  |
| PK   | 5.4976G      | 122.90            | Inf               | -Inf           | 113.76        | 3           | Horizontal | 3              | 1.82          | -       | 34.10      | 6.00       | 30.96      |  |  |  |
| AV   | 5.497G       | 111.02            | Inf               | -Inf           | 101.88        | 3           | Horizontal | 3              | 1.82          | -       | 34.10      | 6.00       | 30.96      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 10.99658G | 54.71    | 74.00    | -19.29 | 39.55  | 3    | Vertical  | 45      | 1.56   | -       | 38.50 | 8.65 | 31.99 |  |  |  |
| AV   | 11.00478G | 42.41    | 54.00    | -11.59 | 27.25  | 3    | Vertical  | 45      | 1.56   | -       | 38.50 | 8.65 | 31.99 |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.99704G    | 55.09             | 74.00             | -18.91         | 39.93         | 3           | Horizontal | 45             | 1.41          | -       | 38.50      | 8.65       | 31.99      |  |  |  |
| AV   | 11.00334G    | 42.52             | 54.00             | -11.48         | 27.36         | 3           | Horizontal | 45             | 1.41          | -       | 38.50      | 8.65       | 31.99      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4528G      | 63.00             | 74.00             | -11.00         | 53.87         | 3           | Vertical  | -0             | 2.02          | -       | 34.10      | 5.95       | 30.92      |  |  |  |
| AV   | 5.3832G      | 51.17             | 54.00             | -2.83          | 42.15         | 3           | Vertical  | -0             | 2.02          | -       | 34.00      | 5.89       | 30.87      |  |  |  |
| PK   | 5.468G       | 61.71             | 68.20             | -6.49          | 52.57         | 3           | Vertical  | -0             | 2.02          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| PK   | 5.5744G      | 125.57            | Inf               | -Inf           | 116.44        | 3           | Vertical  | -0             | 2.02          | -       | 34.05      | 6.07       | 30.99      |  |  |  |
| AV   | 5.5832G      | 113.44            | Inf               | -Inf           | 104.33        | 3           | Vertical  | -0             | 2.02          | -       | 34.03      | 6.08       | 31.00      |  |  |  |
| PK   | 5.7496G      | 63.54             | 68.20             | -4.66          | 54.51         | 3           | Vertical  | -0             | 2.02          | -       | 34.00      | 6.10       | 31.07      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4592G      | 67.06             | 74.00             | -6.94          | 57.93         | 3           | Horizontal | 2              | 1.70          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| AV   | 5.46G        | 53.55             | 54.00             | -0.45          | 44.42         | 3           | Horizontal | 2              | 1.70          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.4656G      | 67.73             | 68.20             | -0.47          | 58.59         | 3           | Horizontal | 2              | 1.70          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| PK   | 5.5752G      | 126.78            | Inf               | -Inf           | 117.64        | 3           | Horizontal | 2              | 1.70          | -       | 34.05      | 6.08       | 30.99      |  |  |  |
| AV   | 5.5768G      | 115.91            | Inf               | -Inf           | 106.78        | 3           | Horizontal | 2              | 1.70          | -       | 34.05      | 6.08       | 31.00      |  |  |  |
| PK   | 5.7384G      | 63.60             | 68.20             | -4.60          | 54.57         | 3           | Horizontal | 2              | 1.70          | -       | 34.00      | 6.10       | 31.07      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.15616G | 55.16    | 74.00    | -18.84 | 39.90  | 3    | Vertical  | 228     | 2.37   | -       | 38.60 | 8.70 | 32.04 |  |  |  |
| AV   | 11.16368G | 42.96    | 54.00    | -11.04 | 27.70  | 3    | Vertical  | 228     | 2.37   | -       | 38.60 | 8.71 | 32.05 |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.16168G | 55.22    | 74.00    | -18.78 | 39.95  | 3    | Horizontal | 133     | 1.82   | -       | 38.60 | 8.71 | 32.04 |  |  |  |
| AV   | 11.16378G | 42.85    | 54.00    | -11.15 | 27.59  | 3    | Horizontal | 133     | 1.82   | -       | 38.60 | 8.71 | 32.05 |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7054G      | 120.98            | Inf               | -Inf           | 111.93        | 3           | Vertical  | 360            | 1.80          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| AV   | 5.7032G      | 108.94            | Inf               | -Inf           | 99.89         | 3           | Vertical  | 360            | 1.80          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| PK   | 5.7252G      | 67.43             | 68.20             | -0.77          | 58.39         | 3           | Vertical  | 360            | 1.80          | -       | 34.00      | 6.10       | 31.06      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7022G      | 123.10            | Inf               | -Inf           | 114.05        | 3           | Horizontal | 2              | 1.78          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| AV   | 5.7032G      | 109.63            | Inf               | -Inf           | 100.58        | 3           | Horizontal | 2              | 1.78          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| PK   | 5.7258G      | 67.75             | 68.20             | -0.45          | 58.71         | 3           | Horizontal | 2              | 1.78          | -       | 34.00      | 6.10       | 31.06      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.40142G | 55.71    | 74.00    | -18.29 | 40.35  | 3    | Vertical  | 135     | 2.36   | -       | 38.70 | 8.79 | 32.13 |  |  |  |
| AV   | 11.39788G | 42.92    | 54.00    | -11.08 | 27.56  | 3    | Vertical  | 135     | 2.36   | -       | 38.70 | 8.79 | 32.13 |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.39692G | 55.27    | 74.00    | -18.73 | 39.91  | 3    | Horizontal | 195     | 1.85   | -       | 38.69 | 8.79 | 32.12 |  |  |  |
| AV   | 11.40078G | 42.79    | 54.00    | -11.21 | 27.43  | 3    | Horizontal | 195     | 1.85   | -       | 38.70 | 8.79 | 32.13 |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7176G      | 125.53            | Inf               | -Inf           | 116.49        | 3           | Vertical  | -0             | 1.88          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| AV   | 5.7184G      | 114.61            | Inf               | -Inf           | 105.57        | 3           | Vertical  | -0             | 1.88          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| PK   | 5.884G       | 62.66             | 68.20             | -5.54          | 53.48         | 3           | Vertical  | -0             | 1.88          | -       | 34.14      | 6.18       | 31.14      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7224G      | 125.61            | Inf               | -Inf           | 116.57        | 3           | Horizontal | 5              | 1.68          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| AV   | 5.7232G      | 114.58            | Inf               | -Inf           | 105.54        | 3           | Horizontal | 5              | 1.68          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| PK   | 5.8888G      | 63.13             | 68.20             | -5.07          | 53.93         | 3           | Horizontal | 5              | 1.68          | -       | 34.16      | 6.18       | 31.14      |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.4361G | 55.01    | 74.00    | -18.99 | 39.58  | 3    | Vertical  | 216     | 2.62   | -       | 38.77 | 8.80 | 32.14 |  |  |  |
| AV   | 11.4388G | 42.36    | 54.00    | -11.64 | 26.92  | 3    | Vertical  | 216     | 2.62   | -       | 38.78 | 8.80 | 32.14 |  |  |  |

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.44212G | 54.98    | 74.00    | -19.02 | 39.54  | 3    | Horizontal | 89      | 2.03   | -       | 38.78 | 8.80 | 32.14 |  |  |  |
| AV   | 11.43626G | 42.37    | 54.00    | -11.63 | 26.94  | 3    | Horizontal | 89      | 2.03   | -       | 38.77 | 8.80 | 32.14 |  |  |  |

### 5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

#### 5270MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.126G       | 62.50             | 74.00             | -11.50         | 53.85         | 3           | Vertical  | -0             | 2.11          | -       | 33.55      | 5.76       | 30.66      |  |  |  |
| AV   | 5.132G       | 50.63             | 54.00             | -3.37          | 41.97         | 3           | Vertical  | -0             | 2.11          | -       | 33.56      | 5.77       | 30.67      |  |  |  |
| PK   | 5.258G       | 117.76            | Inf               | -Inf           | 108.88        | 3           | Vertical  | -0             | 2.11          | -       | 33.82      | 5.83       | 30.77      |  |  |  |
| AV   | 5.273G       | 106.06            | Inf               | -Inf           | 97.15         | 3           | Vertical  | -0             | 2.11          | -       | 33.85      | 5.84       | 30.78      |  |  |  |
| PK   | 5.3552G      | 62.39             | 74.00             | -11.61         | 53.35         | 3           | Vertical  | -0             | 2.11          | -       | 34.00      | 5.88       | 30.84      |  |  |  |
| AV   | 5.3762G      | 51.64             | 54.00             | -2.36          | 42.61         | 3           | Vertical  | -0             | 2.11          | -       | 34.00      | 5.89       | 30.86      |  |  |  |

### 5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

#### 5270MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1482G      | 63.34             | 74.00             | -10.66         | 54.65         | 3           | Horizontal | 360            | 1.61          | -       | 33.60      | 5.77       | 30.68      |  |  |  |
| AV   | 5.135G       | 51.21             | 54.00             | -2.79          | 42.54         | 3           | Horizontal | 360            | 1.61          | -       | 33.57      | 5.77       | 30.67      |  |  |  |
| PK   | 5.2694G      | 120.61            | Inf               | -Inf           | 111.72        | 3           | Horizontal | 360            | 1.61          | -       | 33.84      | 5.83       | 30.78      |  |  |  |
| AV   | 5.2688G      | 108.82            | Inf               | -Inf           | 99.93         | 3           | Horizontal | 360            | 1.61          | -       | 33.84      | 5.83       | 30.78      |  |  |  |
| PK   | 5.3516G      | 67.60             | 74.00             | -6.40          | 58.56         | 3           | Horizontal | 360            | 1.61          | -       | 34.00      | 5.88       | 30.84      |  |  |  |
| AV   | 5.3504G      | 53.38             | 54.00             | -0.62          | 44.34         | 3           | Horizontal | 360            | 1.61          | -       | 34.00      | 5.88       | 30.84      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.80658G | 56.23    | 74.00    | -17.77 | 40.39  | 3    | Vertical  | 310     | 1.55   | -       | 37.39 | 10.42 | 31.97 |  |  |  |
| AV   | 15.8053G  | 44.17    | 54.00    | -9.83  | 28.33  | 3    | Vertical  | 310     | 1.55   | -       | 37.39 | 10.42 | 31.97 |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.80552G | 56.03    | 74.00    | -17.97 | 40.19  | 3    | Horizontal | 74      | 2.12   | -       | 37.39 | 10.42 | 31.97 |  |  |  |
| AV   | 15.80614G | 44.17    | 54.00    | -9.83  | 28.33  | 3    | Horizontal | 74      | 2.12   | -       | 37.39 | 10.42 | 31.97 |  |  |  |

### 5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

#### 5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.318G       | 113.70            | Inf               | -Inf           | 104.71        | 3           | Vertical  | -0             | 2.08          | -       | 33.94      | 5.86       | 30.81      |  |  |  |
| AV   | 5.3084G      | 101.81            | Inf               | -Inf           | 92.85         | 3           | Vertical  | -0             | 2.08          | -       | 33.92      | 5.85       | 30.81      |  |  |  |
| PK   | 5.4068G      | 62.88             | 74.00             | -11.12         | 53.85         | 3           | Vertical  | -0             | 2.08          | -       | 34.01      | 5.91       | 30.89      |  |  |  |
| AV   | 5.35G        | 51.79             | 54.00             | -2.21          | 42.76         | 3           | Vertical  | -0             | 2.08          | -       | 34.00      | 5.87       | 30.84      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.308G       | 117.17            | Inf               | -Inf           | 108.21        | 3           | Horizontal | -0             | 1.78          | -       | 33.92      | 5.85       | 30.81      |  |  |  |
| AV   | 5.3088G      | 104.54            | Inf               | -Inf           | 95.58         | 3           | Horizontal | -0             | 1.78          | -       | 33.92      | 5.85       | 30.81      |  |  |  |
| PK   | 5.35G        | 64.93             | 74.00             | -9.07          | 55.90         | 3           | Horizontal | -0             | 1.78          | -       | 34.00      | 5.87       | 30.84      |  |  |  |
| AV   | 5.3508G      | 53.85             | 54.00             | -0.15          | 44.81         | 3           | Horizontal | -0             | 1.78          | -       | 34.00      | 5.88       | 30.84      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.92614G | 57.36    | 74.00    | -16.64 | 41.52  | 3    | Vertical  | 275     | 2.09   | -       | 37.35 | 10.47 | 31.98 |  |  |  |
| AV   | 15.93428G | 44.44    | 54.00    | -9.56  | 28.58  | 3    | Vertical  | 275     | 2.09   | -       | 37.37 | 10.47 | 31.98 |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 14  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.92708G | 56.88    | 74.00    | -17.12 | 41.04  | 3    | Horizontal | 184     | 2.12   | -       | 37.35 | 10.47 | 31.98 |  |  |  |
| AV   | 15.93326G | 44.44    | 54.00    | -9.56  | 28.58  | 3    | Horizontal | 184     | 2.12   | -       | 37.37 | 10.47 | 31.98 |  |  |  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.456G       | 65.41             | 74.00             | -8.59          | 56.27         | 3           | Vertical  | -0             | 1.90          | -       | 34.10      | 5.96       | 30.92      |  |  |  |
| AV   | 5.4596G      | 53.08             | 54.00             | -0.92          | 43.95         | 3           | Vertical  | -0             | 1.90          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.4676G      | 67.76             | 68.20             | -0.44          | 58.62         | 3           | Vertical  | -0             | 1.90          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| PK   | 5.516G       | 117.87            | Inf               | -Inf           | 108.72        | 3           | Vertical  | -0             | 1.90          | -       | 34.10      | 6.02       | 30.97      |  |  |  |
| AV   | 5.508G       | 106.01            | Inf               | -Inf           | 96.86         | 3           | Vertical  | -0             | 1.90          | -       | 34.10      | 6.01       | 30.96      |  |  |  |

5.47-5.725GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.46G        | 65.52             | 74.00             | -8.48          | 56.39         | 3           | Horizontal | 2              | 1.81          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| AV   | 5.46G        | 52.75             | 54.00             | -1.25          | 43.62         | 3           | Horizontal | 2              | 1.81          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.466G       | 68.08             | 68.20             | -0.12          | 58.94         | 3           | Horizontal | 2              | 1.81          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| PK   | 5.5136G      | 118.71            | Inf               | -Inf           | 109.57        | 3           | Horizontal | 2              | 1.81          | -       | 34.10      | 6.01       | 30.97      |  |  |  |
| AV   | 5.5128G      | 107.14            | Inf               | -Inf           | 98.00         | 3           | Horizontal | 2              | 1.81          | -       | 34.10      | 6.01       | 30.97      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.0179G | 55.06    | 74.00    | -18.94 | 39.90  | 3    | Vertical  | 17      | 1.91   | -       | 38.50 | 8.66 | 32.00 |  |  |  |
| AV   | 11.0235G | 42.62    | 54.00    | -11.38 | 27.46  | 3    | Vertical  | 17      | 1.91   | -       | 38.50 | 8.66 | 32.00 |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Z\_2TX  
Setting 18  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.02436G    | 55.01             | 74.00             | -18.99         | 39.85         | 3           | Horizontal | 217            | 2.78          | -       | 38.50      | 8.66       | 32.00      |  |  |  |
| AV   | 11.0173G     | 42.62             | 54.00             | -11.38         | 27.46         | 3           | Horizontal | 217            | 2.78          | -       | 38.50      | 8.66       | 32.00      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4402G      | 62.85             | 74.00             | -11.15         | 53.74         | 3           | Vertical  | 360            | 1.80          | -       | 34.08      | 5.94       | 30.91      |  |  |  |
| PK   | 5.4648G      | 62.38             | 68.20             | -5.82          | 53.25         | 3           | Vertical  | 360            | 1.80          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| AV   | 5.46G        | 50.90             | 54.00             | -3.10          | 41.77         | 3           | Vertical  | 360            | 1.80          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.556G       | 118.35            | Inf               | -Inf           | 109.19        | 3           | Vertical  | 360            | 1.80          | -       | 34.09      | 6.06       | 30.99      |  |  |  |
| AV   | 5.5476G      | 106.92            | Inf               | -Inf           | 97.75         | 3           | Vertical  | 360            | 1.80          | -       | 34.10      | 6.05       | 30.98      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4534G      | 65.31             | 74.00             | -8.69          | 56.18         | 3           | Horizontal | 2              | 1.73          | -       | 34.10      | 5.95       | 30.92      |  |  |  |
| AV   | 5.46G        | 51.88             | 54.00             | -2.12          | 42.75         | 3           | Horizontal | 2              | 1.73          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.47G        | 67.21             | 68.20             | -0.99          | 58.08         | 3           | Horizontal | 2              | 1.73          | -       | 34.10      | 5.97       | 30.94      |  |  |  |
| PK   | 5.5518G      | 120.22            | Inf               | -Inf           | 111.05        | 3           | Horizontal | 2              | 1.73          | -       | 34.10      | 6.05       | 30.98      |  |  |  |
| AV   | 5.5524G      | 108.35            | Inf               | -Inf           | 99.18         | 3           | Horizontal | 2              | 1.73          | -       | 34.10      | 6.05       | 30.98      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.09946G    | 55.33             | 74.00             | -18.67         | 40.07         | 3           | Vertical  | 245            | 1.36          | -       | 38.60      | 8.68       | 32.02      |  |  |  |
| AV   | 11.1019G     | 42.86             | 54.00             | -11.14         | 27.59         | 3           | Vertical  | 245            | 1.36          | -       | 38.60      | 8.69       | 32.02      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.10378G | 55.66    | 74.00    | -18.34 | 40.40  | 3    | Horizontal | 343     | 1.68   | -       | 38.60 | 8.69 | 32.03 |  |  |  |
| AV   | 11.10212G | 42.86    | 54.00    | -11.14 | 27.59  | 3    | Horizontal | 343     | 1.68   | -       | 38.60 | 8.69 | 32.02 |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.664G       | 117.17            | Inf               | -Inf           | 108.18        | 3           | Vertical  | 360            | 2.04          | -       | 33.93      | 6.10       | 31.04      |  |  |  |
| AV   | 5.6748G      | 105.55            | Inf               | -Inf           | 96.54         | 3           | Vertical  | 360            | 2.04          | -       | 33.95      | 6.10       | 31.04      |  |  |  |
| PK   | 5.7258G      | 67.90             | 68.20             | -0.30          | 58.86         | 3           | Vertical  | 360            | 2.04          | -       | 34.00      | 6.10       | 31.06      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6688G      | 118.29            | Inf               | -Inf           | 109.29        | 3           | Horizontal | 2              | 1.72          | -       | 33.94      | 6.10       | 31.04      |  |  |  |
| AV   | 5.6676G      | 106.38            | Inf               | -Inf           | 97.38         | 3           | Horizontal | 2              | 1.72          | -       | 33.94      | 6.10       | 31.04      |  |  |  |
| PK   | 5.7258G      | 66.35             | 68.20             | -1.85          | 57.31         | 3           | Horizontal | 2              | 1.72          | -       | 34.00      | 6.10       | 31.06      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.34188G | 55.43    | 74.00    | -18.57 | 40.17  | 3    | Vertical  | 124     | 1.15   | -       | 38.60 | 8.77 | 32.11 |  |  |  |
| AV   | 11.34018G | 42.89    | 54.00    | -11.11 | 27.63  | 3    | Vertical  | 124     | 1.15   | -       | 38.60 | 8.77 | 32.11 |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Z\_2TX  
Setting 17.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.33544G | 55.39    | 74.00    | -18.61 | 40.12  | 3    | Horizontal | 180     | 2.49   | -       | 38.60 | 8.77 | 32.10 |  |  |  |
| AV   | 11.3354G  | 42.93    | 54.00    | -11.07 | 27.66  | 3    | Horizontal | 180     | 2.49   | -       | 38.60 | 8.77 | 32.10 |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7196G      | 121.94            | Inf               | -Inf           | 112.90        | 3           | Vertical  | -0             | 1.80          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| AV   | 5.7084G      | 110.82            | Inf               | -Inf           | 101.78        | 3           | Vertical  | -0             | 1.80          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| PK   | 5.8516G      | 64.66             | 68.20             | -3.54          | 55.63         | 3           | Vertical  | -0             | 1.80          | -       | 34.01      | 6.14       | 31.12      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.714G       | 123.42            | Inf               | -Inf           | 114.38        | 3           | Horizontal | 5              | 1.62          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| AV   | 5.7124G      | 111.65            | Inf               | -Inf           | 102.61        | 3           | Horizontal | 5              | 1.62          | -       | 34.00      | 6.10       | 31.06      |  |  |  |
| PK   | 5.8508G      | 66.13             | 68.20             | -2.07          | 57.11         | 3           | Horizontal | 5              | 1.62          | -       | 34.00      | 6.14       | 31.12      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
02-L-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.41706G    | 55.03             | 74.00             | -18.97         | 39.63         | 3           | Vertical  | 98             | 1.38          | -       | 38.73      | 8.80       | 32.13      |  |  |  |
| AV   | 11.41756G    | 42.60             | 54.00             | -11.40         | 27.19         | 3           | Vertical  | 98             | 1.38          | -       | 38.74      | 8.80       | 32.13      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 22  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.415G   | 55.13    | 74.00    | -18.87 | 39.73  | 3    | Horizontal | 168     | 2.67   | -       | 38.73 | 8.80 | 32.13 |  |  |  |
| AV   | 11.41996G | 42.58    | 54.00    | -11.42 | 27.17  | 3    | Horizontal | 168     | 2.67   | -       | 38.74 | 8.80 | 32.13 |  |  |  |

## 5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.088G       | 61.67             | 74.00             | -12.33         | 53.06         | 3           | Vertical  | -0             | 2.10          | -       | 33.50      | 5.74       | 30.63      |  |  |  |
| AV   | 5.105G       | 50.31             | 54.00             | -3.69          | 41.69         | 3           | Vertical  | -0             | 2.10          | -       | 33.51      | 5.75       | 30.64      |  |  |  |
| PK   | 5.287G       | 112.71            | Inf               | -Inf           | 103.79        | 3           | Vertical  | -0             | 2.10          | -       | 33.87      | 5.84       | 30.79      |  |  |  |
| AV   | 5.289G       | 99.63             | Inf               | -Inf           | 90.70         | 3           | Vertical  | -0             | 2.10          | -       | 33.88      | 5.84       | 30.79      |  |  |  |
| PK   | 5.362G       | 62.74             | 74.00             | -11.26         | 53.71         | 3           | Vertical  | -0             | 2.10          | -       | 34.00      | 5.88       | 30.85      |  |  |  |
| AV   | 5.35G        | 50.98             | 54.00             | -3.02          | 41.95         | 3           | Vertical  | -0             | 2.10          | -       | 34.00      | 5.87       | 30.84      |  |  |  |
| PK   | 5.514G       | 61.84             | 68.20             | -6.36          | 52.70         | 3           | Vertical  | -0             | 2.10          | -       | 34.10      | 6.01       | 30.97      |  |  |  |

### 5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

#### 5290MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1G         | 62.84             | 74.00             | -11.16         | 54.23         | 3           | Horizontal | 360            | 1.68          | -       | 33.50      | 5.75       | 30.64      |  |  |  |
| AV   | 5.118G       | 50.40             | 54.00             | -3.60          | 41.75         | 3           | Horizontal | 360            | 1.68          | -       | 33.54      | 5.76       | 30.65      |  |  |  |
| PK   | 5.272G       | 112.83            | Inf               | -Inf           | 103.93        | 3           | Horizontal | 360            | 1.68          | -       | 33.84      | 5.84       | 30.78      |  |  |  |
| AV   | 5.274G       | 101.62            | Inf               | -Inf           | 92.71         | 3           | Horizontal | 360            | 1.68          | -       | 33.85      | 5.84       | 30.78      |  |  |  |
| PK   | 5.35G        | 67.82             | 74.00             | -6.18          | 58.79         | 3           | Horizontal | 360            | 1.68          | -       | 34.00      | 5.87       | 30.84      |  |  |  |
| AV   | 5.35G        | 53.85             | 54.00             | -0.15          | 44.82         | 3           | Horizontal | 360            | 1.68          | -       | 34.00      | 5.87       | 30.84      |  |  |  |
| PK   | 5.505G       | 62.19             | 68.20             | -6.01          | 53.05         | 3           | Horizontal | 360            | 1.68          | -       | 34.10      | 6.00       | 30.96      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.8699G  | 56.02    | 74.00    | -17.98 | 40.25  | 3    | Vertical  | 25      | 1.93   | -       | 37.30 | 10.45 | 31.98 |  |  |  |
| AV   | 15.87484G | 44.18    | 54.00    | -9.82  | 28.41  | 3    | Vertical  | 25      | 1.93   | -       | 37.30 | 10.45 | 31.98 |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
Setting 14.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 15.86684G | 56.47    | 74.00    | -17.53 | 40.70  | 3    | Horizontal | 209     | 2.22   | -       | 37.30 | 10.45 | 31.98 |  |  |  |
| AV   | 15.87122G | 44.07    | 54.00    | -9.93  | 28.30  | 3    | Horizontal | 209     | 2.22   | -       | 37.30 | 10.45 | 31.98 |  |  |  |

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.342G       | 62.64             | 68.20             | -5.56          | 53.62         | 3           | Vertical  | 1              | 2.12          | -       | 33.98      | 5.87       | 30.83      |  |  |  |
| AV   | 5.376G       | 51.24             | 54.00             | -2.76          | 42.21         | 3           | Vertical  | 1              | 2.12          | -       | 34.00      | 5.89       | 30.86      |  |  |  |
| PK   | 5.443G       | 62.81             | 74.00             | -11.19         | 53.69         | 3           | Vertical  | 1              | 2.12          | -       | 34.09      | 5.94       | 30.91      |  |  |  |
| PK   | 5.468G       | 64.95             | 68.20             | -3.25          | 55.81         | 3           | Vertical  | 1              | 2.12          | -       | 34.10      | 5.97       | 30.93      |  |  |  |
| PK   | 5.553G       | 112.49            | Inf               | -Inf           | 103.33        | 3           | Vertical  | 1              | 2.12          | -       | 34.09      | 6.05       | 30.98      |  |  |  |
| AV   | 5.552G       | 100.86            | Inf               | -Inf           | 91.69         | 3           | Vertical  | 1              | 2.12          | -       | 34.10      | 6.05       | 30.98      |  |  |  |
| PK   | 5.764G       | 62.92             | 68.20             | -5.28          | 53.90         | 3           | Vertical  | 1              | 2.12          | -       | 34.00      | 6.10       | 31.08      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.316G       | 63.00             | 68.20             | -5.20          | 54.02         | 3           | Horizontal | 1              | 1.70          | -       | 33.93      | 5.86       | 30.81      |  |  |  |
| PK   | 5.409G       | 66.59             | 74.00             | -7.41          | 57.55         | 3           | Horizontal | 1              | 1.70          | -       | 34.02      | 5.91       | 30.89      |  |  |  |
| PK   | 5.47G        | 65.35             | 68.20             | -2.85          | 56.22         | 3           | Horizontal | 1              | 1.70          | -       | 34.10      | 5.97       | 30.94      |  |  |  |
| AV   | 5.458G       | 53.08             | 54.00             | -0.92          | 43.95         | 3           | Horizontal | 1              | 1.70          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.529G       | 114.65            | Inf               | -Inf           | 105.49        | 3           | Horizontal | 1              | 1.70          | -       | 34.10      | 6.03       | 30.97      |  |  |  |
| AV   | 5.528G       | 102.80            | Inf               | -Inf           | 93.64         | 3           | Horizontal | 1              | 1.70          | -       | 34.10      | 6.03       | 30.97      |  |  |  |
| PK   | 5.737G       | 62.82             | 68.20             | -5.38          | 53.79         | 3           | Horizontal | 1              | 1.70          | -       | 34.00      | 6.10       | 31.07      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.06292G | 55.69    | 74.00    | -18.31 | 40.50  | 3    | Vertical  | 182     | 1.43   | -       | 38.53 | 8.67 | 32.01 |  |  |  |
| AV   | 11.05786G | 42.72    | 54.00    | -11.28 | 27.54  | 3    | Vertical  | 182     | 1.43   | -       | 38.52 | 8.67 | 32.01 |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Z\_2TX  
Setting 16.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.05748G | 54.85    | 74.00    | -19.15 | 39.68  | 3    | Horizontal | 111     | 2.97   | -       | 38.51 | 8.67 | 32.01 |  |  |  |
| AV   | 11.05802G | 42.83    | 54.00    | -11.17 | 27.65  | 3    | Horizontal | 111     | 2.97   | -       | 38.52 | 8.67 | 32.01 |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.416G       | 63.94             | 74.00             | -10.06         | 54.88         | 3           | Vertical  | 360            | 2.12          | -       | 34.03      | 5.92       | 30.89      |  |  |  |
| PK   | 5.462G       | 64.60             | 68.20             | -3.60          | 55.47         | 3           | Vertical  | 360            | 2.12          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| AV   | 5.456G       | 51.11             | 54.00             | -2.89          | 41.97         | 3           | Vertical  | 360            | 2.12          | -       | 34.10      | 5.96       | 30.92      |  |  |  |
| PK   | 5.596G       | 113.73            | Inf               | -Inf           | 104.62        | 3           | Vertical  | 360            | 2.12          | -       | 34.01      | 6.10       | 31.00      |  |  |  |
| AV   | 5.608G       | 101.94            | Inf               | -Inf           | 92.87         | 3           | Vertical  | 360            | 2.12          | -       | 33.98      | 6.10       | 31.01      |  |  |  |
| PK   | 5.735G       | 65.80             | 68.20             | -2.40          | 56.77         | 3           | Vertical  | 360            | 2.12          | -       | 34.00      | 6.10       | 31.07      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.455G       | 65.75             | 74.00             | -8.25          | 56.61         | 3           | Horizontal | 4              | 1.62          | -       | 34.10      | 5.96       | 30.92      |  |  |  |
| AV   | 5.455G       | 52.06             | 54.00             | -1.94          | 42.92         | 3           | Horizontal | 4              | 1.62          | -       | 34.10      | 5.96       | 30.92      |  |  |  |
| PK   | 5.461G       | 65.67             | 68.20             | -2.53          | 56.54         | 3           | Horizontal | 4              | 1.62          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.613G       | 116.11            | Inf               | -Inf           | 107.05        | 3           | Horizontal | 4              | 1.62          | -       | 33.97      | 6.10       | 31.01      |  |  |  |
| AV   | 5.613G       | 104.53            | Inf               | -Inf           | 95.47         | 3           | Horizontal | 4              | 1.62          | -       | 33.97      | 6.10       | 31.01      |  |  |  |
| PK   | 5.729G       | 67.41             | 68.20             | -0.79          | 58.38         | 3           | Horizontal | 4              | 1.62          | -       | 34.00      | 6.10       | 31.07      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.2186G  | 55.85    | 74.00    | -18.15 | 40.54  | 3    | Vertical  | 74      | 2.78   | -       | 38.64 | 8.73 | 32.06 |  |  |  |
| AV   | 11.22256G | 42.93    | 54.00    | -11.07 | 27.62  | 3    | Vertical  | 74      | 2.78   | -       | 38.65 | 8.73 | 32.07 |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Z\_2TX  
Setting 18.5  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.222G   | 55.21    | 74.00    | -18.79 | 39.91  | 3    | Horizontal | 224     | 2.75   | -       | 38.64 | 8.73 | 32.07 |  |  |  |
| AV   | 11.21954G | 43.01    | 54.00    | -10.99 | 27.70  | 3    | Horizontal | 224     | 2.75   | -       | 38.64 | 8.73 | 32.06 |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.459G       | 65.48             | 74.00             | -8.52          | 56.35         | 3           | Vertical  | -0             | 1.80          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| AV   | 5.456G       | 51.50             | 54.00             | -2.50          | 42.36         | 3           | Vertical  | -0             | 1.80          | -       | 34.10      | 5.96       | 30.92      |  |  |  |
| PK   | 5.463G       | 66.19             | 68.20             | -2.01          | 57.06         | 3           | Vertical  | -0             | 1.80          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| PK   | 5.7G         | 116.39            | Inf               | -Inf           | 107.34        | 3           | Vertical  | -0             | 1.80          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| AV   | 5.678G       | 104.07            | Inf               | -Inf           | 95.05         | 3           | Vertical  | -0             | 1.80          | -       | 33.96      | 6.10       | 31.04      |  |  |  |
| PK   | 5.857G       | 67.33             | 68.20             | -0.87          | 58.27         | 3           | Vertical  | -0             | 1.80          | -       | 34.03      | 6.15       | 31.12      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.457G       | 66.14             | 74.00             | -7.86          | 57.01         | 3           | Horizontal | 3              | 1.70          | -       | 34.10      | 5.96       | 30.93      |  |  |  |
| AV   | 5.455G       | 51.50             | 54.00             | -2.50          | 42.36         | 3           | Horizontal | 3              | 1.70          | -       | 34.10      | 5.96       | 30.92      |  |  |  |
| PK   | 5.47G        | 66.52             | 68.20             | -1.68          | 57.39         | 3           | Horizontal | 3              | 1.70          | -       | 34.10      | 5.97       | 30.94      |  |  |  |
| PK   | 5.7G         | 116.17            | Inf               | -Inf           | 107.12        | 3           | Horizontal | 3              | 1.70          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| AV   | 5.702G       | 104.05            | Inf               | -Inf           | 95.00         | 3           | Horizontal | 3              | 1.70          | -       | 34.00      | 6.10       | 31.05      |  |  |  |
| PK   | 5.852G       | 66.37             | 68.20             | -1.83          | 57.34         | 3           | Horizontal | 3              | 1.70          | -       | 34.01      | 6.14       | 31.12      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 19  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.384G   | 55.57    | 74.00    | -18.43 | 40.24  | 3    | Vertical  | 337     | 2.00   | -       | 38.67 | 8.78 | 32.12 |  |  |  |
| AV   | 11.37762G | 42.82    | 54.00    | -11.18 | 27.50  | 3    | Vertical  | 337     | 2.00   | -       | 38.66 | 8.78 | 32.12 |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX  
Setting 19  
02-L-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 11.3807G  | 55.44    | 74.00    | -18.56 | 40.12  | 3    | Horizontal | 146     | 2.10   | -       | 38.66 | 8.78 | 32.12 |  |  |  |
| AV   | 11.37522G | 42.82    | 54.00    | -11.18 | 27.51  | 3    | Horizontal | 146     | 2.10   | -       | 38.65 | 8.78 | 32.12 |  |  |  |