


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.745G	44.85	88.20	-43.35	37.54	3	Horizontal	43	2.73	-	40.20	12.17	45.06			
RMS	13.7508G	31.89	68.20	-36.31	24.58	3	Horizontal	43	2.73	-	40.20	12.18	45.07			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62518G	61.50	83.54	-22.04	50.96	1	Vertical	336	1.68	-	37.65	21.59	48.70			
AV	20.6241G	48.42	63.54	-15.12	37.88	1	Vertical	336	1.68	-	37.65	21.59	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62428G	60.87	83.54	-22.67	50.33	1	Horizontal	36	1.79	-	37.65	21.59	48.70			
AV	20.6268G	49.27	63.54	-14.27	38.73	1	Horizontal	36	1.79	-	37.65	21.59	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1734G	43.20	88.20	-45.00	37.48	3	Vertical	45	2.76	-	39.50	11.82	45.60			
RMS	13.0846G	30.42	68.20	-37.78	25.13	3	Vertical	45	2.76	-	39.30	11.76	45.77			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1282G	42.80	88.20	-45.40	37.29	3	Horizontal	42	1.82	-	39.41	11.79	45.69			
RMS	13.0806G	30.46	68.20	-37.74	25.17	3	Horizontal	42	1.82	-	39.30	11.76	45.77			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69746G	56.28	83.54	-27.26	46.62	1	Vertical	55	1.80	-	37.69	20.77	48.80			
AV	19.69584G	42.81	63.54	-20.73	33.16	1	Vertical	55	1.80	-	37.68	20.77	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69854G	57.14	83.54	-26.40	47.48	1	Horizontal	319	1.52	-	37.69	20.77	48.80			
AV	19.69638G	43.89	63.54	-19.65	34.23	1	Horizontal	319	1.52	-	37.69	20.77	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3524G	45.22	74.00	-28.78	38.57	3	Vertical	168	2.24	-	40.00	11.93	45.28			
RMS	13.4182G	32.17	68.20	-36.03	25.26	3	Vertical	168	2.24	-	40.10	11.97	45.16			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4082G	45.40	88.20	-42.80	38.52	3	Horizontal	106	1.25	-	40.10	11.96	45.18			
RMS	13.4152G	32.18	68.20	-36.02	25.27	3	Horizontal	106	1.25	-	40.10	11.97	45.16			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05056G	59.67	83.54	-23.87	50.62	1	Vertical	339	2.16	-	37.20	20.64	48.79			
AV	20.05188G	45.57	63.54	-17.97	36.52	1	Vertical	339	2.16	-	37.20	20.64	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0514G	56.72	83.54	-26.82	47.67	1	Horizontal	34	1.80	-	37.20	20.64	48.79			
AV	20.05374G	43.92	63.54	-19.62	34.85	1	Horizontal	34	1.80	-	37.21	20.65	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.726G	44.33	88.20	-43.87	37.03	3	Vertical	325	1.50	-	40.20	12.16	45.06			
RMS	13.7524G	31.83	68.20	-36.37	24.52	3	Vertical	325	1.50	-	40.20	12.18	45.07			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7412G	44.21	88.20	-43.99	36.90	3	Horizontal	170	2.50	-	40.20	12.17	45.06			
RMS	13.7492G	31.87	68.20	-36.33	24.56	3	Horizontal	170	2.50	-	40.20	12.17	45.06			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65892G	59.66	83.54	-23.88	49.16	1	Vertical	342	2.13	-	37.58	21.62	48.70			
AV	20.65452G	46.83	63.54	-16.71	36.32	1	Vertical	342	2.13	-	37.59	21.62	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65732G	60.97	83.54	-22.57	50.46	1	Horizontal	312	1.94	-	37.59	21.62	48.70			
AV	20.65476G	47.84	63.54	-15.70	37.33	1	Horizontal	312	1.94	-	37.59	21.62	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.251G	43.87	74.00	-30.13	37.86	3	Vertical	261	2.32	-	39.60	11.87	45.46			
AV	13.2914G	30.65	54.00	-23.35	24.55	3	Vertical	261	2.32	-	39.60	11.89	45.39			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2984G	43.98	74.00	-30.02	37.86	3	Horizontal	129	2.19	-	39.60	11.90	45.38			
AV	13.2826G	30.56	54.00	-23.44	24.48	3	Horizontal	129	2.19	-	39.60	11.89	45.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88532G	58.79	83.54	-24.75	49.40	1	Vertical	308	1.53	-	37.56	20.63	48.80			
AV	19.86468G	46.17	63.54	-17.37	36.68	1	Vertical	308	1.53	-	37.64	20.65	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86516G	59.06	83.54	-24.48	49.57	1	Horizontal	76	1.66	-	37.64	20.65	48.80			
AV	19.86312G	46.12	63.54	-17.42	36.62	1	Horizontal	76	1.66	-	37.65	20.65	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.443G	45.04	88.20	-43.16	38.07	3	Vertical	192	2.60	-	40.10	11.98	45.11			
RMS	13.4546G	32.46	68.20	-35.74	25.45	3	Vertical	192	2.60	-	40.11	11.99	45.09			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4336G	45.07	88.20	-43.13	38.12	3	Horizontal	254	1.87	-	40.10	11.98	45.13			
RMS	13.4352G	32.50	68.20	-35.70	25.55	3	Horizontal	254	1.87	-	40.10	11.98	45.13			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09508G	57.75	83.54	-25.79	48.52	1	Vertical	307	1.55	-	37.29	20.72	48.78			
AV	20.09712G	44.16	63.54	-19.38	34.92	1	Vertical	307	1.55	-	37.29	20.73	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.094G	57.06	83.54	-26.48	47.83	1	Horizontal	277	1.81	-	37.29	20.72	48.78			
AV	20.11272G	43.80	63.54	-19.74	34.52	1	Horizontal	277	1.81	-	37.30	20.76	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5408G	45.16	88.20	-43.04	37.69	3	Vertical	65	2.08	-	40.44	12.05	45.02			
RMS	13.546G	32.66	68.20	-35.54	25.15	3	Vertical	65	2.08	-	40.48	12.05	45.02			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5486G	44.89	88.20	-43.31	37.37	3	Horizontal	80	1.22	-	40.49	12.05	45.02			
RMS	13.545G	32.63	68.20	-35.57	25.13	3	Horizontal	80	1.22	-	40.47	12.05	45.02			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3382G	56.46	83.54	-27.08	46.57	1	Vertical	310	1.80	-	37.45	21.17	48.73			
AV	20.33712G	43.98	63.54	-19.56	34.10	1	Vertical	310	1.80	-	37.45	21.16	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36076G	60.58	83.54	-22.96	50.60	1	Horizontal	39	1.81	-	37.50	21.21	48.73			
AV	20.33988G	47.57	63.54	-15.97	37.67	1	Horizontal	39	1.81	-	37.46	21.17	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6822G	43.93	88.20	-44.27	36.69	3	Vertical	347	2.45	-	40.16	12.13	45.05			
RMS	13.6814G	31.61	68.20	-36.59	24.37	3	Vertical	347	2.45	-	40.16	12.13	45.05			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7138G	43.90	88.20	-44.30	36.61	3	Horizontal	169	2.46	-	40.20	12.15	45.06			
RMS	13.6846G	31.68	68.20	-36.52	24.43	3	Horizontal	169	2.46	-	40.17	12.13	45.05			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.61156G	56.19	83.54	-27.35	45.64	1	Vertical	337	1.80	-	37.68	21.57	48.70			
AV	20.61324G	43.59	63.54	-19.95	33.04	1	Vertical	337	1.80	-	37.67	21.58	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.61444G	57.99	83.54	-25.55	47.44	1	Horizontal	37	2.19	-	37.67	21.58	48.70			
AV	20.59728G	44.96	63.54	-18.58	34.41	1	Horizontal	37	2.19	-	37.69	21.56	48.70			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3458G	44.79	74.00	-29.21	38.19	3	Vertical	283	2.77	-	39.97	11.92	45.29			
AV	13.3754G	31.76	54.00	-22.24	25.01	3	Vertical	283	2.77	-	40.05	11.94	45.24			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.376G	44.76	74.00	-29.24	38.01	3	Horizontal	49	1.87	-	40.05	11.94	45.24			
AV	13.38G	31.86	54.00	-22.14	25.08	3	Horizontal	49	1.87	-	40.06	11.95	45.23			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.02284G	54.77	83.54	-28.77	45.67	1	Vertical	304	1.55	-	37.31	20.59	48.80			
AV	19.98G	42.60	63.54	-20.94	33.36	1	Vertical	304	1.55	-	37.48	20.56	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0166G	55.19	83.54	-28.35	46.08	1	Horizontal	278	1.69	-	37.33	20.58	48.80			
AV	19.97712G	42.47	63.54	-21.07	33.21	1	Horizontal	278	1.69	-	37.49	20.57	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6314G	45.04	88.20	-43.16	37.84	3	Vertical	155	2.52	-	40.14	12.10	45.04			
RMS	13.653G	32.16	68.20	-36.04	24.98	3	Vertical	155	2.52	-	40.11	12.11	45.04			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6416G	45.11	88.20	-43.09	37.92	3	Horizontal	317	1.80	-	40.12	12.11	45.04			
RMS	13.6392G	32.19	68.20	-36.01	25.00	3	Horizontal	317	1.80	-	40.12	12.11	45.04			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.48196G	52.68	83.54	-30.86	42.42	1	Vertical	20	1.57	-	37.53	21.43	48.70			
AV	20.4624G	39.96	63.54	-23.58	29.83	1	Vertical	20	1.57	-	37.45	21.39	48.71			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.4582G	53.79	83.54	-29.75	43.69	1	Horizontal	40	1.80	-	37.43	21.38	48.71			
AV	20.46108G	41.88	63.54	-21.66	31.76	1	Horizontal	40	1.80	-	37.44	21.39	48.71			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.50902G	50.26	88.20	-37.94	41.75	3	Vertical	346	1.80	-	40.50	13.02	45.01			
RMS	13.5182G	36.77	68.20	-31.43	28.25	3	Vertical	346	1.80	-	40.50	13.03	45.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.50656G	52.72	88.20	-35.48	44.21	3	Horizontal	238	1.80	-	40.50	13.02	45.01			
RMS	13.50278G	38.05	68.20	-30.15	29.54	3	Horizontal	238	1.80	-	40.50	13.02	45.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX



EUT_Y_2TX
Setting 27
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2458G	58.66	83.54	-24.88	52.82	1	Vertical	103	1.57	-	37.69	17.40	49.25			
AV	20.3232G	46.26	63.54	-17.28	40.33	1	Vertical	103	1.57	-	37.75	17.42	49.24			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 27
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2386G	58.24	83.54	-25.30	52.41	1	Horizontal	62	1.95	-	37.68	17.40	49.25			
AV	20.3178G	46.00	63.54	-17.54	40.09	1	Horizontal	62	1.95	-	37.74	17.41	49.24			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 20
02-D-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	6.857G	109.83	Inf	-Inf	96.15	3	Vertical	303	2.74	-	35.39	9.02	30.73				
AV	6.8362G	97.75	Inf	-Inf	84.05	3	Vertical	303	2.74	-	35.37	9.04	30.71				
PK	7.3642G	68.50	74.00	-5.50	53.74	3	Vertical	303	2.74	-	36.63	9.02	30.89				
AV	7.2602G	53.32	54.00	-0.68	38.86	3	Vertical	303	2.74	-	36.34	9.01	30.89				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 20
02-D-G-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7514G	101.89	Inf	-Inf	88.34	3	Horizontal	351	2.30	-	35.20	8.96	30.61			
AV	6.753G	89.13	Inf	-Inf	75.56	3	Horizontal	351	2.30	-	35.21	8.97	30.61			
PK	7.5402G	60.11	74.00	-13.89	45.38	3	Horizontal	351	2.30	-	36.52	9.11	30.90			
AV	7.3818G	46.72	54.00	-7.28	31.92	3	Horizontal	351	2.30	-	36.66	9.03	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.82254G	50.74	88.20	-37.46	41.76	3	Vertical	108	1.80	-	40.99	13.07	45.08			
RMS	13.79434G	37.63	68.20	-30.57	28.74	3	Vertical	108	1.80	-	40.89	13.07	45.07			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80562G	51.29	88.20	-36.91	42.38	3	Horizontal	50	1.80	-	40.92	13.07	45.08			
RMS	13.81672G	37.69	68.20	-30.51	28.73	3	Horizontal	50	1.80	-	40.97	13.07	45.08			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.91G	59.88	83.54	-23.66	53.50	1	Vertical	360	1.50	-	37.90	17.50	49.02			
AV	20.8356G	46.63	63.54	-16.91	40.36	1	Vertical	360	1.50	-	37.84	17.49	49.06			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7948G	59.45	83.54	-24.09	53.32	1	Horizontal	243	2.42	-	37.73	17.48	49.08			
AV	20.8416G	46.49	63.54	-17.05	40.18	1	Horizontal	243	2.42	-	37.87	17.49	49.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8041G	44.21	88.20	-43.99	36.78	3	Vertical	296	2.36	-	40.30	12.21	45.08			
RMS	13.7664G	31.39	68.20	-36.81	24.04	3	Vertical	296	2.36	-	40.23	12.19	45.07			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7773G	44.42	88.20	-43.78	37.05	3	Horizontal	83	2.17	-	40.25	12.19	45.07			
RMS	13.767G	31.35	68.20	-36.85	24.00	3	Horizontal	83	2.17	-	40.23	12.19	45.07			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.69346G	64.13	83.54	-19.41	53.66	1	Vertical	305	1.54	-	37.51	21.66	48.70			
AV	20.6787G	51.59	63.54	-11.95	41.11	1	Vertical	305	1.54	-	37.54	21.64	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6895MHz_TX


EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67222G	63.60	83.54	-19.94	53.10	1	Horizontal	282	1.82	-	37.56	21.64	48.70			
AV	20.68932G	52.15	63.54	-11.39	41.68	1	Horizontal	282	1.82	-	37.52	21.65	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0144G	44.72	88.20	-43.48	36.93	3	Vertical	44	2.23	-	40.56	12.34	45.11			
RMS	13.9684G	32.41	68.20	-35.79	24.77	3	Vertical	44	2.23	-	40.44	12.31	45.11			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99G	44.79	88.20	-43.41	37.11	3	Horizontal	347	1.94	-	40.48	12.32	45.12			
RMS	13.9687G	32.37	68.20	-35.83	24.73	3	Horizontal	347	1.94	-	40.44	12.31	45.11			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98842G	59.99	83.54	-23.55	49.01	1	Vertical	293	1.80	-	37.72	21.96	48.70			
AV	20.98842G	47.71	63.54	-15.83	36.73	1	Vertical	293	1.80	-	37.72	21.96	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98914G	61.79	83.54	-21.75	50.81	1	Horizontal	313	1.80	-	37.72	21.96	48.70			
AV	20.98518G	49.80	63.54	-13.74	38.82	1	Horizontal	313	1.80	-	37.73	21.95	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0864G	119.66	Inf	-Inf	121.19	3	Vertical	299	2.57	-	35.89	8.43	45.85			
RMS	7.0866G	109.95	Inf	-Inf	111.48	3	Vertical	299	2.57	-	35.89	8.43	45.85			
PK	7.1276G	81.50	88.20	-6.70	82.77	3	Vertical	299	2.57	-	36.11	8.44	45.82			
RMS	7.1265G	68.03	68.20	-0.17	69.30	3	Vertical	299	2.57	-	36.11	8.44	45.82			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0884G	113.55	Inf	-Inf	115.06	3	Horizontal	352	2.23	-	35.91	8.43	45.85
RMS	7.0865G	102.70	Inf	-Inf	104.23	3	Horizontal	352	2.23	-	35.89	8.43	45.85
PK	7.1258G	73.11	88.20	-15.09	74.39	3	Horizontal	352	2.23	-	36.10	8.44	45.82
RMS	7.1252G	61.15	68.20	-7.05	62.43	3	Horizontal	352	2.23	-	36.10	8.44	45.82

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 22
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1832G	47.22	88.20	-40.98	39.14	3	Vertical	7	2.49	-	40.60	12.48	45.00			
RMS	14.1873G	32.92	68.20	-35.28	24.84	3	Vertical	7	2.49	-	40.60	12.48	45.00			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 22
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1672G	46.80	88.20	-41.40	38.75	3	Horizontal	338	2.26	-	40.60	12.46	45.01			
RMS	14.1843G	32.91	68.20	-35.29	24.83	3	Horizontal	338	2.26	-	40.60	12.48	45.00			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 22
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27006G	56.40	83.54	-27.14	45.47	1	Vertical	339	1.80	-	37.78	21.80	48.65			
AV	21.28788G	41.48	63.54	-22.06	30.66	1	Vertical	339	1.80	-	37.67	21.79	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 22
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2859G	60.36	83.54	-23.18	49.53	1	Horizontal	53	1.76	-	37.68	21.79	48.64			
AV	21.28554G	45.11	63.54	-18.43	34.27	1	Horizontal	53	1.76	-	37.69	21.79	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 4
06-U-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1085G	101.11	Inf	-Inf	102.47	3	Vertical	302	2.62	BP 1MHz	36.03	8.44	45.83			
RMS	7.1095G	94.49	Inf	-Inf	95.84	3	Vertical	302	2.62	BP 1MHz	36.04	8.44	45.83			
PK	7.1255G	76.86	88.20	-11.34	78.14	3	Vertical	302	2.62	BP 1MHz	36.10	8.44	45.82			
RMS	7.1255G	67.79	68.20	-0.41	69.07	3	Vertical	302	2.62	BP 1MHz	36.10	8.44	45.82			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 4
06-U-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1075G	91.32	Inf	-Inf	92.69	3	Horizontal	339	2.61	BP 1MHz	36.03	8.44	45.84			
RMS	7.1075G	84.74	Inf	-Inf	86.11	3	Horizontal	339	2.61	BP 1MHz	36.03	8.44	45.84			
PK	7.1255G	69.16	88.20	-19.04	70.44	3	Horizontal	339	2.61	BP 1MHz	36.10	8.44	45.82			
RMS	7.1255G	59.75	68.20	-8.45	61.03	3	Horizontal	339	2.61	BP 1MHz	36.10	8.44	45.82			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 4
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2305G	45.68	88.20	-42.52	37.54	3	Vertical	84	1.05	-	40.60	12.51	44.97			
RMS	14.2432G	32.81	68.20	-35.39	24.65	3	Vertical	84	1.05	-	40.60	12.52	44.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 4
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2509G	45.44	88.20	-42.76	37.27	3	Horizontal	221	2.65	-	40.60	12.53	44.96			
RMS	14.2502G	32.80	68.20	-35.40	24.63	3	Horizontal	221	2.65	-	40.60	12.53	44.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 4
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.31638G	44.77	83.54	-38.77	34.01	1	Vertical	256	2.92	-	37.63	21.77	48.64			
AV	21.3423G	32.54	63.54	-31.00	21.73	1	Vertical	256	2.92	-	37.68	21.76	48.63			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 4
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.38694G	44.37	83.54	-39.17	33.56	1	Horizontal	260	1.42	-	37.70	21.73	48.62			
AV	21.3396G	32.49	63.54	-31.05	21.68	1	Horizontal	260	1.42	-	37.68	21.76	48.63			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8604G	44.58	88.20	-43.62	37.11	3	Vertical	220	1.84	-	40.32	12.24	45.09			
RMS	13.8632G	31.57	68.20	-36.63	24.08	3	Vertical	220	1.84	-	40.33	12.25	45.09			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8602G	44.02	88.20	-44.18	36.55	3	Horizontal	300	2.06	-	40.32	12.24	45.09			
RMS	13.8734G	31.58	68.20	-36.62	24.07	3	Horizontal	300	2.06	-	40.35	12.25	45.09			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.79036G	59.66	83.54	-23.88	48.96	1	Vertical	341	2.18	-	37.64	21.76	48.70			
AV	20.79316G	45.98	63.54	-17.56	35.29	1	Vertical	341	2.18	-	37.63	21.76	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7806G	60.03	83.54	-23.51	49.30	1	Horizontal	316	1.76	-	37.68	21.75	48.70			
AV	20.78044G	45.35	63.54	-18.19	34.62	1	Horizontal	316	1.76	-	37.68	21.75	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96G	44.80	88.20	-43.40	37.18	3	Vertical	10	2.58	-	40.42	12.31	45.11			
RMS	14.0538G	32.68	68.20	-35.52	24.69	3	Vertical	10	2.58	-	40.71	12.37	45.09			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0548G	45.19	88.20	-43.01	37.19	3	Horizontal	343	1.51	-	40.71	12.37	45.08			
RMS	14.056G	32.65	68.20	-35.55	24.65	3	Horizontal	343	1.51	-	40.71	12.37	45.08			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.013G	58.40	83.54	-25.14	47.41	1	Vertical	357	1.80	-	37.73	21.96	48.70			
AV	21.01412G	45.82	63.54	-17.72	34.83	1	Vertical	357	1.80	-	37.73	21.96	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01476G	59.66	83.54	-23.88	48.67	1	Horizontal	33	1.86	-	37.73	21.96	48.70			
AV	21.0158G	46.89	63.54	-16.65	35.90	1	Horizontal	33	1.86	-	37.73	21.96	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 21.5
06-U-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0998G	117.52	Inf	-Inf	118.93	3	Vertical	302	2.46	-	36.00	8.43	45.84			
RMS	7.0992G	106.60	Inf	-Inf	108.02	3	Vertical	302	2.46	-	35.99	8.43	45.84			
PK	7.125G	79.54	88.20	-8.66	80.83	3	Vertical	302	2.46	-	36.10	8.44	45.83			
RMS	7.125G	67.76	68.20	-0.44	69.05	3	Vertical	302	2.46	-	36.10	8.44	45.83			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 21.5
06-U-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.077G	108.33	Inf	-Inf	109.93	3	Horizontal	351	2.24	-	35.82	8.43	45.85				
RMS	7.0762G	98.73	Inf	-Inf	100.34	3	Horizontal	351	2.24	-	35.81	8.43	45.85				
PK	7.1286G	69.80	88.20	-18.40	71.07	3	Horizontal	351	2.24	-	36.11	8.44	45.82				
RMS	7.1362G	55.54	68.20	-12.66	56.78	3	Horizontal	351	2.24	-	36.14	8.44	45.82				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 21.5
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1644G	46.15	88.20	-42.05	38.10	3	Vertical	322	2.97	-	40.60	12.46	45.01			
RMS	14.1668G	32.74	68.20	-35.46	24.69	3	Vertical	322	2.97	-	40.60	12.46	45.01			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 21.5
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.206G	46.21	88.20	-41.99	38.11	3	Horizontal	0	1.80	-	40.60	12.49	44.99			
RMS	14.1726G	32.80	68.20	-35.40	24.74	3	Horizontal	0	1.80	-	40.60	12.47	45.01			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 21.5
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.23988G	48.70	83.54	-34.84	37.69	1	Vertical	280	1.95	-	37.84	21.82	48.65			
AV	21.25132G	33.50	63.54	-30.04	22.45	1	Vertical	280	1.95	-	37.89	21.81	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 21.5
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.23564G	45.83	83.54	-37.71	34.85	1	Horizontal	288	2.23	-	37.81	21.82	48.65			
AV	21.24948G	33.56	63.54	-29.98	22.49	1	Horizontal	288	2.23	-	37.90	21.82	48.65			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8436G	44.75	88.20	-43.45	37.31	3	Vertical	261	2.32	-	40.30	12.23	45.09			
RMS	13.9308G	31.82	68.20	-36.38	24.23	3	Vertical	261	2.32	-	40.40	12.29	45.10			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 27
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9284G	44.35	88.20	-43.85	36.76	3	Horizontal	205	2.42	-	40.40	12.29	45.10			
RMS	13.931G	31.78	68.20	-36.42	24.19	3	Horizontal	205	2.42	-	40.40	12.29	45.10			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83464G	56.91	83.54	-26.63	46.21	1	Vertical	337	1.60	-	37.60	21.80	48.70			
AV	20.85564G	44.42	63.54	-19.12	33.68	1	Vertical	337	1.60	-	37.62	21.82	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 27
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.85624G	56.85	83.54	-26.69	46.11	1	Horizontal	148	2.54	-	37.62	21.82	48.70			
AV	20.83656G	44.34	63.54	-19.20	33.64	1	Horizontal	148	2.54	-	37.60	21.80	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 22.5
06-U-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9994G	115.62	Inf	-Inf	117.80	3	Vertical	301	2.80	-	35.30	8.42	45.90				
RMS	6.9974G	104.46	Inf	-Inf	106.65	3	Vertical	301	2.80	-	35.29	8.42	45.90				
PK	7.1354G	79.36	88.20	-8.84	80.60	3	Vertical	301	2.80	-	36.14	8.44	45.82				
RMS	7.1378G	66.45	68.20	-1.75	67.68	3	Vertical	301	2.80	-	36.15	8.44	45.82				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 22.5
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0162G	105.20	Inf	-Inf	107.27	3	Horizontal	350	2.31	-	35.40	8.42	45.89			
RMS	6.9966G	95.64	Inf	-Inf	97.84	3	Horizontal	350	2.31	-	35.29	8.41	45.90			
PK	7.1338G	69.95	88.20	-18.25	71.19	3	Horizontal	350	2.31	-	36.14	8.44	45.82			
RMS	7.1362G	58.83	68.20	-9.37	60.07	3	Horizontal	350	2.31	-	36.14	8.44	45.82			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT Y_2TX
Setting 22.5
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0834G	46.26	88.20	-41.94	38.16	3	Vertical	334	1.80	-	40.77	12.40	45.07			
RMS	14.0788G	32.85	68.20	-35.35	24.77	3	Vertical	334	1.80	-	40.76	12.39	45.07			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 22.5
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0636G	45.60	88.20	-42.60	37.57	3	Horizontal	34	1.80	-	40.73	12.38	45.08			
AV	14.0632G	32.85	68.20	-35.35	24.82	3	Horizontal	34	1.80	-	40.73	12.38	45.08			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 22.5
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.057G	50.50	83.54	-33.04	39.47	1	Vertical	1	1.17	-	37.79	21.93	48.69			
AV	21.07224G	39.76	63.54	-23.78	28.76	1	Vertical	1	1.17	-	37.76	21.93	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 22.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.10488G	52.42	83.54	-31.12	41.49	1	Horizontal	29	2.09	-	37.71	21.90	48.68			
AV	21.07416G	40.79	63.54	-22.75	29.81	1	Horizontal	29	2.09	-	37.75	21.92	48.69			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 20.5
06-U-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.915G	111.25	Inf	-Inf	113.87	3	Vertical	302	2.78	-	34.99	8.28	45.89			
AV	6.917G	97.80	Inf	-Inf	100.40	3	Vertical	302	2.78	-	35.00	8.29	45.89			
PK	7.133G	69.25	88.20	-18.95	70.50	3	Vertical	302	2.78	-	36.13	8.44	45.82			
AV	7.125G	54.17	68.20	-14.03	55.46	3	Vertical	302	2.78	-	36.10	8.44	45.83			
PK	7.281G	63.53	74.00	-10.47	64.08	3	Vertical	302	2.78	-	36.52	8.66	45.73			
AV	7.261G	50.76	54.00	-3.24	51.45	3	Vertical	302	2.78	-	36.44	8.61	45.74			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 20.5
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.057G	101.68	Inf	-Inf	103.46	3	Horizontal	349	2.32	-	35.66	8.43	45.87
AV	6.915G	89.37	Inf	-Inf	91.99	3	Horizontal	349	2.32	-	34.99	8.28	45.89
PK	7.143G	57.32	88.20	-30.88	58.52	3	Horizontal	349	2.32	-	36.17	8.44	45.81
AV	7.177G	43.36	68.20	-24.84	44.45	3	Horizontal	349	2.32	-	36.25	8.45	45.79
PK	7.343G	55.46	74.00	-18.54	55.81	3	Horizontal	349	2.32	-	36.51	8.83	45.69
AV	7.259G	42.93	54.00	-11.07	43.62	3	Horizontal	349	2.32	-	36.44	8.61	45.74

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 20.5
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99G	45.50	88.20	-42.70	37.82	3	Vertical	35	1.84	-	40.48	12.32	45.12			
RMS	13.9656G	32.50	68.20	-35.70	24.87	3	Vertical	35	1.84	-	40.43	12.31	45.11			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 20.5
06-U-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0008G	45.54	88.20	-42.66	37.83	3	Horizontal	110	1.30	-	40.50	12.33	45.12			
RMS	13.9736G	32.59	68.20	-35.61	24.94	3	Horizontal	110	1.30	-	40.45	12.31	45.11			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 20.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95248G	47.87	83.54	-35.67	36.85	1	Vertical	324	1.04	-	37.80	21.92	48.70			
AV	20.97072G	35.89	63.54	-27.65	24.89	1	Vertical	324	1.04	-	37.76	21.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



EUT_Y_2TX
Setting 20.5
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.97288G	46.76	83.54	-36.78	35.77	1	Horizontal	38	1.80	-	37.75	21.94	48.70			
AV	20.97216G	34.12	63.54	-29.42	23.12	1	Horizontal	38	1.80	-	37.76	21.94	48.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	Pass	RMS	5.9114G	68.08	68.20	-0.12	3	Vertical	137	2.75	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Z_2TX
Setting -2.5(20.25)
02-D-K-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	79.94	88.20	-8.26	67.82	3	Vertical	136	2.83	-	34.12	8.16	30.16
RMS	5.9118G	67.51	68.20	-0.69	55.39	3	Vertical	136	2.83	-	34.12	8.16	30.16
PK	5.955G	115.29	Inf	-Inf	103.09	3	Vertical	136	2.83	-	34.21	8.14	30.15
RMS	5.973G	105.03	Inf	-Inf	92.79	3	Vertical	136	2.83	-	34.25	8.13	30.14

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Z_2TX
Setting -2.5(20,25)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	74.04	88.20	-14.16	61.90	3	Horizontal	340	2.41	-	34.15	8.15	30.16			
RMS	5.925G	58.00	68.20	-10.20	45.86	3	Horizontal	340	2.41	-	34.15	8.15	30.16			
PK	6.0098G	104.41	Inf	-Inf	92.11	3	Horizontal	340	2.41	-	34.32	8.11	30.13			
RMS	5.969G	94.33	Inf	-Inf	82.10	3	Horizontal	340	2.41	-	34.24	8.13	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting -2.5(20.25)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.99425G	60.38	74.00	-13.62	39.81	3	Vertical	194	2.99	-	39.21	12.79	31.43				
AV	11.98715G	47.42	54.00	-6.58	26.84	3	Vertical	194	2.99	-	39.23	12.78	31.43				
PK	17.9638G	58.09	74.00	-15.91	27.86	3	Vertical	138	2.18	-	46.57	15.23	31.57				
AV	17.9157G	43.46	54.00	-10.54	13.16	3	Vertical	138	2.18	-	46.67	15.22	31.59				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting -2.5(20.25)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.935G	59.96	74.00	-14.04	39.28	3	Horizontal	150	1.10	-	39.30	12.76	31.38			
AV	11.9405G	47.39	54.00	-6.61	26.71	3	Horizontal	150	1.10	-	39.30	12.76	31.38			
PK	17.9423G	64.10	74.00	-9.90	33.83	3	Horizontal	126	1.80	-	46.62	15.23	31.58			
AV	17.9278G	47.44	54.00	-6.56	17.15	3	Horizontal	126	1.80	-	46.64	15.23	31.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5985MHz_TX

EUT_Y_2TX
Setting -2.5(20,25)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9579G	52.30	83.54	-31.24	43.37	1	Vertical	221	1.49	-	38.98	17.85	47.90			
AV	23.9208G	39.89	63.54	-23.65	30.98	1	Vertical	221	1.49	-	38.94	17.87	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting -2.5(20,25)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9135G	52.56	83.54	-30.98	43.65	1	Horizontal	106	1.53	-	38.93	17.88	47.90			
AV	23.9248G	39.81	63.54	-23.73	30.89	1	Horizontal	106	1.53	-	38.95	17.87	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Z_2TX
Setting -4.5(20.25)
02-D-K-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	82.83	88.20	-5.37	70.76	3	Vertical	138	2.82	-	34.07	8.17	30.17
RMS	5.8946G	66.47	68.20	-1.73	54.39	3	Vertical	138	2.82	-	34.08	8.17	30.17
PK	6.0126G	116.60	Inf	-Inf	104.30	3	Vertical	138	2.82	-	34.33	8.11	30.14
RMS	6.0142G	106.70	Inf	-Inf	94.40	3	Vertical	138	2.82	-	34.33	8.11	30.14

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5985MHz_TX

EUT_Z_2TX
Setting -4.5(20.25)
02-D-K-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9094G	70.85	88.20	-17.35	58.73	3	Horizontal	340	2.38	-	34.12	8.16	30.16			
RMS	5.9066G	57.02	68.20	-11.18	44.91	3	Horizontal	340	2.38	-	34.11	8.16	30.16			
PK	6.0074G	106.29	Inf	-Inf	93.99	3	Horizontal	340	2.38	-	34.31	8.12	30.13			
RMS	6.0098G	96.09	Inf	-Inf	83.79	3	Horizontal	340	2.38	-	34.32	8.11	30.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting -4.5(20.25)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0016G	59.39	74.00	-14.61	38.84	3	Vertical	264	1.35	-	39.20	12.79	31.44			
AV	12.0179G	47.38	54.00	-6.62	26.86	3	Vertical	264	1.35	-	39.16	12.79	31.43			
PK	17.9721G	57.35	74.00	-16.65	27.13	3	Vertical	40	2.78	-	46.56	15.23	31.57			
AV	17.9284G	44.43	54.00	-9.57	14.14	3	Vertical	40	2.78	-	46.64	15.23	31.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting -4.5(20.25)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9261G	60.63	74.00	-13.37	39.95	3	Horizontal	175	1.40	-	39.30	12.75	31.37			
AV	11.9557G	47.34	54.00	-6.66	26.68	3	Horizontal	175	1.40	-	39.29	12.77	31.40			
PK	17.9799G	62.46	74.00	-11.54	32.25	3	Horizontal	149	1.26	-	46.54	15.24	31.57			
AV	17.9307G	48.37	54.00	-5.63	18.08	3	Horizontal	149	1.26	-	46.64	15.23	31.58			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting -4.5(20.25)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9125G	52.19	83.54	-31.35	43.29	1	Vertical	19	2.02	-	38.92	17.88	47.90			
AV	23.9741G	39.80	63.54	-23.74	30.91	1	Vertical	19	2.02	-	38.95	17.84	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT_Y_2TX
Setting -4.5(20,25)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9519G	53.05	83.54	-30.49	44.10	1	Horizontal	148	1.71	-	39.00	17.85	47.90			
AV	23.9422G	39.83	63.54	-23.71	30.89	1	Horizontal	148	1.71	-	38.98	17.86	47.90			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Z_2TX
Setting -3(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0558G	118.05	Inf	-Inf	104.59	3	Vertical	119	2.81	-	35.42	8.93	30.89			
RMS	7.0578G	107.28	Inf	-Inf	93.81	3	Vertical	119	2.81	-	35.43	8.93	30.89			
PK	7.1334G	79.92	88.20	-8.28	66.11	3	Vertical	119	2.81	-	35.73	8.97	30.89			
RMS	7.1366G	66.70	68.20	-1.50	52.87	3	Vertical	119	2.81	-	35.75	8.97	30.89			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Z_2TX
Setting -3(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0122G	107.52	Inf	-Inf	94.18	3	Horizontal	-0	2.26	-	35.32	8.91	30.89			
RMS	6.9914G	97.16	Inf	-Inf	83.83	3	Horizontal	-0	2.26	-	35.30	8.91	30.88			
PK	7.131G	74.35	88.20	-13.85	60.55	3	Horizontal	-0	2.26	-	35.72	8.97	30.89			
RMS	7.1326G	60.01	68.20	-8.19	46.20	3	Horizontal	-0	2.26	-	35.73	8.97	30.89			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting -3(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0989G	66.44	88.20	-21.76	43.11	3	Vertical	84	1.13	-	41.80	13.19	31.66			
RMS	14.0977G	53.68	68.20	-14.52	30.37	3	Vertical	84	1.13	-	41.79	13.18	31.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting -3(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0993G	66.40	88.20	-21.80	43.07	3	Horizontal	350	1.32	-	41.80	13.19	31.66			
RMS	14.0896G	53.80	68.20	-14.40	30.52	3	Horizontal	350	1.32	-	41.76	13.18	31.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting -3(21)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0622G	49.55	83.54	-33.99	43.14	1	Vertical	242	1.87	-	37.78	17.51	48.88			
AV	21.0376G	36.39	63.54	-27.15	29.97	1	Vertical	242	1.87	-	37.78	17.52	48.88			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting -3(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0627G	48.55	83.54	-34.99	42.14	1	Horizontal	70	1.37	-	37.77	17.51	48.87			
AV	21.0687G	36.25	63.54	-27.29	29.86	1	Horizontal	70	1.37	-	37.76	17.50	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Z_2TX
Setting -5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.995G	119.35	Inf	-Inf	106.03	3	Vertical	118	2.95	-	35.30	8.90	30.88
RMS	6.995G	108.40	Inf	-Inf	95.08	3	Vertical	118	2.95	-	35.30	8.90	30.88
PK	7.1346G	83.68	88.20	-4.52	69.86	3	Vertical	118	2.95	-	35.74	8.97	30.89
RMS	7.1338G	68.05	68.20	-0.15	54.23	3	Vertical	118	2.95	-	35.74	8.97	30.89

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


7025MHz_TX

EUT_Z_2TX
Setting -5(21)
02-D-K-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9906G	108.41	Inf	-Inf	95.08	3	Horizontal	-0	2.26	-	35.30	8.91	30.88
RMS	6.9918G	98.59	Inf	-Inf	85.26	3	Horizontal	-0	2.26	-	35.30	8.91	30.88
PK	7.1274G	78.55	88.20	-9.65	64.77	3	Horizontal	-0	2.26	-	35.71	8.96	30.89
RMS	7.1298G	62.14	68.20	-6.06	48.35	3	Horizontal	-0	2.26	-	35.72	8.96	30.89

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting -5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0152G	66.73	88.20	-21.47	43.80	3	Vertical	93	1.80	-	41.53	13.11	31.71			
RMS	14.0972G	53.75	68.20	-14.45	30.44	3	Vertical	93	1.80	-	41.79	13.18	31.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting -5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0937G	66.56	88.20	-21.64	43.27	3	Horizontal	107	1.29	-	41.77	13.18	31.66			
RMS	14.0923G	53.72	68.20	-14.48	30.43	3	Horizontal	107	1.29	-	41.77	13.18	31.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting -5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.048G	49.12	83.54	-34.42	42.69	1	Vertical	126	1.80	-	37.80	17.51	48.88			
AV	21.0561G	36.51	63.54	-27.03	30.09	1	Vertical	126	1.80	-	37.79	17.51	48.88			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




EUT_Y_2TX
Setting -5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.1141G	49.37	83.54	-34.17	43.00	1	Horizontal	77	2.04	-	37.73	17.49	48.85			
AV	21.0558G	36.42	63.54	-27.12	30.00	1	Horizontal	77	2.04	-	37.79	17.51	48.88			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Z_2TX
Setting 0(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	82.99	88.20	-5.21	70.85	3	Vertical	139	2.85	-	34.14	8.16	30.16			
RMS	5.9114G	64.06	68.20	-4.14	51.94	3	Vertical	139	2.85	-	34.12	8.16	30.16			
PK	6.0946G	114.52	Inf	-Inf	102.13	3	Vertical	139	2.85	-	34.49	8.07	30.17			
RMS	6.0738G	103.56	Inf	-Inf	91.19	3	Vertical	139	2.85	-	34.45	8.08	30.16			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Z_2TX
Setting 0(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8906G	71.81	88.20	-16.39	59.75	3	Horizontal	338	2.11	-	34.06	8.17	30.17			
RMS	5.925G	54.21	68.20	-13.99	42.07	3	Horizontal	338	2.11	-	34.15	8.15	30.16			
PK	6.089G	102.93	Inf	-Inf	90.55	3	Horizontal	338	2.11	-	34.48	8.07	30.17			
RMS	6.0874G	93.74	Inf	-Inf	81.36	3	Horizontal	338	2.11	-	34.47	8.07	30.16			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0739G	66.40	88.20	-21.80	43.21	3	Vertical	309	1.80	-	41.70	13.16	31.67			
RMS	14.0986G	53.82	68.20	-14.38	30.50	3	Vertical	309	1.80	-	41.79	13.19	31.66			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0081G	66.86	88.20	-21.34	43.94	3	Horizontal	-0	1.84	-	41.52	13.11	31.71			
RMS	14.0981G	53.85	68.20	-14.35	30.54	3	Horizontal	-0	1.84	-	41.79	13.18	31.66			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0(21)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0548G	49.27	83.54	-34.27	42.85	1	Vertical	167	1.42	-	37.79	17.51	48.88			
AV	21.0626G	36.32	63.54	-27.22	29.91	1	Vertical	167	1.42	-	37.77	17.51	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.1188G	48.77	83.54	-34.77	42.39	1	Horizontal	286	1.46	-	37.74	17.49	48.85			
AV	21.0375G	36.31	63.54	-27.23	29.90	1	Horizontal	286	1.46	-	37.77	17.52	48.88			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Z_2TX
Setting -1.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	86.38	88.20	-1.82	74.24	3	Vertical	137	2.75	-	34.14	8.16	30.16			
RMS	5.9114G	68.08	68.20	-0.12	55.96	3	Vertical	137	2.75	-	34.12	8.16	30.16			
PK	6.0938G	114.25	Inf	-Inf	101.86	3	Vertical	137	2.75	-	34.49	8.07	30.17			
RMS	6.0946G	105.08	Inf	-Inf	92.69	3	Vertical	137	2.75	-	34.49	8.07	30.17			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Z_2TX
Setting -1.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9018G	75.31	88.20	-12.89	63.22	3	Horizontal	340	2.22	-	34.10	8.16	30.17			
RMS	5.925G	58.96	68.20	-9.24	46.82	3	Horizontal	340	2.22	-	34.15	8.15	30.16			
PK	6.0874G	103.46	Inf	-Inf	91.08	3	Horizontal	340	2.22	-	34.47	8.07	30.16			
RMS	6.0874G	94.93	Inf	-Inf	82.55	3	Horizontal	340	2.22	-	34.47	8.07	30.16			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting -1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0084G	59.49	74.00	-14.51	38.96	3	Vertical	99	1.80	-	39.18	12.79	31.44			
AV	12.0052G	46.93	54.00	-7.07	26.39	3	Vertical	99	1.80	-	39.19	12.79	31.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting -1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0545G	59.59	74.00	-14.41	39.12	3	Horizontal	280	1.80	-	39.09	12.80	31.42			
AV	12.0205G	46.82	54.00	-7.18	26.30	3	Horizontal	280	1.80	-	39.16	12.79	31.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting -1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0262G	46.78	83.54	-36.76	42.19	1	Vertical	173	1.78	-	37.30	15.70	48.41			
AV	18.0278G	34.30	63.54	-29.24	29.72	1	Vertical	173	1.78	-	37.29	15.70	48.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting -1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0552G	47.00	83.54	-36.54	42.49	1	Horizontal	73	1.71	-	37.21	15.72	48.42			
AV	18.0252G	34.53	63.54	-29.01	29.94	1	Horizontal	73	1.71	-	37.30	15.70	48.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Z_2TX
Setting -3.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	72.98	88.20	-15.22	60.84	3	Vertical	139	2.73	-	34.14	8.16	30.16			
RMS	5.9138G	60.50	68.20	-7.70	48.37	3	Vertical	139	2.73	-	34.13	8.16	30.16			
PK	6.0954G	115.42	Inf	-Inf	103.03	3	Vertical	139	2.73	-	34.49	8.07	30.17			
RMS	6.0954G	105.97	Inf	-Inf	93.58	3	Vertical	139	2.73	-	34.49	8.07	30.17			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Z_2TX
Setting -3.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	64.37	88.20	-23.83	52.23	3	Horizontal	350	2.31	-	34.15	8.15	30.16			
RMS	5.925G	51.33	68.20	-16.87	39.19	3	Horizontal	350	2.31	-	34.15	8.15	30.16			
PK	6.0698G	105.27	Inf	-Inf	92.91	3	Horizontal	350	2.31	-	34.44	8.08	30.16			
RMS	6.0706G	96.13	Inf	-Inf	83.77	3	Horizontal	350	2.31	-	34.44	8.08	30.16			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting -3.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0271G	59.91	74.00	-14.09	39.40	3	Vertical	92	1.34	-	39.15	12.79	31.43			
AV	12.0181G	46.73	54.00	-7.27	26.21	3	Vertical	92	1.34	-	39.16	12.79	31.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting -3.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0624G	59.89	74.00	-14.11	39.43	3	Horizontal	336	1.80	-	39.08	12.80	31.42			
AV	12.0466G	46.79	54.00	-7.21	26.30	3	Horizontal	336	1.80	-	39.11	12.80	31.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting -3.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.1196G	47.03	83.54	-36.51	42.41	1	Vertical	283	1.95	-	37.30	15.77	48.45			
AV	18.0395G	34.60	63.54	-28.94	30.07	1	Vertical	283	1.95	-	37.24	15.71	48.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_Y_2TX
Setting -3.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0759G	47.73	83.54	-35.81	43.17	1	Horizontal	135	1.59	-	37.25	15.74	48.43			
AV	18.0296G	34.41	63.54	-29.13	29.84	1	Horizontal	135	1.59	-	37.28	15.70	48.41			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Z_2TX
Setting 3(18)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9378G	110.63	Inf	-Inf	97.20	3	Vertical	124	2.60	-	35.30	8.95	30.82
RMS	6.9186G	101.49	Inf	-Inf	88.02	3	Vertical	124	2.60	-	35.30	8.97	30.80
PK	7.1338G	80.96	88.20	-7.24	67.14	3	Vertical	124	2.60	-	35.74	8.97	30.89
RMS	7.1434G	55.66	68.20	-12.54	41.81	3	Vertical	124	2.60	-	35.77	8.97	30.89
PK	7.2554G	68.72	74.00	-5.28	54.28	3	Vertical	124	2.60	-	36.32	9.01	30.89
AV	7.2602G	53.64	54.00	-0.36	39.18	3	Vertical	124	2.60	-	36.34	9.01	30.89

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Z_2TX
Setting 3(18)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9162G	100.97	Inf	-Inf	87.50	3	Horizontal	169	2.23	-	35.30	8.97	30.80			
RMS	6.917G	91.76	Inf	-Inf	78.29	3	Horizontal	169	2.23	-	35.30	8.97	30.80			
PK	7.1338G	68.90	88.20	-19.30	55.08	3	Horizontal	169	2.23	-	35.74	8.97	30.89			
RMS	7.133G	49.33	68.20	-18.87	35.52	3	Horizontal	169	2.23	-	35.73	8.97	30.89			
PK	7.3586G	59.17	74.00	-14.83	44.42	3	Horizontal	169	2.23	-	36.62	9.02	30.89			
AV	7.3578G	48.96	54.00	-5.04	34.21	3	Horizontal	169	2.23	-	36.62	9.02	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 3(18)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97G	65.09	88.20	-23.11	42.32	3	Vertical	168	1.80	-	41.38	13.10	31.71			
RMS	13.97G	52.20	68.20	-16.00	29.43	3	Vertical	168	1.80	-	41.38	13.10	31.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 3(18)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97G	65.33	88.20	-22.87	42.56	3	Horizontal	121	1.80	-	41.38	13.10	31.71			
RMS	13.97G	52.05	68.20	-16.15	29.28	3	Horizontal	121	1.80	-	41.38	13.10	31.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 3(18)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.953G	49.51	83.54	-34.03	43.13	1	Vertical	82	1.86	-	37.79	17.49	48.90			
AV	20.9051G	36.71	63.54	-26.83	30.37	1	Vertical	82	1.86	-	37.80	17.44	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 3(18)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9245G	49.16	83.54	-34.38	42.80	1	Horizontal	161	1.64	-	37.80	17.46	48.90			
AV	20.906G	37.02	63.54	-26.52	30.68	1	Horizontal	161	1.64	-	37.80	17.44	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Z_2TX
Setting 2(18)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9178G	112.12	Inf	-Inf	98.65	3	Vertical	120	2.42	-	35.30	8.97	30.80			
RMS	6.9178G	102.20	Inf	-Inf	88.73	3	Vertical	120	2.42	-	35.30	8.97	30.80			
PK	7.129G	82.48	88.20	-5.72	68.69	3	Vertical	120	2.42	-	35.72	8.96	30.89			
RMS	7.1338G	57.53	68.20	-10.67	43.71	3	Vertical	120	2.42	-	35.74	8.97	30.89			
PK	7.2938G	68.40	74.00	-5.60	53.80	3	Vertical	120	2.42	-	36.48	9.01	30.89			
AV	7.2594G	53.32	54.00	-0.68	38.86	3	Vertical	120	2.42	-	36.34	9.01	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Z_2TX
Setting 2(18)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9194G	101.85	Inf	-Inf	88.38	3	Horizontal	311	1.99	-	35.30	8.97	30.80			
RMS	6.9194G	91.13	Inf	-Inf	77.66	3	Horizontal	311	1.99	-	35.30	8.97	30.80			
PK	7.133G	71.56	88.20	-16.64	57.75	3	Horizontal	311	1.99	-	35.73	8.97	30.89			
RMS	7.1386G	50.03	68.20	-18.17	36.20	3	Horizontal	311	1.99	-	35.75	8.97	30.89			
PK	7.2986G	59.93	74.00	-14.07	45.32	3	Horizontal	311	1.99	-	36.49	9.01	30.89			
AV	7.357G	49.30	54.00	-4.70	34.56	3	Horizontal	311	1.99	-	36.61	9.02	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 2(18)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97G	65.00	88.20	-23.20	42.23	3	Vertical	272	2.32	-	41.38	13.10	31.71			
RMS	13.97G	52.08	68.20	-16.12	29.31	3	Vertical	272	2.32	-	41.38	13.10	31.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 2(18)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97G	64.91	88.20	-23.29	42.14	3	Horizontal	157	2.12	-	41.38	13.10	31.71			
RMS	13.97G	51.88	68.20	-16.32	29.11	3	Horizontal	157	2.12	-	41.38	13.10	31.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 2(18)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9382G	49.40	83.54	-34.14	43.03	1	Vertical	113	1.58	-	37.80	17.47	48.90			
AV	20.9165G	36.63	63.54	-26.91	30.28	1	Vertical	113	1.58	-	37.80	17.45	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 2(18)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9209G	49.45	83.54	-34.09	43.09	1	Horizontal	306	1.44	-	37.80	17.46	48.90			
AV	20.9112G	37.00	63.54	-26.54	30.65	1	Horizontal	306	1.44	-	37.80	17.45	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Z_2TX
Setting 1(18)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9138G	112.15	Inf	-Inf	98.67	3	Vertical	116	2.68	-	35.30	8.97	30.79			
RMS	6.9154G	102.47	Inf	-Inf	89.00	3	Vertical	116	2.68	-	35.30	8.97	30.80			
PK	7.1394G	73.61	88.20	-14.59	59.77	3	Vertical	116	2.68	-	35.76	8.97	30.89			
RMS	7.1794G	55.45	68.20	-12.75	41.43	3	Vertical	116	2.68	-	35.92	8.99	30.89			
PK	7.2946G	69.00	74.00	-5.00	54.40	3	Vertical	116	2.68	-	36.48	9.01	30.89			
AV	7.2794G	53.63	54.00	-0.37	39.09	3	Vertical	116	2.68	-	36.42	9.01	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Z_2TX
Setting 1(18)
02-D-K-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9266G	101.59	Inf	-Inf	88.14	3	Horizontal	339	2.22	-	35.30	8.96	30.81
RMS	6.9434G	92.96	Inf	-Inf	79.54	3	Horizontal	339	2.22	-	35.30	8.95	30.83
PK	7.1642G	64.78	88.20	-23.42	50.83	3	Horizontal	339	2.22	-	35.86	8.98	30.89
RMS	7.1642G	50.41	68.20	-17.79	36.46	3	Horizontal	339	2.22	-	35.86	8.98	30.89
PK	7.3026G	61.22	74.00	-12.78	46.58	3	Horizontal	339	2.22	-	36.51	9.02	30.89
AV	7.2818G	49.60	54.00	-4.40	35.05	3	Horizontal	339	2.22	-	36.43	9.01	30.89

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1(18)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97G	65.78	88.20	-22.42	43.01	3	Vertical	104	1.64	-	41.38	13.10	31.71			
RMS	13.97G	52.12	68.20	-16.08	29.35	3	Vertical	104	1.64	-	41.38	13.10	31.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1(18)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97G	64.79	88.20	-23.41	42.02	3	Horizontal	99	1.87	-	41.38	13.10	31.71			
RMS	13.97G	51.97	68.20	-16.23	29.20	3	Horizontal	99	1.87	-	41.38	13.10	31.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1(18)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.91G	49.18	83.54	-34.36	42.83	1	Vertical	102	1.98	-	37.80	17.45	48.90			
AV	20.905G	36.74	63.54	-26.80	30.40	1	Vertical	102	1.98	-	37.80	17.44	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6985MHz_TX




EUT_Y_2TX
Setting 1(18)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9168G	49.88	83.54	-33.66	43.53	1	Horizontal	27	1.64	-	37.80	17.45	48.90			
AV	20.9204G	36.70	63.54	-26.84	30.34	1	Horizontal	27	1.64	-	37.80	17.46	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Z_2TX
Setting 2.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	81.14	88.20	-7.06	69.00	3	Vertical	138	2.21	-	34.15	8.15	30.16			
RMS	5.917G	61.77	68.20	-6.43	49.64	3	Vertical	138	2.21	-	34.13	8.16	30.16			
PK	6.1578G	110.54	Inf	-Inf	98.10	3	Vertical	138	2.21	-	34.60	8.03	30.19			
RMS	6.1586G	100.89	Inf	-Inf	88.45	3	Vertical	138	2.21	-	34.60	8.03	30.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Z_2TX
Setting 2.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	69.47	88.20	-18.73	57.33	3	Horizontal	341	2.37	-	34.14	8.16	30.16			
RMS	5.925G	53.56	68.20	-14.64	41.42	3	Horizontal	341	2.37	-	34.15	8.15	30.16			
PK	6.1634G	100.71	Inf	-Inf	88.28	3	Horizontal	341	2.37	-	34.60	8.03	30.20			
RMS	6.1666G	91.39	Inf	-Inf	78.96	3	Horizontal	341	2.37	-	34.60	8.03	30.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 2.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2442G	59.27	74.00	-14.73	39.08	3	Vertical	225	1.85	-	38.71	12.83	31.35			
AV	12.2648G	46.49	54.00	-7.51	26.30	3	Vertical	225	1.85	-	38.70	12.83	31.34			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 2.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1604G	58.78	74.00	-15.22	38.47	3	Horizontal	308	1.40	-	38.88	12.81	31.38			
AV	12.164G	46.40	54.00	-7.60	26.09	3	Horizontal	308	1.40	-	38.87	12.82	31.38			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 2.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.2823G	47.57	83.54	-35.97	42.81	1	Vertical	5	1.99	-	37.37	15.90	48.51			
AV	18.27G	34.44	63.54	-29.10	29.64	1	Vertical	5	1.99	-	37.42	15.89	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 2.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3147G	47.39	83.54	-36.15	42.63	1	Horizontal	29	1.98	-	37.36	15.93	48.53			
AV	18.2947G	34.55	63.54	-28.99	29.84	1	Horizontal	29	1.98	-	37.32	15.91	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 1.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9114G	68.30	88.20	-19.90	56.18	3	Vertical	138	2.84	-	34.12	8.16	30.16			
RMS	5.9106G	56.81	68.20	-11.39	44.69	3	Vertical	138	2.84	-	34.12	8.16	30.16			
PK	6.2162G	111.39	Inf	-Inf	98.97	3	Vertical	138	2.84	-	34.60	8.04	30.22			
RMS	6.1154G	101.12	Inf	-Inf	88.71	3	Vertical	138	2.84	-	34.53	8.06	30.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 1.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	61.26	88.20	-26.94	49.12	3	Horizontal	342	2.40	-	34.15	8.15	30.16			
RMS	5.925G	50.10	68.20	-18.10	37.96	3	Horizontal	342	2.40	-	34.15	8.15	30.16			
PK	6.1466G	101.38	Inf	-Inf	88.94	3	Horizontal	342	2.40	-	34.59	8.04	30.19			
RMS	6.1274G	91.20	Inf	-Inf	78.78	3	Horizontal	342	2.40	-	34.55	8.05	30.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1533G	60.13	74.00	-13.87	39.81	3	Vertical	258	1.80	-	38.89	12.81	31.38			
AV	12.1035G	46.46	54.00	-7.54	26.06	3	Vertical	258	1.80	-	38.99	12.81	31.40			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1227G	58.92	74.00	-15.08	38.56	3	Horizontal	38	1.80	-	38.95	12.81	31.40			
AV	12.0969G	46.53	54.00	-7.47	26.12	3	Horizontal	38	1.80	-	39.01	12.81	31.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.2865G	46.86	83.54	-36.68	42.11	1	Vertical	343	1.62	-	37.35	15.91	48.51			
AV	18.2666G	34.40	63.54	-29.14	29.59	1	Vertical	343	1.62	-	37.43	15.89	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.2892G	46.94	83.54	-36.60	42.21	1	Horizontal	67	1.88	-	37.34	15.91	48.52			
AV	18.2692G	34.42	63.54	-29.12	29.62	1	Horizontal	67	1.88	-	37.42	15.89	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Z_2TX
Setting 1.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	75.88	88.20	-12.32	63.74	3	Vertical	138	2.40	-	34.14	8.16	30.16			
RMS	5.9122G	63.08	68.20	-5.12	50.96	3	Vertical	138	2.40	-	34.12	8.16	30.16			
PK	6.0738G	111.07	Inf	-Inf	98.70	3	Vertical	138	2.40	-	34.45	8.08	30.16			
RMS	6.1578G	101.63	Inf	-Inf	89.19	3	Vertical	138	2.40	-	34.60	8.03	30.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX


6105MHz_TX

EUT_Z_2TX
Setting 1.5(21)
02-D-K-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	68.25	88.20	-19.95	56.11	3	Horizontal	340	2.36	-	34.14	8.16	30.16			
RMS	5.9242G	54.55	68.20	-13.65	42.41	3	Horizontal	340	2.36	-	34.15	8.15	30.16			
PK	6.1666G	100.87	Inf	-Inf	88.44	3	Horizontal	340	2.36	-	34.60	8.03	30.20			
RMS	6.1666G	92.11	Inf	-Inf	79.68	3	Horizontal	340	2.36	-	34.60	8.03	30.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0687G	59.47	74.00	-14.53	39.03	3	Vertical	71	2.45	-	39.06	12.80	31.42			
AV	12.1533G	46.54	54.00	-7.46	26.22	3	Vertical	71	2.45	-	38.89	12.81	31.38			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1185G	59.15	74.00	-14.85	38.78	3	Horizontal	69	1.11	-	38.96	12.81	31.40			
AV	12.1536G	46.55	54.00	-7.45	26.23	3	Horizontal	69	1.11	-	38.89	12.81	31.38			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3604G	47.17	83.54	-36.37	42.25	1	Vertical	289	1.84	-	37.50	15.96	48.54			
AV	18.2832G	34.53	63.54	-29.01	29.77	1	Vertical	289	1.84	-	37.37	15.90	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Y_2TX
Setting 1.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.2906G	47.40	83.54	-36.14	42.67	1	Horizontal	104	1.95	-	37.34	15.91	48.52			
AV	18.3047G	34.46	63.54	-29.08	29.74	1	Horizontal	104	1.95	-	37.32	15.92	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Z_2TX
Setting 0.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.917G	76.97	88.20	-11.23	64.84	3	Vertical	137	2.86	-	34.13	8.16	30.16			
RMS	5.9114G	62.90	68.20	-5.30	50.78	3	Vertical	137	2.86	-	34.12	8.16	30.16			
PK	6.237G	113.51	Inf	-Inf	101.06	3	Vertical	137	2.86	-	34.60	8.07	30.22			
RMS	6.2362G	102.96	Inf	-Inf	90.51	3	Vertical	137	2.86	-	34.60	8.07	30.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Z_2TX
Setting 0.5(21)
02-D-K-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	66.44	88.20	-21.76	54.30	3	Horizontal	338	2.21	-	34.14	8.16	30.16			
RMS	5.925G	55.02	68.20	-13.18	42.88	3	Horizontal	338	2.21	-	34.15	8.15	30.16			
PK	6.2482G	102.86	Inf	-Inf	90.40	3	Horizontal	338	2.21	-	34.60	8.09	30.23			
RMS	6.2474G	92.90	Inf	-Inf	80.44	3	Horizontal	338	2.21	-	34.60	8.09	30.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 0.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.063G	59.19	74.00	-14.81	38.74	3	Vertical	27	1.77	-	39.07	12.80	31.42			
AV	12.1836G	46.62	54.00	-7.38	26.34	3	Vertical	27	1.77	-	38.83	12.82	31.37			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 0.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1068G	59.49	74.00	-14.51	39.09	3	Horizontal	269	1.17	-	38.99	12.81	31.40			
AV	12.0627G	46.64	54.00	-7.36	26.19	3	Horizontal	269	1.17	-	39.07	12.80	31.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 0.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3479G	47.86	83.54	-35.68	42.96	1	Vertical	240	1.61	-	37.49	15.95	48.54			
AV	18.2836G	34.51	63.54	-29.03	29.75	1	Vertical	240	1.61	-	37.37	15.90	48.51			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT_Y_2TX
Setting 0.5(21)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.2989G	47.23	83.54	-36.31	42.53	1	Horizontal	232	1.70	-	37.30	15.92	48.52			
AV	18.3483G	34.66	63.54	-28.88	29.75	1	Horizontal	232	1.70	-	37.49	15.96	48.54			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz_TX




EUT_Z_2TX
Setting 5.5(18.5)
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.817G	109.36	Inf	-Inf	95.66	3	Vertical	124	2.97	-	35.33	9.06	30.69			
RMS	6.817G	99.44	Inf	-Inf	85.74	3	Vertical	124	2.97	-	35.33	9.06	30.69			
PK	7.2642G	68.36	74.00	-5.64	53.88	3	Vertical	124	2.97	-	36.36	9.01	30.89			
AV	7.2594G	53.32	54.00	-0.68	38.86	3	Vertical	124	2.97	-	36.34	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz_TX




EUT_Z_2TX
Setting 5.5(18.5)
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7562G	101.91	Inf	-Inf	88.35	3	Horizontal	166	2.46	-	35.21	8.97	30.62			
RMS	6.753G	92.02	Inf	-Inf	78.45	3	Horizontal	166	2.46	-	35.21	8.97	30.61			
PK	7.2794G	61.62	74.00	-12.38	47.08	3	Horizontal	166	2.46	-	36.42	9.01	30.89			
AV	7.281G	49.54	54.00	-4.46	35.00	3	Horizontal	166	2.46	-	36.42	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz_TX




EUT_V_2TX
Setting 5.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7734G	64.87	88.20	-23.33	42.61	3	Vertical	41	1.37	-	40.85	13.06	31.65			
RMS	13.7102G	51.47	68.20	-16.73	29.32	3	Vertical	41	1.37	-	40.72	13.06	31.63			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz_TX




EUT_V_2TX
Setting 5.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7659G	63.72	88.20	-24.48	41.48	3	Horizontal	123	2.13	-	40.83	13.06	31.65			
RMS	13.8599G	51.22	68.20	-16.98	28.70	3	Horizontal	123	2.13	-	41.12	13.08	31.68			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz_TX




EUT V_2TX
Setting 5.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7496G	49.70	83.54	-33.84	43.50	1	Vertical	249	1.65	-	37.80	17.30	48.90			
AV	20.7581G	36.84	63.54	-26.70	30.66	1	Vertical	249	1.65	-	37.77	17.31	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz_TX




EUT V_2TX
Setting 5.5(18.5)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7634G	49.27	83.54	-34.27	43.11	1	Horizontal	-0	1.80	-	37.75	17.31	48.90			
AV	20.7612G	36.91	63.54	-26.63	30.74	1	Horizontal	-0	1.80	-	37.76	17.31	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 4.5(18.5)
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8378G	109.50	Inf	-Inf	95.79	3	Vertical	128	2.66	-	35.38	9.04	30.71			
RMS	6.8194G	100.60	Inf	-Inf	86.90	3	Vertical	128	2.66	-	35.34	9.05	30.69			
PK	7.2642G	70.52	74.00	-3.48	56.04	3	Vertical	128	2.66	-	36.36	9.01	30.89			
AV	7.2642G	52.89	54.00	-1.11	38.41	3	Vertical	128	2.66	-	36.36	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 4.5(18.5)
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.793G	100.13	Inf	-Inf	86.45	3	Horizontal	168	2.16	-	35.29	9.05	30.66			
RMS	6.7746G	90.60	Inf	-Inf	76.98	3	Horizontal	168	2.16	-	35.25	9.01	30.64			
PK	7.2754G	57.33	74.00	-16.67	42.81	3	Horizontal	168	2.16	-	36.40	9.01	30.89			
AV	7.2794G	44.06	54.00	-9.94	29.52	3	Horizontal	168	2.16	-	36.42	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_V_2TX
Setting 4.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8303G	64.09	88.20	-24.11	41.67	3	Vertical	126	1.80	-	41.02	13.07	31.67			
RMS	13.8495G	51.45	68.20	-16.75	28.94	3	Vertical	126	1.80	-	41.10	13.08	31.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_V_2TX
Setting 4.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8206G	63.80	88.20	-24.40	41.41	3	Horizontal	180	1.52	-	40.98	13.07	31.66			
RMS	13.8544G	51.35	68.20	-16.85	28.83	3	Horizontal	180	1.52	-	41.11	13.08	31.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT V_2TX
Setting 4.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7562G	48.97	83.54	-34.57	42.78	1	Vertical	13	1.52	-	37.78	17.31	48.90			
AV	20.7495G	36.83	63.54	-26.71	30.63	1	Vertical	13	1.52	-	37.80	17.30	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT V_2TX
Setting 4.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7573G	49.43	83.54	-34.11	43.25	1	Horizontal	288	2.00	-	37.77	17.31	48.90			
AV	20.7641G	36.89	63.54	-26.65	30.73	1	Horizontal	288	2.00	-	37.74	17.32	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6905MHz_TX




EUT_Z_2TX
Setting 4.5(18.5)
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.8554G	109.32	Inf	-Inf	95.64	3	Vertical	118	2.46	-	35.39	9.02	30.73
RMS	6.8578G	100.82	Inf	-Inf	87.15	3	Vertical	118	2.46	-	35.38	9.02	30.73
PK	7.2618G	66.92	74.00	-7.08	52.45	3	Vertical	118	2.46	-	36.35	9.01	30.89
AV	7.2594G	52.74	54.00	-1.26	38.28	3	Vertical	118	2.46	-	36.34	9.01	30.89

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6905MHz_TX




EUT_Z_2TX
Setting 4.5(18.5)
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8578G	100.64	Inf	-Inf	86.97	3	Horizontal	168	2.18	-	35.38	9.02	30.73			
RMS	6.857G	90.72	Inf	-Inf	77.04	3	Horizontal	168	2.18	-	35.39	9.02	30.73			
PK	7.2738G	54.84	74.00	-19.16	40.32	3	Horizontal	168	2.18	-	36.40	9.01	30.89			
AV	7.2578G	43.53	54.00	-10.47	29.08	3	Horizontal	168	2.18	-	36.33	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 4.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8463G	64.31	88.20	-23.89	41.81	3	Vertical	78	1.98	-	41.09	13.08	31.67			
RMS	13.8546G	51.27	68.20	-16.93	28.75	3	Vertical	78	1.98	-	41.11	13.08	31.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 4.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8428G	63.75	88.20	-24.45	41.27	3	Horizontal	80	1.75	-	41.07	13.08	31.67			
RMS	13.8471G	51.24	68.20	-16.96	28.74	3	Horizontal	80	1.75	-	41.09	13.08	31.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6905MHz_TX




EUT_Y_2TX
Setting 4.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7516G	49.77	83.54	-33.77	43.58	1	Vertical	255	1.55	-	37.79	17.30	48.90			
AV	20.752G	36.71	63.54	-26.83	30.52	1	Vertical	255	1.55	-	37.79	17.30	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX


6905MHz_TX

EUT_Y_2TX
Setting 4.5(18.5)
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7552G	48.98	83.54	-34.56	42.79	1	Horizontal	42	1.36	-	37.78	17.31	48.90			
AV	20.7564G	36.84	63.54	-26.70	30.66	1	Horizontal	42	1.36	-	37.77	17.31	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Z_2TX
Setting 3.5(18.5)
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8154G	109.15	Inf	-Inf	95.44	3	Vertical	124	2.65	-	35.33	9.06	30.68			
RMS	6.8186G	98.91	Inf	-Inf	85.21	3	Vertical	124	2.65	-	35.34	9.05	30.69			
PK	7.2698G	67.27	74.00	-6.73	52.77	3	Vertical	124	2.65	-	36.38	9.01	30.89			
AV	7.2794G	52.96	54.00	-1.04	38.42	3	Vertical	124	2.65	-	36.42	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_Z_2TX
Setting 3.5(18.5)
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7546G	98.38	Inf	-Inf	84.82	3	Horizontal	168	2.12	-	35.21	8.97	30.62			
RMS	6.7538G	89.34	Inf	-Inf	75.77	3	Horizontal	168	2.12	-	35.21	8.97	30.61			
PK	7.2946G	54.08	74.00	-19.92	39.48	3	Horizontal	168	2.12	-	36.48	9.01	30.89			
AV	7.2794G	44.02	54.00	-9.98	29.48	3	Horizontal	168	2.12	-	36.42	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT_V_2TX
Setting 3.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8214G	63.62	88.20	-24.58	41.22	3	Vertical	43	2.09	-	40.99	13.07	31.66			
RMS	13.8455G	51.11	68.20	-17.09	28.62	3	Vertical	43	2.09	-	41.08	13.08	31.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT V_2TX
Setting 3.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8575G	63.67	88.20	-24.53	41.14	3	Horizontal	101	1.94	-	41.12	13.08	31.67			
RMS	13.8324G	51.12	68.20	-17.08	28.69	3	Horizontal	101	1.94	-	41.03	13.07	31.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




EUT V_2TX
Setting 3.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7567G	48.95	83.54	-34.59	42.77	1	Vertical	8	1.79	-	37.77	17.31	48.90			
AV	20.749G	36.86	63.54	-26.68	30.67	1	Vertical	8	1.79	-	37.79	17.30	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX



EUT V_2TX
Setting 3.5(18.5)
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.741G	49.08	83.54	-34.46	42.94	1	Horizontal	176	1.63	-	37.75	17.29	48.90			
AV	20.7504G	36.90	63.54	-26.64	30.70	1	Horizontal	176	1.63	-	37.80	17.30	48.90			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX	Pass	AV	7.26404G	53.95	54.00	-0.05	3	Vertical	128	2.64	18

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Z_2TX
SET 20
18\20
9.53\2.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	82.72	88.20	-5.48	70.60	3	Vertical	140	2.80	20	34.12	8.16	30.16			
RMS	5.9125G	65.64	68.20	-2.56	53.52	3	Vertical	140	2.80	20	34.12	8.16	30.16			
PK	6.0145G	115.62	Inf	-Inf	103.32	3	Vertical	140	2.80	20	34.33	8.11	30.14			
RMS	6.015G	103.12	Inf	-Inf	90.82	3	Vertical	140	2.80	20	34.33	8.11	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5985MHz_TX

EUT_Z_2TX
SET 20
20
11.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	72.20	88.20	-16.00	60.06	3	Horizontal	341	2.39	20	34.15	8.15	30.16			
RMS	5.925G	56.37	68.20	-11.83	44.23	3	Horizontal	341	2.39	20	34.15	8.15	30.16			
PK	6.009G	106.64	Inf	-Inf	94.33	3	Horizontal	341	2.39	20	34.32	8.12	30.13			
RMS	6.0075G	93.45	Inf	-Inf	81.15	3	Horizontal	341	2.39	20	34.31	8.12	30.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT V_2TX
SET 20
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9716G	59.78	74.00	-14.22	39.15	3	Vertical	320	1.80	20	39.26	12.78	31.41			
AV	11.97328G	46.25	54.00	-7.75	25.63	3	Vertical	320	1.80	20	39.25	12.78	31.41			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT V_2TX
SET 20
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.98168G	59.50	74.00	-14.50	38.90	3	Horizontal	359	1.80	20	39.24	12.78	31.42			
AV	11.98024G	46.18	54.00	-7.82	25.58	3	Horizontal	359	1.80	20	39.24	12.78	31.42			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.96044G	46.57	83.54	-36.97	41.89	1	Vertical	210	1.83	20	37.32	15.65	48.29			
AV	17.94476G	33.36	63.54	-30.18	28.69	1	Vertical	210	1.83	20	37.29	15.63	48.25			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.93372G	47.71	83.54	-35.83	43.05	1	Horizontal	154	1.45	20	37.26	15.62	48.22			
AV	17.94236G	34.33	63.54	-29.21	29.67	1	Horizontal	154	1.45	20	37.28	15.63	48.25			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_Z_2TX
SET 20
18\20
12.84\5.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9968G	116.01	Inf	-Inf	102.70	3	Vertical	128	2.71	20	35.30	8.90	30.89				
RMS	6.9983G	103.49	Inf	-Inf	90.18	3	Vertical	128	2.71	20	35.30	8.90	30.89				
PK	7.1294G	80.15	88.20	-8.05	66.36	3	Vertical	128	2.71	20	35.72	8.96	30.89				
RMS	7.1393G	62.67	68.20	-5.53	48.83	3	Vertical	128	2.71	20	35.76	8.97	30.89				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT_Z_2TX
SET 20
20
13.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9971G	106.00	Inf	-Inf	92.69	3	Horizontal	314	2.04	20	35.30	8.90	30.89			
RMS	6.9986G	93.61	Inf	-Inf	80.30	3	Horizontal	314	2.04	20	35.30	8.90	30.89			
PK	7.1381G	72.51	88.20	-15.69	58.68	3	Horizontal	314	2.04	20	35.75	8.97	30.89			
RMS	7.1381G	54.38	68.20	-13.82	40.55	3	Horizontal	314	2.04	20	35.75	8.97	30.89			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT Y_2TX
SET 20
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.08168G	67.28	88.20	-20.92	44.05	3	Vertical	236	2.53	20	41.73	13.17	31.67			
RMS	14.094G	52.98	68.20	-15.22	29.68	3	Vertical	236	2.53	20	41.78	13.18	31.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT Y_2TX
SET 20
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	14.02696G	65.98	88.20	-22.22	43.01	3	Horizontal	207	1.80	20	41.55	13.12	31.70				
RMS	14.11096G	53.06	68.20	-15.14	29.67	3	Horizontal	207	1.80	20	41.84	13.20	31.65				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07556G	47.25	83.54	-36.29	40.87	1	Vertical	124	1.80	20	37.75	17.50	48.87			
AV	21.0995G	34.12	63.54	-29.42	27.79	1	Vertical	124	1.80	20	37.70	17.49	48.86			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




EUT Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0868G	48.46	83.54	-35.08	42.10	1	Horizontal	264	1.80	20	37.73	17.50	48.87			
AV	21.07708G	34.09	63.54	-29.45	27.71	1	Horizontal	264	1.80	20	37.75	17.50	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Z_2TX
Setting 20
03-E-J-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	76.99	88.20	-11.21	69.91	3	Vertical	320	2.09	-	34.54	7.52	34.98			
RMS	5.9162G	62.64	68.20	-5.56	55.54	3	Vertical	320	2.09	-	34.56	7.52	34.98			
PK	6.0602G	110.74	Inf	-Inf	103.32	3	Vertical	320	2.09	-	34.84	7.60	35.02			
RMS	6.097G	100.97	Inf	-Inf	93.37	3	Vertical	320	2.09	-	34.99	7.64	35.03			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX


6025MHz_TX

EUT_Z_2TX
Setting 20
03-E-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	64.20	88.20	-24.00	57.07	3	Horizontal	163	2.06	-	34.60	7.52	34.99			
RMS	5.925G	52.73	68.20	-15.47	45.60	3	Horizontal	163	2.06	-	34.60	7.52	34.99			
PK	5.9682G	99.77	Inf	-Inf	92.54	3	Horizontal	163	2.06	-	34.70	7.53	35.00			
RMS	6.0874G	89.98	Inf	-Inf	82.43	3	Horizontal	163	2.06	-	34.95	7.63	35.03			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0615G	60.85	74.00	-13.15	40.39	3	Vertical	45	1.84	18	39.08	12.80	31.42			
AV	12.0548G	46.27	54.00	-7.73	25.80	3	Vertical	45	1.84	18	39.09	12.80	31.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0517G	60.51	74.00	-13.49	40.03	3	Horizontal	114	1.73	18	39.10	12.80	31.42			
AV	12.0635G	46.52	54.00	-7.48	26.07	3	Horizontal	114	1.73	18	39.07	12.80	31.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0062G	45.77	83.54	-37.77	41.11	1	Vertical	203	1.81	18	37.38	15.68	48.40			
AV	17.99148G	32.42	63.54	-31.12	27.75	1	Vertical	203	1.81	18	37.38	15.67	48.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.97484G	46.09	83.54	-37.45	41.41	1	Horizontal	23	1.80	18	37.35	15.66	48.33			
AV	17.92076G	32.51	63.54	-31.03	27.85	1	Horizontal	23	1.80	18	37.24	15.61	48.19			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6025MHz_TX




EUT_Z_2TX
SET 20
18\20
10.80\4.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	83.57	88.20	-4.63	71.43	3	Vertical	141	2.24	20	34.15	8.15	30.16			
RMS	5.915G	62.58	68.20	-5.62	50.45	3	Vertical	141	2.24	20	34.13	8.16	30.16			
PK	6.0775G	112.78	Inf	-Inf	100.41	3	Vertical	141	2.24	20	34.45	8.08	30.16			
RMS	6.0765G	100.87	Inf	-Inf	88.50	3	Vertical	141	2.24	20	34.45	8.08	30.16			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6025MHz_TX




EUT_Z_2TX
SET 20
20
15.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9205G	72.04	88.20	-16.16	59.90	3	Horizontal	340	2.26	20	34.14	8.16	30.16			
RMS	5.925G	53.04	68.20	-15.16	40.90	3	Horizontal	340	2.26	20	34.15	8.15	30.16			
PK	6.0885G	102.13	Inf	-Inf	89.75	3	Horizontal	340	2.26	20	34.48	8.07	30.17			
RMS	6.0665G	90.26	Inf	-Inf	77.91	3	Horizontal	340	2.26	20	34.43	8.08	30.16			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6025MHz_TX




EUT Y_2TX
SET 20
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.06344G	59.92	74.00	-14.08	39.47	3	Vertical	56	1.06	20	39.07	12.80	31.42			
AV	12.07224G	46.19	54.00	-7.81	25.74	3	Vertical	56	1.06	20	39.06	12.80	31.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6025MHz_TX




EUT Y_2TX
SET 20
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0548G	59.88	74.00	-14.12	39.41	3	Horizontal	116	1.80	20	39.09	12.80	31.42			
AV	12.07032G	46.19	54.00	-7.81	25.74	3	Horizontal	116	1.80	20	39.06	12.80	31.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6025MHz_TX




EUT Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06412G	45.70	83.54	-37.84	41.17	1	Vertical	128	1.82	20	37.23	15.73	48.43			
AV	18.07044G	32.47	63.54	-31.07	27.92	1	Vertical	128	1.82	20	37.24	15.74	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6025MHz_TX




EUT Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0707G	46.23	83.54	-37.31	41.68	1	Horizontal	1	1.95	20	37.24	15.74	48.43			
AV	18.06044G	32.48	63.54	-31.06	27.95	1	Horizontal	1	1.95	20	37.22	15.73	48.42			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6985MHz_TX




EUT_Z_2TX
SET 20
18\20
7.06\1.94

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.918G	114.02	Inf	-Inf	100.55	3	Vertical	131	2.77	20	35.30	8.97	30.80			
RMS	6.918G	101.48	Inf	-Inf	88.01	3	Vertical	131	2.77	20	35.30	8.97	30.80			
PK	7.1335G	86.26	88.20	-1.94	72.45	3	Vertical	131	2.77	20	35.73	8.97	30.89			
RMS	7.1395G	63.03	68.20	-5.17	49.19	3	Vertical	131	2.77	20	35.76	8.97	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6985MHz_TX




EUT_Z_2TX
SET 20
20
9.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.915G	103.38	Inf	-Inf	89.90	3	Horizontal	172	2.45	20	35.30	8.97	30.79			
RMS	6.9155G	91.29	Inf	-Inf	77.82	3	Horizontal	172	2.45	20	35.30	8.97	30.80			
PK	7.138G	78.30	88.20	-9.90	64.47	3	Horizontal	172	2.45	20	35.75	8.97	30.89			
RMS	7.1365G	53.45	68.20	-14.75	39.62	3	Horizontal	172	2.45	20	35.75	8.97	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6985MHz_TX




EUT Y_2TX
SET 20
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.11016G	66.93	88.20	-21.27	43.54	3	Vertical	29	1.80	20	41.84	13.20	31.65			
RMS	14.10504G	53.04	68.20	-15.16	29.68	3	Vertical	29	1.80	20	41.82	13.19	31.65			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6985MHz_TX




EUT Y_2TX
SET 20
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.11112G	66.54	88.20	-21.66	43.15	3	Horizontal	82	2.58	20	41.84	13.20	31.65			
RMS	14.05608G	52.72	68.20	-15.48	29.63	3	Horizontal	82	2.58	20	41.62	13.15	31.68			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6985MHz_TX




EUT Y_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8174G	48.75	83.54	-34.79	42.69	1	Vertical	101	1.80	20	37.60	17.36	48.90			
AV	20.795G	34.73	63.54	-28.81	28.67	1	Vertical	101	1.80	20	37.62	17.34	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6985MHz_TX




EUT Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.87948G	48.49	83.54	-35.05	42.25	1	Horizontal	65	1.93	20	37.72	17.42	48.90			
AV	20.795G	34.71	63.54	-28.83	28.65	1	Horizontal	65	1.93	20	37.62	17.34	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

6985MHz_TX




EUT_Z_2TX
Setting 20
03-E-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.921G	110.82	Inf	-Inf	101.98	3	Vertical	310	2.67	-	35.66	8.29	35.11			
RMS	6.917G	97.87	Inf	-Inf	89.02	3	Vertical	310	2.67	-	35.67	8.29	35.11			
PK	7.133G	81.02	88.20	-7.18	71.77	3	Vertical	310	2.67	-	35.90	8.41	35.06			
RMS	7.1402G	58.57	68.20	-9.63	49.27	3	Vertical	310	2.67	-	35.94	8.41	35.05			
PK	7.2586G	67.38	74.00	-6.62	57.26	3	Vertical	310	2.67	-	36.63	8.50	35.01			
AV	7.2602G	52.38	54.00	-1.62	42.25	3	Vertical	310	2.67	-	36.64	8.50	35.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

6985MHz_TX




EUT_Z_2TX
Setting 20
03-E-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9362G	100.88	Inf	-Inf	92.06	3	Horizontal	353	2.03	-	35.63	8.30	35.11			
RMS	6.9346G	91.39	Inf	-Inf	82.57	3	Horizontal	353	2.03	-	35.63	8.30	35.11			
PK	7.1386G	74.28	88.20	-13.92	64.99	3	Horizontal	353	2.03	-	35.93	8.41	35.05			
RMS	7.1338G	53.84	68.20	-14.36	44.59	3	Horizontal	353	2.03	-	35.90	8.41	35.06			
PK	7.297G	58.27	74.00	-15.73	47.93	3	Horizontal	353	2.03	-	36.79	8.54	34.99			
AV	7.2578G	47.43	54.00	-6.57	37.31	3	Horizontal	353	2.03	-	36.63	8.50	35.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

6985MHz_TX




EUT_Y_2TX
SET 20
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9752G	66.84	88.20	-21.36	44.05	3	Vertical	52	1.49	18	41.40	13.10	31.71			
RMS	13.98057G	53.17	68.20	-15.03	30.36	3	Vertical	52	1.49	18	41.42	13.10	31.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

6985MHz_TX




EUT_Y_2TX
SET 20
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9714G	66.58	88.20	-21.62	43.80	3	Horizontal	124	1.87	18	41.39	13.10	31.71			
RMS	13.9703G	53.49	68.20	-14.71	30.72	3	Horizontal	124	1.87	18	41.38	13.10	31.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

6985MHz_TX




EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83116G	48.83	83.54	-34.71	42.75	1	Vertical	141	1.76	18	37.60	17.38	48.90			
AV	20.80716G	34.64	63.54	-28.90	28.59	1	Vertical	141	1.76	18	37.60	17.35	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

6985MHz_TX




EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.859G	48.09	83.54	-35.45	41.95	1	Horizontal	196	1.80	18	37.64	17.40	48.90			
AV	20.81932G	34.79	63.54	-28.75	28.72	1	Horizontal	196	1.80	18	37.60	17.37	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Z_2TX
SET 20
18\20
12.60\8.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.901G	75.89	88.20	-12.31	63.80	3	Vertical	140	2.33	20	34.10	8.16	30.17			
RMS	5.914G	59.87	68.20	-8.33	47.74	3	Vertical	140	2.33	20	34.13	8.16	30.16			
PK	6.217G	109.39	Inf	-Inf	96.97	3	Vertical	140	2.33	20	34.60	8.04	30.22			
RMS	6.217G	96.87	Inf	-Inf	84.45	3	Vertical	140	2.33	20	34.60	8.04	30.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Z_2TX
SET 20
20
18.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.901G	63.58	88.20	-24.62	51.49	3	Horizontal	347	2.22	20	34.10	8.16	30.17			
RMS	5.925G	50.18	68.20	-18.02	38.04	3	Horizontal	347	2.22	20	34.15	8.15	30.16			
PK	6.25G	98.27	Inf	-Inf	85.80	3	Horizontal	347	2.22	20	34.60	8.10	30.23			
RMS	6.249G	86.89	Inf	-Inf	74.42	3	Horizontal	347	2.22	20	34.60	8.10	30.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
SET 20
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21706G	60.01	74.00	-13.99	39.78	3	Vertical	116	1.80	20	38.77	12.82	31.36			
AV	12.21464G	46.04	54.00	-7.96	25.81	3	Vertical	116	1.80	20	38.77	12.82	31.36			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
SET 20
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21496G	58.94	74.00	-15.06	38.71	3	Horizontal	347	1.80	20	38.77	12.82	31.36			
AV	12.22824G	46.19	54.00	-7.81	25.98	3	Horizontal	347	1.80	20	38.74	12.83	31.36			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31616G	46.42	83.54	-37.12	41.66	1	Vertical	96	1.80	20	37.36	15.93	48.53			
AV	18.31478G	32.85	63.54	-30.69	28.09	1	Vertical	96	1.80	20	37.36	15.93	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6105MHz_TX




EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31902G	47.38	83.54	-36.16	42.60	1	Horizontal	223	2.07	20	37.38	15.93	48.53			
AV	18.31692G	32.91	63.54	-30.63	28.14	1	Horizontal	223	2.07	20	37.37	15.93	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_Z_2TX
SET 20
18\20
12.83\9.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	78.71	88.20	-9.49	66.58	3	Vertical	143	2.67	20	34.13	8.16	30.16			
RMS	5.913G	58.95	68.20	-9.25	46.82	3	Vertical	143	2.67	20	34.13	8.16	30.16			
PK	6.177G	109.62	Inf	-Inf	97.20	3	Vertical	143	2.67	20	34.60	8.02	30.20			
RMS	6.176G	97.39	Inf	-Inf	84.97	3	Vertical	143	2.67	20	34.60	8.02	30.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT_Z_2TX
SET 20
20
17.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	63.45	88.20	-24.75	51.31	3	Horizontal	340	2.29	20	34.15	8.15	30.16			
RMS	5.925G	50.72	68.20	-17.48	38.58	3	Horizontal	340	2.29	20	34.15	8.15	30.16			
PK	6.164G	100.44	Inf	-Inf	88.01	3	Horizontal	340	2.29	20	34.60	8.03	30.20			
RMS	6.165G	87.86	Inf	-Inf	75.43	3	Horizontal	340	2.29	20	34.60	8.03	30.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT Y_2TX
SET 20
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.14552G	59.39	74.00	-14.61	39.06	3	Vertical	81	1.80	20	38.91	12.81	31.39			
AV	12.16776G	46.11	54.00	-7.89	25.81	3	Vertical	81	1.80	20	38.86	12.82	31.38			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT Y_2TX
SET 20
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.15896G	60.03	74.00	-13.97	39.72	3	Horizontal	68	2.15	20	38.88	12.81	31.38			
AV	12.16264G	46.12	54.00	-7.88	25.81	3	Horizontal	68	2.15	20	38.87	12.82	31.38			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.28892G	45.50	83.54	-38.04	40.77	1	Vertical	12	1.88	20	37.34	15.91	48.52			
AV	18.24268G	32.68	63.54	-30.86	27.84	1	Vertical	12	1.88	20	37.47	15.87	48.50			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

6105MHz_TX




EUT Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.27932G	45.60	83.54	-37.94	40.83	1	Horizontal	173	1.80	20	37.38	15.90	48.51			
AV	18.29884G	32.65	63.54	-30.89	27.95	1	Horizontal	173	1.80	20	37.30	15.92	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_Z_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.912G	71.98	88.20	-16.22	64.89	3	Vertical	321	2.09	-	34.55	7.52	34.98			
RMS	5.912G	59.26	68.20	-8.94	52.17	3	Vertical	321	2.09	-	34.55	7.52	34.98			
PK	6.096G	108.89	Inf	-Inf	101.30	3	Vertical	321	2.09	-	34.98	7.64	35.03			
RMS	6.117G	99.41	Inf	-Inf	91.79	3	Vertical	321	2.09	-	35.00	7.66	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX


6105MHz_TX

EUT_Z_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	60.74	88.20	-27.46	53.62	3	Horizontal	160	2.05	-	34.59	7.52	34.99			
RMS	5.925G	50.14	68.20	-18.06	43.01	3	Horizontal	160	2.05	-	34.60	7.52	34.99			
PK	6.147G	98.81	Inf	-Inf	91.16	3	Horizontal	160	2.05	-	35.00	7.69	35.04			
RMS	6.127G	88.43	Inf	-Inf	80.80	3	Horizontal	160	2.05	-	35.00	7.67	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT V_2TX
SET 20
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21256G	60.44	74.00	-13.56	40.21	3	Vertical	64	2.95	20	38.77	12.82	31.36			
AV	12.22136G	46.08	54.00	-7.92	25.86	3	Vertical	64	2.95	20	38.76	12.82	31.36			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT V_2TX
SET 20
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.17864G	59.58	74.00	-14.42	39.30	3	Horizontal	254	1.80	20	38.84	12.82	31.38			
AV	12.1725G	46.26	54.00	-7.74	25.97	3	Horizontal	254	1.80	20	38.85	12.82	31.38			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.35644G	45.79	83.54	-37.75	40.87	1	Vertical	358	2.04	20	37.50	15.96	48.54			
AV	18.35356G	32.82	63.54	-30.72	27.90	1	Vertical	358	2.04	20	37.50	15.96	48.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3254G	46.04	83.54	-37.50	41.23	1	Horizontal	1	1.80	20	37.40	15.94	48.53			
AV	18.33372G	32.86	63.54	-30.68	28.02	1	Horizontal	1	1.80	20	37.43	15.94	48.53			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6905MHz_TX




EUT_Z_2TX
SET 18
18
0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3594G	54.99	74.00	-19.01	43.62	3	Vertical	128	2.64	18	33.90	7.71	30.24			
AV	5.35444G	42.44	54.00	-11.56	31.06	3	Vertical	128	2.64	18	33.90	7.71	30.23			
PK	6.83996G	108.93	Inf	-Inf	95.22	3	Vertical	128	2.64	18	35.38	9.04	30.71			
RMS	6.81764G	96.66	Inf	-Inf	82.95	3	Vertical	128	2.64	18	35.34	9.06	30.69			
PK	7.269G	68.19	74.00	-5.81	53.69	3	Vertical	128	2.64	18	36.38	9.01	30.89			
AV	7.26404G	53.95	54.00	-0.05	39.47	3	Vertical	128	2.64	18	36.36	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_2TX

6905MHz_TX




EUT_Z_2TX
SET 18
18
6.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.41892G	54.86	74.00	-19.14	43.48	3	Horizontal	315	2.08	18	33.90	7.75	30.27
AV	5.35444G	42.47	54.00	-11.53	31.09	3	Horizontal	315	2.08	18	33.90	7.71	30.23
PK	6.8598G	98.55	Inf	-Inf	84.88	3	Horizontal	315	2.08	18	35.38	9.02	30.73
RMS	6.8598G	85.87	Inf	-Inf	72.20	3	Horizontal	315	2.08	18	35.38	9.02	30.73
PK	7.2814G	60.71	74.00	-13.29	46.16	3	Horizontal	315	2.08	18	36.43	9.01	30.89
AV	7.25908G	47.80	54.00	-6.20	33.34	3	Horizontal	315	2.08	18	36.34	9.01	30.89

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_2TX

6905MHz_TX




EUT Y_2TX
SET 18
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.07944G	65.73	88.20	-22.47	42.51	3	Vertical	360	1.80	18	41.72	13.17	31.67			
RMS	14.11336G	53.08	68.20	-15.12	29.68	3	Vertical	360	1.80	18	41.85	13.20	31.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_2TX

6905MHz_TX




EUT V_2TX
SET 18
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.06344G	65.62	88.20	-22.58	42.50	3	Horizontal	253	1.05	18	41.65	13.15	31.68			
RMS	14.10376G	53.05	68.20	-15.15	29.69	3	Horizontal	253	1.05	18	41.82	13.19	31.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6905MHz_TX




EUT Y_2TX
SET 18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7698G	47.72	83.54	-35.82	41.58	1	Vertical	355	1.80	18	37.72	17.32	48.90			
AV	20.7416G	34.26	63.54	-29.28	28.12	1	Vertical	355	1.80	18	37.75	17.29	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

6905MHz_TX




EUT Y_2TX
SET 18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.74892G	47.93	83.54	-35.61	41.74	1	Horizontal	339	1.67	18	37.79	17.30	48.90			
AV	20.70076G	34.31	63.54	-29.23	28.45	1	Horizontal	339	1.67	18	37.50	17.26	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz_TX




EUT_Z_2TX
SET 18
18
0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35692G	54.90	74.00	-19.10	43.53	3	Vertical	130	2.65	18	33.90	7.71	30.24			
AV	5.35444G	42.40	54.00	-11.60	31.02	3	Vertical	130	2.65	18	33.90	7.71	30.23			
PK	6.81764G	109.51	Inf	-Inf	95.80	3	Vertical	130	2.65	18	35.34	9.06	30.69			
RMS	6.81764G	97.67	Inf	-Inf	83.96	3	Vertical	130	2.65	18	35.34	9.06	30.69			
PK	7.25908G	71.98	74.00	-2.02	57.52	3	Vertical	130	2.65	18	36.34	9.01	30.89			
AV	7.26404G	53.74	54.00	-0.26	39.26	3	Vertical	130	2.65	18	36.36	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz_TX




EUT_Z_2TX
SET 18
18
6.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.41396G	54.31	74.00	-19.69	42.93	3	Horizontal	174	2.27	18	33.90	7.75	30.27			
AV	5.35444G	42.41	54.00	-11.59	31.03	3	Horizontal	174	2.27	18	33.90	7.71	30.23			
PK	6.773G	99.09	Inf	-Inf	85.47	3	Horizontal	174	2.27	18	35.25	9.01	30.64			
RMS	6.75316G	87.40	Inf	-Inf	73.83	3	Horizontal	174	2.27	18	35.21	8.97	30.61			
PK	7.393G	59.50	74.00	-14.50	44.67	3	Horizontal	174	2.27	18	36.69	9.03	30.89			
AV	7.27892G	47.09	54.00	-6.91	32.55	3	Horizontal	174	2.27	18	36.42	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz_TX




EUT Y_2TX
SET 18
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.06728G	66.08	88.20	-22.12	42.93	3	Vertical	360	1.80	18	41.67	13.16	31.68			
RMS	14.09544G	52.98	68.20	-15.22	29.68	3	Vertical	360	1.80	18	41.78	13.18	31.66			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz_TX




EUT V_2TX
SET 18
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.03784G	65.65	88.20	-22.55	42.64	3	Horizontal	39	1.80	18	41.58	13.13	31.70			
RMS	14.10568G	53.04	68.20	-15.16	29.68	3	Horizontal	39	1.80	18	41.82	13.19	31.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz_TX




EUT Y_2TX
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.76028G	47.61	83.54	-35.93	41.44	1	Vertical	257	1.95	18	37.76	17.31	48.90			
AV	20.70332G	34.19	63.54	-29.35	28.31	1	Vertical	257	1.95	18	37.52	17.26	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz_TX




EUT Y_2TX
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.73148G	48.74	83.54	-34.80	42.66	1	Horizontal	102	1.80	18	37.69	17.29	48.90			
AV	20.70716G	34.23	63.54	-29.31	28.33	1	Horizontal	102	1.80	18	37.54	17.26	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX

6905MHz_TX




EUT_Z_2TX
SET 18
18\18.5\18
0.89\1.52\1.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42388G	54.10	74.00	-19.90	42.72	3	Vertical	122	2.64	18	33.90	7.75	30.27
AV	5.35G	42.41	54.00	-11.59	31.04	3	Vertical	122	2.64	18	33.90	7.70	30.23
PK	6.83748G	109.44	Inf	-Inf	95.74	3	Vertical	122	2.64	18	35.37	9.04	30.71
RMS	6.83748G	98.09	Inf	-Inf	84.39	3	Vertical	122	2.64	18	35.37	9.04	30.71
PK	7.27148G	69.56	74.00	-4.44	55.05	3	Vertical	122	2.64	18	36.39	9.01	30.89
AV	7.26156G	52.85	54.00	-1.15	38.38	3	Vertical	122	2.64	18	36.35	9.01	30.89

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX

6905MHz_TX




EUT_Z_2TX
SET 18
18
7.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3842G	54.32	74.00	-19.68	42.94	3	Horizontal	172	2.32	18	33.90	7.73	30.25
AV	5.35444G	42.44	54.00	-11.56	31.06	3	Horizontal	172	2.32	18	33.90	7.71	30.23
PK	6.83252G	100.61	Inf	-Inf	86.90	3	Horizontal	172	2.32	18	35.37	9.04	30.70
RMS	6.835G	88.82	Inf	-Inf	75.12	3	Horizontal	172	2.32	18	35.37	9.04	30.71
PK	7.54924G	59.82	74.00	-14.18	45.11	3	Horizontal	172	2.32	18	36.50	9.11	30.90
AV	7.3434G	46.77	54.00	-7.23	32.05	3	Horizontal	172	2.32	18	36.59	9.02	30.89

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX

6905MHz_TX




EUT V_2TX
SET 18
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.11608G	64.85	88.20	-23.35	41.44	3	Vertical	108	1.33	18	41.86	13.20	31.65			
RMS	14.11464G	53.09	68.20	-15.11	29.68	3	Vertical	108	1.33	18	41.86	13.20	31.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX

6905MHz_TX




EUT V_2TX
SET 18
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0564G	65.62	88.20	-22.58	42.52	3	Horizontal	153	1.80	18	41.63	13.15	31.68			
RMS	14.10312G	53.03	68.20	-15.17	29.68	3	Horizontal	153	1.80	18	41.81	13.19	31.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX

6905MHz_TX




EUT Y_2TX
SET 18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.48012G	47.62	83.54	-35.92	41.94	1	Vertical	134	1.39	18	37.52	17.06	48.90			
AV	20.40332G	34.10	63.54	-29.44	28.54	1	Vertical	134	1.39	18	37.49	16.99	48.92			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX

6905MHz_TX



EUT Y_2TX
SET 18


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.40332G	47.40	83.54	-36.14	41.84	1	Horizontal	99	1.80	18	37.49	16.99	48.92			
AV	20.41932G	34.15	63.54	-29.39	28.61	1	Horizontal	99	1.80	18	37.46	17.00	48.92			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

12/11/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

12/11/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

12/11/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

28/11/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.483673G	-10.86	6.509825G	-60.54	-50.86	-9.68	1
6.483748G	-11.64	6.514425G	-61.36	-51.64	-9.72	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.522448G	-10.97	6.47595G	-60.89	-50.97	-9.92	1
6.506927G	-12.13	6.465425G	-61.40	-52.13	-9.27	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526227G	-9.67	6.487325G	-60.92	-49.67	-11.25	1
6.527752G	-11.48	6.499425G	-61.19	-51.48	-9.71	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.687552G	-11.29	6.739975G	-61.35	-51.29	-10.06	1
6.703673G	-11.72	6.7378G	-61.59	-51.72	-9.87	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

12/11/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

12/11/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.989851G	-11.61	7.03005G	-61.50	-51.61	-9.89	1
6.986702G	-11.68	7.040675G	-61.46	-51.68	-9.78	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

12/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.091876G	-11.51	7.130925G	-60.99	-51.51	-9.48	1
7.087277G	-11.84	7.144575G	-61.36	-51.84	-9.52	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

12/11/2025

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.106952G	-14.43	7.161075G	-61.13	-54.43	-6.70	1
7.121573G	-14.88	7.155575G	-61.31	-54.88	-6.43	2

Port 1 

Port 2 

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

12/11/2025

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.980346G	-7.67	6.054G	-57.69	-47.67	-10.02	1
5.969649G	-8.77	6.05115G	-57.73	-48.77	-8.96	2

Port 1 

Port 2 