


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6484G	54.73	74.00	-19.27	38.42	3	Vertical	238	1.92	-	39.90	10.75	34.34			
AV	10.65119G	40.79	54.00	-13.21	24.48	3	Vertical	238	1.92	-	39.90	10.75	34.34			
PK	15.96594G	54.70	74.00	-19.30	37.25	3	Vertical	24	1.06	-	37.87	13.90	34.32			
AV	15.95787G	41.56	54.00	-12.44	24.11	3	Vertical	24	1.06	-	37.88	13.90	34.33			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.646G	54.83	74.00	-19.17	38.52	3	Horizontal	63	1.13	-	39.90	10.75	34.34				
AV	10.65005G	41.03	54.00	-12.97	24.72	3	Horizontal	63	1.13	-	39.90	10.75	34.34				
PK	15.95883G	55.29	74.00	-18.71	37.84	3	Horizontal	133	2.25	-	37.88	13.90	34.33				
AV	15.96828G	41.55	54.00	-12.45	24.11	3	Horizontal	133	2.25	-	37.86	13.90	34.32				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4504G	60.52	74.00	-13.48	55.73	3	Vertical	153	2.46	-	31.50	7.09	33.80			
AV	5.4508G	47.17	54.00	-6.83	42.38	3	Vertical	153	2.46	-	31.50	7.09	33.80			
PK	5.4684G	64.75	68.20	-3.45	59.86	3	Vertical	153	2.46	-	31.57	7.12	33.80			
PK	5.4928G	118.26	Inf	-Inf	113.24	3	Vertical	153	2.46	-	31.67	7.16	33.81			
AV	5.4915G	105.02	Inf	-Inf	100.00	3	Vertical	153	2.46	-	31.67	7.16	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.454G	60.62	74.00	-13.38	55.80	3	Horizontal	55	2.89	-	31.52	7.10	33.80			
AV	5.4576G	46.30	54.00	-7.70	41.46	3	Horizontal	55	2.89	-	31.53	7.11	33.80			
PK	5.4689G	60.69	68.20	-7.51	55.79	3	Horizontal	55	2.89	-	31.58	7.12	33.80			
PK	5.4959G	115.18	Inf	-Inf	110.14	3	Horizontal	55	2.89	-	31.68	7.17	33.81			
AV	5.496G	103.08	Inf	-Inf	98.04	3	Horizontal	55	2.89	-	31.68	7.17	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99769G	55.09	74.00	-18.91	38.47	3	Vertical	54	1.92	-	40.20	10.84	34.42			
AV	10.99898G	41.29	54.00	-12.71	24.67	3	Vertical	54	1.92	-	40.20	10.84	34.42			
PK	16.50432G	57.40	68.20	-10.80	37.51	3	Vertical	29	2.53	-	39.97	14.15	34.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99337G	54.77	74.00	-19.23	38.14	3	Horizontal	271	1.41	-	40.21	10.84	34.42			
AV	10.99916G	41.19	54.00	-12.81	24.57	3	Horizontal	271	1.41	-	40.20	10.84	34.42			
PK	16.50927G	56.79	68.20	-11.41	36.92	3	Horizontal	341	2.49	-	39.94	14.15	34.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4597G	63.51	74.00	-10.49	58.66	3	Vertical	278	2.26	-	31.54	7.11	33.80
AV	5.46G	48.81	54.00	-5.19	43.96	3	Vertical	278	2.26	-	31.54	7.11	33.80
PK	5.4615G	65.25	68.20	-2.95	60.39	3	Vertical	278	2.26	-	31.55	7.11	33.80
PK	5.583G	122.73	Inf	-Inf	117.59	3	Vertical	278	2.26	-	31.63	7.31	33.80
AV	5.5839G	110.29	Inf	-Inf	105.15	3	Vertical	278	2.26	-	31.63	7.31	33.80
PK	5.7264G	62.55	68.20	-5.65	56.98	3	Vertical	278	2.26	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4507G	61.87	74.00	-12.13	57.08	3	Horizontal	67	2.96	-	31.50	7.09	33.80			
AV	5.4489G	47.13	54.00	-6.87	42.34	3	Horizontal	67	2.96	-	31.50	7.09	33.80			
PK	5.4672G	63.33	68.20	-4.87	58.44	3	Horizontal	67	2.96	-	31.57	7.12	33.80			
PK	5.5884G	120.62	Inf	-Inf	115.48	3	Horizontal	67	2.96	-	31.62	7.32	33.80			
AV	5.5887G	108.63	Inf	-Inf	103.49	3	Horizontal	67	2.96	-	31.62	7.32	33.80			
PK	5.7273G	65.09	68.20	-3.11	59.52	3	Horizontal	67	2.96	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 28
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16609G	54.15	74.00	-19.85	38.30	3	Vertical	148	1.81	-	39.47	10.88	34.50			
AV	11.14773G	40.55	54.00	-13.45	24.65	3	Vertical	148	1.81	-	39.51	10.88	34.49			
PK	16.73601G	57.48	68.20	-10.72	37.07	3	Vertical	287	2.11	-	40.22	14.25	34.06			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 28
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16681G	55.23	74.00	-18.77	39.38	3	Horizontal	28	1.21	-	39.47	10.88	34.50			
AV	11.16405G	40.49	54.00	-13.51	24.64	3	Horizontal	28	1.21	-	39.47	10.88	34.50			
PK	16.74858G	58.04	68.20	-10.16	37.55	3	Horizontal	335	2.69	-	40.29	14.25	34.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 21
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7043G	117.62	Inf	-Inf	112.06	3	Vertical	278	2.55	-	32.00	7.35	33.79				
AV	5.7024G	104.47	Inf	-Inf	98.91	3	Vertical	278	2.55	-	32.00	7.35	33.79				
PK	5.725G	64.69	68.20	-3.51	59.12	3	Vertical	278	2.55	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 21
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6922G	115.90	Inf	-Inf	110.40	3	Horizontal	70	3.00	-	31.95	7.34	33.79			
AV	5.6912G	103.45	Inf	-Inf	97.95	3	Horizontal	70	3.00	-	31.95	7.34	33.79			
PK	5.7263G	62.95	68.20	-5.25	57.38	3	Horizontal	70	3.00	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 21
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39007G	53.86	74.00	-20.14	37.72	3	Vertical	349	2.58	-	39.80	10.94	34.60			
AV	11.41083G	40.81	54.00	-13.19	24.68	3	Vertical	349	2.58	-	39.80	10.94	34.61			
PK	17.09919G	57.47	68.20	-10.73	36.56	3	Vertical	32	1.21	-	40.30	14.40	33.79			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 21
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38905G	54.13	74.00	-19.87	37.99	3	Horizontal	272	1.12	-	39.80	10.94	34.60			
AV	11.41329G	40.82	54.00	-13.18	24.69	3	Horizontal	272	1.12	-	39.80	10.94	34.61			
PK	17.10963G	57.09	68.20	-11.11	36.14	3	Horizontal	8	1.35	-	40.32	14.41	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7146G	123.54	Inf	-Inf	117.97	3	Vertical	303	2.27	-	32.00	7.35	33.78			
AV	5.7134G	110.56	Inf	-Inf	104.99	3	Vertical	303	2.27	-	32.00	7.35	33.78			
PK	5.8502G	67.59	68.20	-0.61	61.82	3	Vertical	303	2.27	-	32.10	7.44	33.77			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.711G	121.33	Inf	-Inf	115.76	3	Horizontal	67	2.96	-	32.00	7.35	33.78			
AV	5.7281G	108.47	Inf	-Inf	102.90	3	Horizontal	67	2.96	-	32.00	7.35	33.78			
PK	5.8508G	64.23	68.20	-3.97	58.46	3	Horizontal	67	2.96	-	32.10	7.44	33.77			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43799G	54.33	74.00	-19.67	38.20	3	Vertical	342	2.72	-	39.80	10.95	34.62			
AV	11.44309G	40.83	54.00	-13.17	24.70	3	Vertical	342	2.72	-	39.80	10.95	34.62			
PK	17.14956G	57.24	68.20	-10.96	36.16	3	Vertical	226	1.08	-	40.40	14.42	33.74			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44315G	54.13	74.00	-19.87	38.00	3	Horizontal	127	1.60	-	39.80	10.95	34.62			
AV	11.43001G	40.82	54.00	-13.18	24.69	3	Horizontal	127	1.60	-	39.80	10.95	34.62			
PK	17.16963G	56.70	68.20	-11.50	35.52	3	Horizontal	345	2.59	-	40.48	14.43	33.73			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 28
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6545G	70.22	71.53	-1.31	64.94	3	Vertical	302	2.34	-	31.73	7.34	33.79				
PK	5.7375G	122.64	Inf	-Inf	117.07	3	Vertical	302	2.34	-	32.00	7.35	33.78				
AV	5.7375G	110.30	Inf	-Inf	104.73	3	Vertical	302	2.34	-	32.00	7.35	33.78				
PK	5.992G	59.71	68.20	-8.49	53.38	3	Vertical	302	2.34	-	32.38	7.70	33.75				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 28
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6385G	65.19	68.20	-3.01	59.96	3	Horizontal	70	2.95	-	31.68	7.34	33.79
PK	5.7365G	119.65	Inf	-Inf	114.08	3	Horizontal	70	2.95	-	32.00	7.35	33.78
AV	5.736G	107.15	Inf	-Inf	101.58	3	Horizontal	70	2.95	-	32.00	7.35	33.78
PK	5.9725G	59.61	68.20	-8.59	53.36	3	Horizontal	70	2.95	-	32.34	7.66	33.75

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 28
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4879G	55.88	74.00	-18.12	39.76	3	Vertical	59	2.44	-	39.80	10.96	34.64			
AV	11.49339G	40.82	54.00	-13.18	24.71	3	Vertical	59	2.44	-	39.80	10.96	34.65			
PK	17.23443G	59.13	68.20	-9.07	37.60	3	Vertical	322	1.80	-	40.74	14.46	33.67			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 28
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.47599G	54.12	74.00	-19.88	38.00	3	Horizontal	136	2.81	-	39.80	10.96	34.64			
AV	11.4873G	40.95	54.00	-13.05	24.83	3	Horizontal	136	2.81	-	39.80	10.96	34.64			
PK	17.23098G	59.21	68.20	-8.99	37.71	3	Horizontal	280	2.99	-	40.72	14.46	33.68			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 28
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6375G	61.52	68.20	-6.68	56.29	3	Vertical	303	2.20	-	31.68	7.34	33.79			
PK	5.7775G	120.88	Inf	-Inf	115.31	3	Vertical	303	2.20	-	32.00	7.35	33.78			
AV	5.7765G	109.09	Inf	-Inf	103.52	3	Vertical	303	2.20	-	32.00	7.35	33.78			
PK	5.9415G	59.55	68.20	-8.65	53.43	3	Vertical	303	2.20	-	32.28	7.60	33.76			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 28
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.65G	62.46	68.20	-5.74	57.21	3	Horizontal	62	2.90	-	31.70	7.34	33.79				
PK	5.7895G	118.56	Inf	-Inf	112.99	3	Horizontal	62	2.90	-	32.00	7.35	33.78				
AV	5.7905G	106.50	Inf	-Inf	100.93	3	Horizontal	62	2.90	-	32.00	7.35	33.78				
PK	6.004G	59.08	68.20	-9.12	52.71	3	Horizontal	62	2.90	-	32.41	7.71	33.75				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 28
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56142G	54.74	74.00	-19.26	38.76	3	Vertical	50	2.25	-	39.65	10.98	34.65			
AV	11.55566G	40.78	54.00	-13.22	24.77	3	Vertical	50	2.25	-	39.68	10.98	34.65			
PK	17.36856G	59.10	68.20	-9.10	36.59	3	Vertical	134	2.83	-	41.55	14.52	33.56			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 28
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56838G	54.35	74.00	-19.65	38.39	3	Horizontal	294	2.62	-	39.63	10.98	34.65			
AV	11.56121G	40.85	54.00	-13.15	24.86	3	Horizontal	294	2.62	-	39.66	10.98	34.65			
PK	17.36463G	58.84	68.20	-9.36	36.36	3	Horizontal	268	2.31	-	41.52	14.52	33.56			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 28
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6325G	58.63	68.20	-9.57	53.42	3	Vertical	304	2.28	-	31.66	7.34	33.79			
PK	5.8165G	120.84	Inf	-Inf	115.20	3	Vertical	304	2.28	-	32.03	7.38	33.77			
AV	5.817G	109.23	Inf	-Inf	103.59	3	Vertical	304	2.28	-	32.03	7.38	33.77			
PK	6.037G	59.57	68.20	-8.63	53.14	3	Vertical	304	2.28	-	32.47	7.69	33.73			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 28
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.649G	58.04	68.20	-10.16	52.79	3	Horizontal	214	2.87	-	31.70	7.34	33.79			
PK	5.816G	115.34	Inf	-Inf	109.70	3	Horizontal	214	2.87	-	32.03	7.38	33.77			
AV	5.816G	103.70	Inf	-Inf	98.06	3	Horizontal	214	2.87	-	32.03	7.38	33.77			
PK	6.0165G	59.20	68.20	-9.00	52.81	3	Horizontal	214	2.87	-	32.43	7.70	33.74			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 28
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64016G	54.31	74.00	-19.69	38.70	3	Vertical	240	1.39	-	39.26	11.00	34.65			
AV	11.63647G	40.74	54.00	-13.26	25.11	3	Vertical	240	1.39	-	39.28	11.00	34.65			
PK	17.48973G	59.88	68.20	-8.32	36.43	3	Vertical	334	2.51	-	42.34	14.57	33.46			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 28
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.63596G	54.61	74.00	-19.39	38.98	3	Horizontal	30	2.13	-	39.28	11.00	34.65			
AV	11.63773G	40.82	54.00	-13.18	25.20	3	Horizontal	30	2.13	-	39.27	11.00	34.65			
PK	17.48778G	59.51	68.20	-8.69	36.07	3	Horizontal	265	2.51	-	42.33	14.57	33.46			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 21
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.141G	69.72	74.00	-4.28	64.68	3	Vertical	151	2.52	-	31.86	6.90	33.72			
AV	5.15G	51.08	54.00	-2.92	45.99	3	Vertical	151	2.52	-	31.90	6.91	33.72			
PK	5.1744G	113.78	Inf	-Inf	108.84	3	Vertical	151	2.52	-	31.75	6.92	33.73			
AV	5.1972G	101.29	Inf	-Inf	96.47	3	Vertical	151	2.52	-	31.62	6.93	33.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 21
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1356G	69.30	74.00	-4.70	64.28	3	Horizontal	220	2.72	-	31.84	6.90	33.72			
AV	5.1498G	50.40	54.00	-3.60	45.31	3	Horizontal	220	2.72	-	31.90	6.91	33.72			
PK	5.195G	110.38	Inf	-Inf	105.55	3	Horizontal	220	2.72	-	31.63	6.93	33.73			
AV	5.1926G	97.71	Inf	-Inf	92.87	3	Horizontal	220	2.72	-	31.64	6.93	33.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 21
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36701G	54.18	68.20	-14.02	38.07	3	Vertical	48	2.81	-	39.67	10.68	34.24			
PK	15.57342G	56.36	74.00	-17.64	38.64	3	Vertical	155	2.06	-	38.71	13.59	34.58			
AV	15.55848G	42.28	54.00	-11.72	24.52	3	Vertical	155	2.06	-	38.77	13.58	34.59			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 21
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38111G	53.57	68.20	-14.63	37.40	3	Horizontal	260	2.84	-	39.72	10.69	34.24			
PK	15.5628G	55.66	74.00	-18.34	37.92	3	Horizontal	88	1.26	-	38.75	13.58	34.59			
AV	15.55815G	42.22	54.00	-11.78	24.46	3	Horizontal	88	1.26	-	38.77	13.58	34.59			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 23
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1451G	69.61	74.00	-4.39	64.54	3	Vertical	296	2.28	-	31.88	6.91	33.72			
AV	5.1493G	53.90	54.00	-0.10	48.81	3	Vertical	296	2.28	-	31.90	6.91	33.72			
PK	5.2264G	115.10	Inf	-Inf	110.46	3	Vertical	296	2.28	-	31.44	6.94	33.74			
AV	5.2459G	102.33	Inf	-Inf	97.80	3	Vertical	296	2.28	-	31.32	6.95	33.74			
PK	5.3509G	68.43	74.00	-5.57	63.91	3	Vertical	296	2.28	-	31.30	6.99	33.77			
AV	5.35G	51.67	54.00	-2.33	47.15	3	Vertical	296	2.28	-	31.30	6.99	33.77			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 23
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1451G	69.92	74.00	-4.08	64.85	3	Horizontal	55	3.00	-	31.88	6.91	33.72			
AV	5.1499G	53.36	54.00	-0.64	48.27	3	Horizontal	55	3.00	-	31.90	6.91	33.72			
PK	5.2231G	113.58	Inf	-Inf	108.92	3	Horizontal	55	3.00	-	31.46	6.94	33.74			
AV	5.2435G	101.35	Inf	-Inf	96.80	3	Horizontal	55	3.00	-	31.34	6.95	33.74			
PK	5.3599G	66.85	74.00	-7.15	62.31	3	Horizontal	55	3.00	-	31.32	6.99	33.77			
AV	5.35G	50.44	54.00	-3.56	45.92	3	Horizontal	55	3.00	-	31.30	6.99	33.77			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 23
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47308G	53.62	68.20	-14.58	37.30	3	Vertical	258	2.41	-	39.90	10.71	34.29			
PK	15.69372G	56.53	74.00	-17.47	38.88	3	Vertical	350	2.82	-	38.47	13.68	34.50			
AV	15.6975G	42.58	54.00	-11.42	24.90	3	Vertical	350	2.82	-	38.49	13.69	34.50			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 23
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45025G	54.95	68.20	-13.25	38.63	3	Horizontal	262	1.86	-	39.90	10.70	34.28			
PK	15.69285G	56.09	74.00	-17.91	38.44	3	Horizontal	62	2.93	-	38.47	13.68	34.50			
AV	15.69333G	42.56	54.00	-11.44	24.91	3	Horizontal	62	2.93	-	38.47	13.68	34.50			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 22.5
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2852G	114.50	Inf	-Inf	110.06	3	Vertical	301	2.31	-	31.23	6.96	33.75			
AV	5.286G	101.76	Inf	-Inf	97.32	3	Vertical	301	2.31	-	31.23	6.96	33.75			
PK	5.3614G	66.97	74.00	-7.03	62.43	3	Vertical	301	2.31	-	31.32	6.99	33.77			
AV	5.3588G	51.34	54.00	-2.66	46.80	3	Vertical	301	2.31	-	31.32	6.99	33.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 22.5
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.273G	113.18	Inf	-Inf	108.72	3	Horizontal	218	3.00	-	31.25	6.96	33.75			
AV	5.2734G	99.75	Inf	-Inf	95.29	3	Horizontal	218	3.00	-	31.25	6.96	33.75			
PK	5.3508G	65.34	74.00	-8.66	60.82	3	Horizontal	218	3.00	-	31.30	6.99	33.77			
AV	5.3506G	51.17	54.00	-2.83	46.65	3	Horizontal	218	3.00	-	31.30	6.99	33.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 22.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55101G	52.64	68.20	-15.56	36.42	3	Vertical	196	2.39	-	39.80	10.73	34.31			
PK	15.81105G	55.67	74.00	-18.33	38.15	3	Vertical	322	2.33	-	38.16	13.78	34.42			
AV	15.81558G	41.73	54.00	-12.27	24.23	3	Vertical	322	2.33	-	38.14	13.78	34.42			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 22.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54066G	52.76	68.20	-15.44	36.52	3	Horizontal	156	1.72	-	39.82	10.73	34.31			
PK	15.81063G	55.29	74.00	-18.71	37.77	3	Horizontal	59	1.60	-	38.16	13.78	34.42			
AV	15.81795G	41.72	54.00	-12.28	24.23	3	Horizontal	59	1.60	-	38.13	13.78	34.42			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3258G	114.56	Inf	-Inf	110.09	3	Vertical	291	2.32	-	31.25	6.98	33.76			
AV	5.328G	101.34	Inf	-Inf	96.87	3	Vertical	291	2.32	-	31.26	6.98	33.77			
PK	5.3502G	71.05	74.00	-2.95	66.53	3	Vertical	291	2.32	-	31.30	6.99	33.77			
AV	5.3518G	53.36	54.00	-0.64	48.84	3	Vertical	291	2.32	-	31.30	6.99	33.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3236G	114.09	Inf	-Inf	109.62	3	Horizontal	54	2.96	-	31.25	6.98	33.76				
AV	5.3034G	99.98	Inf	-Inf	95.56	3	Horizontal	54	2.96	-	31.21	6.97	33.76				
PK	5.3636G	71.02	74.00	-2.98	66.46	3	Horizontal	54	2.96	-	31.33	7.00	33.77				
AV	5.35G	52.35	54.00	-1.65	47.83	3	Horizontal	54	2.96	-	31.30	6.99	33.77				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61223G	54.86	74.00	-19.14	38.55	3	Vertical	256	2.93	-	39.90	10.74	34.33			
AV	10.63092G	40.81	54.00	-13.19	24.49	3	Vertical	256	2.93	-	39.90	10.75	34.33			
PK	15.94188G	55.55	74.00	-18.45	38.08	3	Vertical	261	2.45	-	37.93	13.88	34.34			
AV	15.91605G	41.27	54.00	-12.73	23.73	3	Vertical	261	2.45	-	38.04	13.86	34.36			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63026G	54.57	74.00	-19.43	38.25	3	Horizontal	68	1.39	-	39.90	10.75	34.33			
AV	10.63077G	40.49	54.00	-13.51	24.17	3	Horizontal	68	1.39	-	39.90	10.75	34.33			
PK	15.92223G	54.82	74.00	-19.18	37.29	3	Horizontal	28	2.99	-	38.01	13.87	34.35			
AV	15.91716G	41.28	54.00	-12.72	23.74	3	Horizontal	28	2.99	-	38.03	13.86	34.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	67.30	74.00	-6.70	62.46	3	Vertical	148	2.42	-	31.53	7.11	33.80			
AV	5.46G	48.32	54.00	-5.68	43.47	3	Vertical	148	2.42	-	31.54	7.11	33.80			
PK	5.4628G	66.14	68.20	-2.06	61.28	3	Vertical	148	2.42	-	31.55	7.11	33.80			
PK	5.5046G	116.24	Inf	-Inf	111.17	3	Vertical	148	2.42	-	31.70	7.18	33.81			
AV	5.5242G	102.51	Inf	-Inf	97.41	3	Vertical	148	2.42	-	31.70	7.21	33.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4538G	66.48	74.00	-7.52	61.66	3	Horizontal	55	3.00	-	31.52	7.10	33.80			
AV	5.4474G	46.80	54.00	-7.20	42.02	3	Horizontal	55	3.00	-	31.49	7.09	33.80			
PK	5.4626G	64.68	68.20	-3.52	59.82	3	Horizontal	55	3.00	-	31.55	7.11	33.80			
PK	5.526G	114.54	Inf	-Inf	109.43	3	Horizontal	55	3.00	-	31.70	7.22	33.81			
AV	5.5268G	100.66	Inf	-Inf	95.55	3	Horizontal	55	3.00	-	31.70	7.22	33.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0095G	55.05	74.00	-18.95	38.47	3	Vertical	140	2.42	-	40.16	10.84	34.42			
AV	11.00968G	41.16	54.00	-12.84	24.58	3	Vertical	140	2.42	-	40.16	10.84	34.42			
PK	16.51986G	57.89	68.20	-10.31	38.08	3	Vertical	314	1.44	-	39.88	14.15	34.22			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01127G	54.60	74.00	-19.40	38.04	3	Horizontal	224	2.39	-	40.15	10.84	34.43			
AV	11.00608G	41.33	54.00	-12.67	24.73	3	Horizontal	224	2.39	-	40.18	10.84	34.42			
PK	16.54461G	57.31	68.20	-10.89	37.62	3	Horizontal	125	2.66	-	39.73	14.16	34.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 23
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4465G	65.00	74.00	-9.00	60.22	3	Vertical	150	2.27	-	31.49	7.09	33.80			
PK	5.4648G	65.20	68.20	-3.00	60.32	3	Vertical	150	2.27	-	31.56	7.12	33.80			
AV	5.4591G	48.25	54.00	-5.75	43.40	3	Vertical	150	2.27	-	31.54	7.11	33.80			
PK	5.565G	116.69	Inf	-Inf	111.54	3	Vertical	150	2.27	-	31.67	7.28	33.80			
AV	5.565G	103.52	Inf	-Inf	98.37	3	Vertical	150	2.27	-	31.67	7.28	33.80			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 23
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4492G	61.66	74.00	-12.34	56.87	3	Horizontal	69	2.96	-	31.50	7.09	33.80			
AV	5.4576G	46.78	54.00	-7.22	41.94	3	Horizontal	69	2.96	-	31.53	7.11	33.80			
PK	5.4693G	61.41	68.20	-6.79	56.51	3	Horizontal	69	2.96	-	31.58	7.12	33.80			
PK	5.5398G	113.75	Inf	-Inf	108.62	3	Horizontal	69	2.96	-	31.70	7.24	33.81			
AV	5.559G	101.71	Inf	-Inf	96.56	3	Horizontal	69	2.96	-	31.68	7.27	33.80			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 23
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11194G	54.03	74.00	-19.97	37.98	3	Vertical	335	2.88	-	39.65	10.87	34.47			
AV	11.09556G	40.78	54.00	-13.22	24.65	3	Vertical	335	2.88	-	39.73	10.86	34.46			
PK	16.66083G	57.75	68.20	-10.45	37.81	3	Vertical	49	1.44	-	39.84	14.21	34.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 23
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0892G	54.96	74.00	-19.04	38.80	3	Horizontal	271	1.18	-	39.76	10.86	34.46			
AV	11.09523G	40.64	54.00	-13.36	24.51	3	Horizontal	271	1.18	-	39.73	10.86	34.46			
PK	16.66032G	57.73	68.20	-10.47	37.79	3	Horizontal	227	2.41	-	39.84	14.21	34.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 20.5
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.669G	114.37	Inf	-Inf	109.01	3	Vertical	279	2.46	-	31.81	7.34	33.79			
AV	5.6524G	101.93	Inf	-Inf	96.67	3	Vertical	279	2.46	-	31.71	7.34	33.79			
PK	5.7252G	67.60	68.20	-0.60	62.03	3	Vertical	279	2.46	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 20.5
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.674G	113.15	Inf	-Inf	107.76	3	Horizontal	66	3.00	-	31.84	7.34	33.79			
AV	5.6562G	100.42	Inf	-Inf	95.13	3	Horizontal	66	3.00	-	31.74	7.34	33.79			
PK	5.7266G	64.43	68.20	-3.77	58.86	3	Horizontal	66	3.00	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 20.5
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.33109G	55.00	74.00	-19.00	38.93	3	Vertical	213	1.16	-	39.72	10.92	34.57			
AV	11.33262G	40.76	54.00	-13.24	24.68	3	Vertical	213	1.16	-	39.73	10.92	34.57			
PK	17.01297G	59.18	68.20	-9.02	38.47	3	Vertical	72	1.34	-	40.20	14.37	33.86			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 20.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33586G	54.49	74.00	-19.51	38.40	3	Horizontal	99	2.87	-	39.74	10.92	34.57			
AV	11.32983G	40.72	54.00	-13.28	24.65	3	Horizontal	99	2.87	-	39.72	10.92	34.57			
PK	17.00253G	59.45	68.20	-8.75	38.84	3	Horizontal	326	1.93	-	40.12	14.36	33.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22.5
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7108G	115.68	Inf	-Inf	110.11	3	Vertical	278	2.31	-	32.00	7.35	33.78			
AV	5.692G	103.78	Inf	-Inf	98.28	3	Vertical	278	2.31	-	31.95	7.34	33.79			
PK	5.854G	60.91	68.20	-7.29	55.12	3	Vertical	278	2.31	-	32.11	7.45	33.77			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22.5
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.696G	114.18	Inf	-Inf	108.65	3	Horizontal	65	3.00	-	31.98	7.34	33.79			
AV	5.6964G	102.39	Inf	-Inf	96.86	3	Horizontal	65	3.00	-	31.98	7.34	33.79			
PK	5.8616G	60.92	68.20	-7.28	55.11	3	Horizontal	65	3.00	-	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42303G	54.99	74.00	-19.01	38.85	3	Vertical	46	2.67	-	39.80	10.95	34.61			
AV	11.42321G	40.84	54.00	-13.16	24.70	3	Vertical	46	2.67	-	39.80	10.95	34.61			
PK	17.12538G	57.38	68.20	-10.82	36.38	3	Vertical	197	2.26	-	40.35	14.41	33.76			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43038G	54.21	74.00	-19.79	38.08	3	Horizontal	129	1.98	-	39.80	10.95	34.62			
AV	11.42183G	40.91	54.00	-13.09	24.77	3	Horizontal	129	1.98	-	39.80	10.95	34.61			
PK	17.12529G	57.50	68.20	-10.70	36.50	3	Horizontal	301	1.28	-	40.35	14.41	33.76			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 22.5
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.647G	67.35	68.20	-0.85	62.11	3	Vertical	304	2.22	-	31.69	7.34	33.79			
PK	5.7485G	117.24	Inf	-Inf	111.67	3	Vertical	304	2.22	-	32.00	7.35	33.78			
AV	5.7665G	103.83	Inf	-Inf	98.26	3	Vertical	304	2.22	-	32.00	7.35	33.78			
PK	5.961G	58.27	68.20	-9.93	52.06	3	Vertical	304	2.22	-	32.32	7.64	33.75			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 22.5
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.644G	66.10	68.20	-2.10	60.86	3	Horizontal	66	2.94	-	31.69	7.34	33.79			
PK	5.744G	114.17	Inf	-Inf	108.60	3	Horizontal	66	2.94	-	32.00	7.35	33.78			
AV	5.7415G	101.78	Inf	-Inf	96.21	3	Horizontal	66	2.94	-	32.00	7.35	33.78			
PK	5.9685G	59.57	68.20	-8.63	53.33	3	Horizontal	66	2.94	-	32.34	7.65	33.75			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 22.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50466G	54.44	74.00	-19.56	38.33	3	Vertical	254	1.15	-	39.79	10.97	34.65			
AV	11.50415G	40.71	54.00	-13.29	24.60	3	Vertical	254	1.15	-	39.79	10.97	34.65			
PK	17.27103G	58.31	68.20	-9.89	36.63	3	Vertical	72	1.07	-	40.84	14.48	33.64			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 22.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5244G	54.30	74.00	-19.70	38.23	3	Horizontal	192	2.12	-	39.75	10.97	34.65			
AV	11.4983G	40.89	54.00	-13.11	24.78	3	Horizontal	192	2.12	-	39.80	10.96	34.65			
PK	17.26776G	57.85	68.20	-10.35	36.18	3	Horizontal	99	2.60	-	40.84	14.48	33.65			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	67.90	68.20	-0.30	62.65	3	Vertical	303	2.40	-	31.70	7.34	33.79			
PK	5.807G	115.73	Inf	-Inf	110.13	3	Vertical	303	2.40	-	32.01	7.36	33.77			
AV	5.8065G	103.32	Inf	-Inf	97.72	3	Vertical	303	2.40	-	32.01	7.36	33.77			
PK	6.027G	59.40	68.20	-8.80	52.99	3	Vertical	303	2.40	-	32.45	7.69	33.73			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6405G	66.58	68.20	-1.62	61.35	3	Horizontal	66	2.91	-	31.68	7.34	33.79			
PK	5.802G	113.92	Inf	-Inf	108.34	3	Horizontal	66	2.91	-	32.00	7.35	33.77			
AV	5.783G	100.81	Inf	-Inf	95.24	3	Horizontal	66	2.91	-	32.00	7.35	33.78			
PK	5.9585G	58.98	68.20	-9.22	52.77	3	Horizontal	66	2.91	-	32.32	7.64	33.75			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58097G	54.30	74.00	-19.70	38.38	3	Vertical	124	1.75	-	39.58	10.99	34.65			
AV	11.58292G	40.69	54.00	-13.31	24.78	3	Vertical	124	1.75	-	39.57	10.99	34.65			
PK	17.38236G	59.00	68.20	-9.20	36.37	3	Vertical	290	2.19	-	41.66	14.52	33.55			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57527G	54.36	74.00	-19.64	38.43	3	Horizontal	68	2.73	-	39.60	10.98	34.65			
AV	11.60413G	40.70	54.00	-13.30	24.88	3	Horizontal	68	2.73	-	39.48	10.99	34.65			
PK	17.3775G	59.57	68.20	-8.63	36.98	3	Horizontal	221	2.04	-	41.62	14.52	33.55			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 21
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	68.10	74.00	-5.90	63.06	3	Vertical	154	2.55	-	31.86	6.90	33.72			
AV	5.1328G	51.79	54.00	-2.21	46.77	3	Vertical	154	2.55	-	31.83	6.90	33.71			
PK	5.1948G	110.62	Inf	-Inf	105.79	3	Vertical	154	2.55	-	31.63	6.93	33.73			
AV	5.2152G	97.92	Inf	-Inf	93.21	3	Vertical	154	2.55	-	31.51	6.94	33.74			
PK	5.3512G	65.03	74.00	-8.97	60.51	3	Vertical	154	2.55	-	31.30	6.99	33.77			
AV	5.3524G	50.14	54.00	-3.86	45.62	3	Vertical	154	2.55	-	31.30	6.99	33.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 21
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1424G	65.97	74.00	-8.03	60.92	3	Horizontal	56	3.00	-	31.87	6.90	33.72			
AV	5.1428G	50.09	54.00	-3.91	45.04	3	Horizontal	56	3.00	-	31.87	6.90	33.72			
PK	5.2408G	109.49	Inf	-Inf	104.92	3	Horizontal	56	3.00	-	31.36	6.95	33.74			
AV	5.2432G	96.51	Inf	-Inf	91.96	3	Horizontal	56	3.00	-	31.34	6.95	33.74			
PK	5.3608G	61.93	74.00	-12.07	57.39	3	Horizontal	56	3.00	-	31.32	6.99	33.77			
AV	5.3592G	48.37	54.00	-5.63	43.83	3	Horizontal	56	3.00	-	31.32	6.99	33.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 21
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41727G	54.06	68.20	-14.14	37.80	3	Vertical	307	1.37	-	39.83	10.69	34.26			
PK	15.61767G	55.51	74.00	-18.49	37.95	3	Vertical	271	1.90	-	38.49	13.62	34.55			
AV	15.6171G	41.96	54.00	-12.04	24.39	3	Vertical	271	1.90	-	38.50	13.62	34.55			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 21
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42141G	54.38	68.20	-13.82	38.10	3	Horizontal	133	1.13	-	39.84	10.70	34.26			
PK	15.62745G	55.80	74.00	-18.20	38.28	3	Horizontal	128	2.00	-	38.44	13.63	34.55			
AV	15.61503G	41.95	54.00	-12.05	24.37	3	Horizontal	128	2.00	-	38.51	13.62	34.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	62.49	74.00	-11.51	57.42	3	Vertical	296	2.26	-	31.88	6.91	33.72			
AV	5.1488G	48.53	54.00	-5.47	43.44	3	Vertical	296	2.26	-	31.90	6.91	33.72			
PK	5.3032G	111.03	Inf	-Inf	106.61	3	Vertical	296	2.26	-	31.21	6.97	33.76			
AV	5.286G	98.16	Inf	-Inf	93.72	3	Vertical	296	2.26	-	31.23	6.96	33.75			
PK	5.3736G	69.24	74.00	-4.76	64.67	3	Vertical	296	2.26	-	31.35	7.00	33.78			
AV	5.3676G	51.99	54.00	-2.01	47.43	3	Vertical	296	2.26	-	31.34	7.00	33.78			
PK	5.4628G	60.83	68.20	-7.37	55.97	3	Vertical	296	2.26	-	31.55	7.11	33.80			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	63.08	74.00	-10.92	58.00	3	Horizontal	56	2.93	-	31.89	6.91	33.72			
AV	5.1452G	47.80	54.00	-6.20	42.73	3	Horizontal	56	2.93	-	31.88	6.91	33.72			
PK	5.3264G	110.09	Inf	-Inf	105.62	3	Horizontal	56	2.93	-	31.25	6.98	33.76			
AV	5.3044G	96.95	Inf	-Inf	92.53	3	Horizontal	56	2.93	-	31.21	6.97	33.76			
AV	5.3508G	50.30	54.00	-3.70	45.78	3	Horizontal	56	2.93	-	31.30	6.99	33.77			
PK	5.3944G	65.63	74.00	-8.37	61.01	3	Horizontal	56	2.93	-	31.39	7.01	33.78			
PK	5.4628G	60.12	68.20	-8.08	55.26	3	Horizontal	56	2.93	-	31.55	7.11	33.80			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57988G	54.46	68.20	-13.74	38.19	3	Vertical	52	2.16	-	39.86	10.73	34.32			
PK	15.87342G	54.73	74.00	-19.27	37.23	3	Vertical	94	2.80	-	38.05	13.83	34.38			
AV	15.88395G	41.24	54.00	-12.76	23.71	3	Vertical	94	2.80	-	38.07	13.84	34.38			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57964G	53.95	68.20	-14.25	37.68	3	Horizontal	154	2.58	-	39.86	10.73	34.32			
PK	15.87939G	54.95	74.00	-19.05	37.44	3	Horizontal	65	2.75	-	38.06	13.83	34.38			
AV	15.87801G	41.30	54.00	-12.70	23.79	3	Horizontal	65	2.75	-	38.06	13.83	34.38			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3165G	57.84	68.20	-10.36	53.39	3	Vertical	283	2.40	-	31.23	6.98	33.76			
PK	5.4505G	65.54	74.00	-8.46	60.75	3	Vertical	283	2.40	-	31.50	7.09	33.80			
AV	5.452G	52.82	54.00	-1.18	48.01	3	Vertical	283	2.40	-	31.51	7.10	33.80			
PK	5.47G	63.69	68.20	-4.51	58.78	3	Vertical	283	2.40	-	31.58	7.13	33.80			
PK	5.5535G	112.28	Inf	-Inf	107.13	3	Vertical	283	2.40	-	31.69	7.26	33.80			
AV	5.5515G	99.35	Inf	-Inf	94.19	3	Vertical	283	2.40	-	31.70	7.26	33.80			
PK	5.736G	59.69	68.20	-8.51	54.12	3	Vertical	283	2.40	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3475G	58.36	68.20	-9.84	53.85	3	Horizontal	57	2.98	-	31.29	6.99	33.77				
PK	5.4475G	67.91	74.00	-6.09	63.13	3	Horizontal	57	2.98	-	31.49	7.09	33.80				
AV	5.4495G	52.17	54.00	-1.83	47.38	3	Horizontal	57	2.98	-	31.50	7.09	33.80				
PK	5.4675G	64.83	68.20	-3.37	59.94	3	Horizontal	57	2.98	-	31.57	7.12	33.80				
PK	5.528G	109.99	Inf	-Inf	104.88	3	Horizontal	57	2.98	-	31.70	7.22	33.81				
AV	5.5685G	97.58	Inf	-Inf	92.43	3	Horizontal	57	2.98	-	31.66	7.29	33.80				
PK	5.732G	59.36	68.20	-8.84	53.79	3	Horizontal	57	2.98	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07194G	53.77	74.00	-20.23	37.49	3	Vertical	167	2.35	-	39.87	10.86	34.45			
AV	11.07404G	40.58	54.00	-13.42	24.31	3	Vertical	167	2.35	-	39.86	10.86	34.45			
PK	16.5759G	57.42	68.20	-10.78	37.82	3	Vertical	53	1.03	-	39.60	14.18	34.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
Setting 22
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06765G	54.10	74.00	-19.90	37.80	3	Horizontal	35	1.59	-	39.89	10.86	34.45			
AV	11.07278G	40.65	54.00	-13.35	24.38	3	Horizontal	35	1.59	-	39.86	10.86	34.45			
PK	16.60218G	57.25	68.20	-10.95	37.71	3	Horizontal	101	1.17	-	39.51	14.19	34.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 21.5
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	61.60	74.00	-12.40	56.79	3	Vertical	278	2.21	-	31.51	7.10	33.80
AV	5.4548G	47.49	54.00	-6.51	42.67	3	Vertical	278	2.21	-	31.52	7.10	33.80
PK	5.4688G	62.44	68.20	-5.76	57.54	3	Vertical	278	2.21	-	31.58	7.12	33.80
PK	5.6336G	112.31	Inf	-Inf	107.09	3	Vertical	278	2.21	-	31.67	7.34	33.79
AV	5.632G	99.77	Inf	-Inf	94.56	3	Vertical	278	2.21	-	31.66	7.34	33.79
PK	5.728G	67.76	68.20	-0.44	62.19	3	Vertical	278	2.21	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 21.5
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	61.66	74.00	-12.34	56.82	3	Horizontal	68	2.90	-	31.53	7.11	33.80
AV	5.4588G	47.23	54.00	-6.77	42.38	3	Horizontal	68	2.90	-	31.54	7.11	33.80
PK	5.4604G	59.93	68.20	-8.27	55.08	3	Horizontal	68	2.90	-	31.54	7.11	33.80
PK	5.64G	111.85	Inf	-Inf	106.62	3	Horizontal	68	2.90	-	31.68	7.34	33.79
AV	5.6392G	97.77	Inf	-Inf	92.54	3	Horizontal	68	2.90	-	31.68	7.34	33.79
PK	5.7272G	66.22	68.20	-1.98	60.65	3	Horizontal	68	2.90	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 21.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23371G	55.31	74.00	-18.69	39.47	3	Vertical	93	2.37	-	39.47	10.90	34.53			
AV	11.22711G	40.73	54.00	-13.27	24.90	3	Vertical	93	2.37	-	39.45	10.90	34.52			
PK	16.83438G	58.62	68.20	-9.58	37.55	3	Vertical	353	2.48	-	40.77	14.29	33.99			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX


EUT_Z_2TX
Setting 21.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22444G	54.51	74.00	-19.49	38.68	3	Horizontal	315	1.11	-	39.45	10.90	34.52			
AV	11.23362G	40.61	54.00	-13.39	24.77	3	Horizontal	315	1.11	-	39.47	10.90	34.53			
PK	16.84494G	57.62	68.20	-10.58	36.52	3	Horizontal	182	2.16	-	40.79	14.29	33.98			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 22.5
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6724G	113.27	Inf	-Inf	107.89	3	Vertical	280	2.45	-	31.83	7.34	33.79			
AV	5.652G	100.96	Inf	-Inf	95.70	3	Vertical	280	2.45	-	31.71	7.34	33.79			
PK	5.85G	67.57	68.20	-0.63	61.80	3	Vertical	280	2.45	-	32.10	7.44	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22.5
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6776G	112.49	Inf	-Inf	107.07	3	Horizontal	65	3.00	-	31.87	7.34	33.79			
AV	5.6564G	98.86	Inf	-Inf	93.57	3	Horizontal	65	3.00	-	31.74	7.34	33.79			
PK	5.854G	65.72	68.20	-2.48	59.93	3	Horizontal	65	3.00	-	32.11	7.45	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22.5
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.38777G	54.72	74.00	-19.28	38.58	3	Vertical	176	1.63	-	39.80	10.94	34.60				
AV	11.37628G	40.65	54.00	-13.35	24.51	3	Vertical	176	1.63	-	39.80	10.93	34.59				
PK	17.06721G	57.12	68.20	-11.08	36.11	3	Vertical	179	1.53	-	40.43	14.39	33.81				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 22.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.36998G	54.65	74.00	-19.35	38.51	3	Horizontal	125	2.92	-	39.80	10.93	34.59			
AV	11.38609G	40.63	54.00	-13.37	24.49	3	Horizontal	125	2.92	-	39.80	10.94	34.60			
PK	17.08005G	56.55	68.20	-11.65	35.58	3	Horizontal	96	2.82	-	40.38	14.39	33.80			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 20.5
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6465G	65.50	68.20	-2.70	60.26	3	Vertical	303	2.31	-	31.69	7.34	33.79			
PK	5.7885G	112.48	Inf	-Inf	106.91	3	Vertical	303	2.31	-	32.00	7.35	33.78			
AV	5.8065G	99.33	Inf	-Inf	93.73	3	Vertical	303	2.31	-	32.01	7.36	33.77			
PK	6.0115G	59.31	68.20	-8.89	52.93	3	Vertical	303	2.31	-	32.42	7.70	33.74			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 20.5
06-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6405G	64.94	68.20	-3.26	59.71	3	Horizontal	65	2.90	-	31.68	7.34	33.79			
PK	5.802G	109.33	Inf	-Inf	103.75	3	Horizontal	65	2.90	-	32.00	7.35	33.77			
AV	5.8015G	96.87	Inf	-Inf	91.29	3	Horizontal	65	2.90	-	32.00	7.35	33.77			
PK	5.928G	58.90	68.20	-9.30	52.82	3	Horizontal	65	2.90	-	32.26	7.58	33.76			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 20.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54403G	54.63	74.00	-19.37	38.59	3	Vertical	330	1.27	-	39.71	10.98	34.65			
AV	11.54862G	40.83	54.00	-13.17	24.80	3	Vertical	330	1.27	-	39.70	10.98	34.65			
PK	17.33904G	57.37	68.20	-10.83	35.16	3	Vertical	307	2.39	-	41.29	14.51	33.59			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 20.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56077G	54.86	74.00	-19.14	38.87	3	Horizontal	349	2.30	-	39.66	10.98	34.65			
AV	11.54523G	40.96	54.00	-13.04	24.92	3	Horizontal	349	2.30	-	39.71	10.98	34.65			
PK	17.33181G	57.70	68.20	-10.50	35.57	3	Horizontal	230	1.21	-	41.22	14.50	33.59			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 20
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1132G	63.65	74.00	-10.35	58.72	3	Vertical	298	2.31	-	31.75	6.89	33.71			
AV	5.1498G	48.64	54.00	-5.36	43.55	3	Vertical	298	2.31	-	31.90	6.91	33.72			
PK	5.3058G	107.33	Inf	-Inf	102.91	3	Vertical	298	2.31	-	31.21	6.97	33.76			
AV	5.325G	94.04	Inf	-Inf	89.57	3	Vertical	298	2.31	-	31.25	6.98	33.76			
PK	5.3976G	66.71	74.00	-7.29	62.08	3	Vertical	298	2.31	-	31.40	7.01	33.78			
PK	5.4612G	66.91	68.20	-1.29	62.06	3	Vertical	298	2.31	-	31.54	7.11	33.80			
AV	5.4456G	51.56	54.00	-2.44	46.78	3	Vertical	298	2.31	-	31.49	7.09	33.80			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 20
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1144G	63.71	74.00	-10.29	58.77	3	Horizontal	60	2.95	-	31.76	6.89	33.71			
AV	5.1498G	48.15	54.00	-5.85	43.06	3	Horizontal	60	2.95	-	31.90	6.91	33.72			
PK	5.2272G	105.27	Inf	-Inf	100.63	3	Horizontal	60	2.95	-	31.44	6.94	33.74			
AV	5.328G	92.43	Inf	-Inf	87.96	3	Horizontal	60	2.95	-	31.26	6.98	33.77			
PK	5.4534G	63.53	74.00	-10.47	58.72	3	Horizontal	60	2.95	-	31.51	7.10	33.80			
AV	5.451G	49.45	54.00	-4.55	44.66	3	Horizontal	60	2.95	-	31.50	7.09	33.80			
PK	5.466G	62.58	68.20	-5.62	57.70	3	Horizontal	60	2.95	-	31.56	7.12	33.80			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 20
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50126G	53.84	68.20	-14.36	37.52	3	Vertical	24	2.37	-	39.90	10.72	34.30			
PK	15.73866G	56.86	74.00	-17.14	39.03	3	Vertical	268	1.90	-	38.58	13.72	34.47			
AV	15.74952G	42.64	54.00	-11.36	24.78	3	Vertical	268	1.90	-	38.60	13.73	34.47			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 20
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.49223G	53.58	68.20	-14.62	37.27	3	Horizontal	332	1.74	-	39.90	10.71	34.30				
PK	15.74757G	56.65	74.00	-17.35	38.79	3	Horizontal	79	1.63	-	38.60	13.73	34.47				
AV	15.7515G	42.57	54.00	-11.43	24.71	3	Horizontal	79	1.63	-	38.59	13.73	34.46				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 19.5
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3138G	58.40	68.20	-9.80	53.95	3	Vertical	278	2.48	-	31.23	6.98	33.76			
PK	5.4548G	61.00	74.00	-13.00	56.18	3	Vertical	278	2.48	-	31.52	7.10	33.80			
AV	5.4548G	48.29	54.00	-5.71	43.47	3	Vertical	278	2.48	-	31.52	7.10	33.80			
PK	5.4698G	58.90	68.20	-9.30	53.99	3	Vertical	278	2.48	-	31.58	7.13	33.80			
PK	5.612G	108.62	Inf	-Inf	103.46	3	Vertical	278	2.48	-	31.62	7.34	33.80			
AV	5.633G	95.97	Inf	-Inf	90.75	3	Vertical	278	2.48	-	31.67	7.34	33.79			
PK	5.7344G	64.88	68.20	-3.32	59.31	3	Vertical	278	2.48	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 19.5
06-U-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2874G	57.97	68.20	-10.23	53.53	3	Horizontal	54	3.00	-	31.23	6.96	33.75			
PK	5.4488G	60.15	74.00	-13.85	55.36	3	Horizontal	54	3.00	-	31.50	7.09	33.80			
AV	5.4458G	47.16	54.00	-6.84	42.38	3	Horizontal	54	3.00	-	31.49	7.09	33.80			
PK	5.4632G	60.92	68.20	-7.28	56.06	3	Horizontal	54	3.00	-	31.55	7.11	33.80			
PK	5.6264G	105.50	Inf	-Inf	100.30	3	Horizontal	54	3.00	-	31.65	7.34	33.79			
AV	5.6474G	93.65	Inf	-Inf	88.41	3	Horizontal	54	3.00	-	31.69	7.34	33.79			
PK	5.7308G	63.63	68.20	-4.57	58.06	3	Horizontal	54	3.00	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 19.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14624G	54.70	74.00	-19.30	38.79	3	Vertical	68	2.71	-	39.52	10.88	34.49			
AV	11.14144G	40.46	54.00	-13.54	24.54	3	Vertical	68	2.71	-	39.53	10.88	34.49			
PK	16.7124G	57.42	68.20	-10.78	37.19	3	Vertical	130	1.82	-	40.07	14.24	34.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
Setting 19.5
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14537G	54.63	74.00	-19.37	38.72	3	Horizontal	347	1.25	-	39.52	10.88	34.49			
AV	11.14912G	40.49	54.00	-13.51	24.60	3	Horizontal	347	1.25	-	39.50	10.88	34.49			
PK	16.71924G	57.64	68.20	-10.56	37.35	3	Horizontal	91	1.01	-	40.12	14.24	34.07			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	PK	5.7292G	67.64	68.20	-0.56	3	Vertical	114	2.29	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 7(19)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1276G	72.74	74.00	-1.26	61.72	3	Vertical	117	2.15	-	33.56	7.58	30.12			
AV	5.1484G	52.71	54.00	-1.29	41.66	3	Vertical	117	2.15	-	33.60	7.58	30.13			
PK	5.2436G	109.92	Inf	-Inf	98.78	3	Vertical	117	2.15	-	33.70	7.62	30.18			
AV	5.2448G	98.51	Inf	-Inf	87.37	3	Vertical	117	2.15	-	33.70	7.62	30.18			
PK	5.364G	63.12	74.00	-10.88	51.75	3	Vertical	117	2.15	-	33.90	7.71	30.24			
AV	5.3632G	48.76	54.00	-5.24	37.39	3	Vertical	117	2.15	-	33.90	7.71	30.24			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 7(19)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1416G	72.64	74.00	-1.36	61.60	3	Horizontal	24	3.00	-	33.58	7.58	30.12			
AV	5.1416G	52.78	54.00	-1.22	41.74	3	Horizontal	24	3.00	-	33.58	7.58	30.12			
PK	5.182G	108.87	Inf	-Inf	97.76	3	Horizontal	24	3.00	-	33.66	7.59	30.14			
AV	5.184G	97.64	Inf	-Inf	86.53	3	Horizontal	24	3.00	-	33.67	7.59	30.15			
PK	5.3636G	60.42	74.00	-13.58	49.05	3	Horizontal	24	3.00	-	33.90	7.71	30.24			
AV	5.3624G	47.42	54.00	-6.58	36.05	3	Horizontal	24	3.00	-	33.90	7.71	30.24			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 7(19)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4184G	58.59	68.20	-9.61	39.16	3	Vertical	187	2.40	-	38.26	11.99	30.82			
PK	15.6746G	62.44	74.00	-11.56	42.16	3	Vertical	140	2.43	-	37.65	14.55	31.92			
AV	15.6968G	47.11	54.00	-6.89	26.84	3	Vertical	140	2.43	-	37.61	14.57	31.91			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 7(19)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.3414G	58.42	68.20	-9.78	38.89	3	Horizontal	193	2.75	-	38.40	11.95	30.82			
PK	15.6738G	62.30	74.00	-11.70	42.02	3	Horizontal	66	1.74	-	37.65	14.55	31.92			
AV	15.7226G	46.25	54.00	-7.75	26.02	3	Horizontal	66	1.74	-	37.55	14.59	31.91			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Z_2TX
Setting 6.5(17.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1134G	65.90	74.00	-8.10	54.91	3	Vertical	116	2.14	-	33.53	7.57	30.11			
AV	5.1269G	48.03	54.00	-5.97	37.02	3	Vertical	116	2.14	-	33.55	7.58	30.12			
PK	5.2478G	110.03	Inf	-Inf	98.88	3	Vertical	116	2.14	-	33.70	7.63	30.18			
AV	5.2448G	99.15	Inf	-Inf	88.01	3	Vertical	116	2.14	-	33.70	7.62	30.18			
PK	5.3594G	66.03	74.00	-7.97	54.66	3	Vertical	116	2.14	-	33.90	7.71	30.24			
AV	5.36G	47.38	54.00	-6.62	36.01	3	Vertical	116	2.14	-	33.90	7.71	30.24			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Z_2TX
Setting 6.5(17.5)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1074G	64.55	74.00	-9.45	53.58	3	Horizontal	23	3.00	-	33.51	7.57	30.11			
AV	5.1251G	47.98	54.00	-6.02	36.97	3	Horizontal	23	3.00	-	33.55	7.58	30.12			
PK	5.1845G	110.25	Inf	-Inf	99.14	3	Horizontal	23	3.00	-	33.67	7.59	30.15			
AV	5.1848G	98.26	Inf	-Inf	87.15	3	Horizontal	23	3.00	-	33.67	7.59	30.15			
PK	5.3597G	59.86	74.00	-14.14	48.49	3	Horizontal	23	3.00	-	33.90	7.71	30.24			
AV	5.36G	46.48	54.00	-7.52	35.11	3	Horizontal	23	3.00	-	33.90	7.71	30.24			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Z_2TX
Setting 6.5(17.5)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3862G	58.56	68.20	-9.64	39.07	3	Vertical	25	1.45	-	38.33	11.98	30.82			
PK	15.7296G	62.57	74.00	-11.43	42.34	3	Vertical	360	1.59	-	37.54	14.60	31.91			
AV	15.7078G	47.26	54.00	-6.74	27.01	3	Vertical	360	1.59	-	37.58	14.58	31.91			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Z_2TX
Setting 6.5(17.5)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3934G	58.17	68.20	-10.03	38.70	3	Horizontal	141	1.14	-	38.31	11.98	30.82			
PK	15.6518G	62.59	74.00	-11.41	42.29	3	Horizontal	61	2.23	-	37.70	14.53	31.93			
AV	15.7268G	46.28	54.00	-7.72	26.05	3	Horizontal	61	2.23	-	37.55	14.59	31.91			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1052G	68.69	74.00	-5.31	57.71	3	Vertical	205	2.41	-	33.51	7.57	30.10			
AV	5.0724G	48.94	54.00	-5.06	38.03	3	Vertical	205	2.41	-	33.44	7.56	30.09			
PK	5.2692G	106.71	Inf	-Inf	95.52	3	Vertical	205	2.41	-	33.74	7.64	30.19			
AV	5.2532G	95.90	Inf	-Inf	84.74	3	Vertical	205	2.41	-	33.71	7.63	30.18			
PK	5.3772G	70.75	74.00	-3.25	59.38	3	Vertical	205	2.41	-	33.90	7.72	30.25			
AV	5.3516G	52.56	54.00	-1.44	41.19	3	Vertical	205	2.41	-	33.90	7.70	30.23			
PK	5.4804G	64.55	68.20	-3.65	53.10	3	Vertical	205	2.41	-	33.96	7.79	30.30			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.114G	66.23	74.00	-7.77	55.24	3	Horizontal	19	3.00	-	33.53	7.57	30.11			
AV	5.1468G	48.18	54.00	-5.82	37.14	3	Horizontal	19	3.00	-	33.59	7.58	30.13			
PK	5.1876G	105.12	Inf	-Inf	94.00	3	Horizontal	19	3.00	-	33.68	7.59	30.15			
AV	5.1876G	93.62	Inf	-Inf	82.50	3	Horizontal	19	3.00	-	33.68	7.59	30.15			
PK	5.4044G	69.97	74.00	-4.03	58.59	3	Horizontal	19	3.00	-	33.90	7.74	30.26			
AV	5.3868G	50.56	54.00	-3.44	39.18	3	Horizontal	19	3.00	-	33.90	7.73	30.25			
PK	5.4692G	64.31	68.20	-3.89	52.88	3	Horizontal	19	3.00	-	33.94	7.78	30.29			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5518G	58.54	68.20	-9.66	38.98	3	Vertical	174	2.68	-	38.30	12.06	30.80			
PK	15.7008G	63.30	74.00	-10.70	43.04	3	Vertical	123	1.76	-	37.60	14.57	31.91			
AV	15.7456G	46.14	54.00	-7.86	25.92	3	Vertical	123	1.76	-	37.51	14.61	31.90			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5498G	58.39	68.20	-9.81	38.83	3	Horizontal	246	2.28	-	38.30	12.06	30.80			
PK	15.7416G	62.48	74.00	-11.52	42.25	3	Horizontal	307	1.87	-	37.52	14.61	31.90			
AV	15.7248G	46.26	54.00	-7.74	26.03	3	Horizontal	307	1.87	-	37.55	14.59	31.91			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 2.5(16.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1164G	70.65	74.00	-3.35	59.66	3	Vertical	206	2.41	-	33.53	7.57	30.11
AV	5.1164G	47.78	54.00	-6.22	36.79	3	Vertical	206	2.41	-	33.53	7.57	30.11
PK	5.2516G	107.54	Inf	-Inf	96.39	3	Vertical	206	2.41	-	33.70	7.63	30.18
AV	5.2524G	95.17	Inf	-Inf	84.02	3	Vertical	206	2.41	-	33.70	7.63	30.18
PK	5.3812G	72.91	74.00	-1.09	61.53	3	Vertical	206	2.41	-	33.90	7.73	30.25
AV	5.3548G	48.10	54.00	-5.90	36.72	3	Vertical	206	2.41	-	33.90	7.71	30.23
PK	5.4644G	65.54	68.20	-2.66	54.12	3	Vertical	206	2.41	-	33.93	7.78	30.29

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 2.5(16.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	70.30	74.00	-3.70	59.30	3	Horizontal	231	2.94	-	33.54	7.57	30.11
AV	5.1228G	47.52	54.00	-6.48	36.51	3	Horizontal	231	2.94	-	33.55	7.57	30.11
PK	5.3228G	105.07	Inf	-Inf	93.76	3	Horizontal	231	2.94	-	33.85	7.68	30.22
AV	5.2644G	93.34	Inf	-Inf	82.16	3	Horizontal	231	2.94	-	33.73	7.64	30.19
AV	5.354G	47.63	54.00	-6.37	36.25	3	Horizontal	231	2.94	-	33.90	7.71	30.23
PK	5.3988G	70.82	74.00	-3.18	59.44	3	Horizontal	231	2.94	-	33.90	7.74	30.26
PK	5.4628G	66.33	68.20	-1.87	54.91	3	Horizontal	231	2.94	-	33.93	7.78	30.29

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 2.5(16.5)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5054G	58.13	68.20	-10.07	38.61	3	Vertical	32	2.36	-	38.30	12.04	30.82			
PK	15.728G	63.42	74.00	-10.58	43.20	3	Vertical	33	2.63	-	37.54	14.59	31.91			
AV	15.7444G	46.29	54.00	-7.71	26.07	3	Vertical	33	2.63	-	37.51	14.61	31.90			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 2.5(16.5)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.559G	58.70	68.20	-9.50	39.12	3	Horizontal	92	2.37	-	38.32	12.06	30.80			
PK	15.6786G	62.72	74.00	-11.28	42.45	3	Horizontal	114	1.24	-	37.64	14.55	31.92			
AV	15.7344G	46.31	54.00	-7.69	26.08	3	Horizontal	114	1.24	-	37.53	14.60	31.90			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 2.5(15.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0692G	59.44	74.00	-14.56	48.53	3	Vertical	120	2.20	-	33.44	7.56	30.09
AV	5.0652G	47.97	54.00	-6.03	37.06	3	Vertical	120	2.20	-	33.43	7.56	30.08
PK	5.3228G	106.69	Inf	-Inf	95.38	3	Vertical	120	2.20	-	33.85	7.68	30.22
AV	5.3236G	94.36	Inf	-Inf	83.05	3	Vertical	120	2.20	-	33.85	7.68	30.22
PK	5.418G	59.69	74.00	-14.31	48.31	3	Vertical	120	2.20	-	33.90	7.75	30.27
AV	5.4388G	47.90	54.00	-6.10	36.52	3	Vertical	120	2.20	-	33.90	7.76	30.28
PK	5.542G	60.32	68.20	-7.88	48.70	3	Vertical	120	2.20	-	34.08	7.83	30.29

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 2.5(15.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0668G	58.89	74.00	-15.11	47.98	3	Horizontal	230	2.91	-	33.43	7.56	30.08
AV	5.0612G	47.35	54.00	-6.65	36.45	3	Horizontal	230	2.91	-	33.42	7.56	30.08
PK	5.1828G	103.59	Inf	-Inf	92.48	3	Horizontal	230	2.91	-	33.67	7.59	30.15
PK	5.422G	59.39	74.00	-14.61	48.01	3	Horizontal	230	2.91	-	33.90	7.75	30.27
AV	5.3228G	92.65	Inf	-Inf	81.34	3	Horizontal	230	2.91	-	33.85	7.68	30.22
AV	5.4388G	47.32	54.00	-6.68	35.94	3	Horizontal	230	2.91	-	33.90	7.76	30.28
PK	5.546G	58.46	68.20	-9.74	46.83	3	Horizontal	230	2.91	-	34.09	7.83	30.29

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 2.5(15.5)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4272G	58.58	68.20	-9.62	39.15	3	Vertical	162	2.22	-	38.25	12.00	30.82			
PK	15.7048G	62.82	74.00	-11.18	42.57	3	Vertical	168	2.20	-	37.59	14.57	31.91			
AV	15.7456G	46.33	54.00	-7.67	26.11	3	Vertical	168	2.20	-	37.51	14.61	31.90			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 2.5(15.5)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4978G	59.10	68.20	-9.10	39.59	3	Horizontal	227	2.47	-	38.30	12.03	30.82			
PK	15.8034G	63.21	74.00	-10.79	43.03	3	Horizontal	48	2.87	-	37.41	14.66	31.89			
AV	15.74G	46.21	54.00	-7.79	25.98	3	Horizontal	48	2.87	-	37.52	14.61	31.90			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	59.00	74.00	-15.00	47.95	3	Vertical	206	2.42	-	33.60	7.58	30.13			
AV	5.1484G	45.99	54.00	-8.01	34.94	3	Vertical	206	2.42	-	33.60	7.58	30.13			
PK	5.2522G	110.70	Inf	-Inf	99.55	3	Vertical	206	2.42	-	33.70	7.63	30.18			
AV	5.2522G	98.34	Inf	-Inf	87.19	3	Vertical	206	2.42	-	33.70	7.63	30.18			
PK	5.3533G	70.70	74.00	-3.30	59.33	3	Vertical	206	2.42	-	33.90	7.70	30.23			
AV	5.3752G	50.48	54.00	-3.52	39.11	3	Vertical	206	2.42	-	33.90	7.72	30.25			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1499G	57.85	74.00	-16.15	46.80	3	Horizontal	35	3.00	-	33.60	7.58	30.13			
AV	5.1487G	45.84	54.00	-8.16	34.79	3	Horizontal	35	3.00	-	33.60	7.58	30.13			
PK	5.2732G	108.85	Inf	-Inf	97.65	3	Horizontal	35	3.00	-	33.75	7.64	30.19			
AV	5.2726G	96.67	Inf	-Inf	85.47	3	Horizontal	35	3.00	-	33.75	7.64	30.19			
PK	5.3533G	66.65	74.00	-7.35	55.28	3	Horizontal	35	3.00	-	33.90	7.70	30.23			
AV	5.3542G	48.90	54.00	-5.10	37.52	3	Horizontal	35	3.00	-	33.90	7.71	30.23			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.527G	58.48	68.20	-9.72	38.94	3	Vertical	74	2.23	-	38.30	12.05	30.81				
PK	15.9004G	62.69	74.00	-11.31	42.11	3	Vertical	15	1.12	-	37.70	14.74	31.86				
AV	15.8196G	46.86	54.00	-7.14	26.63	3	Vertical	15	1.12	-	37.44	14.67	31.88				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4838G	59.01	68.20	-9.19	39.54	3	Horizontal	80	1.66	-	38.27	12.02	30.82			
PK	15.794G	62.28	74.00	-11.72	42.11	3	Horizontal	247	2.70	-	37.41	14.65	31.89			
AV	15.8154G	45.96	54.00	-8.04	25.74	3	Horizontal	247	2.70	-	37.43	14.67	31.88			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 1.5(16.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.253G	110.52	Inf	-Inf	99.36	3	Vertical	205	2.42	-	33.71	7.63	30.18
AV	5.2524G	98.60	Inf	-Inf	87.45	3	Vertical	205	2.42	-	33.70	7.63	30.18
PK	5.375G	61.12	74.00	-12.88	49.74	3	Vertical	205	2.42	-	33.90	7.72	30.24
AV	5.3758G	47.78	54.00	-6.22	36.41	3	Vertical	205	2.42	-	33.90	7.72	30.25

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 1.5(16.5)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2602G	109.14	Inf	-Inf	97.97	3	Horizontal	229	2.98	-	33.72	7.64	30.19			
AV	5.2616G	96.79	Inf	-Inf	85.62	3	Horizontal	229	2.98	-	33.72	7.64	30.19			
PK	5.3862G	61.70	74.00	-12.30	50.32	3	Horizontal	229	2.98	-	33.90	7.73	30.25			
AV	5.367G	47.06	54.00	-6.94	35.68	3	Horizontal	229	2.98	-	33.90	7.72	30.24			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 1.5(16.5)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5142G	58.03	68.20	-10.17	38.50	3	Vertical	232	2.77	-	38.30	12.04	30.81			
PK	15.8356G	62.91	74.00	-11.09	42.63	3	Vertical	167	1.85	-	37.47	14.69	31.88			
AV	15.9082G	47.17	54.00	-6.83	26.61	3	Vertical	167	1.85	-	37.67	14.75	31.86			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 1.5(16.5)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5742G	58.90	68.20	-9.30	39.27	3	Horizontal	211	2.67	-	38.35	12.07	30.79			
PK	15.8012G	62.33	74.00	-11.67	42.16	3	Horizontal	160	2.18	-	37.40	14.66	31.89			
AV	15.826G	46.06	54.00	-7.94	25.81	3	Horizontal	160	2.18	-	37.45	14.68	31.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4424G	64.31	74.00	-9.69	52.92	3	Vertical	115	2.25	-	33.90	7.77	30.28			
AV	5.443G	47.50	54.00	-6.50	36.11	3	Vertical	115	2.25	-	33.90	7.77	30.28			
PK	5.4643G	64.33	68.20	-3.87	52.91	3	Vertical	115	2.25	-	33.93	7.78	30.29			
PK	5.5642G	112.05	Inf	-Inf	100.43	3	Vertical	115	2.25	-	34.07	7.84	30.29			
AV	5.5642G	99.83	Inf	-Inf	88.21	3	Vertical	115	2.25	-	34.07	7.84	30.29			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.458G	64.36	74.00	-9.64	52.96	3	Horizontal	227	2.96	-	33.92	7.77	30.29			
PK	5.4616G	62.16	68.20	-6.04	50.75	3	Horizontal	227	2.96	-	33.92	7.78	30.29			
AV	5.46G	47.19	54.00	-6.81	35.78	3	Horizontal	227	2.96	-	33.92	7.78	30.29			
PK	5.5633G	110.09	Inf	-Inf	98.47	3	Horizontal	227	2.96	-	34.07	7.84	30.29			
AV	5.5234G	97.44	Inf	-Inf	85.88	3	Horizontal	227	2.96	-	34.05	7.81	30.30			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9996G	58.87	74.00	-15.13	38.83	3	Vertical	36	2.38	-	38.40	12.28	30.64			
AV	11.0972G	46.66	54.00	-7.34	26.44	3	Vertical	36	2.38	-	38.59	12.33	30.70			
PK	16.6776G	61.30	68.20	-6.90	38.47	3	Vertical	116	2.71	-	39.86	14.97	32.00			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 1.5(18.5)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.119G	59.70	74.00	-14.30	39.51	3	Horizontal	227	1.37	-	38.56	12.35	30.72			
AV	11.0696G	46.51	54.00	-7.49	26.33	3	Horizontal	227	1.37	-	38.54	12.32	30.68			
PK	16.6852G	60.67	68.20	-7.53	37.83	3	Horizontal	87	2.19	-	39.87	14.97	32.00			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Z_2TX
Setting 2(16)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4451G	59.73	74.00	-14.27	48.34	3	Vertical	114	2.26	-	33.90	7.77	30.28			
AV	5.4445G	47.23	54.00	-6.77	35.84	3	Vertical	114	2.26	-	33.90	7.77	30.28			
PK	5.4685G	58.10	68.20	-10.10	46.67	3	Vertical	114	2.26	-	33.94	7.78	30.29			
PK	5.5633G	111.38	Inf	-Inf	99.76	3	Vertical	114	2.26	-	34.07	7.84	30.29			
AV	5.5645G	99.09	Inf	-Inf	87.47	3	Vertical	114	2.26	-	34.07	7.84	30.29			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Z_2TX
Setting 2(16)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4388G	60.35	74.00	-13.65	48.97	3	Horizontal	229	2.94	-	33.90	7.76	30.28			
AV	5.4424G	46.91	54.00	-7.09	35.52	3	Horizontal	229	2.94	-	33.90	7.77	30.28			
PK	5.4649G	57.60	68.20	-10.60	46.18	3	Horizontal	229	2.94	-	33.93	7.78	30.29			
PK	5.566G	108.35	Inf	-Inf	96.73	3	Horizontal	229	2.94	-	34.07	7.84	30.29			
AV	5.5657G	97.31	Inf	-Inf	85.69	3	Horizontal	229	2.94	-	34.07	7.84	30.29			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Z_2TX
Setting 2(16)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.064G	58.94	74.00	-15.06	38.77	3	Vertical	70	2.98	-	38.53	12.32	30.68			
AV	11.0666G	46.66	54.00	-7.34	26.49	3	Vertical	70	2.98	-	38.53	12.32	30.68			
PK	16.6612G	61.10	68.20	-7.10	38.30	3	Vertical	124	2.45	-	39.82	14.97	31.99			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Z_2TX
Setting 2(16)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0886G	58.92	74.00	-15.08	38.71	3	Horizontal	130	1.56	-	38.58	12.33	30.70			
AV	11.0312G	46.61	54.00	-7.39	26.51	3	Horizontal	130	1.56	-	38.46	12.30	30.66			
PK	16.6246G	60.36	68.20	-7.84	37.73	3	Horizontal	212	2.99	-	39.65	14.96	31.98			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT_Z_2TX
Setting 2(18)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4208G	58.59	74.00	-15.41	47.21	3	Vertical	109	2.30	-	33.90	7.75	30.27
AV	5.4108G	46.12	54.00	-7.88	34.73	3	Vertical	109	2.30	-	33.90	7.75	30.26
PK	5.4624G	58.97	68.20	-9.23	47.56	3	Vertical	109	2.30	-	33.92	7.78	30.29
PK	5.6448G	111.01	Inf	-Inf	99.33	3	Vertical	109	2.30	-	34.00	7.94	30.26
AV	5.6452G	100.19	Inf	-Inf	88.51	3	Vertical	109	2.30	-	34.00	7.94	30.26
PK	5.74G	66.39	68.20	-1.81	54.50	3	Vertical	109	2.30	-	34.00	8.11	30.22

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT_Z_2TX
Setting 2(18)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4432G	58.33	74.00	-15.67	46.94	3	Horizontal	28	2.82	-	33.90	7.77	30.28
PK	5.4636G	58.18	68.20	-10.02	46.76	3	Horizontal	28	2.82	-	33.93	7.78	30.29
AV	5.46G	46.00	54.00	-8.00	34.59	3	Horizontal	28	2.82	-	33.92	7.78	30.29
PK	5.6404G	109.89	Inf	-Inf	98.22	3	Horizontal	28	2.82	-	34.00	7.93	30.26
AV	5.6424G	97.31	Inf	-Inf	85.64	3	Horizontal	28	2.82	-	34.00	7.93	30.26
PK	5.7428G	64.13	68.20	-4.07	52.24	3	Horizontal	28	2.82	-	34.00	8.11	30.22

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT_Z_2TX
Setting 2(18)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1642G	58.54	74.00	-15.46	38.42	3	Vertical	25	1.04	-	38.50	12.37	30.75			
AV	11.164G	46.26	54.00	-7.74	26.13	3	Vertical	25	1.04	-	38.50	12.37	30.74			
PK	16.8982G	61.60	68.20	-6.60	38.08	3	Vertical	210	1.26	-	40.59	15.01	32.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Z_2TX
Setting 2(18)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3142G	59.42	74.00	-14.58	39.19	3	Horizontal	273	2.60	-	38.63	12.44	30.84			
AV	11.1694G	46.19	54.00	-7.81	26.07	3	Horizontal	273	2.60	-	38.50	12.37	30.75			
PK	16.8258G	60.50	68.20	-7.70	37.20	3	Horizontal	93	2.47	-	40.35	15.00	32.05			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_Z_2TX
Setting 2(16)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4556G	58.63	74.00	-15.37	47.24	3	Vertical	95	2.31	-	33.91	7.77	30.29			
AV	5.4372G	45.99	54.00	-8.01	34.61	3	Vertical	95	2.31	-	33.90	7.76	30.28			
PK	5.4696G	57.74	68.20	-10.46	46.31	3	Vertical	95	2.31	-	33.94	7.78	30.29			
PK	5.6328G	110.89	Inf	-Inf	99.23	3	Vertical	95	2.31	-	34.00	7.92	30.26			
AV	5.6328G	99.76	Inf	-Inf	88.10	3	Vertical	95	2.31	-	34.00	7.92	30.26			
PK	5.772G	60.91	68.20	-7.29	48.96	3	Vertical	95	2.31	-	34.00	8.16	30.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




EUT_Z_2TX
Setting 2(16)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4496G	58.18	74.00	-15.82	46.79	3	Horizontal	29	2.81	-	33.90	7.77	30.28			
AV	5.44G	45.86	54.00	-8.14	34.48	3	Horizontal	29	2.81	-	33.90	7.76	30.28			
PK	5.4644G	56.73	68.20	-11.47	45.31	3	Horizontal	29	2.81	-	33.93	7.78	30.29			
PK	5.6416G	108.65	Inf	-Inf	96.98	3	Horizontal	29	2.81	-	34.00	7.93	30.26			
AV	5.6408G	97.07	Inf	-Inf	85.40	3	Horizontal	29	2.81	-	34.00	7.93	30.26			
PK	5.7856G	59.18	68.20	-9.02	47.21	3	Horizontal	29	2.81	-	34.00	8.18	30.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 1(19)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6616G	113.33	Inf	-Inf	101.61	3	Vertical	118	2.28	-	34.00	7.97	30.25			
AV	5.662G	100.19	Inf	-Inf	88.47	3	Vertical	118	2.28	-	34.00	7.97	30.25			
PK	5.8568G	64.56	68.20	-3.64	52.63	3	Vertical	118	2.28	-	33.93	8.18	30.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 1(19)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6816G	110.62	Inf	-Inf	98.86	3	Horizontal	31	2.90	-	34.00	8.00	30.24			
AV	5.6604G	98.02	Inf	-Inf	86.30	3	Horizontal	31	2.90	-	34.00	7.97	30.25			
PK	5.8608G	59.95	68.20	-8.25	48.01	3	Horizontal	31	2.90	-	33.94	8.18	30.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 1(19)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4592G	58.47	74.00	-15.53	38.04	3	Vertical	129	1.49	-	38.84	12.52	30.93			
AV	11.471G	46.59	54.00	-7.41	26.13	3	Vertical	129	1.49	-	38.88	12.52	30.94			
PK	17.1552G	61.19	68.20	-7.01	36.49	3	Vertical	267	1.03	-	41.62	15.07	31.99			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 1(19)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4488G	59.48	74.00	-14.52	39.10	3	Horizontal	172	2.01	-	38.80	12.51	30.93			
AV	11.386G	46.55	54.00	-7.45	26.26	3	Horizontal	172	2.01	-	38.70	12.48	30.89			
PK	17.0898G	60.94	68.20	-7.26	36.55	3	Horizontal	157	1.16	-	41.38	15.05	32.04			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 1(17)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6668G	111.29	Inf	-Inf	99.56	3	Vertical	103	2.30	-	34.00	7.98	30.25
AV	5.6676G	100.39	Inf	-Inf	88.66	3	Vertical	103	2.30	-	34.00	7.98	30.25
PK	5.8508G	64.88	68.20	-3.32	52.97	3	Vertical	103	2.30	-	33.90	8.19	30.18

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 1(17)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6632G	109.99	Inf	-Inf	98.27	3	Horizontal	29	2.91	-	34.00	7.97	30.25			
AV	5.6612G	97.56	Inf	-Inf	85.84	3	Horizontal	29	2.91	-	34.00	7.97	30.25			
PK	5.8648G	58.51	68.20	-9.69	46.55	3	Horizontal	29	2.91	-	33.96	8.18	30.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 1(17)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2944G	59.56	74.00	-14.44	39.37	3	Vertical	91	1.91	-	38.59	12.43	30.83			
AV	11.4554G	46.86	54.00	-7.14	26.46	3	Vertical	91	1.91	-	38.82	12.51	30.93			
PK	17.146G	61.12	68.20	-7.08	36.48	3	Vertical	217	1.31	-	41.58	15.06	32.00			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 1(17)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4696G	59.28	74.00	-14.72	38.82	3	Horizontal	95	1.63	-	38.88	12.52	30.94			
AV	11.4708G	46.65	54.00	-7.35	26.19	3	Horizontal	95	1.63	-	38.88	12.52	30.94			
PK	17.1392G	60.48	68.20	-7.72	35.86	3	Horizontal	305	1.68	-	41.56	15.06	32.00			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4(16)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.286G	58.26	68.20	-9.94	47.04	3	Vertical	114	2.29	-	33.77	7.65	30.20			
PK	5.4292G	59.63	74.00	-14.37	48.24	3	Vertical	114	2.29	-	33.90	7.76	30.27			
AV	5.3684G	46.58	54.00	-7.42	35.20	3	Vertical	114	2.29	-	33.90	7.72	30.24			
PK	5.4684G	62.73	68.20	-5.47	51.30	3	Vertical	114	2.29	-	33.94	7.78	30.29			
PK	5.6452G	107.33	Inf	-Inf	95.65	3	Vertical	114	2.29	-	34.00	7.94	30.26			
AV	5.6428G	95.94	Inf	-Inf	84.27	3	Vertical	114	2.29	-	34.00	7.93	30.26			
PK	5.7292G	67.64	68.20	-0.56	55.78	3	Vertical	114	2.29	-	34.00	8.09	30.23			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4(16)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2636G	58.78	68.20	-9.42	47.60	3	Horizontal	30	2.96	-	33.73	7.64	30.19			
PK	5.3644G	59.25	74.00	-14.75	47.88	3	Horizontal	30	2.96	-	33.90	7.71	30.24			
PK	5.4668G	58.92	68.20	-9.28	47.50	3	Horizontal	30	2.96	-	33.93	7.78	30.29			
AV	5.454G	47.21	54.00	-6.79	35.82	3	Horizontal	30	2.96	-	33.91	7.77	30.29			
PK	5.6196G	106.04	Inf	-Inf	94.42	3	Horizontal	30	2.96	-	34.00	7.89	30.27			
AV	5.6204G	92.97	Inf	-Inf	81.34	3	Horizontal	30	2.96	-	34.00	7.90	30.27			
PK	5.7276G	66.26	68.20	-1.94	54.41	3	Horizontal	30	2.96	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4(16)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1468G	59.56	74.00	-14.44	39.42	3	Vertical	31	2.99	-	38.51	12.36	30.73			
AV	11.0706G	46.46	54.00	-7.54	26.29	3	Vertical	31	2.99	-	38.54	12.32	30.69			
PK	16.7868G	61.21	68.20	-6.99	38.04	3	Vertical	318	1.53	-	40.22	14.99	32.04			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4(16)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22G	58.85	74.00	-15.15	38.73	3	Horizontal	109	2.32	-	38.50	12.40	30.78			
AV	11.0482G	46.47	54.00	-7.53	26.33	3	Horizontal	109	2.32	-	38.50	12.31	30.67			
PK	16.7834G	61.01	68.20	-3.19	41.86	3	Horizontal	300	2.43	-	40.20	14.99	32.04			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4(15)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3436G	62.08	68.20	-6.12	50.72	3	Vertical	111	2.31	-	33.89	7.70	30.23			
PK	5.454G	66.39	74.00	-7.61	55.00	3	Vertical	111	2.31	-	33.91	7.77	30.29			
AV	5.446G	47.60	54.00	-6.40	36.21	3	Vertical	111	2.31	-	33.90	7.77	30.28			
PK	5.47G	63.27	68.20	-4.93	51.84	3	Vertical	111	2.31	-	33.94	7.78	30.29			
PK	5.6436G	109.14	Inf	-Inf	97.46	3	Vertical	111	2.31	-	34.00	7.94	30.26			
AV	5.6444G	95.98	Inf	-Inf	84.30	3	Vertical	111	2.31	-	34.00	7.94	30.26			
PK	5.7636G	67.21	68.20	-0.99	55.28	3	Vertical	111	2.31	-	34.00	8.15	30.22			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4(15)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.342G	61.02	68.20	-7.18	49.67	3	Horizontal	27	2.82	-	33.88	7.70	30.23			
PK	5.4372G	64.01	74.00	-9.99	52.63	3	Horizontal	27	2.82	-	33.90	7.76	30.28			
PK	5.4628G	62.07	68.20	-6.13	50.65	3	Horizontal	27	2.82	-	33.93	7.78	30.29			
AV	5.4596G	46.91	54.00	-7.09	35.50	3	Horizontal	27	2.82	-	33.92	7.78	30.29			
PK	5.6444G	105.27	Inf	-Inf	93.59	3	Horizontal	27	2.82	-	34.00	7.94	30.26			
AV	5.642G	93.50	Inf	-Inf	81.83	3	Horizontal	27	2.82	-	34.00	7.93	30.26			
PK	5.738G	64.35	68.20	-3.85	52.47	3	Horizontal	27	2.82	-	34.00	8.10	30.22			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4(15)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2174G	58.90	74.00	-15.10	38.79	3	Vertical	39	2.14	-	38.50	12.39	30.78			
AV	11.0814G	46.54	54.00	-7.46	26.34	3	Vertical	39	2.14	-	38.56	12.33	30.69			
PK	16.6594G	61.30	68.20	-6.90	38.50	3	Vertical	217	2.94	-	39.82	14.97	31.99			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 4(15)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1652G	59.60	74.00	-14.40	39.48	3	Horizontal	138	2.78	-	38.50	12.37	30.75			
AV	11.0932G	46.70	54.00	-7.30	26.48	3	Horizontal	138	2.78	-	38.59	12.33	30.70			
PK	16.6518G	61.25	68.20	-6.95	38.48	3	Horizontal	255	2.66	-	39.80	14.96	31.99			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX


5570MHz_TX


EUT_Z_2TX
Setting 3.5(14.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2636G	59.49	68.20	-8.71	48.31	3	Vertical	113	2.30	-	33.73	7.64	30.19			
PK	5.3868G	59.51	74.00	-14.49	48.13	3	Vertical	113	2.30	-	33.90	7.73	30.25			
AV	5.3708G	47.08	54.00	-6.92	35.70	3	Vertical	113	2.30	-	33.90	7.72	30.24			
PK	5.4668G	57.89	68.20	-10.31	46.47	3	Vertical	113	2.30	-	33.93	7.78	30.29			
PK	5.6452G	108.67	Inf	-Inf	96.99	3	Vertical	113	2.30	-	34.00	7.94	30.26			
AV	5.6436G	96.49	Inf	-Inf	84.81	3	Vertical	113	2.30	-	34.00	7.94	30.26			
PK	5.786G	62.82	68.20	-5.38	50.84	3	Vertical	113	2.30	-	34.00	8.19	30.21			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 3.5(14.5)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2692G	58.12	68.20	-10.08	46.93	3	Horizontal	21	2.93	-	33.74	7.64	30.19			
PK	5.3708G	58.72	74.00	-15.28	47.34	3	Horizontal	21	2.93	-	33.90	7.72	30.24			
AV	5.3692G	46.71	54.00	-7.29	35.33	3	Horizontal	21	2.93	-	33.90	7.72	30.24			
PK	5.47G	58.22	68.20	-9.98	46.79	3	Horizontal	21	2.93	-	33.94	7.78	30.29			
PK	5.6476G	105.68	Inf	-Inf	94.00	3	Horizontal	21	2.93	-	34.00	7.94	30.26			
AV	5.6476G	93.87	Inf	-Inf	82.19	3	Horizontal	21	2.93	-	34.00	7.94	30.26			
PK	5.7764G	61.08	68.20	-7.12	49.12	3	Horizontal	21	2.93	-	34.00	8.17	30.21			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 3.5(14.5)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0926G	59.10	74.00	-14.90	38.88	3	Vertical	104	2.49	-	38.59	12.33	30.70			
AV	11.0558G	46.47	54.00	-7.53	26.33	3	Vertical	104	2.49	-	38.51	12.31	30.68			
PK	16.8066G	62.05	68.20	-2.15	42.78	3	Vertical	331	1.80	-	40.31	15.00	32.04			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Z_2TX
Setting 3.5(14.5)
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15585G	60.20	74.00	-13.80	40.08	3	Horizontal	98	1.80	-	38.50	12.36	30.74			
AV	11.15465G	46.60	54.00	-7.40	26.48	3	Horizontal	98	1.80	-	38.50	12.36	30.74			
PK	16.69905G	61.65	68.20	-2.55	42.79	3	Horizontal	360	1.80	-	39.90	14.97	32.01			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Z_2TX
Setting 7.5(18.5)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.648G	65.70	68.20	-2.50	54.02	3	Vertical	118	2.32	-	34.00	7.94	30.26			
PK	5.7495G	113.00	Inf	-Inf	101.10	3	Vertical	118	2.32	-	34.00	8.12	30.22			
AV	5.8075G	101.22	Inf	-Inf	89.23	3	Vertical	118	2.32	-	33.98	8.21	30.20			
PK	5.9775G	59.12	68.20	-9.08	46.87	3	Vertical	118	2.32	-	34.26	8.13	30.14			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Z_2TX
Setting 7.5(18.5)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6485G	63.22	68.20	-4.98	51.54	3	Horizontal	27	2.76	-	34.00	7.94	30.26			
PK	5.81G	109.57	Inf	-Inf	97.58	3	Horizontal	27	2.76	-	33.98	8.21	30.20			
AV	5.809G	97.91	Inf	-Inf	85.92	3	Horizontal	27	2.76	-	33.98	8.21	30.20			
PK	5.9595G	59.43	68.20	-8.77	47.21	3	Horizontal	27	2.76	-	34.22	8.14	30.14			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Z_2TX
Setting 7.5(18.5)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5854G	59.70	74.00	-14.30	38.99	3	Vertical	283	2.72	-	39.17	12.58	31.04			
AV	11.5364G	47.11	54.00	-6.89	26.47	3	Vertical	283	2.72	-	39.07	12.56	30.99			
PK	17.3276G	61.28	68.20	-6.92	35.32	3	Vertical	14	1.20	-	42.72	15.10	31.86			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Z_2TX
Setting 7.5(18.5)
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5704G	59.32	74.00	-14.68	38.64	3	Horizontal	60	1.46	-	39.14	12.57	31.03			
AV	11.5548G	47.08	54.00	-6.92	26.41	3	Horizontal	60	1.46	-	39.11	12.57	31.01			
PK	17.3718G	60.52	68.20	-7.68	34.25	3	Horizontal	281	2.33	-	42.99	15.11	31.83			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




EUT_Z_2TX
Setting 7(17)
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.628G	62.44	68.20	-5.76	50.79	3	Vertical	118	2.20	-	34.00	7.91	30.26			
PK	5.8045G	113.93	Inf	-Inf	101.93	3	Vertical	118	2.20	-	33.99	8.21	30.20			
AV	5.806G	101.56	Inf	-Inf	89.56	3	Vertical	118	2.20	-	33.99	8.21	30.20			
PK	5.98G	58.51	68.20	-9.69	46.26	3	Vertical	118	2.20	-	34.26	8.13	30.14			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX



EUT_Z_2TX
Setting 7(17)
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6295G	61.36	68.20	-6.84	49.71	3	Horizontal	28	2.77	-	34.00	7.91	30.26
PK	5.806G	110.51	Inf	-Inf	98.51	3	Horizontal	28	2.77	-	33.99	8.21	30.20
AV	5.807G	98.06	Inf	-Inf	86.06	3	Horizontal	28	2.77	-	33.99	8.21	30.20
PK	5.962G	59.03	68.20	-9.17	46.81	3	Horizontal	28	2.77	-	34.22	8.14	30.14




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	Pass	PK	5.756G	67.85	68.20	-0.35	3	Vertical	119	2.30	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5210MHz_TX




EUT_Z_2TX
SET 14.5
15\14.5
-0.06\0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	65.50	74.00	-8.50	60.49	3	Vertical	28	2.48	14.5	31.82	6.90	33.71			
AV	5.15G	53.15	54.00	-0.85	48.06	3	Vertical	28	2.48	14.5	31.90	6.91	33.72			
PK	5.233G	106.96	Inf	-Inf	102.36	3	Vertical	28	2.48	14.5	31.40	6.94	33.74			
AV	5.2315G	95.69	Inf	-Inf	91.08	3	Vertical	28	2.48	14.5	31.41	6.94	33.74			
PK	5.423G	58.38	74.00	-15.62	53.67	3	Vertical	28	2.48	14.5	31.45	7.05	33.79			
AV	5.46G	46.75	54.00	-7.25	41.90	3	Vertical	28	2.48	14.5	31.54	7.11	33.80			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5210MHz_TX




EUT_Z_2TX
SET 14.5
14.5
2.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	64.99	74.00	-9.01	59.91	3	Horizontal	57	3.00	14.5	31.89	6.91	33.72			
AV	5.1455G	51.73	54.00	-2.27	46.66	3	Horizontal	57	3.00	14.5	31.88	6.91	33.72			
PK	5.2445G	106.34	Inf	-Inf	101.80	3	Horizontal	57	3.00	14.5	31.33	6.95	33.74			
AV	5.246G	94.09	Inf	-Inf	89.56	3	Horizontal	57	3.00	14.5	31.32	6.95	33.74			
PK	5.433G	59.61	74.00	-14.39	54.87	3	Horizontal	57	3.00	14.5	31.47	7.06	33.79			
AV	5.4295G	46.61	54.00	-7.39	41.88	3	Horizontal	57	3.00	14.5	31.46	7.06	33.79			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5210MHz_TX




EUT_Z_2TX
SET 14.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.44382G	58.33	68.20	-9.87	42.01	3	Vertical	85	1.80	14.5	39.89	10.70	34.27			
PK	15.70864G	59.35	74.00	-14.65	41.62	3	Vertical	342	2.34	14.5	38.52	13.70	34.49			
AV	15.60027G	47.25	54.00	-6.75	29.60	3	Vertical	342	2.34	14.5	38.60	13.61	34.56			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5210MHz_TX




EUT_Z_2TX
SET 14.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45836G	57.68	68.20	-10.52	41.36	3	Horizontal	116	1.80	14.5	39.90	10.70	34.28			
PK	15.70353G	59.74	74.00	-14.26	42.04	3	Horizontal	0	1.80	14.5	38.51	13.69	34.50			
AV	15.60043G	47.25	54.00	-6.75	29.60	3	Horizontal	0	1.80	14.5	38.60	13.61	34.56			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
SET 16
15\17\16
2.18\0.65\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1198G	68.65	74.00	-5.35	63.69	3	Vertical	298	2.29	16	31.78	6.89	33.71			
AV	5.14752G	53.54	54.00	-0.46	48.46	3	Vertical	298	2.29	16	31.89	6.91	33.72			
PK	5.30712G	105.19	Inf	-Inf	100.77	3	Vertical	298	2.29	16	31.21	6.97	33.76			
AV	5.30628G	93.89	Inf	-Inf	89.47	3	Vertical	298	2.29	16	31.21	6.97	33.76			
AV	5.35G	53.30	54.00	-0.70	48.78	3	Vertical	298	2.29	16	31.30	6.99	33.77			
PK	5.39868G	69.47	74.00	-4.53	64.84	3	Vertical	298	2.29	16	31.40	7.01	33.78			
PK	5.48268G	64.69	68.20	-3.51	59.72	3	Vertical	298	2.29	16	31.63	7.15	33.81			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
SET 16
16
0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1282G	70.29	74.00	-3.71	65.29	3	Horizontal	52	3.00	16	31.81	6.90	33.71			
AV	5.12148G	53.13	54.00	-0.87	48.16	3	Horizontal	52	3.00	16	31.79	6.89	33.71			
PK	5.32392G	103.75	Inf	-Inf	99.28	3	Horizontal	52	3.00	16	31.25	6.98	33.76			
AV	5.32308G	92.38	Inf	-Inf	87.91	3	Horizontal	52	3.00	16	31.25	6.98	33.76			
PK	5.40372G	68.55	74.00	-5.45	63.90	3	Horizontal	52	3.00	16	31.41	7.02	33.78			
AV	5.36424G	52.13	54.00	-1.87	47.57	3	Horizontal	52	3.00	16	31.33	7.00	33.77			
PK	5.46084G	61.25	68.20	-6.95	56.40	3	Horizontal	52	3.00	16	31.54	7.11	33.80			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
SET 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42711G	57.71	68.20	-10.49	41.43	3	Vertical	136	1.05	16	39.85	10.70	34.27			
PK	15.74904G	59.80	74.00	-14.20	41.94	3	Vertical	0	2.65	16	38.60	13.73	34.47			
AV	15.59847G	47.43	54.00	-6.57	29.78	3	Vertical	0	2.65	16	38.61	13.61	34.57			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Z_2TX
SET 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49648G	57.43	68.20	-10.77	41.12	3	Horizontal	65	1.08	16	39.90	10.71	34.30			
PK	15.66624G	59.33	74.00	-14.67	41.83	3	Horizontal	0	1.80	16	38.36	13.66	34.52			
AV	15.77366G	47.47	54.00	-6.53	29.76	3	Horizontal	0	1.80	16	38.41	13.75	34.45			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 15
06-K-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1188G	68.81	74.00	-5.19	63.85	3	Vertical	295	2.27	-	31.78	6.89	33.71			
AV	5.1284G	48.10	54.00	-5.90	43.10	3	Vertical	295	2.27	-	31.81	6.90	33.71			
PK	5.3268G	103.27	Inf	-Inf	98.80	3	Vertical	295	2.27	-	31.25	6.98	33.76			
AV	5.3268G	91.89	Inf	-Inf	87.42	3	Vertical	295	2.27	-	31.25	6.98	33.76			
PK	5.3636G	72.72	74.00	-1.28	68.16	3	Vertical	295	2.27	-	31.33	7.00	33.77			
AV	5.3844G	48.31	54.00	-5.69	43.72	3	Vertical	295	2.27	-	31.37	7.00	33.78			
PK	5.47G	64.68	68.20	-3.52	59.77	3	Vertical	295	2.27	-	31.58	7.13	33.80			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 15
06-K-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.146G	68.23	74.00	-5.77	63.16	3	Horizontal	51	2.97	-	31.88	6.91	33.72				
AV	5.138G	48.01	54.00	-5.99	42.98	3	Horizontal	51	2.97	-	31.85	6.90	33.72				
PK	5.3028G	103.82	Inf	-Inf	99.40	3	Horizontal	51	2.97	-	31.21	6.97	33.76				
AV	5.3012G	90.99	Inf	-Inf	86.58	3	Horizontal	51	2.97	-	31.20	6.97	33.76				
PK	5.4036G	69.53	74.00	-4.47	64.88	3	Horizontal	51	2.97	-	31.41	7.02	33.78				
AV	5.362G	47.92	54.00	-6.08	43.38	3	Horizontal	51	2.97	-	31.32	6.99	33.77				
PK	5.4676G	64.64	68.20	-3.56	59.75	3	Horizontal	51	2.97	-	31.57	7.12	33.80				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 15
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5223G	58.35	68.20	-9.85	38.82	3	Vertical	47	1.78	-	38.30	12.04	30.81			
PK	15.7353G	63.76	74.00	-10.24	43.53	3	Vertical	185	1.56	-	37.53	14.60	31.90			
AV	15.7547G	46.89	54.00	-7.11	26.68	3	Vertical	185	1.56	-	37.49	14.62	31.90			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 15
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5163G	58.65	68.20	-9.55	39.12	3	Horizontal	123	1.17	-	38.30	12.04	30.81			
PK	15.7607G	63.33	74.00	-10.67	43.13	3	Horizontal	294	2.40	-	37.48	14.62	31.90			
AV	15.7699G	45.89	54.00	-8.11	25.69	3	Horizontal	294	2.40	-	37.46	14.63	31.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_Z_2TX
SET 15.5
15\16\15.5
1.06\0.54\0.52

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.142G	58.39	74.00	-15.61	53.34	3	Vertical	304	2.34	15.5	31.87	6.90	33.72					
AV	5.115G	46.57	54.00	-7.43	41.63	3	Vertical	304	2.34	15.5	31.76	6.89	33.71					
PK	5.302G	107.40	Inf	-Inf	102.99	3	Vertical	304	2.34	15.5	31.20	6.97	33.76					
AV	5.305G	96.11	Inf	-Inf	91.69	3	Vertical	304	2.34	15.5	31.21	6.97	33.76					
PK	5.365G	66.68	74.00	-7.32	62.12	3	Vertical	304	2.34	15.5	31.33	7.00	33.77					
AV	5.35G	53.48	54.00	-0.52	48.96	3	Vertical	304	2.34	15.5	31.30	6.99	33.77					
PK	5.512G	59.24	68.20	-8.96	54.16	3	Vertical	304	2.34	15.5	31.70	7.19	33.81					

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_Z_2TX
SET 15.5
15.5
1.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.102G	58.44	74.00	-15.56	53.55	3	Horizontal	55	2.94	15.5	31.71	6.89	33.71			
AV	5.139G	46.51	54.00	-7.49	41.47	3	Horizontal	55	2.94	15.5	31.86	6.90	33.72			
PK	5.3265G	106.29	Inf	-Inf	101.82	3	Horizontal	55	2.94	15.5	31.25	6.98	33.76			
AV	5.3245G	94.49	Inf	-Inf	90.02	3	Horizontal	55	2.94	15.5	31.25	6.98	33.76			
PK	5.3615G	64.76	74.00	-9.24	60.22	3	Horizontal	55	2.94	15.5	31.32	6.99	33.77			
AV	5.35G	52.75	54.00	-1.25	48.23	3	Horizontal	55	2.94	15.5	31.30	6.99	33.77			
PK	5.4815G	59.15	68.20	-9.05	54.19	3	Horizontal	55	2.94	15.5	31.63	7.14	33.81			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_Z_2TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57744G	57.01	68.20	-11.19	40.75	3	Vertical	70	1.80	15.5	39.85	10.73	34.32			
PK	15.83212G	59.89	74.00	-14.11	42.43	3	Vertical	21	1.80	15.5	38.07	13.80	34.41			
AV	15.79024G	47.16	54.00	-6.84	29.56	3	Vertical	21	1.80	15.5	38.28	13.76	34.44			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

5290MHz_TX




EUT_Z_2TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5231G	57.57	68.20	-10.63	41.31	3	Horizontal	46	1.80	15.5	39.85	10.72	34.31			
PK	15.86377G	59.63	74.00	-14.37	42.17	3	Horizontal	320.1	1.80	15.5	38.03	13.82	34.39			
AV	15.79152G	47.23	54.00	-6.77	29.64	3	Horizontal	320.1	1.80	15.5	38.27	13.76	34.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Z_2TX
SET 14
15\11.5\13\13.5\14\14.5\14
-3.44\2.92\0.89\1.42\0.98\0.03\1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.291G	57.91	68.20	-10.29	53.48	3	Vertical	300	2.33	14	31.22	6.97	33.76
AV	5.35G	45.95	54.00	-8.05	41.43	3	Vertical	300	2.33	14	31.30	6.99	33.77
PK	5.459G	66.29	74.00	-7.71	61.44	3	Vertical	300	2.33	14	31.54	7.11	33.80
AV	5.4455G	52.92	54.00	-1.08	48.14	3	Vertical	300	2.33	14	31.49	7.09	33.80
PK	5.4645G	66.92	68.20	-1.28	62.04	3	Vertical	300	2.33	14	31.56	7.12	33.80
PK	5.5645G	107.10	Inf	-Inf	101.95	3	Vertical	300	2.33	14	31.67	7.28	33.80
AV	5.564G	96.20	Inf	-Inf	91.05	3	Vertical	300	2.33	14	31.67	7.28	33.80
PK	5.736G	60.16	68.20	-8.04	54.59	3	Vertical	300	2.33	14	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Z_2TX
SET 14
14
2.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2945G	58.30	68.20	-9.90	53.88	3	Horizontal	54	3.00	14	31.21	6.97	33.76			
AV	5.35G	45.95	54.00	-8.05	41.43	3	Horizontal	54	3.00	14	31.30	6.99	33.77			
PK	5.4535G	65.91	74.00	-8.09	61.10	3	Horizontal	54	3.00	14	31.51	7.10	33.80			
AV	5.447G	51.50	54.00	-2.50	46.72	3	Horizontal	54	3.00	14	31.49	7.09	33.80			
PK	5.4645G	65.03	68.20	-3.17	60.15	3	Horizontal	54	3.00	14	31.56	7.12	33.80			
PK	5.5655G	105.51	Inf	-Inf	100.36	3	Horizontal	54	3.00	14	31.67	7.28	33.80			
AV	5.5655G	93.88	Inf	-Inf	88.73	3	Horizontal	54	3.00	14	31.67	7.28	33.80			
PK	5.7515G	60.16	68.20	-8.04	54.59	3	Horizontal	54	3.00	14	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Z_2TX
SET 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05201G	57.77	74.00	-16.23	41.37	3	Vertical	227	1.56	14	39.99	10.85	34.44			
AV	11.06464G	45.42	54.00	-8.58	29.10	3	Vertical	227	1.56	14	39.91	10.86	34.45			
PK	16.5948G	61.15	68.20	-7.05	41.60	3	Vertical	72	1.80	14	39.52	14.19	34.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Z_2TX
SET 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07375G	57.97	74.00	-16.03	41.70	3	Horizontal	353	1.80	14	39.86	10.86	34.45			
AV	11.06176G	45.37	54.00	-8.63	29.03	3	Horizontal	353	1.80	14	39.93	10.86	34.45			
PK	16.555G	60.68	68.20	-7.52	41.02	3	Horizontal	360	2.72	14	39.68	14.17	34.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5610MHz_TX




EUT_Z_2TX
SET 16.5
15\22\14\18\16\17\17.5\17\16.5
7.25\11.64\7.27\5.17\5.31\2.21\1.93\1.48\0.67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4305G	59.69	74.00	-14.31	54.96	3	Vertical	277	2.43	16.5	31.46	7.06	33.79			
PK	5.461G	58.05	68.20	-10.15	53.20	3	Vertical	277	2.43	16.5	31.54	7.11	33.80			
AV	5.46G	46.96	54.00	-7.04	42.11	3	Vertical	277	2.43	16.5	31.54	7.11	33.80			
PK	5.6325G	111.33	Inf	-Inf	106.12	3	Vertical	277	2.43	16.5	31.66	7.34	33.79			
AV	5.633G	98.78	Inf	-Inf	93.56	3	Vertical	277	2.43	16.5	31.67	7.34	33.79			
PK	5.7285G	67.53	68.20	-0.67	61.96	3	Vertical	277	2.43	16.5	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5610MHz_TX




EUT_Z_2TX
SET 16.5
16.5
4.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.449G	59.17	74.00	-14.83	54.38	3	Horizontal	60	2.94	16.5	31.50	7.09	33.80				
PK	5.4605G	58.00	68.20	-10.20	53.15	3	Horizontal	60	2.94	16.5	31.54	7.11	33.80				
AV	5.459G	46.75	54.00	-7.25	41.90	3	Horizontal	60	2.94	16.5	31.54	7.11	33.80				
PK	5.631G	107.22	Inf	-Inf	102.01	3	Horizontal	60	2.94	16.5	31.66	7.34	33.79				
AV	5.633G	96.74	Inf	-Inf	91.52	3	Horizontal	60	2.94	16.5	31.67	7.34	33.79				
PK	5.733G	63.99	68.20	-4.21	58.42	3	Horizontal	60	2.94	16.5	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5610MHz_TX




EUT_Z_2TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17301G	57.21	74.00	-16.79	41.38	3	Vertical	238	1.80	16.5	39.45	10.88	34.50			
AV	11.2168G	44.78	54.00	-9.22	28.98	3	Vertical	238	1.80	16.5	39.43	10.89	34.52			
PK	16.7918G	62.37	68.20	-5.83	41.49	3	Vertical	358	1.80	16.5	40.63	14.27	34.02			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5610MHz_TX




EUT_Z_2TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15303G	57.71	74.00	-16.29	41.83	3	Horizontal	157	1.80	16.5	39.49	10.88	34.49			
AV	11.2013G	44.63	54.00	-9.37	28.85	3	Horizontal	157	1.80	16.5	39.40	10.89	34.51			
PK	16.80027G	62.75	68.20	-5.45	41.79	3	Horizontal	276.1	1.80	16.5	40.70	14.27	34.01			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 17.5
15\21.5\16\18.5\17.5\18\17.5
6.83\5.53\6.74\0.36\4.73\0.61\4.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4506G	58.40	74.00	-15.60	53.61	3	Vertical	282	2.32	17.5	31.50	7.09	33.80			
AV	5.408G	46.88	54.00	-7.12	42.23	3	Vertical	282	2.32	17.5	31.42	7.02	33.79			
PK	5.4656G	58.08	68.20	-10.12	53.20	3	Vertical	282	2.32	17.5	31.56	7.12	33.80			
PK	5.6522G	111.40	Inf	-Inf	106.14	3	Vertical	282	2.32	17.5	31.71	7.34	33.79			
AV	5.669G	99.13	Inf	-Inf	93.77	3	Vertical	282	2.32	17.5	31.81	7.34	33.79			
PK	5.855G	63.54	68.20	-4.66	57.75	3	Vertical	282	2.32	17.5	32.11	7.45	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 17.5
17.5
6.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4542G	58.89	74.00	-15.11	54.07	3	Horizontal	59	2.92	17.5	31.52	7.10	33.80			
AV	5.4038G	46.87	54.00	-7.13	42.22	3	Horizontal	59	2.92	17.5	31.41	7.02	33.78			
PK	5.4686G	58.46	68.20	-9.74	53.57	3	Horizontal	59	2.92	17.5	31.57	7.12	33.80			
PK	5.654G	108.46	Inf	-Inf	103.19	3	Horizontal	59	2.92	17.5	31.72	7.34	33.79			
AV	5.6522G	97.36	Inf	-Inf	92.10	3	Horizontal	59	2.92	17.5	31.71	7.34	33.79			
PK	5.8526G	62.14	68.20	-6.06	56.36	3	Horizontal	59	2.92	17.5	32.11	7.44	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.45257G	57.17	74.00	-16.83	41.05	3	Vertical	106	1.80	17.5	39.80	10.95	34.63			
AV	11.33764G	44.68	54.00	-9.32	28.59	3	Vertical	106	1.80	17.5	39.75	10.92	34.58			
PK	17.01965G	61.60	68.20	-6.60	40.82	3	Vertical	277	1.44	17.5	40.26	14.37	33.85			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.45289G	57.50	74.00	-16.50	41.38	3	Horizontal	50	1.36	17.5	39.80	10.95	34.63			
AV	11.42252G	44.74	54.00	-9.26	28.60	3	Horizontal	50	1.36	17.5	39.80	10.95	34.61			
PK	17.10692G	61.96	68.20	-6.24	41.02	3	Horizontal	360.1	1.80	17.5	40.31	14.41	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5570MHz_TX




EUT_Z_2TX
SET 15
15\16\14\15
1.38\4.38\3.34\1.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3186G	60.30	68.20	-7.90	55.84	3	Vertical	274	2.32	15	31.24	6.98	33.76			
PK	5.4422G	68.21	74.00	-5.79	63.44	3	Vertical	274	2.32	15	31.48	7.08	33.79			
PK	5.4608G	65.40	68.20	-2.80	60.55	3	Vertical	274	2.32	15	31.54	7.11	33.80			
AV	5.4578G	51.78	54.00	-2.22	46.94	3	Vertical	274	2.32	15	31.53	7.11	33.80			
PK	5.6354G	106.38	Inf	-Inf	101.16	3	Vertical	274	2.32	15	31.67	7.34	33.79			
AV	5.6354G	95.30	Inf	-Inf	90.08	3	Vertical	274	2.32	15	31.67	7.34	33.79			
PK	5.747G	66.73	68.20	-1.47	61.16	3	Vertical	274	2.32	15	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5570MHz_TX




EUT_Z_2TX
SET 15
15
1.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.333G	59.03	68.20	-9.17	54.55	3	Horizontal	64	2.93	15	31.27	6.98	33.77			
PK	5.3864G	66.46	74.00	-7.54	61.87	3	Horizontal	64	2.93	15	31.37	7.00	33.78			
PK	5.4608G	66.57	68.20	-1.63	61.72	3	Horizontal	64	2.93	15	31.54	7.11	33.80			
AV	5.4554G	51.04	54.00	-2.96	46.22	3	Horizontal	64	2.93	15	31.52	7.10	33.80			
PK	5.6384G	103.90	Inf	-Inf	98.67	3	Horizontal	64	2.93	15	31.68	7.34	33.79			
AV	5.636G	92.96	Inf	-Inf	87.74	3	Horizontal	64	2.93	15	31.67	7.34	33.79			
PK	5.7428G	65.67	68.20	-2.53	60.10	3	Horizontal	64	2.93	15	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5570MHz_TX




EUT_Z_2TX
SET 15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0198G	57.90	74.00	-16.10	41.37	3	Vertical	303	1.59	15	40.12	10.84	34.43			
AV	11.09269G	45.17	54.00	-8.83	29.03	3	Vertical	303	1.59	15	39.74	10.86	34.46			
PK	16.63168G	61.89	68.20	-6.31	42.14	3	Vertical	145	1.80	15	39.69	14.20	34.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5570MHz_TX




EUT_Z_2TX
SET 15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.03355G	57.80	74.00	-16.20	41.32	3	Horizontal	102.1	1.80	15	40.07	10.85	34.44			
AV	11.1026G	45.28	54.00	-8.72	29.19	3	Horizontal	102.1	1.80	15	39.69	10.87	34.47			
PK	16.73653G	62.21	68.20	-5.99	41.80	3	Horizontal	288	1.80	15	40.22	14.25	34.06			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5570MHz_TX




EUT_Z_2TX
Setting 16
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	62.39	68.20	-5.81	51.05	3	Vertical	119	2.30	-	33.87	7.69	30.22
AV	5.368G	49.87	54.00	-4.13	38.49	3	Vertical	119	2.30	-	33.90	7.72	30.24
PK	5.457G	64.91	74.00	-9.09	53.52	3	Vertical	119	2.30	-	33.91	7.77	30.29
PK	5.464G	62.95	68.20	-5.25	51.53	3	Vertical	119	2.30	-	33.93	7.78	30.29
PK	5.615G	102.49	Inf	-Inf	90.87	3	Vertical	119	2.30	-	34.00	7.89	30.27
AV	5.642G	90.58	Inf	-Inf	78.91	3	Vertical	119	2.30	-	34.00	7.93	30.26
PK	5.756G	67.85	68.20	-0.35	55.94	3	Vertical	119	2.30	-	34.00	8.13	30.22

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5570MHz_TX




EUT_Z_2TX
Setting 16
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	62.11	68.20	-6.09	50.76	3	Horizontal	266	2.62	-	33.88	7.70	30.23
AV	5.35G	49.69	54.00	-4.31	38.32	3	Horizontal	266	2.62	-	33.90	7.70	30.23
AV	5.37G	49.82	54.00	-4.18	38.44	3	Horizontal	266	2.62	-	33.90	7.72	30.24
PK	5.439G	65.38	74.00	-8.62	54.00	3	Horizontal	266	2.62	-	33.90	7.76	30.28
PK	5.464G	62.02	68.20	-6.18	50.60	3	Horizontal	266	2.62	-	33.93	7.78	30.29
PK	5.645G	100.91	Inf	-Inf	89.23	3	Horizontal	266	2.62	-	34.00	7.94	30.26
AV	5.632G	89.04	Inf	-Inf	77.38	3	Horizontal	266	2.62	-	34.00	7.92	30.26
PK	5.732G	67.59	68.20	-0.61	55.73	3	Horizontal	266	2.62	-	34.00	8.09	30.23

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5570MHz_TX




EUT_Z_2TX
Setting 16
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1336G	60.34	74.00	-13.66	40.19	3	Vertical	79	2.40	-	38.53	12.35	30.73			
AV	11.1164G	46.06	54.00	-7.94	25.86	3	Vertical	79	2.40	-	38.57	12.34	30.71			
PK	16.7059G	59.89	68.20	-8.31	37.02	3	Vertical	91	2.44	-	39.91	14.97	32.01			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5570MHz_TX




EUT_Z_2TX
Setting 16
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1267G	59.13	74.00	-14.87	38.95	3	Horizontal	180	2.18	-	38.55	12.35	30.72			
AV	11.1476G	46.22	54.00	-7.78	26.09	3	Horizontal	180	2.18	-	38.50	12.36	30.73			
PK	16.7184G	58.65	68.20	-9.55	35.74	3	Horizontal	264	1.09	-	39.94	14.98	32.01			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_Z_2TX
SET 17
15\22\14.5\18\16.5\17\20\18.5\17
7.20\7.85\7.13\1.70\2.83\3.29\4.58\1.75\2.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6484G	65.88	68.20	-2.32	60.63	3	Vertical	302	2.33	17	31.70	7.34	33.79
PK	5.8092G	111.39	Inf	-Inf	105.77	3	Vertical	302	2.33	17	32.02	7.37	33.77
AV	5.8068G	100.08	Inf	-Inf	94.48	3	Vertical	302	2.33	17	32.01	7.36	33.77
PK	6.0654G	61.55	68.20	-6.65	55.09	3	Vertical	302	2.33	17	32.50	7.67	33.71

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_Z_2TX
SET 17
17
5.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.637G	62.81	68.20	-5.39	57.59	3	Horizontal	64	2.94	17	31.67	7.34	33.79				
PK	5.799G	108.79	Inf	-Inf	103.21	3	Horizontal	64	2.94	17	32.00	7.35	33.77				
AV	5.8002G	97.04	Inf	-Inf	91.46	3	Horizontal	64	2.94	17	32.00	7.35	33.77				
PK	6.0732G	61.61	68.20	-6.59	55.15	3	Horizontal	64	2.94	17	32.50	7.66	33.70				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5775MHz_TX




EUT_Z_2TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.60259G	56.99	74.00	-17.01	41.17	3	Vertical	106	1.80	17	39.48	10.99	34.65			
AV	11.59364G	44.99	54.00	-9.01	29.12	3	Vertical	106	1.80	17	39.53	10.99	34.65			
PK	17.3266G	61.82	68.20	-6.38	39.75	3	Vertical	208	1.80	17	41.17	14.50	33.60			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5775MHz_TX



EUT_Z_2TX
SET 17


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54808G	58.62	74.00	-15.38	42.59	3	Horizontal	265	1.80	17	39.70	10.98	34.65			
AV	11.5866G	45.12	54.00	-8.88	29.23	3	Horizontal	265	1.80	17	39.55	10.99	34.65			
PK	17.38958G	62.94	68.20	-5.26	40.23	3	Horizontal	340	1.52	17	41.72	14.53	33.54			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	3.52645G	32.31	54.00	-21.69	Vertical

Mode 1



Mode 1

