


The waveforms of models CL3, CS-CL3&BT-CL3
Radiated Emission waveform below 1GHz
X axe (Vertical)




MEASUREMENT RESULT: "R40628IT001V_fin QP"

6/28/2004 13:48

Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable Loss dB	Limit dBμV/m	Margin dB
434.026575	76.58	VERTICAL	14.26	3.71	80.80	4.22
868.255952	56.19	VERTICAL	20.23	5.33	60.80	4.61

X axe (Horizontal)




MEASUREMENT RESULT: "R40628IT001H_fin QP"

6/28/2004 14:14

Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable Loss dB	Limit dBμV/m	Margin dB
434.026575	76.74	HORIZONTAL	14.26	3.71	80.80	4.06
868.259519	57.34	HORIZONTAL	20.23	5.33	60.80	3.46

FCC ID: RUMCL3

Y axe (Horizontal)




MEASUREMENT RESULT: "R40628IT002H_fin QP"

6/28/2004 14:47

Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable Loss dB	Limit dBμV/m	Margin dB
434.026575	77.35	HORIZONTAL	14.26	3.71	80.80	3.45
868.259519	57.72	HORIZONTAL	20.23	5.33	60.80	3.08

Y axe (Vertical)




MEASUREMENT RESULT: "R40628IT002V_fin QP"

6/28/2004 15:12

Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable Loss dB	Limit dBμV/m	Margin dB
434.026575	77.43	VERTICAL	14.26	3.71	80.80	3.37
868.259519	57.91	VERTICAL	20.23	5.33	60.80	2.89

FCC ID: RUMCL3

Z axe (Horizontal)




MEASUREMENT RESULT: "R40628IT003H_fin QP"

6/28/2004 15:48

Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable Loss dB	Limit dBμV/m	Margin dB
434.026575	74.76	HORIZONTAL	14.26	3.71	80.80	6.04
868.259519	54.73	HORIZONTAL	20.23	5.33	60.80	6.07

Z axe (Vertical)




MEASUREMENT RESULT: "R40628IT003V_fin QP"

6/28/2004 16:22

Frequency MHz	Level dBµV/m	Polarisation	Antenna Factor dB/m	Cable Loss dB	Limit dBµV/m	Margin dB
434.026575	73.03	VERTICAL	14.26	3.71	80.80	7.77
868.259519	54.02	VERTICAL	20.23	5.33	60.80	6.78

FCC ID: RUMCL3

Radiated Emission waveform above 1GHz
X axe (Horizontal)




MEASUREMENT RESULT: "R40628IT004H_fin QP"

6/28/2004 17:06

Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable loss dB	Limit dBμV/m	Margin dB	average factor dB
1296.083156	56.61	HORIZONTAL	23.30	4.30	60.80	4.19	-9.60
1727.173382	57.17	HORIZONTAL	24.50	5.00	60.80	3.43	-9.60
2170.200681	52.74	HORIZONTAL	26.90	5.60	60.80	8.06	-9.60
2603.206413	57.04	HORIZONTAL	28.20	5.80	60.80	3.76	-9.60
3476.953906	49.77	HORIZONTAL	30.70	7.10	60.80	11.03	-9.60
3909.819639	52.65	HORIZONTAL	31.90	7.60	54.00	1.35	-9.60

X axis (Vertical)




MEASUREMENT RESULT: "R40628IT004V_fin QP"

6/28/2004 17:45

Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable loss dB	Limit dBμV/m	Margin dB	average factor dB
1296.083156	54.82	VERTICAL	23.30	4.30	60.80	5.98	-9.60
1727.173382	55.34	VERTICAL	24.50	5.00	60.80	5.46	-9.60
2170.200681	57.05	VERTICAL	26.90	5.60	60.80	3.75	-9.60
2603.206413	58.35	VERTICAL	28.20	5.80	60.80	2.45	-9.60
3476.953908	51.95	VERTICAL	30.70	7.10	60.80	8.85	-9.60
3909.819639	52.87	VERTICAL	31.90	7.60	54.00	1.13	-9.60

FCC ID: RUMCL3

Y axis (Horizontal)




MEASUREMENT RESULT: "R40628IT005H_fin QP"

6/28/2004 19:46

Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable loss dB	Limit dBμV/m	Margin dB	average factor dB
1296.083156	56.77	HORIZONTAL	23.30	4.30	60.80	4.03	-9.60
1727.173382	57.18	HORIZONTAL	24.50	5.00	60.80	3.62	-9.60
2170.200681	57.04	HORIZONTAL	26.90	5.60	60.80	3.76	-9.60
2603.206413	57.45	HORIZONTAL	28.20	5.80	60.80	3.35	-9.60
3476.953908	52.43	HORIZONTAL	30.70	7.10	60.80	8.37	-9.60
3909.819639	51.72	HORIZONTAL	31.90	7.60	54.00	2.28	-9.60

FCC ID: RUMCL3

Y axe (Vertical)




MEASUREMENT RESULT: "R40628IT005V_fin QP"

6/28/2004 20:27


Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable loss dB	Limit dBμV/m	Margin dB	average factor dB
1296.083156	57.21	VERTICAL	23.30	4.30	60.80	3.59	-9.60
1727.173382	57.09	VERTICAL	24.50	5.00	60.80	3.71	-9.60
2170.200681	54.03	VERTICAL	26.90	5.60	60.80	6.77	-9.60
2603.206413	54.74	VERTICAL	28.20	5.80	60.80	6.06	-9.60
3476.953908	44.73	VERTICAL	30.70	7.10	60.80	16.07	-9.60
3909.819639	52.93	VERTICAL	31.90	7.60	54.00	1.07	-9.60

FCC ID: RUMCL3

Z axe (Horizontal)**MEASUREMENT RESULT: "R40628IT006H_fin QP"**

6/28/2004 21:12


Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable loss dB	Limit dBμV/m	Margin dB	average factor dB
1296.083156	57.89	HORIZONTAL	23.30	4.30	60.80	2.91	-9.60
1727.173382	57.98	HORIZONTAL	24.50	5.00	60.80	2.82	-9.60
2170.200681	55.73	HORIZONTAL	26.90	5.60	60.80	5.07	-9.60
2603.206413	57.04	HORIZONTAL	28.20	5.80	60.80	3.76	-9.60
3476.953908	52.96	HORIZONTAL	30.70	7.10	60.80	7.84	-9.60
3909.819639	52.84	HORIZONTAL	31.90	7.60	54.00	1.16	-9.60

Z axe (Vertical)**MEASUREMENT RESULT: "R40628IT006V_fin QP"**

6/28/2004 21:55

Frequency MHz	Level dBμV/m	Polarisation	Antenna Factor dB/m	Cable loss dB	Limit dBμV/m	Margin dB	average factor dB
1296.083156	58.39	HORIZONTAL	23.30	4.30	60.80	2.41	-9.60
1727.173382	57.98	HORIZONTAL	24.50	5.00	60.80	2.82	-9.60
2170.200681	56.86	HORIZONTAL	26.90	5.60	60.80	3.94	-9.60
2603.206413	55.01	HORIZONTAL	28.20	5.80	60.80	5.79	-9.60
3476.953908	50.05	HORIZONTAL	30.70	7.10	60.80	10.75	-9.60
3909.819639	52.73	HORIZONTAL	31.90	7.60	54.00	1.27	-9.60

Waveform of Bandwidth



Waveform of occupied duty cycle