

ANTENNA PASSIVE TEST REPORT

Application No. ZEWM2204000331OA
Applicant Razer Inc.
Manufacturer Razer (Asia-Pacific) Pte., Ltd.
Product Name Soundbar
Model No. RZ05-0428/ RZ05-0428XXXX-XXXX
Standards ANSI/IEEE Std 149-2008
Date Initial Sample(s) Received 2022.03.13
Testing Start Date 2022.04.21
Testing Finish Date 2022.04.21
Report Issue Date 2022.05.18

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

YuanYu Luo

Prepared by

Max. Huang

Reviewed By

Irvin Li

Approved by



Revision Version

Report No.	Version	Date	Memo
ZEWM2204000331OA02	00	2022/05/18	Initial creation of report



TABLE OF CONTENTS

1	GENERAL INFORMATION	4
1.1	Testing Laboratory.....	4
1.2	Details of Applicant	4
1.3	Details of Manufacturer	4
1.4	General Description of EUT.....	5
1.5	Test Procedure	5
1.6	Test Specification	6
1.7	Laboratory Environment.....	6
2	OTA MEASUREMENTS SYSTEM CONFIGURATION	7
2.1	Test Configuration.....	7
3	TEST EQUIPMENT LIST.....	8
4	MEASUREMENT UNCERTAINTY	9
5	TEST RESULTS.....	10
6	PATTERN PLOTS	12
6.1	Return Loss.....	12
6.2	VSWR	13
6.3	Stimulus	14
7	3-D ANTENNA PATTERN	15
8	THE EUT AND TEST CONFIGURATION.....	16
9	APPENDIX.....	18



1 General Information

1.1 Testing Laboratory

Test Lab	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057
Contact	Panta Sun
Tel.	+86 (0) 755 2601 2053
Fax	+86 (0) 755 2671 0594
E-mail	Panta.Sun@sgs.com

1.2 Details of Applicant

Applicant's Name	Razer Inc.
Applicant's Address	9 Pasteur, Suite 100, Irvine, CA92618, USA
Contact	Sim Lee Fong
Tel.	N/A
Fax	N/A
E-mail	N/A

1.3 Details of Manufacturer

Manufacturer's Name	Razer (Asia-Pacific) Pte., Ltd.
Manufacturer's Address	1 one-north Crescent, #02-01, Singapore 138538
Contact	Sim Lee Fong
Tel.	N/A
Fax	N/A
E-mail	N/A



1.4 General Description of EUT

Device Description:	Soundbar
Device Manufacturer:	Razer (Asia-Pacific) Pte., Ltd.
Device Model:	RZ05-0428/ RZ05-0428XXXX-XXXX
Hardware Version:	N/A
Software Version:	N/A
S/N:	332209B03500166

Note: RZ05-0428XXXX-XXXX is a variant of RZ05-0428, PCB layout, electrical components used and internal wiring and functions were identical for the them with only different on Model name and /or product customization including and not limited to color and printed design. which is not related to RF performance. Thus, test data of RZ05-0428 is reused for RZ05-0428XXXX-XXXX. The change note is in the Appendix.

1.5 Test Procedure

Testing is performed according to the **ANSI/IEEE Std 149-2008**.



1.6 Test Specification

Identity	Document Title
ANSI/IEEE Std 149-2008	IEEE Standard Test Procedures for Antennas

1.7 Laboratory Environment


Temperature	Min. =19°C, Max. = 25°C	
Relative humidity	Min. =40%, Max. =72%	
Shield effect	0.7-6GHz	> 100dB
Ground resistance	<0.5Ω	



2 OTA Measurements System Configuration

2.1 Test Configuration

Great-Circle-Cut method is used to measure the antenna 3D GAIN of EUT in OTA qualified anechoic chamber. Equipment Under Test (EUT) geometry centre vertical projection at the centre of platform, the distance from EUT to measurement antenna is 5m



F-1. OTA Measurement System Configuration

3 Test Equipment List

Type of Equipment	Model Number	Manufacture	Calibration Date	Valid Period
Network Analyzer	E5071C S/N MY46523591	Keysight	2022/4/11	2023/4/10
Quad-Ridge Horn Antenna 700 MHz-10 GHz	EMCO 3164-08 S/N 161915	ETS-Lindgren L.P.	N/A	N/A
MAPS Controller	EMCENTER S/N 160485	ETS-Lindgren L.P.	N/A	N/A



4 Measurement Uncertainty

Item	2400-2500 MHz (dB)
Gain	0.88
Efficiency	0.88
Measurement Uncertainty (95% CONFIDENCE INTERVAL) K=2	



5 Test Results

Free Space			
Frequency (MHz)	Efficiency (dB)	Efficiency (%)	Gain (dBi)
2350	-3.24	47.46	2.32
2355	-3.26	47.20	2.28
2360	-3.07	49.27	2.43
2365	-3.10	48.94	2.30
2370	-3.18	48.13	2.23
2375	-3.36	46.09	1.98
2380	-3.50	44.63	1.89
2385	-3.66	43.08	1.77
2390	-3.63	43.33	1.93
2395	-3.47	44.98	2.10
2400	-3.46	45.13	2.16
2402	-3.43	45.38	2.24
2405	-3.41	45.59	2.18
2410	-3.51	44.59	2.04
2415	-3.58	43.86	1.95
2420	-3.71	42.57	1.78
2425	-3.71	42.55	1.86
2430	-3.80	41.68	1.78
2435	-3.83	41.35	1.88
2440	-3.86	41.09	1.82
2441	-3.88	40.90	1.81
2445	-3.89	40.79	1.87
2450	-3.92	40.51	1.75
2455	-3.98	39.98	1.65
2460	-4.13	38.63	1.43
2465	-4.28	37.36	1.25
2470	-4.59	34.75	0.90
2475	-4.67	34.11	0.79
2480	-4.76	33.42	0.71
2482	-4.73	33.69	0.69
2485	-4.69	33.96	0.75
2490	-4.73	33.64	0.67
2495	-4.81	33.03	0.56
2500	-5.02	31.51	0.37
2505	-5.19	30.28	0.25




2510	-5.26	29.78	0.09
2515	-5.44	28.55	-0.10
2520	-5.62	27.40	-0.37
2525	-5.99	25.16	-0.72
2530	-6.32	23.35	-0.98
2535	-6.61	21.82	-1.18
2540	-6.75	21.12	-1.20
2545	-6.67	21.52	-1.05
2550	-6.81	20.86	-1.15
2555	-6.99	20.00	-1.35
2560	-7.45	17.97	-1.81
2565	-7.80	16.60	-2.18
2570	-8.04	15.70	-2.39
2575	-8.13	15.37	-2.43
2580	-7.98	15.92	-2.17



6 Pattern Plots


6.1 Return Loss



Free Space



6.2 VSWR



Free Space




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


6.3 Stimulus



Free Space




7 3-D Antenna Pattern



Free Space





Free Space View of RZ05-0428



9 Appendix



Model / Item Confirmation Letter

We Razer Inc. declare that our product: Soundbar and its below model (s) / item(s): RZ05-0428_RZ05-0428XXXX-XXXX (X can be 0-9 or A-Z), Only the model RZ05-0428 was tested, Since according to the declaration from the applicant, the electrical circuit design, PCB layout, electrical components used and internal wiring and functions were identical for the above models with only different on Model name and /or product customization including and not limited to color and printed design.

Print Name: Johnsen Tia

Title: Senior Director, Regulatory & Compliance

Signature: 

On behalf of Company: Razer Inc.

Telephone: +65 6571 6828

E-mail: johnsen.tia@razer.com

End of Report

