

Mode	802.11a - Emission	Channel	60
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10600	30.62	20.32	50.94	74	-23.06	PK
		14485	28.96	27.98	56.94	74	-17.06	PK
		14485	20.69	27.98	48.67	54	-5.33	AVG
		15325	28.64	26.53	55.17	68.2	-13.03	PK
		15325	19.81	26.53	46.34	54	-7.66	AVG
	*	21200	32.62	5.69	38.31	74	-35.69	PK
	*	26500	33.88	11.14	45.02	68.2	-23.18	PK
	*	31800	34.16	12.89	47.05	68.2	-21.15	PK
	*	37100	37.43	13.59	51.02	68.2	-17.18	PK
		39999	37.23	18.14	55.37	74	-18.63	PK
		39999	27.39	18.14	45.53	54	-8.47	AVG
Vertical	*	10600	30.25	20.32	50.57	74	-23.43	PK
		14500	28.74	28	56.74	68.2	-11.46	PK
		14500	20.47	28	48.47	54	-5.53	AVG
		15355	29.61	26.36	55.97	74	-18.03	PK
		15355	20.78	26.36	47.14	54	-6.86	AVG
		21040	32.17	5.42	37.59	74	-36.41	PK
		26300	34.03	10.86	44.89	68.2	-23.31	PK
		31560	33.27	13.28	46.55	74	-27.45	PK
		36820	37.15	13.12	50.27	68.2	-17.93	PK
		39016	39.91	16.72	56.63	74	-17.37	PK
		39016	30.07	16.72	46.79	54	-7.21	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Vertical



Mode	802.11a - Emission	Channel	64
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10640	31.37	20.24	51.61	74	-22.39	PK
		14500	28.64	28	56.64	68.2	-11.56	PK
		14500	20.37	28	48.37	54	-5.63	AVG
		15400	29.14	26.14	55.28	74	-18.72	PK
		15400	20.31	26.14	46.45	54	-7.55	AVG
	*	21280	31.54	5.83	37.37	74	-36.63	PK
		39256	38.28	17.32	55.6	74	-18.4	PK
		39256	28.44	17.32	45.76	54	-8.24	AVG
		3985	51.2	2.06	53.26	74	-20.74	PK
Vertical	*	10640	30.51	20.24	50.75	74	-23.25	PK
		14470	28.27	27.97	56.24	68.2	-11.96	PK
		14470	20	27.97	47.97	54	-6.03	AVG
		15325	28.49	26.53	55.02	68.2	-13.18	PK
		15325	19.66	26.53	46.19	54	-7.81	AVG
	*	21280	32.13	5.83	37.96	74	-36.04	PK
	*	26600	33.83	11.15	44.98	68.2	-23.22	PK
	*	31920	33.33	12.66	45.99	68.2	-22.21	PK
	*	37240	37.11	13.62	50.73	68.2	-17.47	PK
		39760	38	17.67	55.67	74	-18.33	PK
		39760	28.16	17.67	45.83	54	-8.17	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Vertical



Mode	802.11a - Emission	Channel	100
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11000	31.08	20.45	51.53	74	-22.47	PK
		14485	28.77	27.98	56.75	74	-17.25	PK
		14485	20.5	27.98	48.48	54	-5.52	AVG
		15490	29.2	25.95	55.15	74	-18.85	PK
		15490	20.37	25.95	46.32	54	-7.68	AVG
	*	16500	33.58	5.32	38.9	68.2	-29.3	PK
	*	22000	32.1	6.26	38.36	68.2	-29.84	PK
	*	27500	33.45	10.61	44.06	68.2	-24.14	PK
	*	33000	35.22	12.63	47.85	68.2	-20.35	PK
	*	38500	37.5	15.29	52.79	68.2	-15.41	PK
		39808	37.8	17.77	55.57	74	-18.43	PK
		39808	27.96	17.77	45.73	54	-8.27	AVG
Vertical	*	11000	31.05	20.45	51.5	74	-22.5	PK
		14485	28.33	27.98	56.31	74	-17.69	PK
		14485	20.06	27.98	48.04	54	-5.96	AVG
		15370	28.63	26.29	54.92	74	-19.08	PK
		15370	19.8	26.29	46.09	54	-7.91	AVG
	*	16500	34.36	5.32	39.68	68.2	-28.52	PK
	*	22000	31.92	6.26	38.18	68.2	-30.02	PK
	*	27500	32.18	10.61	42.79	68.2	-25.41	PK
	*	33000	34.96	12.63	47.59	68.2	-20.61	PK
	*	38500	37.6	15.29	52.89	68.2	-15.31	PK
		38632	41.02	15.64	56.66	74	-17.34	PK
		38632	31.18	15.64	46.82	54	-7.18	AVG





Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11a - Emission (Ch 100)
Radiated Spurious Emission, Horizontal

TX, 802.11a - Emission (Ch 100)
Radiated Spurious Emission, Vertical

TX, 802.11a - Emission (Ch 100)
Radiated Spurious Emission, Horizontal

TX, 802.11a - Emission (Ch 100)
Radiated Spurious Emission, Vertical


Mode	802.11a - Emission	Channel	116
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11160	31.04	20.54	51.58	74	-22.42	PK
		14500	28.98	28	56.98	68.2	-11.22	PK
		14500	20.71	28	48.71	54	-5.29	AVG
		15505	28.84	25.9	54.74	74	-19.26	PK
		15505	20.01	25.9	45.91	54	-8.09	AVG
	*	16740	34.08	5.27	39.35	68.2	-28.85	PK
	*	22320	32.64	6.93	39.57	74	-34.43	PK
		39784	38.45	17.72	56.17	74	-17.83	PK
		39784	28.61	17.72	46.33	54	-7.67	AVG
Vertical	*	11160	30.92	20.54	51.46	74	-22.54	PK
		14485	28.57	27.98	56.55	74	-17.45	PK
		14485	20.3	27.98	48.28	54	-5.72	AVG
		15400	28.62	26.14	54.76	74	-19.24	PK
		15400	19.79	26.14	45.93	54	-8.07	AVG
	*	16740	34.11	5.27	39.38	68.2	-28.82	PK
	*	22320	32.42	6.93	39.35	74	-34.65	PK
	*	27900	34.06	10.83	44.89	68.2	-23.31	PK
	*	33480	35.06	12.47	47.53	68.2	-20.67	PK
		39448	38.15	17.28	55.43	74	-18.57	PK
		39448	28.31	17.28	45.59	54	-8.41	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 116)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 116)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 116)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 116)

Radiated Spurious Emission, Vertical



Mode	802.11a - Emission	Channel	140
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11400	29.64	20.96	50.6	74	-23.4	PK
		14500	29.27	28	57.27	68.2	-10.93	PK
		14500	21	28	49	54	-5	AVG
		15460	28.66	26.02	54.68	74	-19.32	PK
		15460	19.83	26.02	45.85	54	-8.15	AVG
	*	17100	33.51	5.43	38.94	68.2	-29.26	PK
	*	22800	32.53	8	40.53	74	-33.47	PK
	*	28500	33.4	11.24	44.64	68.2	-23.56	PK
	*	34200	35.34	12.33	47.67	68.2	-20.53	PK
		39784	37.46	17.72	55.18	74	-18.82	PK
		39784	27.62	17.72	45.34	54	-8.66	AVG
	*	11400	30.7	20.96	51.66	74	-22.34	PK
		14470	28.52	27.97	56.49	68.2	-11.71	PK
		14470	20.25	27.97	48.22	54	-5.78	AVG
Vertical		15430	29.38	26.08	55.46	74	-18.54	PK
		15430	20.55	26.08	46.63	54	-7.37	AVG
	*	17100	35.83	5.43	41.26	68.2	-26.94	PK
	*	22800	32.75	8	40.75	74	-33.25	PK
	*	28500	32.83	11.24	44.07	68.2	-24.13	PK
	*	34200	35.55	12.33	47.88	68.2	-20.32	PK
		39280	38.44	17.31	55.75	74	-18.25	PK
		39280	28.6	17.31	45.91	54	-8.09	AVG





Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11a - Emission (Ch 140)
Radiated Spurious Emission, Horizontal

TX, 802.11a - Emission (Ch 140)
Radiated Spurious Emission, Vertical

TX, 802.11a - Emission (Ch 140)
Radiated Spurious Emission, Horizontal

TX, 802.11a - Emission (Ch 140)
Radiated Spurious Emission, Vertical


Mode	802.11a - Emission	Channel	144
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	30.62	21.19	51.81	74	-22.19	PK
		14500	28.28	28	56.28	68.2	-11.92	PK
		14500	20.01	28	48.01	54	-5.99	AVG
		15670	29.31	25.44	54.75	74	-19.25	PK
		15670	20.48	25.44	45.92	54	-8.08	AVG
	*	17160	32.8	5.31	38.11	68.2	-30.09	PK
	*	22880	31.78	8.2	39.98	74	-34.02	PK
	*	28600	33.36	11.31	44.67	68.2	-23.53	PK
	*	34320	34.07	12.19	46.26	68.2	-21.94	PK
		39688	38.31	17.56	55.87	74	-18.13	PK
		39688	28.47	17.56	46.03	54	-7.97	AVG
Vertical	*	11440	30.41	21.19	51.6	74	-22.4	PK
		14470	27.73	27.97	55.7	68.2	-12.5	PK
		14470	19.46	27.97	47.43	54	-6.57	AVG
		15460	28.19	26.02	54.21	74	-19.79	PK
		15460	19.36	26.02	45.38	54	-8.62	AVG
	*	17160	33.48	5.31	38.79	68.2	-29.41	PK
	*	22880	33.07	8.2	41.27	74	-32.73	PK
	*	28600	34.13	11.31	45.44	68.2	-22.76	PK
	*	34320	35.04	12.19	47.23	68.2	-20.97	PK
		39016	38.47	16.72	55.19	74	-18.81	PK
		39016	28.63	16.72	45.35	54	-8.65	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 144)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 144)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 144)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 144)

Radiated Spurious Emission, Vertical



Mode	802.11a - Emission	Channel	149
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11490	30.69	21.49	52.18	74	-21.82	PK
		14500	28.52	28	56.52	68.2	-11.68	PK
		14500	20.25	28	48.25	54	-5.75	AVG
		15400	29.49	26.14	55.63	74	-18.37	PK
		15400	20.66	26.14	46.8	54	-7.2	AVG
	*	17235	32.96	5.15	38.11	68.2	-30.09	PK
	*	22980	32.69	8.46	41.15	74	-32.85	PK
	*	28725	32.75	11.41	44.16	68.2	-24.04	PK
		39664	38.14	17.53	55.67	74	-18.33	PK
		39664	28.3	17.53	45.83	54	-8.17	AVG
	*	11490	30.85	21.49	52.34	74	-21.66	PK
		14500	29.64	28	57.64	68.2	-10.56	PK
Vertical		14500	21.37	28	49.37	54	-4.63	AVG
		15850	30.26	25.14	55.4	74	-18.6	PK
		15850	21.43	25.14	46.57	54	-7.43	AVG
	*	17235	32.41	5.15	37.56	68.2	-30.64	PK
	*	22980	33.08	8.46	41.54	74	-32.46	PK
	*	28725	33.05	11.41	44.46	68.2	-23.74	PK
		39304	38.35	17.31	55.66	74	-18.34	PK
		39304	28.51	17.31	45.82	54	-8.18	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 149)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 149)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 149)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 149)

Radiated Spurious Emission, Vertical



Mode	802.11a - Emission	Channel	157
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11570	30.34	21.26	51.6	74	-22.4	PK
		14470	28.66	27.97	56.63	68.2	-11.57	PK
		14470	20.39	27.97	48.36	54	-5.64	AVG
		15460	29.44	26.02	55.46	74	-18.54	PK
		15460	20.61	26.02	46.63	54	-7.37	AVG
	*	17355	32.11	4.91	37.02	68.2	-31.18	PK
	*	23140	33.54	8.82	42.36	68.2	-25.84	PK
	*	28925	32.18	11.63	43.81	68.2	-24.39	PK
	*	34710	35.44	12.17	47.61	68.2	-20.59	PK
		39976	38.47	18.09	56.56	74	-17.44	PK
		39976	28.63	18.09	46.72	54	-7.28	AVG
Vertical	*	11570	31.68	21.26	52.94	74	-21.06	PK
		14500	28.37	28	56.37	68.2	-11.83	PK
		14500	20.1	28	48.1	54	-5.9	AVG
		15625	29.5	25.47	54.97	74	-19.03	PK
		15625	20.67	25.47	46.14	54	-7.86	AVG
	*	17355	32.8	4.91	37.71	68.2	-30.49	PK
	*	23140	33.12	8.82	41.94	68.2	-26.26	PK
	*	28925	33.35	11.63	44.98	68.2	-23.22	PK
	*	34710	36.13	12.17	48.3	68.2	-19.9	PK
		39688	38.9	17.56	56.46	74	-17.54	PK
		39688	29.06	17.56	46.62	54	-7.38	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Vertical



Mode	802.11a - Emission	Channel	165
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11650	30.23	20.98	51.21	74	-22.79	PK
		14470	28.71	27.97	56.68	68.2	-11.52	PK
		14470	20.44	27.97	48.41	54	-5.59	AVG
		15490	29.11	25.95	55.06	74	-18.94	PK
		15490	20.28	25.95	46.23	54	-7.77	AVG
	*	17475	33.4	4.66	38.06	68.2	-30.14	PK
	*	23300	32.11	9.16	41.27	68.2	-26.93	PK
	*	29125	34.01	11.97	45.98	68.2	-22.22	PK
		39352	37.88	17.3	55.18	74	-18.82	PK
		39352	28.04	17.3	45.34	54	-8.66	AVG
Vertical	*	11650	29.95	20.98	50.93	74	-23.07	PK
		14500	28.44	28	56.44	68.2	-11.76	PK
		14500	20.17	28	48.17	54	-5.83	AVG
		15355	28.28	26.36	54.64	74	-19.36	PK
		15355	19.45	26.36	45.81	54	-8.19	AVG
	*	17475	33.53	4.66	38.19	68.2	-30.01	PK
	*	23300	32.79	9.16	41.95	68.2	-26.25	PK
	*	29125	33.64	11.97	45.61	68.2	-22.59	PK
		39976	36.7	18.09	54.79	74	-19.21	PK
		39976	26.86	18.09	44.95	54	-9.05	AVG





Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11a - Emission (Ch 165)
Radiated Spurious Emission, Horizontal

TX, 802.11a - Emission (Ch 165)
Radiated Spurious Emission, Vertical

TX, 802.11a - Emission (Ch 165)
Radiated Spurious Emission, Horizontal

TX, 802.11a - Emission (Ch 165)
Radiated Spurious Emission, Vertical


Below 1 GHz

Mode	802.11a	Channel	36
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		71.71	45.89	-14.55	31.34	40	-8.66	PK
		180.35	45.77	-12.89	32.88	43.5	-10.62	PK
		227.88	47.81	-13.91	33.9	46	-12.1	PK
		265.71	46.67	-11.43	35.24	46	-10.76	PK
		749.74	33.46	0.82	34.28	46	-11.72	PK
		799.21	37.29	1.39	38.68	46	-7.32	PK
Vertical		71.71	47.47	-14.55	32.92	40	-7.08	PK
		152.22	39.76	-11.36	28.4	43.5	-15.1	PK
		265.71	42.39	-11.43	30.96	46	-15.04	PK
		480.08	36.86	-5.21	31.65	46	-14.35	PK
		764.29	33.6	1.21	34.81	46	-11.19	PK
		959.26	31.61	3.85	35.46	46	-10.54	PK



9 kHz ~ 30 MHz Data:

For 9 kHz to 30 MHz radiated emission have performed all modes of operation were investigated. The amplitude of spurious emissions attenuated more than 20 dB below the permissible value is not required to be report.

No non-compliance noted:

KDB 414788 D01 OATS and Chamber Correlation Justification

- Base on FCC 15.31 (f) (2): measurements may be performed at a distance closer than that specified in the regulations; however, an attempt should be made to avoid making measurements in the near field.

- OATs and chamber correlation testing had been performed and chamber measured test results is the worst case test result.

Although these tests were performed other than open area test site, adequate comparison measurements were confirmed against 30m open area test site. Therefore sufficient tests were made to demonstrate that the alternative site produces results that correlate with the ones of tests made in an open field based on KDB 414788.

END OF REPORT**Underwriters Laboratories Taiwan Co., Ltd.**

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1