Mode	802.11b	Channel	10

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2457	98.12	6.12	104.24	N/A	N/A	PK
	@	2457	91.29	6.12	97.41	N/A	N/A	AVG
		2483.85	30.45	6.1	36.55	54	-17.45	AVG
		2484.04	40.91	6.1	47.01	74	-26.99	PK
	*	4914	34.74	2.63	37.37	74	-36.63	PK
Vertical	@	2457	106.93	6.12	113.05	N/A	N/A	PK
	@	2457	98.29	6.12	104.41	N/A	N/A	AVG
		2486.7	53.21	6.1	59.31	74	-14.69	PK
		2487.08	46.6	6.1	52.7	54	-1.3	AVG
	*	4914	35.67	2.63	38.3	74	-35.7	PK

TX, 802.11b (Ch 10)
Radiated Spurious Emission, Horizontal



TX, 802.11b (Ch 10)
Radiated Spurious Emission, Vertical



TX, 802.11b (Ch 10)
Band Edge (Average), Horizontal



TX, 802.11b (Ch 10)
Band Edge (Average), Vertical



TX, 802.11b (Ch 10)
Band Edge (Peak), Horizontal



TX, 802.11b (Ch 10)
Band Edge (Peak), Vertical



Mode	802.11b	Channel	11

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	95.3	6.12	101.42	N/A	N/A	PK
	@	2462	90.65	6.12	96.77	N/A	N/A	AVG
		2487.27	32.79	6.11	38.9	54	-15.1	AVG
		2496.96	42.35	6.1	48.45	74	-25.55	PK
	*	4924	37.57	2.61	40.18	74	-33.82	PK
Vertical	@	2462	104.71	6.12	110.83	N/A	N/A	PK
	@	2462	100.82	6.12	106.94	N/A	N/A	AVG
		2483.66	46.67	6.1	52.77	54	-1.23	AVG
		2484.23	53.4	6.1	59.5	74	-14.5	PK
	*	4924	38.07	2.61	40.68	74	-33.32	PK

TX, 802.11b (Ch 11)
Radiated Spurious Emission, Horizontal



TX, 802.11b (Ch 11)
Radiated Spurious Emission, Vertical



TX, 802.11b (Ch 11)
Band Edge (Average), Horizontal



TX, 802.11b (Ch 11)
Band Edge (Average), Vertical



TX, 802.11b (Ch 11)
Band Edge (Peak), Horizontal



TX, 802.11b (Ch 11)
Band Edge (Peak), Vertical



Mode	802.11g	Channel	1

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2379.16	40.98	6.08	47.06	74	-26.94	PK
		2389.99	31.91	6.1	38.01	54	-15.99	AVG
	@	2412	92.5	6.13	98.63	N/A	N/A	PK
	@	2412	86.17	6.13	92.3	N/A	N/A	AVG
	*	4824	37.5	2.55	40.05	74	-33.95	PK
Vertical		2388.66	55.26	6.1	61.36	74	-12.64	PK
		2389.61	46.49	6.1	52.59	54	-1.41	AVG
	@	2412	102.76	6.13	108.89	N/A	N/A	PK
	@	2412	96.04	6.13	102.17	N/A	N/A	AVG
	*	4824	41.72	2.55	44.27	74	-29.73	PK

TX, 802.11g (Ch 1)
Radiated Spurious Emission, Horizontal



TX, 802.11g (Ch 1)
Radiated Spurious Emission, Vertical



TX, 802.11g (Ch 1)
Band Edge (Average), Horizontal



TX, 802.11g (Ch 1)
Band Edge (Average), Vertical



TX, 802.11g (Ch 1)
Band Edge (Peak), Horizontal



TX, 802.11g (Ch 1)
Band Edge (Peak), Vertical



Mode	802.11g	Channel	2

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2389.42	35.18	6.1	41.28	54	-12.72	AVG
		2389.61	46.98	6.1	53.08	74	-20.92	PK
	@	2417	97.3	6.13	103.43	N/A	N/A	PK
	@	2417	90.59	6.13	96.72	N/A	N/A	AVG
	*	4834	35.4	2.61	38.01	74	-35.99	PK
Vertical		2388.28	59	6.1	65.1	74	-8.9	PK
		2389.99	46.79	6.1	52.89	54	-1.11	AVG
	@	2417	106.72	6.13	112.85	N/A	N/A	PK
	@	2417	98.85	6.13	104.98	N/A	N/A	AVG
	*	4834	35.93	2.61	38.54	74	-35.46	PK

TX, 802.11g (Ch 2)
Radiated Spurious Emission, Horizontal



TX, 802.11g (Ch 2)
Radiated Spurious Emission, Vertical



TX, 802.11g (Ch 2)
Band Edge (Average), Horizontal



TX, 802.11g (Ch 2)
Band Edge (Average), Vertical



TX, 802.11g (Ch 2)
Band Edge (Peak), Horizontal



TX, 802.11g (Ch 2)
Band Edge (Peak), Vertical



Mode	802.11g	Channel	6

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2349.52	35.55	6.03	41.58	54	-12.42	AVG
		2351.23	41.89	6.03	47.92	74	-26.08	PK
	@	2437	99.18	6.12	105.3	N/A	N/A	PK
	@	2437	91.21	6.12	97.33	N/A	N/A	AVG
		2487.46	35.79	6.11	41.9	54	-12.1	AVG
		2499.43	39.07	6.1	45.17	74	-28.83	PK
	*	4874	37.5	2.66	40.16	74	-33.84	PK
Vertical		2388.66	49.09	6.1	55.19	74	-18.81	PK
		2389.42	46.43	6.1	52.53	54	-1.47	AVG
	@	2437	107.06	6.12	113.18	N/A	N/A	PK
	@	2437	100.77	6.12	106.89	N/A	N/A	AVG
		2483.66	45.69	6.1	51.79	54	-2.21	AVG
		2484.99	48.63	6.1	54.73	74	-19.27	PK
	*	4874	37.96	2.66	40.62	74	-33.38	PK
	*	7311	41.57	10.62	52.19	74	-21.81	PK

TX, 802.11g (Ch 6)
Radiated Spurious Emission, Horizontal



TX, 802.11g (Ch 6)
Radiated Spurious Emission, Vertical



TX, 802.11g (Ch 6)
Band Edge (Average), Horizontal



TX, 802.11g (Ch 6)
Band Edge (Average), Vertical



TX, 802.11g (Ch 6)
Band Edge (Peak), Horizontal



TX, 802.11g (Ch 6)
Band Edge (Peak), Vertical



Mode	802.11g	Channel	10

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2457	95.82	6.12	101.94	N/A	N/A	PK
	@	2457	88.56	6.12	94.68	N/A	N/A	AVG
		2485.56	30.49	6.1	36.59	54	-17.41	AVG
		2490.31	40.94	6.1	47.04	74	-26.96	PK
	*	4914	35.56	2.63	38.19	74	-35.81	PK
Vertical	@	2457	106.87	6.12	112.99	N/A	N/A	PK
	@	2457	98.53	6.12	104.65	N/A	N/A	AVG
		2483.66	60.77	6.1	66.87	74	-7.13	PK
		2483.66	46.53	6.1	52.63	54	-1.37	AVG
	*	4914	35.9	2.63	38.53	74	-35.47	PK

TX, 802.11g (Ch 10)
Radiated Spurious Emission, Horizontal



TX, 802.11g (Ch 10)
Radiated Spurious Emission, Vertical



TX, 802.11g (Ch 10)
Band Edge (Average), Horizontal



TX, 802.11g (Ch 10)
Band Edge (Average), Vertical



TX, 802.11g (Ch 10)
Band Edge (Peak), Horizontal



TX, 802.11g (Ch 10)
Band Edge (Peak), Vertical



Mode	802.11g	Channel	11

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	92.81	6.12	98.93	N/A	N/A	PK
	@	2462	84.33	6.12	90.45	N/A	N/A	AVG
		2487.08	41.17	6.1	47.27	74	-26.73	PK
		2495.82	31.28	6.1	37.38	54	-16.62	AVG
	*	4924	37.66	2.61	40.27	74	-33.73	PK
Vertical	@	2462	103.07	6.12	109.19	N/A	N/A	PK
	@	2462	95.56	6.12	101.68	N/A	N/A	AVG
		2483.85	46.22	6.1	52.32	54	-1.68	AVG
		2487.27	57.98	6.11	64.09	74	-9.91	PK
	*	4924	38.02	2.61	40.63	74	-33.37	PK

TX, 802.11g (Ch 11)
Radiated Spurious Emission, Horizontal



TX, 802.11g (Ch 11)
Radiated Spurious Emission, Vertical



TX, 802.11g (Ch 11)
Band Edge (Average), Horizontal



TX, 802.11g (Ch 11)
Band Edge (Average), Vertical



TX, 802.11g (Ch 11)
Band Edge (Peak), Horizontal



TX, 802.11g (Ch 11)
Band Edge (Peak), Vertical



Mode	802.11n(HT20)	Channel	1

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2382.39	46.23	6.09	52.32	74	-21.68	PK
		2389.23	32.67	6.1	38.77	54	-15.23	AVG
	@	2412	92.99	6.13	99.12	N/A	N/A	PK
	@	2412	86.5	6.13	92.63	N/A	N/A	AVG
	*	4824	38.23	2.55	40.78	74	-33.22	PK
Vertical		2389.61	46.73	6.1	52.83	54	-1.17	AVG
		2389.8	54.78	6.1	60.88	74	-13.12	PK
	@	2412	100.73	6.13	106.86	N/A	N/A	PK
	@	2412	93.36	6.13	99.49	N/A	N/A	AVG
	*	4824	40.41	2.55	42.96	74	-31.04	PK

TX, 802.11n(HT20) (Ch 1)
Radiated Spurious Emission, Horizontal



TX, 802.11n(HT20) (Ch 1)
Radiated Spurious Emission, Vertical



TX, 802.11n(HT20) (Ch 1)
Band Edge (Average), Horizontal



TX, 802.11n(HT20) (Ch 1)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 1)
Band Edge (Peak), Horizontal



TX, 802.11n(HT20) (Ch 1)
Band Edge (Peak), Vertical



Mode	802.11n(HT20)	Channel	2

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2383.53	43	6.09	49.09	74	-24.91	PK
		2389.99	33.58	6.1	39.68	54	-14.32	AVG
	@	2417	98.25	6.13	104.38	N/A	N/A	PK
	@	2417	89.9	6.13	96.03	N/A	N/A	AVG
	*	4834	35.21	2.61	37.82	74	-36.18	PK
Vertical		2386.76	61.04	6.1	67.14	74	-6.86	PK
		2389.8	46.87	6.1	52.97	54	-1.03	AVG
	@	2417	107.69	6.13	113.82	N/A	N/A	PK
	@	2417	98.4	6.13	104.53	N/A	N/A	AVG
	*	4834	34.87	2.61	37.48	74	-36.52	PK

TX, 802.11n(HT20) (Ch 2)
Radiated Spurious Emission, Horizontal



TX, 802.11n(HT20) (Ch 2)
Radiated Spurious Emission, Vertical



TX, 802.11n(HT20) (Ch 2)
Band Edge (Average), Horizontal



TX, 802.11n(HT20) (Ch 2)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 2)
Band Edge (Peak), Horizontal



TX, 802.11n(HT20) (Ch 2)
Band Edge (Peak), Vertical



Mode	802.11n(HT20)	Channel	6

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2317.98	41.91	6.16	48.07	74	-25.93	PK
		2389.04	32.05	6.1	38.15	54	-15.85	AVG
	@	2437	100.83	6.12	106.95	N/A	N/A	PK
	@	2437	92.95	6.12	99.07	N/A	N/A	AVG
		2484.8	32.15	6.1	38.25	54	-15.75	AVG
		2485.56	41.31	6.1	47.41	74	-26.59	PK
	*	4874	38.39	2.66	41.05	74	-32.95	PK
Vertical		2389.99	58.98	6.1	65.08	74	-8.92	PK
		2389.99	46.38	6.1	52.48	54	-1.52	AVG
	@	2437	107.5	6.12	113.62	N/A	N/A	PK
	@	2437	100.32	6.12	106.44	N/A	N/A	AVG
		2483.66	55.95	6.1	62.05	74	-11.95	PK
		2483.85	46.73	6.1	52.83	54	-1.17	AVG
	*	4874	37.32	2.66	39.98	74	-34.02	PK
	*	7311	40.39	10.62	51.01	74	-22.99	PK

TX, 802.11n(HT20) (Ch 6)
Radiated Spurious Emission, Horizontal



TX, 802.11n(HT20) (Ch 6)
Radiated Spurious Emission, Vertical



TX, 802.11n(HT20) (Ch 6)
Band Edge (Average), Horizontal



TX, 802.11n(HT20) (Ch 6)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 6)
Band Edge (Peak), Horizontal



TX, 802.11n(HT20) (Ch 6)
Band Edge (Peak), Vertical



Mode	802.11n(HT20)	Channel	10

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2457	94.93	6.12	101.05	N/A	N/A	PK
	@	2457	87.78	6.12	93.9	N/A	N/A	AVG
		2483.85	30.28	6.1	36.38	54	-17.62	AVG
		2484.42	40.35	6.1	46.45	74	-27.55	PK
	*	4914	34.9	2.63	37.53	74	-36.47	PK
Vertical	@	2457	106.62	6.12	112.74	N/A	N/A	PK
	@	2457	99.85	6.12	105.97	N/A	N/A	AVG
		2483.66	46.89	6.1	52.99	54	-1.01	AVG
		2485.75	60.59	6.1	66.69	74	-7.31	PK
	*	4914	35.41	2.63	38.04	74	-35.96	PK

TX, 802.11n(HT20) (Ch 10)
Radiated Spurious Emission, Horizontal



TX, 802.11n(HT20) (Ch 10)
Radiated Spurious Emission, Vertical



TX, 802.11n(HT20) (Ch 10)
Band Edge (Average), Horizontal



TX, 802.11n(HT20) (Ch 10)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 10)
Band Edge (Peak), Horizontal



TX, 802.11n(HT20) (Ch 10)
Band Edge (Peak), Vertical



Mode	802.11n(HT20)	Channel	11

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	87.24	6.12	93.36	N/A	N/A	PK
	@	2462	82.73	6.12	88.85	N/A	N/A	AVG
		2483.66	31.15	6.1	37.25	54	-16.75	AVG
		2493.35	40.55	6.1	46.65	74	-27.35	PK
	*	4924	37.07	2.61	39.68	74	-34.32	PK
Vertical	@	2462	100.06	6.12	106.18	N/A	N/A	PK
	@	2462	92.45	6.12	98.57	N/A	N/A	AVG
		2483.66	53.95	6.1	60.05	74	-13.95	PK
		2483.66	46.97	6.1	53.07	54	-0.93	AVG
	*	4924	36.74	2.61	39.35	74	-34.65	PK

TX, 802.11n(HT20) (Ch 11)
Radiated Spurious Emission, Horizontal



TX, 802.11n(HT20) (Ch 11)
Radiated Spurious Emission, Vertical



TX, 802.11n(HT20) (Ch 11)
Band Edge (Average), Horizontal



TX, 802.11n(HT20) (Ch 11)
Band Edge (Average), Vertical



TX, 802.11n(HT20) (Ch 11)
Band Edge (Peak), Horizontal



TX, 802.11n(HT20) (Ch 11)
Band Edge (Peak), Vertical



Mode	802.11n(HT40)	Channel	3

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2381.25	43.32	6.08	49.4	74	-24.6	PK
		2389.8	31.36	6.1	37.46	54	-16.54	AVG
	@	2422	86.98	6.13	93.11	N/A	N/A	PK
	@	2422	79.81	6.13	85.94	N/A	N/A	AVG
	*	4844	37.06	2.66	39.72	74	-34.28	PK
Vertical		2388.47	46.76	6.1	52.86	54	-1.14	AVG
		2389.23	59.02	6.1	65.12	74	-8.88	PK
	@	2422	97.43	6.13	103.56	N/A	N/A	PK
	@	2422	87.99	6.13	94.12	N/A	N/A	AVG
	*	4844	38.08	2.66	40.74	74	-33.26	PK

TX, 802.11n(HT40) (Ch 3)
Radiated Spurious Emission, Horizontal



TX, 802.11n(HT40) (Ch 3)
Radiated Spurious Emission, Vertical



TX, 802.11n(HT40) (Ch 3)
Band Edge (Average), Horizontal



TX, 802.11n(HT40) (Ch 3)
Band Edge (Average), Vertical



TX, 802.11n(HT40) (Ch 3)
Band Edge (Peak), Horizontal



TX, 802.11n(HT40) (Ch 3)
Band Edge (Peak), Vertical



Mode	802.11n(HT40)	Channel	6

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2379.16	34.65	6.08	40.73	54	-13.27	AVG
		2386.57	42.23	6.1	48.33	74	-25.67	PK
	@	2437	91.01	6.12	97.13	N/A	N/A	PK
	@	2437	84.43	6.12	90.55	N/A	N/A	AVG
		2495.63	40.92	6.1	47.02	74	-26.98	PK
		2498.67	34.82	6.1	40.92	54	-13.08	AVG
	*	4874	37.7	2.66	40.36	74	-33.64	PK
Vertical		2389.42	59.74	6.1	65.84	74	-8.16	PK
		2389.99	41.73	6.1	47.83	54	-6.17	AVG
	@	2437	99.68	6.12	105.8	N/A	N/A	PK
	@	2437	90.43	6.12	96.55	N/A	N/A	AVG
		2484.04	42.73	6.1	48.83	54	-5.17	AVG
		2487.46	57.24	6.11	63.35	74	-10.65	PK
	*	4874	37.38	2.66	40.04	74	-33.96	PK

TX, 802.11n(HT40) (Ch 6)
Radiated Spurious Emission, Horizontal



TX, 802.11n(HT40) (Ch 6)
Radiated Spurious Emission, Vertical



TX, 802.11n(HT40) (Ch 6)
Band Edge (Peak), Horizontal



TX, 802.11n(HT40) (Ch 6)
Band Edge (Peak), Vertical



TX, 802.11n(HT40) (Ch 6)
Band Edge (Average), Horizontal



TX, 802.11n(HT40) (Ch 6)
Band Edge (Average), Vertical



Mode	802.11n(HT40)	Channel	9

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2452	86.16	6.12	92.28	N/A	N/A	PK
	@	2452	78.18	6.12	84.3	N/A	N/A	AVG
		2485.37	31.68	6.1	37.78	54	-16.22	AVG
		2488.22	44.24	6.1	50.34	74	-23.66	PK
	*	4904	37.05	2.63	39.68	74	-34.32	PK
Vertical	@	2452	95.88	6.12	102	N/A	N/A	PK
	@	2452	88.27	6.12	94.39	N/A	N/A	AVG
		2483.66	63.48	6.1	69.58	74	-4.42	PK
		2483.66	46.84	6.1	52.94	54	-1.06	AVG
	*	4904	36.95	2.63	39.58	74	-34.42	PK

TX, 802.11n(HT40) (Ch 9)
Radiated Spurious Emission, Horizontal



TX, 802.11n(HT40) (Ch 9)
Radiated Spurious Emission, Vertical



TX, 802.11n(HT40) (Ch 9)
Band Edge (Average), Horizontal



TX, 802.11n(HT40) (Ch 9)
Band Edge (Average), Vertical



TX, 802.11n(HT40) (Ch 9)
Band Edge (Peak), Horizontal



TX, 802.11n(HT40) (Ch 9)
Band Edge (Peak), Vertical



Below 1G

Mode	802.11g	Channel	6

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		78.5	42.9	-16	26.9	40	-13.1	PK
		206.54	48.92	-13.89	35.03	43.5	-8.47	PK
		236.61	42.83	-12.2	30.63	46	-15.37	PK
		364.65	40.11	-8.01	32.1	46	-13.9	PK
		481.05	37.44	-5.15	32.29	46	-13.71	PK
		955.38	32.48	3.87	36.35	46	-9.65	PK
Vertical		78.5	42.02	-16	26.02	40	-13.98	PK
		240.49	35.9	-12.1	23.8	46	-22.2	PK
		323.91	36.51	-9.18	27.33	46	-18.67	PK
		482.02	42.51	-5.1	37.41	46	-8.59	PK
		663.41	32.64	-1.23	31.41	46	-14.59	PK
		961.2	33.25	3.9	37.15	54	-16.85	PK

TX, 802.11g (Ch 6) Radiated Spurious Emission, Horizontal	TX, 802.11g (Ch 6) Radiated Spurious Emission, Vertical
	

PCB Antenna

Above 1G

Mode	802.11b	Channel	1

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2379.16	42.12	6.08	48.2	74	-25.8	PK
		2389.61	34.82	6.1	40.92	54	-13.08	AVG
	@	2412	99.53	6.13	105.66	N/A	N/A	PK
	@	2412	94.54	6.13	100.67	N/A	N/A	AVG
	*	4824	35.46	2.55	38.01	74	-35.99	PK
Vertical		2389.04	43.26	6.1	49.36	74	-24.64	PK
		2389.99	34.5	6.1	40.6	54	-13.4	AVG
	@	2412	98.26	6.13	104.39	N/A	N/A	PK
	@	2412	92.24	6.13	98.37	N/A	N/A	AVG
	*	4824	35.21	2.55	37.76	74	-36.24	PK

TX, 802.11b (Ch 1)
Radiated Spurious Emission, Horizontal



TX, 802.11b (Ch 1)
Radiated Spurious Emission, Vertical



TX, 802.11b (Ch 1)
Band Edge (Average), Horizontal



TX, 802.11b (Ch 1)
Band Edge (Average), Vertical



TX, 802.11b (Ch 1)
Band Edge (Peak), Horizontal



TX, 802.11b (Ch 1)
Band Edge (Peak), Vertical



Mode	802.11b	Channel	2

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2375.93	42.57	6.07	48.64	74	-25.36	PK
		2389.99	34.19	6.1	40.29	54	-13.71	AVG
	@	2417	92.56	6.13	98.69	N/A	N/A	PK
	@	2417	90.15	6.13	96.28	N/A	N/A	AVG
	*	4834	34.95	2.61	37.56	74	-36.44	PK
Vertical		2377.07	41.51	6.08	47.59	74	-26.41	PK
		2389.8	33.04	6.1	39.14	54	-14.86	AVG
	@	2417	94.66	6.13	100.79	N/A	N/A	PK
	@	2417	88.96	6.13	95.09	N/A	N/A	AVG
	*	4834	34.94	2.61	37.55	74	-36.45	PK

TX, 802.11b (Ch 2)
Radiated Spurious Emission, Horizontal



TX, 802.11b (Ch 2)
Radiated Spurious Emission, Vertical



TX, 802.11b (Ch 2)
Band Edge (Average), Horizontal



TX, 802.11b (Ch 2)
Band Edge (Average), Vertical



TX, 802.11b (Ch 2)
Band Edge (Peak), Horizontal



TX, 802.11b (Ch 2)
Band Edge (Peak), Vertical



Mode	802.11b	Channel	6

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2352.37	41.62	6.04	47.66	74	-26.34	PK
		2389.04	32.92	6.1	39.02	54	-14.98	AVG
	@	2437	95.38	6.12	101.5	N/A	N/A	PK
	@	2437	92.25	6.12	98.37	N/A	N/A	AVG
		2483.85	32.06	6.1	38.16	54	-15.84	AVG
		2491.45	41.91	6.1	48.01	74	-25.99	PK
	*	4874	35.52	2.66	38.18	74	-35.82	PK
Vertical		2381.25	41.69	6.08	47.77	74	-26.23	PK
		2389.8	32.46	6.1	38.56	54	-15.44	AVG
	@	2437	95.71	6.12	101.83	N/A	N/A	PK
	@	2437	91.64	6.12	97.76	N/A	N/A	AVG
		2483.66	32.14	6.1	38.24	54	-15.76	AVG
		2497.91	40.84	6.1	46.94	74	-27.06	PK
	*	4874	35.52	2.66	38.18	74	-35.82	PK
	*	7311	41.37	10.62	51.99	74	-22.01	PK

TX, 802.11b (Ch 6)
Radiated Spurious Emission, Horizontal



TX, 802.11b (Ch 6)
Radiated Spurious Emission, Vertical



TX, 802.11b (Ch 6)
Band Edge (Average), Horizontal



TX, 802.11b (Ch 6)
Band Edge (Average), Vertical



TX, 802.11b (Ch 6)
Band Edge (Peak), Horizontal



TX, 802.11b (Ch 6)
Band Edge (Peak), Vertical



Mode	802.11b	Channel	10

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2457	100.74	6.12	106.86	N/A	N/A	PK
	@	2457	94.08	6.12	100.2	N/A	N/A	AVG
		2483.66	32.59	6.1	38.69	54	-15.31	AVG
		2496.77	42	6.1	48.1	74	-25.9	PK
	*	4914	35.91	2.63	38.54	74	-35.46	PK
Vertical	@	2457	100.62	6.12	106.74	N/A	N/A	PK
	@	2457	95.21	6.12	101.33	N/A	N/A	AVG
		2483.66	32.92	6.1	39.02	54	-14.98	AVG
		2485.75	41.7	6.1	47.8	74	-26.2	PK
	*	4914	35.43	2.63	38.06	74	-35.94	PK

TX, 802.11b (Ch 10)
Radiated Spurious Emission, Horizontal



TX, 802.11b (Ch 10)
Radiated Spurious Emission, Vertical



TX, 802.11b (Ch 10)
Band Edge (Average), Horizontal



TX, 802.11b (Ch 10)
Band Edge (Average), Vertical



TX, 802.11b (Ch 10)
Band Edge (Peak), Horizontal



TX, 802.11b (Ch 10)
Band Edge (Peak), Vertical