



Mode	802.11ax(HE40)	Channel	3
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2380.11	40.7	17.85	58.55	74	-15.45	PK
		2385.24	29.62	17.84	47.46	54	-6.54	AVG
	@	2422	81.4	17.71	99.11	N/A	N/A	PK
	@	2422	71.64	17.71	89.35	N/A	N/A	AVG
Vertical		2385.05	47.87	17.84	65.71	74	-8.29	PK
		2389.99	35.66	17.83	53.49	54	-0.51	AVG
	@	2422	91.98	17.71	109.69	N/A	N/A	PK
	@	2422	83.13	17.71	100.84	N/A	N/A	AVG


TX, 802.11ax(HE40) (Ch 3)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 3)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 3)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 3)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	6
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2373.27	40.2	17.87	58.07	74	-15.93	PK
		2389.42	29.05	17.83	46.88	54	-7.12	AVG
	@	2437	81.22	17.65	98.87	N/A	N/A	PK
	@	2437	71.28	17.65	88.93	N/A	N/A	AVG
		2483.66	29.45	17.65	47.1	54	-6.9	AVG
		2485.18	40.75	17.65	58.4	74	-15.6	PK
Vertical		2388.09	32.16	17.84	50	54	-4	AVG
		2389.99	43.57	17.83	61.4	74	-12.6	PK
	@	2437	93.02	17.65	110.67	N/A	N/A	PK
	@	2437	83.05	17.65	100.7	N/A	N/A	AVG
		2484.04	46.4	17.65	64.05	74	-9.95	PK
		2484.23	35.87	17.65	53.52	54	-0.48	AVG


TX, 802.11ax(HE40) (Ch 6)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 6)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 6)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 6)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	9
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2452	79.73	17.6	97.33	N/A	N/A	PK
	@	2452	70.93	17.6	88.53	N/A	N/A	AVG
		2488.79	29.8	17.66	47.46	54	-6.54	AVG
		2489.93	40.71	17.66	58.37	74	-15.63	PK
Vertical	@	2452	92.24	17.6	109.84	N/A	N/A	PK
	@	2452	82.74	17.6	100.34	N/A	N/A	AVG
		2483.85	36.17	17.65	53.82	54	-0.18	AVG
		2490.31	50.99	17.66	68.65	74	-5.35	PK


TX, 802.11ax(HE40) (Ch 9)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 9)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 9)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 9)
Band Edge (Peak), Vertical



Below 1 GHz

Mode	802.11g	Channel	6
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		159.98	41.95	-11.38	30.57	43.5	-12.93	PK
		204.6	38.3	-14.42	23.88	43.5	-19.62	PK
		239.52	36.95	-12.48	24.47	46	-21.53	PK
		320.03	37.98	-9.49	28.49	46	-17.51	PK
		662.44	31.9	-0.97	30.93	46	-15.07	PK
		776.9	35.13	1.25	36.38	46	-9.62	PK
Vertical		41.64	41.04	-12.43	28.61	40	-11.39	PK
		159.98	42.21	-11.38	30.83	43.5	-12.67	PK
		239.52	37.95	-12.48	25.47	46	-20.53	PK
		280.26	35.05	-10.75	24.3	46	-21.7	PK
		320.03	38.38	-9.49	28.89	46	-17.11	PK
		776.9	33.47	1.25	34.72	46	-11.28	PK



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 7.0

WUBT-281AX [PU]


Above 1 GHz

Mode	802.11b	Channel	1
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2386.19	34.78	17.84	52.62	54	-1.38	AVG
		2387.14	42.71	17.84	60.55	74	-13.45	PK
	@	2412	94.74	17.75	112.49	N/A	N/A	PK
	@	2412	91.01	17.75	108.76	N/A	N/A	AVG
Vertical		2362.25	40.75	17.89	58.64	74	-15.36	PK
		2387.33	29.62	17.84	47.46	54	-6.54	AVG
	@	2412	88.26	17.75	106.01	N/A	N/A	PK
	@	2412	84.62	17.75	102.37	N/A	N/A	AVG


TX, 802.11b (Ch 1)

Band Edge (Average), Horizontal




TX, 802.11b (Ch 1)

Band Edge (Average), Vertical




TX, 802.11b (Ch 1)

Band Edge (Peak), Horizontal



TX, 802.11b (Ch 1)

Band Edge (Peak), Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 7.0


Mode	802.11b	Channel	6
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2329.57	40.12	17.91	58.03	74	-15.97	PK
		2389.04	31.06	17.83	48.89	54	-5.11	AVG
	@	2437	95.26	17.65	112.91	N/A	N/A	PK
	@	2437	91.46	17.65	109.11	N/A	N/A	AVG
		2489.93	39.89	17.66	57.55	74	-16.45	PK
		2491.26	29.42	17.66	47.08	54	-6.92	AVG
Vertical		2312.47	40.79	17.93	58.72	74	-15.28	PK
		2313.8	28.64	17.92	46.56	54	-7.44	AVG
	@	2437	92.15	17.65	109.8	N/A	N/A	PK
	@	2437	88.26	17.65	105.91	N/A	N/A	AVG
		2484.99	28.98	17.65	46.63	54	-7.37	AVG
		2496.77	40.27	17.67	57.94	74	-16.06	PK







Mode	802.11b	Channel	9
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2452	93.91	17.6	111.51	N/A	N/A	PK
	@	2452	89.96	17.6	107.56	N/A	N/A	AVG
		2488.6	32.25	17.66	49.91	54	-4.09	AVG
		2488.98	40.65	17.66	58.31	74	-15.69	PK
Vertical	@	2452	90.33	17.6	107.93	N/A	N/A	PK
	@	2452	86.29	17.6	103.89	N/A	N/A	AVG
		2488.03	40.73	17.66	58.39	74	-15.61	PK
		2488.6	30.43	17.66	48.09	54	-5.91	AVG




Mode	802.11b	Channel	10
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2457	93.17	17.61	110.78	N/A	N/A	PK
	@	2457	89.33	17.61	106.94	N/A	N/A	AVG
		2483.66	36.2	17.65	53.85	54	-0.15	AVG
		2483.85	43.13	17.65	60.78	74	-13.22	PK
Vertical	@	2457	90.46	17.61	108.07	N/A	N/A	PK
	@	2457	86.81	17.61	104.42	N/A	N/A	AVG
		2483.66	33.99	17.65	51.64	54	-2.36	AVG
		2484.04	41.84	17.65	59.49	74	-14.51	PK

TX, 802.11b (Ch 10)
Band Edge (Average), Horizontal

TX, 802.11b (Ch 10)
Band Edge (Average), Vertical

TX, 802.11b (Ch 10)
Band Edge (Peak), Horizontal

TX, 802.11b (Ch 10)
Band Edge (Peak), Vertical






Mode	802.11b	Channel	11
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	91.06	17.62	108.68	N/A	N/A	PK
	@	2462	86.96	17.62	104.58	N/A	N/A	AVG
		2487.65	30.66	17.66	48.32	54	-5.68	AVG
		2490.31	40.27	17.66	57.93	74	-16.07	PK
Vertical	@	2462	87.86	17.62	105.48	N/A	N/A	PK
	@	2462	84.01	17.62	101.63	N/A	N/A	AVG
		2483.85	29.84	17.65	47.49	54	-6.51	AVG
		2498.48	40.93	17.68	58.61	74	-15.39	PK







Mode	802.11b - Emission	Channel	1
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4824	48.65	4.2	52.85	74	-21.15	PK
		14470	29.44	27.97	57.41	74	-16.59	PK
		14470	21.17	27.97	49.14	54	-4.86	AVG
		15655	30.13	25.44	55.57	74	-18.43	PK
		15655	21.3	25.44	46.74	54	-7.26	AVG
	*	16884	33.78	5.54	39.32	74	-34.68	PK
	*	19296	35.7	3.66	39.36	74	-34.64	PK
	*	21708	33.02	6.18	39.2	74	-34.8	PK
Vertical	*	24120	32.47	11.03	43.5	74	-30.5	PK
	*	4824	51.35	4.2	55.55	74	-18.45	PK
		14470	29.37	27.97	57.34	74	-16.66	PK
		14470	21.1	27.97	49.07	54	-4.93	AVG
		15385	29.25	26.22	55.47	74	-18.53	PK
		15385	20.42	26.22	46.64	54	-7.36	AVG
		15385	23.25	26.22	49.47	54	-4.53	AVG
	*	16884	33.15	5.54	38.69	74	-35.31	PK
	*	19296	35.43	3.66	39.09	74	-34.91	PK
	*	21708	32.82	6.18	39	74	-35	PK
	*	24120	32.65	11.03	43.68	74	-30.32	PK







Mode	802.11b - Emission	Channel	6
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4874	43.65	4.4	48.05	74	-25.95	PK
		14485	28.37	27.98	56.35	74	-17.65	PK
		14485	20.1	27.98	48.08	54	-5.92	AVG
		15310	27.79	26.6	54.39	74	-19.61	PK
		15310	18.96	26.6	45.56	54	-8.44	AVG
	*	17059	34.34	5.36	39.7	74	-34.3	PK
	*	19496	35.07	3.99	39.06	74	-34.94	PK
	*	21933	33.13	6.24	39.37	74	-34.63	PK
Vertical	*	24370	33.1	11.82	44.92	74	-29.08	PK
	*	4874	47.49	4.4	51.89	74	-22.11	PK
		14500	28.24	28	56.24	74	-17.76	PK
		14500	19.97	28	47.97	54	-6.03	AVG
		15370	28.54	26.29	54.83	74	-19.17	PK
		15370	19.71	26.29	46	54	-8	AVG
	*	17059	33.83	5.36	39.19	74	-34.81	PK
	*	19496	34.71	3.99	38.7	74	-35.3	PK
	*	21933	33.06	6.24	39.3	74	-34.7	PK
	*	24370	31.95	11.82	43.77	74	-30.23	PK







Mode	802.11b - Emission	Channel	9
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4904	45.75	4.64	50.39	74	-23.61	PK
		14485	28.91	27.98	56.89	74	-17.11	PK
		14485	20.64	27.98	48.62	54	-5.38	AVG
		15355	28.4	26.36	54.76	74	-19.24	PK
		15355	19.57	26.36	45.93	54	-8.07	AVG
	*	17164	35.49	5.3	40.79	74	-33.21	PK
	*	19616	35.43	3.98	39.41	74	-34.59	PK
	*	22068	33.56	6.4	39.96	74	-34.04	PK
Vertical	*	24520	32.5	12.3	44.8	74	-29.2	PK
	*	4904	44.93	4.64	49.57	74	-24.43	PK
		14500	28.59	28	56.59	74	-17.41	PK
		14500	20.32	28	48.32	54	-5.68	AVG
		15625	29.33	25.47	54.8	74	-19.2	PK
		15625	20.5	25.47	45.97	54	-8.03	AVG
	*	17164	34.41	5.3	39.71	74	-34.29	PK
	*	19616	36.16	3.98	40.14	74	-33.86	PK
	*	22068	33.54	6.4	39.94	74	-34.06	PK
	*	24520	32.37	12.3	44.67	74	-29.33	PK







Mode	802.11b - Emission	Channel	10
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4914	43.57	4.62	48.19	74	-25.81	PK
		14500	29.22	28	57.22	74	-16.78	PK
		14500	20.95	28	48.95	54	-5.05	AVG
		15385	29.48	26.22	55.7	74	-18.3	PK
		15385	20.65	26.22	46.87	54	-7.13	AVG
	*	17199	34.84	5.23	40.07	74	-33.93	PK
	*	19656	35.07	3.98	39.05	74	-34.95	PK
	*	22113	33.06	6.5	39.56	74	-34.44	PK
Vertical	*	24570	32.56	12.34	44.9	74	-29.1	PK
	*	4914	41.59	4.62	46.21	74	-27.79	PK
		14500	28.5	28	56.5	74	-17.5	PK
		14500	20.23	28	48.23	54	-5.77	AVG
		15325	28.72	26.53	55.25	74	-18.75	PK
		15325	19.89	26.53	46.42	54	-7.58	AVG
	*	17199	34.36	5.23	39.59	74	-34.41	PK
	*	19656	33.96	3.98	37.94	74	-36.06	PK
	*	22113	33.42	6.5	39.92	74	-34.08	PK
	*	24570	31.82	12.34	44.16	74	-29.84	PK




Mode	802.11b - Emission	Channel	11
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4924	42.17	4.62	46.79	74	-27.21	PK
		14485	27.99	27.98	55.97	74	-18.03	PK
		14485	19.72	27.98	47.7	54	-6.3	AVG
		15310	28.7	26.6	55.3	74	-18.7	PK
		15310	19.87	26.6	46.47	54	-7.53	AVG
	*	17234	34.54	5.16	39.7	74	-34.3	PK
	*	19696	34.79	3.98	38.77	74	-35.23	PK
	*	22158	32.21	6.6	38.81	74	-35.19	PK
Vertical	*	24620	31.52	12.38	43.9	74	-30.1	PK
	*	4924	42.97	4.62	47.59	74	-26.41	PK
		14500	27.93	28	55.93	74	-18.07	PK
		14500	19.66	28	47.66	54	-6.34	AVG
		15355	29.42	26.36	55.78	74	-18.22	PK
		15355	20.59	26.36	46.95	54	-7.05	AVG
	*	17234	34.57	5.16	39.73	74	-34.27	PK
	*	19696	34.71	3.98	38.69	74	-35.31	PK
	*	22158	32.84	6.6	39.44	74	-34.56	PK
	*	24620	32.18	12.38	44.56	74	-29.44	PK







Mode	802.11g	Channel	1
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2389.99	50.43	17.83	68.26	74	-5.74	PK
		2389.99	35.66	17.83	53.49	54	-0.51	AVG
	@	2412	95.26	17.75	113.01	N/A	N/A	PK
	@	2412	87.57	17.75	105.32	N/A	N/A	AVG
Vertical		2388.66	42.94	17.84	60.78	74	-13.22	PK
		2389.8	30.45	17.83	48.28	54	-5.72	AVG
	@	2412	89.36	17.75	107.11	N/A	N/A	PK
	@	2412	81	17.75	98.75	N/A	N/A	AVG



Mode	802.11g	Channel	6
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2374.98	42.01	17.86	59.87	74	-14.13	PK
		2389.61	30.97	17.83	48.8	54	-5.2	AVG
	@	2437	95.08	17.65	112.73	N/A	N/A	PK
	@	2437	86.81	17.65	104.46	N/A	N/A	AVG
		2484.61	29.74	17.65	47.39	54	-6.61	AVG
		2485.56	40.92	17.65	58.57	74	-15.43	PK
Vertical		2367.57	40.52	17.88	58.4	74	-15.6	PK
		2384.1	28.76	17.84	46.6	54	-7.4	AVG
	@	2437	91.7	17.65	109.35	N/A	N/A	PK
	@	2437	83.8	17.65	101.45	N/A	N/A	AVG
		2484.04	29.2	17.65	46.85	54	-7.15	AVG
		2495.63	39.94	17.67	57.61	74	-16.39	PK

TX, 802.11g (Ch 6)
Band Edge (Average), Horizontal

TX, 802.11g (Ch 6)
Band Edge (Average), Vertical

TX, 802.11g (Ch 6)
Band Edge (Peak), Horizontal

TX, 802.11g (Ch 6)
Band Edge (Peak), Vertical

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 7.0





Mode	802.11g	Channel	11
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	89.93	17.62	107.55	N/A	N/A	PK
	@	2462	82.39	17.62	100.01	N/A	N/A	AVG
		2483.66	45.32	17.65	62.97	74	-11.03	PK
		2483.66	34.13	17.65	51.78	54	-2.22	AVG
Vertical	@	2462	87.69	17.62	105.31	N/A	N/A	PK
	@	2462	80.11	17.62	97.73	N/A	N/A	AVG
		2483.66	41.15	17.65	58.8	74	-15.2	PK
		2483.66	32.2	17.65	49.85	54	-4.15	AVG







Mode	802.11g - Emission	Channel	1
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4824	39.2	4.2	43.4	74	-30.6	PK
		14485	28.89	27.98	56.87	74	-17.13	PK
		14485	20.62	27.98	48.6	54	-5.4	AVG
		15370	29.12	26.29	55.41	74	-18.59	PK
		15370	20.29	26.29	46.58	54	-7.42	AVG
	*	16884	30.54	5.54	36.08	74	-37.92	PK
	*	19296	34.66	3.66	38.32	74	-35.68	PK
	*	21708	32.55	6.18	38.73	74	-35.27	PK
Vertical	*	24120	32.56	11.03	43.59	74	-30.41	PK
	*	4824	38.87	4.2	43.07	74	-30.93	PK
		14500	28.4	28	56.4	74	-17.6	PK
		14500	20.13	28	48.13	54	-5.87	AVG
		15580	29.72	25.57	55.29	74	-18.71	PK
		15580	20.89	25.57	46.46	54	-7.54	AVG
	*	16884	30.16	5.54	35.7	74	-38.3	PK
	*	19296	34.9	3.66	38.56	74	-35.44	PK
	*	21708	33.06	6.18	39.24	74	-34.76	PK
	*	24120	32.76	11.03	43.79	74	-30.21	PK







Mode	802.11g - Emission	Channel	6
------	--------------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4874	42.05	4.4	46.45	74	-27.55	PK
		14485	28.43	27.98	56.41	74	-17.59	PK
		14485	20.16	27.98	48.14	54	-5.86	AVG
		15520	29.93	25.84	55.77	74	-18.23	PK
		15520	21.1	25.84	46.94	54	-7.06	AVG
	*	17059	33.92	5.36	39.28	74	-34.72	PK
	*	19496	34.94	3.99	38.93	74	-35.07	PK
	*	21933	33.02	6.24	39.26	74	-34.74	PK
Vertical	*	24370	31.39	11.82	43.21	74	-30.79	PK
	*	4874	41.79	4.4	46.19	74	-27.81	PK
		14500	28.29	28	56.29	74	-17.71	PK
		14500	20.02	28	48.02	54	-5.98	AVG
		15310	28.26	26.6	54.86	74	-19.14	PK
		15310	19.43	26.6	46.03	54	-7.97	AVG
	*	17059	34.22	5.36	39.58	74	-34.42	PK
	*	19496	33.72	3.99	37.71	74	-36.29	PK
	*	21933	32.8	6.24	39.04	74	-34.96	PK
	*	24370	32.7	11.82	44.52	74	-29.48	PK



Mode	802.11g - Emission	Channel	11
------	--------------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	4924	35.59	4.62	40.21	74	-33.79	PK
		14485	28.85	27.98	56.83	74	-17.17	PK
		14485	20.58	27.98	48.56	54	-5.44	AVG
		15370	29.16	26.29	55.45	74	-18.55	PK
		15370	20.33	26.29	46.62	54	-7.38	AVG
	*	17234	35.57	5.16	40.73	74	-33.27	PK
	*	19696	34.21	3.98	38.19	74	-35.81	PK
	*	22158	33.1	6.6	39.7	74	-34.3	PK
Vertical	*	24620	31.05	12.38	43.43	74	-30.57	PK
	*	4924	35.34	4.62	39.96	74	-34.04	PK
		14500	28.41	28	56.41	74	-17.59	PK
		14500	20.14	28	48.14	54	-5.86	AVG
		15730	29.41	25.37	54.78	74	-19.22	PK
		15730	20.58	25.37	45.95	54	-8.05	AVG
	*	17234	34.58	5.16	39.74	74	-34.26	PK
	*	19696	33.83	3.98	37.81	74	-36.19	PK
	*	22158	32.8	6.6	39.4	74	-34.6	PK
	*	24620	31.76	12.38	44.14	74	-29.86	PK




Mode	802.11ac(VHT20)	Channel	1
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2387.71	52.03	17.84	69.87	74	-4.13	PK
		2389.8	35.44	17.83	53.27	54	-0.73	AVG
	@	2412	91.87	17.75	109.62	N/A	N/A	PK
	@	2412	83.68	17.75	101.43	N/A	N/A	AVG
Vertical		2389.42	46.88	17.83	64.71	74	-9.29	PK
		2389.99	30.75	17.83	48.58	54	-5.42	AVG
	@	2412	85.72	17.75	103.47	N/A	N/A	PK
	@	2412	77.72	17.75	95.47	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 1)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 1)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 1)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 1)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	6
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2388.85	48.81	17.83	66.64	74	-7.36	PK
		2389.99	33.67	17.83	51.5	54	-2.5	AVG
	@	2437	94.95	17.65	112.6	N/A	N/A	PK
	@	2437	86.21	17.65	103.86	N/A	N/A	AVG
		2484.04	32.01	17.65	49.66	54	-4.34	AVG
Vertical		2485.94	44.14	17.65	61.79	74	-12.21	PK
		2387.33	40.51	17.84	58.35	74	-15.65	PK
		2389.23	30.04	17.83	47.87	54	-6.13	AVG
	@	2437	91.05	17.65	108.7	N/A	N/A	PK
	@	2437	82.73	17.65	100.38	N/A	N/A	AVG
		2484.42	30.99	17.65	48.64	54	-5.36	AVG
		2490.88	43.43	17.66	61.09	74	-12.91	PK


TX, 802.11ac(VHT20) (Ch 6)
Band Edge (Average), Horizontal



TX, 802.11ac(VHT20) (Ch 6)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 6)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT20) (Ch 6)
Band Edge (Peak), Vertical

