






Mode	802.11a	Channel	60
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	81.93	17.97	99.9	N/A	N/A	PK
	@	5300	73.36	17.97	91.33	N/A	N/A	AVG
		5420.4	40.59	18.36	58.95	74	-15.05	PK
		5459.7	28.46	18.7	47.16	54	-6.84	AVG
Vertical	@	5300	93.71	17.97	111.68	N/A	N/A	PK
	@	5300	85.4	17.97	103.37	N/A	N/A	AVG
		5423.4	40.65	18.4	59.05	74	-14.95	PK
		5451	28.57	18.64	47.21	54	-6.79	AVG




Mode	802.11a	Channel	64
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	81.6	17.91	99.51	N/A	N/A	PK
	@	5320	73.75	17.91	91.66	N/A	N/A	AVG
		5448.9	40.09	18.62	58.71	74	-15.29	PK
		5459.7	28.43	18.7	47.13	54	-6.87	AVG
Vertical	@	5320	94.23	17.91	112.14	N/A	N/A	PK
	@	5320	85.18	17.91	103.09	N/A	N/A	AVG
		5350.5	29.6	17.82	47.42	54	-6.58	AVG
		5438.7	39.61	18.53	58.14	74	-15.86	PK

TX, 802.11a (Ch 64)
Band Edge (Average), Horizontal

TX, 802.11a (Ch 64)
Band Edge (Average), Vertical

TX, 802.11a (Ch 64)
Band Edge (Peak), Horizontal

TX, 802.11a (Ch 64)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	100
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5447.6	40.13	18.61	58.74	74	-15.26	PK
		5457.05	28.51	18.68	47.19	54	-6.81	AVG
		5464.75	39.81	18.73	58.54	68.2	-9.66	PK
	@	5500	83.27	18.98	102.25	N/A	N/A	PK
	@	5500	75.81	18.98	94.79	N/A	N/A	AVG
Vertical		5457.75	40.74	18.69	59.43	74	-14.57	PK
		5458.1	30.01	18.69	48.7	54	-5.3	AVG
		5466.85	48.94	18.74	67.68	68.2	-0.52	PK
	@	5500	95.95	18.98	114.93	N/A	N/A	PK
	@	5500	86.43	18.98	105.41	N/A	N/A	AVG




Mode	802.11a	Channel	116
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5419.95	40.48	18.36	58.84	74	-15.16	PK
		5458.45	28.51	18.68	47.19	54	-6.81	AVG
		5466.15	39.67	18.74	58.41	68.2	-9.79	PK
	@	5580	82.55	18.74	101.29	N/A	N/A	PK
	@	5580	75.13	18.74	93.87	N/A	N/A	AVG
		5741.25	40.14	18.96	59.1	68.2	-9.1	PK
Vertical		5457.75	28.52	18.69	47.21	54	-6.79	AVG
		5458.8	39.78	18.68	58.46	74	-15.54	PK
		5467.55	40.09	18.76	58.85	68.2	-9.35	PK
	@	5580	94.62	18.74	113.36	N/A	N/A	PK
	@	5580	85.92	18.74	104.66	N/A	N/A	AVG
		5730.4	40.42	18.88	59.3	68.2	-8.9	PK




Mode	802.11a	Channel	140
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5448.3	28.59	18.62	47.21	54	-6.79	AVG
		5454.6	40.24	18.67	58.91	74	-15.09	PK
		5464.75	40.33	18.73	59.06	68.2	-9.14	PK
	@	5700	84.3	18.67	102.97	N/A	N/A	PK
	@	5700	75.23	18.67	93.9	N/A	N/A	AVG
		5738.1	40.33	18.94	59.27	68.2	-8.93	PK
Vertical		5444.8	39.73	18.58	58.31	74	-15.69	PK
		5452.85	28.69	18.66	47.35	54	-6.65	AVG
		5462.65	39.59	18.72	58.31	68.2	-9.89	PK
	@	5700	93.86	18.67	112.53	N/A	N/A	PK
	@	5700	84.86	18.67	103.53	N/A	N/A	AVG
		5725.5	47.3	18.85	66.15	68.2	-2.05	PK




Mode	802.11a	Channel	149
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5571.5	40.44	18.76	59.2	68.2	-9	PK
		5671	40.32	18.65	58.97	83.78	-24.81	PK
	@	5745	86.91	18.99	105.9	N/A	N/A	PK
Vertical		5575.5	41.06	18.75	59.81	68.2	-8.39	PK
		5676.5	40.65	18.65	59.3	87.85	-28.55	PK
	@	5745	96.57	18.99	115.56	N/A	N/A	PK




Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5577.5	40.96	18.74	59.7	68.2	-8.5	PK
		5669	40.19	18.65	58.84	82.3	-23.46	PK
		5785	86.54	19.19	105.73	N/A	N/A	PK
		5877	40.41	19.75	60.16	103.71	-43.55	PK
		5934	40.3	19.75	60.05	68.2	-8.15	PK
Vertical	@	5620	41.07	18.66	59.73	68.2	-8.47	PK
		5688	41.07	18.66	59.73	96.35	-36.62	PK
		5785	95.25	19.19	114.44	N/A	N/A	PK
		5887	40.59	19.8	60.39	96.29	-35.9	PK
		5995.5	42.11	19.83	61.94	68.2	-6.26	PK



Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	87.64	19.44	107.08	N/A	N/A	PK
		5875.5	41.21	19.74	60.95	104.83	-43.88	PK
		5930.5	41.42	19.77	61.19	68.2	-7.01	PK
Vertical	@	5825	95.03	19.44	114.47	N/A	N/A	PK
		5877	44.33	19.75	64.08	103.71	-39.63	PK
		6017	40.56	19.88	60.44	68.2	-7.76	PK




Mode	802.11a - Emission	Channel	36
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10360	32.02	19.97	51.99	68.2	-16.21	PK
		14470	29.98	27.97	57.95	68.2	-10.25	PK
		14470	21.71	27.97	49.68	54	-4.32	AVG
		15520	30.11	25.84	55.95	74	-18.05	PK
		15520	21.28	25.84	47.12	54	-6.88	AVG
	*	20720	33.69	4.98	38.67	74	-35.33	PK
	*	25900	34.11	10.72	44.83	68.2	-23.37	PK
	*	31080	33.1	13.27	46.37	68.2	-21.83	PK
	*	36260	35.88	13.44	49.32	68.2	-18.88	PK
		39688	37.83	17.56	55.39	74	-18.61	PK
		39688	27.99	17.56	45.55	54	-8.45	AVG
		39688	27.99	17.56	45.55	54	-8.45	AVG
Vertical	*	10360	31.88	19.97	51.85	68.2	-16.35	PK
		14470	28.33	27.97	56.3	68.2	-11.9	PK
		14470	20.06	27.97	48.03	54	-5.97	AVG
		15310	28.88	26.6	55.48	68.2	-12.72	PK
		15310	20.05	26.6	46.65	54	-7.35	AVG
	*	20720	33.02	4.98	38	74	-36	PK
	*	25900	33.9	10.72	44.62	68.2	-23.58	PK
	*	31080	32.63	13.27	45.9	68.2	-22.3	PK
	*	36260	36.25	13.44	49.69	68.2	-18.51	PK
		39880	37.44	17.9	55.34	74	-18.66	PK
		39880	27.6	17.9	45.5	54	-8.5	AVG
		39880	27.6	17.9	45.5	54	-8.5	AVG


TX, 802.11a - Emission (Ch 36)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 36)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 36)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 36)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Mode	802.11a - Emission	Channel	44
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10440	31.03	20.28	51.31	68.2	-16.89	PK
		14485	28.63	27.98	56.61	74	-17.39	PK
		14485	20.36	27.98	48.34	54	-5.66	AVG
		15715	29.44	25.39	54.83	74	-19.17	PK
		15715	20.61	25.39	46	54	-8	AVG
	*	20880	33.09	5.19	38.28	74	-35.72	PK
	*	26100	34.65	10.69	45.34	68.2	-22.86	PK
	*	31320	33.27	14.24	47.51	74	-26.49	PK
	*	36540	37.17	12.59	49.76	68.2	-18.44	PK
		39040	38.33	16.78	55.11	74	-18.89	PK
Vertical		39040	28.49	16.78	45.27	54	-8.73	AVG
	*	10440	31.55	20.28	51.83	68.2	-16.37	PK
		14500	29.24	28	57.24	68.2	-10.96	PK
		14500	20.97	28	48.97	54	-5.03	AVG
		15430	29.26	26.08	55.34	74	-18.66	PK
		15430	20.43	26.08	46.51	54	-7.49	AVG
	*	20880	33.85	5.19	39.04	74	-34.96	PK
	*	26100	33.84	10.69	44.53	68.2	-23.67	PK
	*	31320	32.43	14.24	46.67	74	-27.33	PK
	*	36540	37.28	12.59	49.87	68.2	-18.33	PK
Vertical		39640	37.53	17.49	55.02	74	-18.98	PK
		39640	27.69	17.49	45.18	54	-8.82	AVG


TX, 802.11a - Emission (Ch 44)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 44)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 44)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 44)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Mode	802.11a - Emission	Channel	48
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10480	30.98	20.38	51.36	68.2	-16.84	PK
		14500	28.9	28	56.9	68.2	-11.3	PK
		14500	20.63	28	48.63	54	-5.37	AVG
		15805	29.68	25.26	54.94	74	-19.06	PK
		15805	20.85	25.26	46.11	54	-7.89	AVG
	*	20960	33.28	5.28	38.56	74	-35.44	PK
	*	26200	34.24	10.75	44.99	68.2	-23.21	PK
	*	31440	33.05	13.67	46.72	74	-27.28	PK
	*	36680	36.68	12.83	49.51	68.2	-18.69	PK
		39808	38.43	17.77	56.2	74	-17.8	PK
Vertical		39808	28.59	17.77	46.36	54	-7.64	AVG
	*	2650	56.45	-1.65	54.8	68.2	-13.4	PK
	*	10480	30.91	20.38	51.29	68.2	-16.91	PK
		14500	28.66	28	56.66	68.2	-11.54	PK
		14500	20.39	28	48.39	54	-5.61	AVG
		15490	29.33	25.95	55.28	74	-18.72	PK
		15490	20.5	25.95	46.45	54	-7.55	AVG
	*	20960	33.06	5.28	38.34	74	-35.66	PK
	*	26200	35.04	10.75	45.79	68.2	-22.41	PK
	*	31440	33.04	13.67	46.71	74	-27.29	PK
	*	36680	37.36	12.83	50.19	68.2	-18.01	PK
		39856	37.3	17.85	55.15	74	-18.85	PK
		39856	27.46	17.85	45.31	54	-8.69	AVG



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Mode	802.11a - Emission	Channel	52
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10520	30.96	20.42	51.38	68.2	-16.82	PK
		14470	29.28	27.97	57.25	68.2	-10.95	PK
		14470	21.01	27.97	48.98	54	-5.02	AVG
		15430	29.47	26.08	55.55	74	-18.45	PK
		15430	20.64	26.08	46.72	54	-7.28	AVG
	*	21040	33.2	5.42	38.62	74	-35.38	PK
		26300	34.7	10.86	45.56	68.2	-22.64	PK
		31560	32.73	13.28	46.01	74	-27.99	PK
		36820	36.79	13.12	49.91	68.2	-18.29	PK
		39592	37.74	17.42	55.16	74	-18.84	PK
Vertical	*	39592	27.9	17.42	45.32	54	-8.68	AVG
		10520	31.11	20.42	51.53	68.2	-16.67	PK
		14470	28.54	27.97	56.51	68.2	-11.69	PK
		14470	20.27	27.97	48.24	54	-5.76	AVG
		15460	29.28	26.02	55.3	74	-18.7	PK
	*	15460	20.45	26.02	46.47	54	-7.53	AVG
		21040	33.89	5.42	39.31	74	-34.69	PK
		26300	34.01	10.86	44.87	68.2	-23.33	PK
		31560	32.89	13.28	46.17	74	-27.83	PK
		36820	37.12	13.12	50.24	68.2	-17.96	PK
		39952	37.35	18.04	55.39	74	-18.61	PK
		39952	27.51	18.04	45.55	54	-8.45	AVG


TX, 802.11a - Emission (Ch 52)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 52)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 52)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 52)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Mode	802.11a - Emission	Channel	60
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10600	31.57	20.32	51.89	74	-22.11	PK
		14485	29.52	27.98	57.5	74	-16.5	PK
		14485	21.25	27.98	49.23	54	-4.77	AVG
		15430	29.68	26.08	55.76	74	-18.24	PK
		15430	20.85	26.08	46.93	54	-7.07	AVG
	*	21200	33.14	5.69	38.83	74	-35.17	PK
		26500	33.49	11.14	44.63	68.2	-23.57	PK
		31800	33.02	12.89	45.91	68.2	-22.29	PK
		37100	36.97	13.59	50.56	68.2	-17.64	PK
		39016	39.75	16.72	56.47	74	-17.53	PK
Vertical	*	39016	29.91	16.72	46.63	54	-7.37	AVG
		10600	30.84	20.32	51.16	74	-22.84	PK
		14500	28.49	28	56.49	68.2	-11.71	PK
		14500	20.22	28	48.22	54	-5.78	AVG
		15340	28.79	26.45	55.24	68.2	-12.96	PK
	*	15340	19.96	26.45	46.41	54	-7.59	AVG
		21200	33.64	5.69	39.33	74	-34.67	PK
		26500	33.92	11.14	45.06	68.2	-23.14	PK
		31800	32.83	12.89	45.72	68.2	-22.48	PK
		37100	36.99	13.59	50.58	68.2	-17.62	PK
		38992	38.66	16.66	55.32	74	-18.68	PK
		38992	28.82	16.66	45.48	54	-8.52	AVG


TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Mode	802.11a - Emission	Channel	64
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10640	32.32	20.24	52.56	74	-21.44	PK
		14470	28.85	27.97	56.82	68.2	-11.38	PK
		14470	20.58	27.97	48.55	54	-5.45	AVG
		15430	30.26	26.08	56.34	74	-17.66	PK
		15430	21.43	26.08	47.51	54	-6.49	AVG
	*	21280	33.33	5.83	39.16	74	-34.84	PK
	*	26600	34.57	11.15	45.72	68.2	-22.48	PK
	*	31920	32.94	12.66	45.6	68.2	-22.6	PK
	*	37240	36.49	13.62	50.11	68.2	-18.09	PK
		39592	37.99	17.42	55.41	74	-18.59	PK
Vertical		39592	28.15	17.42	45.57	54	-8.43	AVG
	*	10640	30.8	20.24	51.04	74	-22.96	PK
		14485	29.51	27.98	57.49	74	-16.51	PK
		14485	21.24	27.98	49.22	54	-4.78	AVG
		15520	29.23	25.84	55.07	74	-18.93	PK
		15520	20.4	25.84	46.24	54	-7.76	AVG
	*	21280	33.26	5.83	39.09	74	-34.91	PK
	*	26600	33.62	11.15	44.77	68.2	-23.43	PK
	*	31920	34.08	12.66	46.74	68.2	-21.46	PK
	*	37240	36.98	13.62	50.6	68.2	-17.6	PK
		39976	37.43	18.09	55.52	74	-18.48	PK
		39976	27.59	18.09	45.68	54	-8.32	AVG


TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Vertical



Mode	802.11a - Emission	Channel	100
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11000	31.56	20.45	52.01	74	-21.99	PK
		14470	28.35	27.97	56.32	68.2	-11.88	PK
		14470	20.08	27.97	48.05	54	-5.95	AVG
		15355	29.34	26.36	55.7	74	-18.3	PK
		15355	20.51	26.36	46.87	54	-7.13	AVG
	*	16500	33.02	5.32	38.34	68.2	-29.86	PK
	*	22000	33.68	6.26	39.94	68.2	-28.26	PK
	*	27500	33.55	10.61	44.16	68.2	-24.04	PK
	*	33000	34.53	12.63	47.16	68.2	-21.04	PK
	*	38500	37.96	15.29	53.25	68.2	-14.95	PK
		39016	38.58	16.72	55.3	74	-18.7	PK
		39016	28.74	16.72	45.46	54	-8.54	AVG
Vertical	*	11000	32.61	20.45	53.06	74	-20.94	PK
		14485	29.13	27.98	57.11	74	-16.89	PK
		14485	20.86	27.98	48.84	54	-5.16	AVG
		15355	29.08	26.36	55.44	74	-18.56	PK
		15355	20.25	26.36	46.61	54	-7.39	AVG
	*	16500	32.69	5.32	38.01	68.2	-30.19	PK
	*	22000	33.64	6.26	39.9	68.2	-28.3	PK
	*	27500	32.72	10.61	43.33	68.2	-24.87	PK
	*	33000	34.41	12.63	47.04	68.2	-21.16	PK
	*	38500	38.28	15.29	53.57	68.2	-14.63	PK
		39328	38.34	17.3	55.64	74	-18.36	PK
		39328	28.5	17.3	45.8	54	-8.2	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 100)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 100)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 100)

Radiated Spurious Emission, Horizontal







TX, 802.11a - Emission (Ch 100)

Radiated Spurious Emission, Vertical







Mode	802.11a - Emission	Channel	116
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11160	30.71	20.54	51.25	74	-22.75	PK
		14500	28.45	28	56.45	68.2	-11.75	PK
		14500	20.18	28	48.18	54	-5.82	AVG
		15475	29.64	25.98	55.62	74	-18.38	PK
		15475	20.81	25.98	46.79	54	-7.21	AVG
	*	16740	32.98	5.27	38.25	68.2	-29.95	PK
	*	22320	33.16	6.93	40.09	74	-33.91	PK
	*	27900	32.97	10.83	43.8	68.2	-24.4	PK
	*	33480	34.08	12.47	46.55	68.2	-21.65	PK
		39352	38.04	17.3	55.34	74	-18.66	PK
Vertical		39352	28.2	17.3	45.5	54	-8.5	AVG
	*	11160	32.89	20.54	53.43	74	-20.57	PK
		14500	28.53	28	56.53	68.2	-11.67	PK
		14500	20.26	28	48.26	54	-5.74	AVG
		15430	29.82	26.08	55.9	74	-18.1	PK
		15430	20.99	26.08	47.07	54	-6.93	AVG
	*	16740	32.52	5.27	37.79	68.2	-30.41	PK
	*	22320	32.78	6.93	39.71	74	-34.29	PK
	*	27900	32.79	10.83	43.62	68.2	-24.58	PK
	*	33480	34.66	12.47	47.13	68.2	-21.07	PK
		39616	37.46	17.46	54.92	74	-19.08	PK
		39616	27.62	17.46	45.08	54	-8.92	AVG







Mode	802.11a - Emission	Channel	140
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11400	30.78	20.96	51.74	74	-22.26	PK
		14485	28.7	27.98	56.68	74	-17.32	PK
		14485	20.43	27.98	48.41	54	-5.59	AVG
		15340	29.53	26.45	55.98	68.2	-12.22	PK
		15340	20.7	26.45	47.15	54	-6.85	AVG
	*	17100	33.83	5.43	39.26	68.2	-28.94	PK
		22800	32.99	8	40.99	74	-33.01	PK
		28500	33.18	11.24	44.42	68.2	-23.78	PK
		34200	34.46	12.33	46.79	68.2	-21.41	PK
		39808	37.85	17.77	55.62	74	-18.38	PK
Vertical	*	39808	28.01	17.77	45.78	54	-8.22	AVG
		11400	32.43	20.96	53.39	74	-20.61	PK
		14470	29.52	27.97	57.49	68.2	-10.71	PK
		14470	21.25	27.97	49.22	54	-4.78	AVG
		15415	29.97	26.1	56.07	74	-17.93	PK
	*	15415	21.14	26.1	47.24	54	-6.76	AVG
		17100	34.05	5.43	39.48	68.2	-28.72	PK
		22800	32.92	8	40.92	74	-33.08	PK
		28500	33.38	11.24	44.62	68.2	-23.58	PK
		34200	34.16	12.33	46.49	68.2	-21.71	PK
		39760	37.81	17.67	55.48	74	-18.52	PK
		39760	27.97	17.67	45.64	54	-8.36	AVG







Mode	802.11a - Emission	Channel	144
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	31.25	21.19	52.44	74	-21.56	PK
		14470	29.7	27.97	57.67	68.2	-10.53	PK
		14470	21.43	27.97	49.4	54	-4.6	AVG
		15400	28.75	26.14	54.89	74	-19.11	PK
		15400	19.92	26.14	46.06	54	-7.94	AVG
	*	17160	34.28	5.31	39.59	68.2	-28.61	PK
	*	22880	33.02	8.2	41.22	74	-32.78	PK
	*	28600	32.65	11.31	43.96	68.2	-24.24	PK
	*	34320	34.04	12.19	46.23	68.2	-21.97	PK
		39592	38.56	17.42	55.98	74	-18.02	PK
		39592	28.72	17.42	46.14	54	-7.86	AVG
Vertical	*	11440	30.72	21.19	51.91	74	-22.09	PK
		14500	28.68	28	56.68	68.2	-11.52	PK
		14500	20.41	28	48.41	54	-5.59	AVG
		15385	29.07	26.22	55.29	74	-18.71	PK
		15385	20.24	26.22	46.46	54	-7.54	AVG
	*	17160	34.87	5.31	40.18	68.2	-28.02	PK
	*	22880	32.52	8.2	40.72	74	-33.28	PK
	*	28600	33.13	11.31	44.44	68.2	-23.76	PK
	*	34320	34.33	12.19	46.52	68.2	-21.68	PK
		39928	37.45	18	55.45	74	-18.55	PK
		39928	27.61	18	45.61	54	-8.39	AVG



Mode	802.11a - Emission	Channel	149
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11490	31.52	21.49	53.01	74	-20.99	PK
		14470	28.36	27.97	56.33	68.2	-11.87	PK
		14470	20.09	27.97	48.06	54	-5.94	AVG
		15355	29.62	26.36	55.98	74	-18.02	PK
		15355	20.79	26.36	47.15	54	-6.85	AVG
	*	17235	35.47	5.15	40.62	68.2	-27.58	PK
		22980	32.56	8.46	41.02	74	-32.98	PK
		28725	33.53	11.41	44.94	68.2	-23.26	PK
		34470	36.01	12.02	48.03	68.2	-20.17	PK
		39400	38.65	17.29	55.94	74	-18.06	PK
Vertical	*	39400	28.81	17.29	46.1	54	-7.9	AVG
		11490	31.97	21.49	53.46	74	-20.54	PK
		14485	28.78	27.98	56.76	74	-17.24	PK
		14485	20.51	27.98	48.49	54	-5.51	AVG
		15385	29.22	26.22	55.44	74	-18.56	PK
	*	15385	20.39	26.22	46.61	54	-7.39	AVG
		17235	34.45	5.15	39.6	68.2	-28.6	PK
		22980	32.72	8.46	41.18	74	-32.82	PK
		28725	32.05	11.41	43.46	68.2	-24.74	PK
		34470	35.54	12.02	47.56	68.2	-20.64	PK
		39712	39.3	17.59	56.89	74	-17.11	PK
		39712	29.46	17.59	47.05	54	-6.95	AVG



Mode	802.11a - Emission	Channel	157
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11570	32.41	21.26	53.67	74	-20.33	PK
		14500	29.47	28	57.47	68.2	-10.73	PK
		14500	21.2	28	49.2	54	-4.8	AVG
		15445	29.34	26.05	55.39	74	-18.61	PK
		15445	20.51	26.05	46.56	54	-7.44	AVG
	*	17355	34.64	4.91	39.55	68.2	-28.65	PK
	*	23140	32.77	8.82	41.59	68.2	-26.61	PK
	*	28925	32.94	11.63	44.57	68.2	-23.63	PK
	*	34710	35.84	12.17	48.01	68.2	-20.19	PK
		39616	37.61	17.46	55.07	74	-18.93	PK
		39616	27.77	17.46	45.23	54	-8.77	AVG
Vertical		11570	33.46	21.26	54.72	74	-19.28	PK
		11570	28.12	21.26	49.38	54	-4.62	AVG
		14485	28.68	27.98	56.66	74	-17.34	PK
		14485	20.41	27.98	48.39	54	-5.61	AVG
		15340	29.18	26.45	55.63	68.2	-12.57	PK
		15340	20.35	26.45	46.8	54	-7.2	AVG
	*	17355	34.36	4.91	39.27	68.2	-28.93	PK
	*	23140	33.27	8.82	42.09	68.2	-26.11	PK
	*	28925	33.4	11.63	45.03	68.2	-23.17	PK
	*	34710	35.54	12.17	47.71	68.2	-20.49	PK
		39616	37.52	17.46	54.98	74	-19.02	PK
		39616	27.68	17.46	45.14	54	-8.86	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Vertical



TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Vertical

