





Mode	802.11a - Emission	Channel	165
------	--------------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11650	31.63	20.98	52.61	74	-21.39	PK
		14470	28.95	27.97	56.92	68.2	-11.28	PK
		14470	20.68	27.97	48.65	54	-5.35	AVG
		15310	28.48	26.6	55.08	68.2	-13.12	PK
		15310	19.65	26.6	46.25	54	-7.75	AVG
	*	17475	34.47	4.66	39.13	68.2	-29.07	PK
	*	23300	33.25	9.16	42.41	68.2	-25.79	PK
	*	29125	33.79	11.97	45.76	68.2	-22.44	PK
	*	34950	35.28	12.05	47.33	68.2	-20.87	PK
		39688	37.67	17.56	55.23	74	-18.77	PK
		39688	27.83	17.56	45.39	54	-8.61	AVG
Vertical	*	11650	32.54	20.98	53.52	74	-20.48	PK
		14470	29.15	27.97	57.12	68.2	-11.08	PK
		14470	20.88	27.97	48.85	54	-5.15	AVG
		15730	30.33	25.37	55.7	74	-18.3	PK
		15730	21.5	25.37	46.87	54	-7.13	AVG
	*	17475	34.43	4.66	39.09	68.2	-29.11	PK
	*	23300	33.1	9.16	42.26	68.2	-25.94	PK
	*	29125	32.95	11.97	44.92	68.2	-23.28	PK
	*	34950	35.2	12.05	47.25	68.2	-20.95	PK
		39640	38.09	17.49	55.58	74	-18.42	PK
		39640	28.25	17.49	45.74	54	-8.26	AVG




Mode	802.11ac(VHT20)	Channel	36
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5072.8	43.16	18.41	61.57	74	-12.43	PK
		5100.8	30.85	18.66	49.51	54	-4.49	AVG
	@	5180	82.92	18.31	101.23	N/A	N/A	PK
	@	5180	73.75	18.31	92.06	N/A	N/A	AVG
Vertical		5087.15	43.36	18.55	61.91	74	-12.09	PK
		5142.45	30.93	18.54	49.47	54	-4.53	AVG
	@	5180	91.81	18.31	110.12	N/A	N/A	PK
	@	5180	82.53	18.31	100.84	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	44
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5058.45	43.1	18.29	61.39	74	-12.61	PK
		5087.85	30.88	18.55	49.43	54	-4.57	AVG
	@	5220	82.48	18.15	100.63	N/A	N/A	PK
	@	5220	74.25	18.15	92.4	N/A	N/A	AVG
Vertical		5037.8	42.95	18.05	61	74	-13	PK
		5094.85	30.89	18.62	49.51	54	-4.49	AVG
	@	5220	90.89	18.15	109.04	N/A	N/A	PK
	@	5220	82.88	18.15	101.03	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	48
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5038.5	44.02	18.06	62.08	74	-11.92	PK
		5101.85	30.77	18.65	49.42	54	-4.58	AVG
	@	5240	81.29	18.13	99.42	N/A	N/A	PK
	@	5240	74.79	18.13	92.92	N/A	N/A	AVG
Vertical		5075.6	43.13	18.43	61.56	74	-12.44	PK
		5100.45	30.79	18.66	49.45	54	-4.55	AVG
	@	5240	91.41	18.13	109.54	N/A	N/A	PK
	@	5240	82.71	18.13	100.84	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	52
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	84.18	18.1	102.28	N/A	N/A	PK
	@	5260	74.96	18.1	93.06	N/A	N/A	AVG
		5457.3	28.4	18.68	47.08	54	-6.92	AVG
		5459.1	39.76	18.68	58.44	74	-15.56	PK
Vertical	@	5260	90.96	18.1	109.06	N/A	N/A	PK
	@	5260	82.64	18.1	100.74	N/A	N/A	AVG
		5432.7	40.39	18.47	58.86	74	-15.14	PK
		5453.7	28.52	18.66	47.18	54	-6.82	AVG


TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	60
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	82.56	17.97	100.53	N/A	N/A	PK
	@	5300	75.07	17.97	93.04	N/A	N/A	AVG
		5459.7	40	18.7	58.7	74	-15.3	PK
		5459.9	28.4	18.7	47.1	54	-6.9	AVG
Vertical	@	5300	91.87	17.97	109.84	N/A	N/A	PK
	@	5300	83.21	17.97	101.18	N/A	N/A	AVG
		5437.8	40.19	18.52	58.71	74	-15.29	PK
		5454	28.53	18.66	47.19	54	-6.81	AVG




Mode	802.11ac(VHT20)	Channel	64
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	83.79	17.91	101.7	N/A	N/A	PK
	@	5320	75.61	17.91	93.52	N/A	N/A	AVG
		5458.5	39.96	18.68	58.64	74	-15.36	PK
		5458.8	28.65	18.68	47.33	54	-6.67	AVG
Vertical	@	5320	92.55	17.91	110.46	N/A	N/A	PK
	@	5320	83.43	17.91	101.34	N/A	N/A	AVG
		5351.4	29.73	17.84	47.57	54	-6.43	AVG
		5399.7	40.73	18.18	58.91	74	-15.09	PK



Mode	802.11ac(VHT20)	Channel	100
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5436.4	40.67	18.5	59.17	74	-14.83	PK
		5459.15	28.62	18.68	47.3	54	-6.7	AVG
		5468.25	44.74	18.76	63.5	68.2	-4.7	PK
	@	5500	84.02	18.98	103	N/A	N/A	PK
	@	5500	75.94	18.98	94.92	N/A	N/A	AVG
Vertical		5459.5	30.22	18.69	48.91	54	-5.09	AVG
		5459.85	43.41	18.7	62.11	74	-11.89	PK
		5468.95	48.43	18.76	67.19	68.2	-1.01	PK
	@	5500	95.03	18.98	114.01	N/A	N/A	PK
	@	5500	85.96	18.98	104.94	N/A	N/A	AVG




Mode	802.11ac(VHT20)	Channel	116
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5449.7	39.98	18.63	58.61	74	-15.39	PK
		5459.85	28.4	18.7	47.1	54	-6.9	AVG
		5465.8	39.24	18.73	57.97	68.2	-10.23	PK
	@	5580	83.47	18.74	102.21	N/A	N/A	PK
	@	5580	74.95	18.74	93.69	N/A	N/A	AVG
		5744.05	40.85	18.97	59.82	68.2	-8.38	PK
Vertical		5444.8	40.06	18.58	58.64	74	-15.36	PK
		5459.15	28.79	18.68	47.47	54	-6.53	AVG
		5470	39.72	18.77	58.49	68.2	-9.71	PK
	@	5580	94.44	18.74	113.18	N/A	N/A	PK
	@	5580	84.62	18.74	103.36	N/A	N/A	AVG
		5731.8	40.15	18.89	59.04	68.2	-9.16	PK


TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	140
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5446.9	40.4	18.61	59.01	74	-14.99	PK
		5457.4	28.47	18.68	47.15	54	-6.85	AVG
		5463.35	39.78	18.72	58.5	68.2	-9.7	PK
	@	5700	83.81	18.67	102.48	N/A	N/A	PK
	@	5700	76.55	18.67	95.22	N/A	N/A	AVG
		5744.05	41.55	18.97	60.52	68.2	-7.68	PK
Vertical		5406.3	39.91	18.23	58.14	74	-15.86	PK
		5458.1	28.72	18.69	47.41	54	-6.59	AVG
		5464.05	39.5	18.72	58.22	68.2	-9.98	PK
	@	5700	93.61	18.67	112.28	N/A	N/A	PK
	@	5700	85.51	18.67	104.18	N/A	N/A	AVG
		5725	48.28	18.85	67.13	68.2	-1.07	PK


TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT20)	Channel	149
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5535.5	42.32	18.87	61.19	68.2	-7.01	PK
		5655	40.32	18.63	58.95	71.91	-12.96	PK
	@	5745	86.54	18.99	105.53	N/A	N/A	PK
Vertical		5548	40.72	18.84	59.56	68.2	-8.64	PK
		5699	42.79	18.67	61.46	104.46	-43	PK
	@	5745	94.09	18.99	113.08	N/A	N/A	PK




Mode	802.11ac(VHT20)	Channel	157
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5547.5	40.84	18.84	59.68	68.2	-8.52	PK
		5695	41.1	18.67	59.77	101.51	-41.74	PK
		5785	87.41	19.19	106.6	N/A	N/A	PK
		5883.5	40.45	19.78	60.23	98.89	-38.66	PK
		5957.5	40.21	19.72	59.93	68.2	-8.27	PK
Vertical	@	5549.5	40.81	18.83	59.64	68.2	-8.56	PK
		5684.5	40.32	18.66	58.98	93.76	-34.78	PK
		5785	94.51	19.19	113.7	N/A	N/A	PK
		5918	40.9	19.81	60.71	73.36	-12.65	PK
		5931.5	40.61	19.76	60.37	68.2	-7.83	PK

TX, 802.11ac(VHT20) (Ch 157)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 157)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	165
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	85.21	19.44	104.65	N/A	N/A	PK
		5916.5	41.06	19.8	60.86	74.47	-13.61	PK
		5975.5	40.65	19.78	60.43	68.2	-7.77	PK
Vertical	@	5825	94.08	19.44	113.52	N/A	N/A	PK
		5906.5	40.73	19.83	60.56	81.85	-21.29	PK
		5927.5	41.52	19.78	61.3	68.2	-6.9	PK

TX, 802.11ac(VHT20) (Ch 165)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 165)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	38
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5074.2	42.81	18.42	61.23	74	-12.77	PK
		5084.35	30.97	18.51	49.48	54	-4.52	AVG
	@	5190	80.88	18.24	99.12	N/A	N/A	PK
	@	5190	71.9	18.24	90.14	N/A	N/A	AVG
Vertical		5143.85	45.32	18.53	63.85	74	-10.15	PK
		5149.1	32.13	18.52	50.65	54	-3.35	AVG
	@	5190	88.4	18.24	106.64	N/A	N/A	PK
	@	5190	80.53	18.24	98.77	N/A	N/A	AVG


TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 38)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	46
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5101.85	30.76	18.65	49.41	54	-4.59	AVG
		5133	42.53	18.57	61.1	74	-12.9	PK
	@	5230	81.32	18.15	99.47	N/A	N/A	PK
	@	5230	72.84	18.15	90.99	N/A	N/A	AVG
Vertical		5091	42.2	18.58	60.78	74	-13.22	PK
		5116.9	30.86	18.61	49.47	54	-4.53	AVG
	@	5230	90.03	18.15	108.18	N/A	N/A	PK
	@	5230	80.69	18.15	98.84	N/A	N/A	AVG


TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	54
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	81.58	18.06	99.64	N/A	N/A	PK
	@	5270	73.29	18.06	91.35	N/A	N/A	AVG
		5427.9	40	18.43	58.43	74	-15.57	PK
		5459.9	28.41	18.7	47.11	54	-6.89	AVG
Vertical	@	5270	89.65	18.06	107.71	N/A	N/A	PK
	@	5270	81.03	18.06	99.09	N/A	N/A	AVG
		5453.4	28.58	18.66	47.24	54	-6.76	AVG
		5455.2	40.05	18.67	58.72	74	-15.28	PK




Mode	802.11ac(VHT40)	Channel	62
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	82.2	17.95	100.15	N/A	N/A	PK
	@	5310	73.74	17.95	91.69	N/A	N/A	AVG
		5423.4	40.3	18.4	58.7	74	-15.3	PK
		5459.4	28.47	18.69	47.16	54	-6.84	AVG
Vertical	@	5310	90.17	17.95	108.12	N/A	N/A	PK
	@	5310	81.56	17.95	99.51	N/A	N/A	AVG
		5350.2	32	17.82	49.82	54	-4.18	AVG
		5352.3	43.64	17.84	61.48	74	-12.52	PK



Mode	802.11ac(VHT40)	Channel	102
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5457.05	29.15	18.68	47.83	54	-6.17	AVG
		5459.5	41.87	18.69	60.56	74	-13.44	PK
		5469.3	48.29	18.77	67.06	68.2	-1.14	PK
	@	5510	81.58	18.95	100.53	N/A	N/A	PK
	@	5510	71.45	18.95	90.4	N/A	N/A	AVG
Vertical		5457.75	32.89	18.69	51.58	54	-2.42	AVG
		5458.45	45.17	18.68	63.85	74	-10.15	PK
		5469.3	47.99	18.77	66.76	68.2	-1.44	PK
	@	5510	90.46	18.95	109.41	N/A	N/A	PK
	@	5510	81.68	18.95	100.63	N/A	N/A	AVG




Mode	802.11ac(VHT40)	Channel	110
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5452.5	39.81	18.65	58.46	74	-15.54	PK
		5454.6	28.63	18.67	47.3	54	-6.7	AVG
		5463	39.46	18.72	58.18	68.2	-10.02	PK
	@	5550	82.39	18.83	101.22	N/A	N/A	PK
	@	5550	73.72	18.83	92.55	N/A	N/A	AVG
Vertical		5433.25	40.49	18.48	58.97	74	-15.03	PK
		5457.4	29.63	18.68	48.31	54	-5.69	AVG
		5461.25	41.64	18.71	60.35	68.2	-7.85	PK
	@	5550	92.8	18.83	111.63	N/A	N/A	PK
	@	5550	83.96	18.83	102.79	N/A	N/A	AVG


TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	134
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5417.85	40.7	18.34	59.04	74	-14.96	PK
		5459.5	28.39	18.69	47.08	54	-6.92	AVG
		5465.45	39.79	18.73	58.52	68.2	-9.68	PK
	@	5670	83.73	18.65	102.38	N/A	N/A	PK
	@	5670	74.03	18.65	92.68	N/A	N/A	AVG
		5731.8	40.5	18.89	59.39	68.2	-8.81	PK
Vertical		5439.9	41.28	18.54	59.82	74	-14.18	PK
		5447.95	28.81	18.61	47.42	54	-6.58	AVG
		5464.05	40.03	18.72	58.75	68.2	-9.45	PK
	@	5670	91.7	18.65	110.35	N/A	N/A	PK
	@	5670	83.03	18.65	101.68	N/A	N/A	AVG
		5725	45.36	18.85	64.21	68.2	-3.99	PK


TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	151
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5583.5	40.79	18.73	59.52	68.2	-8.68	PK
		5700	45.18	18.67	63.85	105.2	-41.35	PK
	@	5755	83.95	19.05	103	N/A	N/A	PK
Vertical		5630.5	41.57	18.65	60.22	68.2	-7.98	PK
		5699.5	53.87	18.67	72.54	104.83	-32.29	PK
	@	5755	92.52	19.05	111.57	N/A	N/A	PK

TX, 802.11ac(VHT40) (Ch 151)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 151)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	159
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	84.72	19.24	103.96	N/A	N/A	PK
		5875	42.19	19.74	61.93	105.2	-43.27	PK
		6003.5	40.17	19.86	60.03	68.2	-8.17	PK
Vertical	@	5795	93.53	19.24	112.77	N/A	N/A	PK
		5875.5	45.15	19.74	64.89	104.83	-39.94	PK
		5961	41.2	19.74	60.94	68.2	-7.26	PK

TX, 802.11ac(VHT40) (Ch 159)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 159)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT80)	Channel	42
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5017.15	43.64	17.78	61.42	74	-12.58	PK
		5101.85	30.74	18.65	49.39	54	-4.61	AVG
	@	5210	73.76	18.16	91.92	N/A	N/A	PK
	@	5210	66.1	18.16	84.26	N/A	N/A	AVG
Vertical		5121.45	48.14	18.6	66.74	74	-7.26	PK
		5148.75	34.61	18.52	53.13	54	-0.87	AVG
	@	5210	86.04	18.16	104.2	N/A	N/A	PK
	@	5210	77.91	18.16	96.07	N/A	N/A	AVG


TX, 802.11ac(VHT80) (Ch 42)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT80) (Ch 42)
Band Edge (Average), Vertical



TX, 802.11ac(VHT80) (Ch 42)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT80) (Ch 42)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT80)	Channel	58
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	74.65	18.01	92.66	N/A	N/A	PK
	@	5290	66.68	18.01	84.69	N/A	N/A	AVG
		5407.2	39.77	18.24	58.01	74	-15.99	PK
		5453.7	28.42	18.66	47.08	54	-6.92	AVG
Vertical	@	5290	87.68	18.01	105.69	N/A	N/A	PK
	@	5290	77.7	18.01	95.71	N/A	N/A	AVG
		5351.4	33.33	17.84	51.17	54	-2.83	AVG
		5364.6	48.58	17.93	66.51	74	-7.49	PK


TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Average), Horizontal



TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Average), Vertical



TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT80) (Ch 58)
Band Edge (Peak), Vertical

