


Mode	802.11ac(VHT80)	Channel	106
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5449	39.88	18.62	58.5	74	-15.5	PK
		5457.75	29.12	18.69	47.81	54	-6.19	AVG
		5462.3	39.68	18.71	58.39	68.2	-9.81	PK
	@	5530	75.93	18.89	94.82	N/A	N/A	PK
	@	5530	66.79	18.89	85.68	N/A	N/A	AVG
Vertical		5435.7	50.94	18.5	69.44	74	-4.56	PK
		5458.45	34.94	18.68	53.62	54	-0.38	AVG
		5467.9	48.17	18.76	66.93	68.2	-1.27	PK
	@	5530	85.61	18.89	104.5	N/A	N/A	PK
	@	5530	77.05	18.89	95.94	N/A	N/A	AVG




Mode	802.11ac(VHT80)	Channel	122
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5442.7	40.11	18.56	58.67	74	-15.33	PK
		5452.85	28.58	18.66	47.24	54	-6.76	AVG
		5463.35	39.59	18.72	58.31	68.2	-9.89	PK
	@	5610	79.34	18.66	98	N/A	N/A	PK
	@	5610	71.23	18.66	89.89	N/A	N/A	AVG
		5726.55	44.27	18.86	63.13	68.2	-5.07	PK
Vertical		5442	45.84	18.56	64.4	74	-9.6	PK
		5457.4	32.07	18.68	50.75	54	-3.25	AVG
		5461.6	45.46	18.71	64.17	68.2	-4.03	PK
	@	5610	90.13	18.66	108.79	N/A	N/A	PK
	@	5610	80.95	18.66	99.61	N/A	N/A	AVG
		5725.85	49.14	18.86	68	68.2	-0.2	PK


TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Average), Vertical



TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT80)	Channel	155
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5602	42.19	18.68	60.87	68.2	-7.33	PK
		5697	51.47	18.67	70.14	102.99	-32.85	PK
		5775	79.61	19.14	98.75	N/A	N/A	PK
		5901	49.82	19.86	69.68	85.92	-16.24	PK
		5934.5	42.49	19.76	62.25	68.2	-5.95	PK
Vertical	@	5649.5	49.16	18.62	67.78	68.2	-0.42	PK
		5682	64.58	18.66	83.24	91.92	-8.68	PK
		5775	87.32	19.14	106.46	N/A	N/A	PK
		5875	53.87	19.74	73.61	105.2	-31.59	PK
		5930.5	47.79	19.77	67.56	68.2	-0.64	PK

TX, 802.11ac(VHT80) (Ch 155)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT80) (Ch 155)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5076.65	42.85	18.44	61.29	74	-12.71	PK
		5086.45	30.86	18.54	49.4	54	-4.6	AVG
	@	5180	82.45	18.31	100.76	N/A	N/A	PK
	@	5180	73.91	18.31	92.22	N/A	N/A	AVG
Vertical		5099.75	30.91	18.66	49.57	54	-4.43	AVG
		5128.45	42.55	18.58	61.13	74	-12.87	PK
	@	5180	90.83	18.31	109.14	N/A	N/A	PK
	@	5180	82.1	18.31	100.41	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5099.05	42.7	18.65	61.35	74	-12.65	PK
		5103.6	30.86	18.65	49.51	54	-4.49	AVG
	@	5220	81.32	18.15	99.47	N/A	N/A	PK
	@	5220	74.17	18.15	92.32	N/A	N/A	AVG
Vertical		5061.6	42.71	18.31	61.02	74	-12.98	PK
		5096.95	30.87	18.64	49.51	54	-4.49	AVG
	@	5220	90.69	18.15	108.84	N/A	N/A	PK
	@	5220	82.93	18.15	101.08	N/A	N/A	AVG



Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5089.25	42.39	18.56	60.95	74	-13.05	PK
		5096.25	30.81	18.63	49.44	54	-4.56	AVG
	@	5240	81.42	18.13	99.55	N/A	N/A	PK
	@	5240	74.54	18.13	92.67	N/A	N/A	AVG
Vertical		5066.15	42.23	18.36	60.59	74	-13.41	PK
		5098.35	30.78	18.65	49.43	54	-4.57	AVG
	@	5240	90.86	18.13	108.99	N/A	N/A	PK
	@	5240	82.5	18.13	100.63	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	83.21	18.1	101.31	N/A	N/A	PK
	@	5260	74.85	18.1	92.95	N/A	N/A	AVG
		5447.4	39.87	18.61	58.48	74	-15.52	PK
		5457	28.45	18.68	47.13	54	-6.87	AVG
Vertical	@	5260	91.15	18.1	109.25	N/A	N/A	PK
	@	5260	82.55	18.1	100.65	N/A	N/A	AVG
		5456.4	40.7	18.68	59.38	74	-14.62	PK
		5458.5	28.54	18.68	47.22	54	-6.78	AVG


TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	83.31	17.97	101.28	N/A	N/A	PK
	@	5300	75.49	17.97	93.46	N/A	N/A	AVG
		5427.3	40.2	18.43	58.63	74	-15.37	PK
		5458.5	28.5	18.68	47.18	54	-6.82	AVG
Vertical	@	5300	92.06	17.97	110.03	N/A	N/A	PK
	@	5300	83.5	17.97	101.47	N/A	N/A	AVG
		5439.9	40.27	18.54	58.81	74	-15.19	PK
		5456.4	28.52	18.68	47.2	54	-6.8	AVG


TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	82.35	17.91	100.26	N/A	N/A	PK
	@	5320	75.15	17.91	93.06	N/A	N/A	AVG
		5446.5	40.26	18.6	58.86	74	-15.14	PK
		5454.3	28.61	18.67	47.28	54	-6.72	AVG
Vertical	@	5320	91.93	17.91	109.84	N/A	N/A	PK
	@	5320	83.4	17.91	101.31	N/A	N/A	AVG
		5350.8	41.23	17.83	59.06	74	-14.94	PK
		5352.3	29.41	17.84	47.25	54	-6.75	AVG



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5438.85	40.65	18.53	59.18	74	-14.82	PK
		5459.15	28.55	18.68	47.23	54	-6.77	AVG
		5469.3	40.37	18.77	59.14	68.2	-9.06	PK
	@	5500	85.31	18.98	104.29	N/A	N/A	PK
	@	5500	76.4	18.98	95.38	N/A	N/A	AVG
Vertical		5458.45	42.15	18.68	60.83	74	-13.17	PK
		5459.5	30.49	18.69	49.18	54	-4.82	AVG
		5465.45	47.34	18.73	66.07	68.2	-2.13	PK
	@	5500	95.16	18.98	114.14	N/A	N/A	PK
	@	5500	86.02	18.98	105	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5452.15	39.48	18.64	58.12	74	-15.88	PK
		5459.85	28.5	18.7	47.2	54	-6.8	AVG
		5464.4	39.44	18.73	58.17	68.2	-10.03	PK
	@	5580	82.57	18.74	101.31	N/A	N/A	PK
	@	5580	74.52	18.74	93.26	N/A	N/A	AVG
		5739.5	41.66	18.95	60.61	68.2	-7.59	PK
Vertical		5443.75	40.12	18.57	58.69	74	-15.31	PK
		5459.85	28.76	18.7	47.46	54	-6.54	AVG
		5470	40.34	18.77	59.11	68.2	-9.09	PK
	@	5580	93.82	18.74	112.56	N/A	N/A	PK
	@	5580	85.04	18.74	103.78	N/A	N/A	AVG
		5738.45	41.2	18.94	60.14	68.2	-8.06	PK


TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5444.1	40.53	18.57	59.1	74	-14.9	PK
		5458.45	28.49	18.68	47.17	54	-6.83	AVG
		5469.65	38.83	18.77	57.6	68.2	-10.6	PK
	@	5700	84.73	18.67	103.4	N/A	N/A	PK
	@	5700	76.54	18.67	95.21	N/A	N/A	AVG
		5741.6	39.93	18.96	58.89	68.2	-9.31	PK
Vertical		5446.55	40.02	18.6	58.62	74	-15.38	PK
		5456	28.77	18.68	47.45	54	-6.55	AVG
		5469.3	39.97	18.77	58.74	68.2	-9.46	PK
	@	5700	94.88	18.67	113.55	N/A	N/A	PK
	@	5700	85.01	18.67	103.68	N/A	N/A	AVG
		5725.5	48.9	18.85	67.75	68.2	-0.45	PK


TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5539	40.82	18.86	59.68	68.2	-8.52	PK
		5677	40.38	18.65	59.03	88.22	-29.19	PK
	@	5745	85.12	18.99	104.11	N/A	N/A	PK
Vertical		5541	40.83	18.86	59.69	68.2	-8.51	PK
		5697	41.16	18.67	59.83	102.99	-43.16	PK
	@	5745	94.83	18.99	113.82	N/A	N/A	PK

**TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Horizontal**




**TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Vertical**



Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5568	40.68	18.77	59.45	68.2	-8.75	PK
		5688	40.16	18.66	58.82	96.35	-37.53	PK
		5785	84.63	19.19	103.82	N/A	N/A	PK
		5892	41.31	19.83	61.14	92.58	-31.44	PK
		5996.5	41.56	19.84	61.4	68.2	-6.8	PK
Vertical	@	5633	40.61	18.64	59.25	68.2	-8.95	PK
		5670.5	40.04	18.65	58.69	83.41	-24.72	PK
		5785	95.08	19.19	114.27	N/A	N/A	PK
		5898.5	40.81	19.84	60.65	87.77	-27.12	PK
		5977	40.71	19.78	60.49	68.2	-7.71	PK




Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	85.69	19.44	105.13	N/A	N/A	PK
		5896	40.18	19.83	60.01	89.62	-29.61	PK
		5944.5	40.73	19.72	60.45	68.2	-7.75	PK
Vertical	@	5825	93.94	19.44	113.38	N/A	N/A	PK
		5884	41.41	19.79	61.2	98.52	-37.32	PK
		5939.5	40.64	19.73	60.37	68.2	-7.83	PK

TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5092.05	30.83	18.6	49.43	54	-4.57	AVG
		5147	42.58	18.53	61.11	74	-12.89	PK
	@	5190	82.04	18.24	100.28	N/A	N/A	PK
	@	5190	71.85	18.24	90.09	N/A	N/A	AVG
Vertical		5144.55	44.37	18.53	62.9	74	-11.1	PK
		5147.35	32.18	18.53	50.71	54	-3.29	AVG
	@	5190	89.04	18.24	107.28	N/A	N/A	PK
	@	5190	80.17	18.24	98.41	N/A	N/A	AVG


TX, 802.11ax(HE40) (Ch 38)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 38)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 38)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 38)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5042	43.52	18.09	61.61	74	-12.39	PK
		5094.85	30.86	18.62	49.48	54	-4.52	AVG
	@	5230	80.87	18.15	99.02	N/A	N/A	PK
	@	5230	72.35	18.15	90.5	N/A	N/A	AVG
Vertical		5086.45	42.27	18.54	60.81	74	-13.19	PK
		5092.75	30.83	18.6	49.43	54	-4.57	AVG
	@	5230	89.52	18.15	107.67	N/A	N/A	PK
	@	5230	80.41	18.15	98.56	N/A	N/A	AVG




Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	81.49	18.06	99.55	N/A	N/A	PK
	@	5270	72.97	18.06	91.03	N/A	N/A	AVG
		5441.7	40.16	18.55	58.71	74	-15.29	PK
		5459.7	28.43	18.7	47.13	54	-6.87	AVG
Vertical	@	5270	89.5	18.06	107.56	N/A	N/A	PK
	@	5270	80.84	18.06	98.9	N/A	N/A	AVG
		5451.3	28.6	18.64	47.24	54	-6.76	AVG
		5451.6	40.8	18.64	59.44	74	-14.56	PK


TX, 802.11ax(HE40) (Ch 54)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 54)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 54)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 54)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	81.97	17.95	99.92	N/A	N/A	PK
	@	5310	73.79	17.95	91.74	N/A	N/A	AVG
		5434.5	39.98	18.49	58.47	74	-15.53	PK
		5457.9	28.51	18.69	47.2	54	-6.8	AVG
Vertical	@	5310	90.38	17.95	108.33	N/A	N/A	PK
	@	5310	81.29	17.95	99.24	N/A	N/A	AVG
		5351.7	32.39	17.84	50.23	54	-3.77	AVG
		5352.9	44.44	17.85	62.29	74	-11.71	PK


TX, 802.11ax(HE40) (Ch 62)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 62)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 62)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 62)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5435	40.39	18.49	58.88	74	-15.12	PK
		5452.85	28.62	18.66	47.28	54	-6.72	AVG
		5464.4	39.35	18.73	58.08	68.2	-10.12	PK
	@	5510	79.24	18.95	98.19	N/A	N/A	PK
	@	5510	70	18.95	88.95	N/A	N/A	AVG
Vertical		5457.75	30.81	18.69	49.5	54	-4.5	AVG
		5458.1	49.27	18.69	67.96	74	-6.04	PK
		5470	48.59	18.77	67.36	68.2	-0.84	PK
	@	5510	89.12	18.95	108.07	N/A	N/A	PK
	@	5510	81.05	18.95	100	N/A	N/A	AVG




Mode	802.11ax(HE40)	Channel	110
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5438.15	39.68	18.53	58.21	74	-15.79	PK
		5457.4	28.55	18.68	47.23	54	-6.77	AVG
		5461.95	39.66	18.71	58.37	68.2	-9.83	PK
	@	5550	82.89	18.83	101.72	N/A	N/A	PK
	@	5550	73.34	18.83	92.17	N/A	N/A	AVG
		5747.9	40.39	19.01	59.4	68.2	-8.8	PK
Vertical		5453.2	40.9	18.66	59.56	74	-14.44	PK
		5458.8	29.56	18.68	48.24	54	-5.76	AVG
		5469.3	42.57	18.77	61.34	68.2	-6.86	PK
	@	5550	93.44	18.83	112.27	N/A	N/A	PK
	@	5550	83.89	18.83	102.72	N/A	N/A	AVG
		5725.5	40.36	18.85	59.21	68.2	-8.99	PK


TX, 802.11ax(HE40) (Ch 110)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 110)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 110)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 110)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	134
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5438.85	41.13	18.53	59.66	74	-14.34	PK
		5466.15	39.15	18.74	57.89	68.2	-10.31	PK
		5670	80.93	18.65	99.58	N/A	N/A	PK
		5726.55	40.31	18.86	59.17	68.2	-9.03	PK
Vertical	@	5449.35	40.13	18.62	58.75	74	-15.25	PK
		5465.45	39.65	18.73	58.38	68.2	-9.82	PK
		5670	92.13	18.65	110.78	N/A	N/A	PK
		5726.55	43.78	18.86	62.64	68.2	-5.56	PK

TX, 802.11ax(HE40) (Ch 134)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 134)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5561	40.78	18.8	59.58	68.2	-8.62	PK
		5698.5	45.53	18.67	64.2	104.09	-39.89	PK
	@	5755	82.84	19.05	101.89	N/A	N/A	PK
Vertical		5561.5	41.56	18.8	60.36	68.2	-7.84	PK
		5699.5	50.82	18.67	69.49	104.83	-35.34	PK
	@	5755	92.47	19.05	111.52	N/A	N/A	PK

TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	159
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	82.7	19.24	101.94	N/A	N/A	PK
		5894.5	41.11	19.84	60.95	90.73	-29.78	PK
		5944	40.58	19.72	60.3	68.2	-7.9	PK
Vertical	@	5795	92.47	19.24	111.71	N/A	N/A	PK
		5876	46.62	19.74	66.36	104.46	-38.1	PK
		5931.5	40.36	19.76	60.12	68.2	-8.08	PK

TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Vertical



Mode	802.11ax(HE80)	Channel	42
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5044.45	43.1	18.13	61.23	74	-12.77	PK
		5094.15	30.76	18.61	49.37	54	-4.63	AVG
	@	5210	75.63	18.16	93.79	N/A	N/A	PK
	@	5210	66.02	18.16	84.18	N/A	N/A	AVG
Vertical		5137.9	34.52	18.55	53.07	54	-0.93	AVG
		5146.3	46.57	18.52	65.09	74	-8.91	PK
	@	5210	87.81	18.16	105.97	N/A	N/A	PK
	@	5210	78.65	18.16	96.81	N/A	N/A	AVG

