



Mode	802.11ax(HE80)	Channel	58
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	75.78	18.01	93.79	N/A	N/A	PK
	@	5290	66.6	18.01	84.61	N/A	N/A	AVG
		5369.4	40.46	17.97	58.43	74	-15.57	PK
		5455.8	28.61	18.67	47.28	54	-6.72	AVG
Vertical	@	5290	87.69	18.01	105.7	N/A	N/A	PK
	@	5290	78.29	18.01	96.3	N/A	N/A	AVG
		5353.8	33.4	17.85	51.25	54	-2.75	AVG
		5395.8	43.49	18.15	61.64	74	-12.36	PK


TX, 802.11ax(HE80) (Ch 58)
Band Edge (Average), Horizontal




TX, 802.11ax(HE80) (Ch 58)
Band Edge (Average), Vertical



TX, 802.11ax(HE80) (Ch 58)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE80) (Ch 58)
Band Edge (Peak), Vertical



Mode	802.11ax(HE80)	Channel	106
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5456.35	40.2	18.68	58.88	74	-15.12	PK
		5458.8	29.05	18.68	47.73	54	-6.27	AVG
		5467.2	39.58	18.75	58.33	68.2	-9.87	PK
	@	5530	75.33	18.89	94.22	N/A	N/A	PK
	@	5530	66.71	18.89	85.6	N/A	N/A	AVG
Vertical		5451.45	46.62	18.64	65.26	74	-8.74	PK
		5451.45	34.68	18.64	53.32	54	-0.68	AVG
		5469.65	48.23	18.77	67	68.2	-1.2	PK
	@	5530	86.9	18.89	105.79	N/A	N/A	PK
	@	5530	76.78	18.89	95.67	N/A	N/A	AVG




Mode	802.11ax(HE80)	Channel	122
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5424.15	40.47	18.4	58.87	74	-15.13	PK
		5459.85	28.53	18.7	47.23	54	-6.77	AVG
		5467.55	38.9	18.76	57.66	68.2	-10.54	PK
	@	5610	80.2	18.66	98.86	N/A	N/A	PK
	@	5610	70.34	18.66	89	N/A	N/A	AVG
		5746.5	40.26	19	59.26	68.2	-8.94	PK
Vertical		5453.55	41.91	18.66	60.57	74	-13.43	PK
		5458.8	31.31	18.68	49.99	54	-4.01	AVG
		5461.95	43.12	18.71	61.83	68.2	-6.37	PK
	@	5610	89.77	18.66	108.43	N/A	N/A	PK
	@	5610	80.66	18.66	99.32	N/A	N/A	AVG
		5728.3	46.6	18.88	65.48	68.2	-2.72	PK


TX, 802.11ax(HE80) (Ch 122)
Band Edge (Average), Horizontal




TX, 802.11ax(HE80) (Ch 122)
Band Edge (Average), Vertical



TX, 802.11ax(HE80) (Ch 122)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE80) (Ch 122)
Band Edge (Peak), Vertical




Mode	802.11ax(HE80)	Channel	155
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5644	40.85	18.64	59.49	68.2	-8.71	PK
		5684.5	51.41	18.66	70.07	93.76	-23.69	PK
		5775	81.08	19.14	100.22	N/A	N/A	PK
		5875	48.38	19.74	68.12	105.2	-37.08	PK
		5964	41.04	19.75	60.79	68.2	-7.41	PK
Vertical	@	5627	44.47	18.65	63.12	68.2	-5.08	PK
		5676	61.73	18.65	80.38	87.48	-7.1	PK
		5775	89.06	19.14	108.2	N/A	N/A	PK
		5875	56.35	19.74	76.09	105.2	-29.11	PK
		5940	44.26	19.73	63.99	68.2	-4.21	PK

TX, 802.11ax(HE80) (Ch 155)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE80) (Ch 155)
Band Edge (Peak), Vertical



Below 1 GHz

Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		159.98	41.56	-11.38	30.18	43.5	-13.32	PK
		209.45	39.75	-14.33	25.42	43.5	-18.08	PK
		239.52	38.73	-12.48	26.25	46	-19.75	PK
		320.03	39.03	-9.49	29.54	46	-16.46	PK
		496.57	32.31	-4.87	27.44	46	-18.56	PK
		776.9	34.01	1.25	35.26	46	-10.74	PK
Vertical		45.52	39.54	-12.02	27.52	40	-12.48	PK
		159.98	42.28	-11.38	30.9	43.5	-12.6	PK
		320.03	39.52	-9.49	30.03	46	-15.97	PK
		494.63	37.56	-4.91	32.65	46	-13.35	PK
		627.52	31.76	-1.65	30.11	46	-15.89	PK
		776.9	36.17	1.25	37.42	46	-8.58	PK



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

WUBT-281AX [PU]

Above 1 GHz

Mode	802.11a	Channel	36
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5013.3	42.72	17.73	60.45	74	-13.55	PK
		5101.85	30.72	18.65	49.37	54	-4.63	AVG
	@	5180	89.56	18.31	107.87	N/A	N/A	PK
	@	5180	82.19	18.31	100.5	N/A	N/A	AVG
Vertical		5096.6	30.81	18.63	49.44	54	-4.56	AVG
		5113.05	42.48	18.63	61.11	74	-12.89	PK
	@	5180	85.65	18.31	103.96	N/A	N/A	PK
	@	5180	79.86	18.31	98.17	N/A	N/A	AVG



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


Mode	802.11a	Channel	44
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5098.35	30.67	18.65	49.32	54	-4.68	AVG
		5112.7	41.93	18.63	60.56	74	-13.44	PK
	@	5220	90.74	18.15	108.89	N/A	N/A	PK
	@	5220	81.83	18.15	99.98	N/A	N/A	AVG
Vertical		5096.25	30.72	18.63	49.35	54	-4.65	AVG
		5122.5	41.8	18.6	60.4	74	-13.6	PK
	@	5220	85.83	18.15	103.98	N/A	N/A	PK
	@	5220	78.58	18.15	96.73	N/A	N/A	AVG




Mode	802.11a	Channel	48
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5095.9	30.68	18.63	49.31	54	-4.69	AVG
		5097.3	42.04	18.63	60.67	74	-13.33	PK
	@	5240	89.87	18.13	108	N/A	N/A	PK
	@	5240	82.89	18.13	101.02	N/A	N/A	AVG
Vertical		5103.6	30.83	18.65	49.48	54	-4.52	AVG
		5128.8	41.87	18.57	60.44	74	-13.56	PK
	@	5240	87.36	18.13	105.49	N/A	N/A	PK
	@	5240	78.61	18.13	96.74	N/A	N/A	AVG




Mode	802.11a	Channel	52
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	93.86	18.1	111.96	N/A	N/A	PK
	@	5260	83.49	18.1	101.59	N/A	N/A	AVG
		5435.4	39.56	18.49	58.05	74	-15.95	PK
		5458.5	28.37	18.68	47.05	54	-6.95	AVG
Vertical	@	5260	88.24	18.1	106.34	N/A	N/A	PK
	@	5260	80.75	18.1	98.85	N/A	N/A	AVG
		5412.6	40.16	18.29	58.45	74	-15.55	PK
		5458.5	28.41	18.68	47.09	54	-6.91	AVG




Mode	802.11a	Channel	60
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	91.1	17.97	109.07	N/A	N/A	PK
	@	5300	83.74	17.97	101.71	N/A	N/A	AVG
		5431.5	39.97	18.46	58.43	74	-15.57	PK
		5457	28.4	18.68	47.08	54	-6.92	AVG
Vertical	@	5300	88.33	17.97	106.3	N/A	N/A	PK
	@	5300	80.72	17.97	98.69	N/A	N/A	AVG
		5447.7	40.11	18.61	58.72	74	-15.28	PK
		5456.4	28.39	18.68	47.07	54	-6.93	AVG




Mode	802.11a	Channel	64
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	90.94	17.91	108.85	N/A	N/A	PK
	@	5320	84.37	17.91	102.28	N/A	N/A	AVG
		5440.2	39.75	18.54	58.29	74	-15.71	PK
		5450.1	28.5	18.63	47.13	54	-6.87	AVG
Vertical	@	5320	89.29	17.91	107.2	N/A	N/A	PK
	@	5320	80.66	17.91	98.57	N/A	N/A	AVG
		5451.6	40.45	18.64	59.09	74	-14.91	PK
		5459.9	28.39	18.7	47.09	54	-6.91	AVG




Mode	802.11a	Channel	100
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5450.4	39.78	18.63	58.41	74	-15.59	PK
		5453.2	29.68	18.66	48.34	54	-5.66	AVG
		5468.95	42.1	18.76	60.86	68.2	-7.34	PK
	@	5500	93.03	18.98	112.01	N/A	N/A	PK
	@	5500	87.01	18.98	105.99	N/A	N/A	AVG
Vertical		5430.45	39.99	18.46	58.45	74	-15.55	PK
		5456.7	28.49	18.68	47.17	54	-6.83	AVG
		5463.7	39.53	18.72	58.25	68.2	-9.95	PK
	@	5500	87.12	18.98	106.1	N/A	N/A	PK
	@	5500	80	18.98	98.98	N/A	N/A	AVG




Mode	802.11a	Channel	116
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5444.8	28.7	18.58	47.28	54	-6.72	AVG
		5454.25	39.93	18.67	58.6	74	-15.4	PK
		5460.55	39	18.7	57.7	68.2	-10.5	PK
	@	5580	94.71	18.74	113.45	N/A	N/A	PK
	@	5580	87	18.74	105.74	N/A	N/A	AVG
		5748.25	40.26	19.01	59.27	68.2	-8.93	PK
Vertical		5448.3	40.25	18.62	58.87	74	-15.13	PK
		5459.15	28.38	18.68	47.06	54	-6.94	AVG
		5461.25	39.21	18.71	57.92	68.2	-10.28	PK
	@	5580	89.72	18.74	108.46	N/A	N/A	PK
	@	5580	81.36	18.74	100.1	N/A	N/A	AVG
		5735.65	40.61	18.91	59.52	68.2	-8.68	PK




Mode	802.11a	Channel	140
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5456	39.79	18.68	58.47	74	-15.53	PK
		5459.85	28.42	18.7	47.12	54	-6.88	AVG
		5464.4	39.51	18.73	58.24	68.2	-9.96	PK
	@	5700	92.36	18.67	111.03	N/A	N/A	PK
	@	5700	85.69	18.67	104.36	N/A	N/A	AVG
		5726.55	42.19	18.86	61.05	68.2	-7.15	PK
Vertical		5453.2	28.4	18.66	47.06	54	-6.94	AVG
		5459.85	39.59	18.7	58.29	74	-15.71	PK
		5460.2	39.38	18.7	58.08	68.2	-10.12	PK
	@	5700	88.81	18.67	107.48	N/A	N/A	PK
	@	5700	81.8	18.67	100.47	N/A	N/A	AVG
		5736.35	40.61	18.93	59.54	68.2	-8.66	PK




Mode	802.11a	Channel	149
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5594.5	41.22	18.7	59.92	68.2	-8.28	PK
		5700	51.34	18.67	70.01	105.2	-35.19	PK
	@	5745	96.03	18.99	115.02	N/A	N/A	PK
Vertical		5564.5	40.99	18.78	59.77	68.2	-8.43	PK
		5685.5	40.52	18.66	59.18	94.5	-35.32	PK
	@	5745	90.35	18.99	109.34	N/A	N/A	PK




Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5540	40.49	18.86	59.35	68.2	-8.85	PK
		5687	40.22	18.67	58.89	95.61	-36.72	PK
		5785	97.04	19.19	116.23	N/A	N/A	PK
		5903.5	40.61	19.85	60.46	84.07	-23.61	PK
		5961.5	40.54	19.74	60.28	68.2	-7.92	PK
Vertical	@	5602.5	40.4	18.69	59.09	68.2	-9.11	PK
		5653	40.46	18.63	59.09	70.43	-11.34	PK
		5785	91.52	19.19	110.71	N/A	N/A	PK
		5877.5	40.57	19.75	60.32	103.34	-43.02	PK
		5938.5	41.38	19.74	61.12	68.2	-7.08	PK



Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	96.65	19.44	116.09	N/A	N/A	PK
		5876	47.84	19.74	67.58	104.46	-36.88	PK
		5951.5	40.33	19.7	60.03	68.2	-8.17	PK
Vertical	@	5825	92.05	19.44	111.49	N/A	N/A	PK
		5875	41.7	19.74	61.44	105.2	-43.76	PK
		5931	40.45	19.77	60.22	68.2	-7.98	PK




Mode	802.11a - Emission	Channel	36
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10360	30.89	19.97	50.86	68.2	-17.34	PK
		14500	29.14	28	57.14	68.2	-11.06	PK
		14500	20.87	28	48.87	54	-5.13	AVG
		15490	29.39	25.95	55.34	74	-18.66	PK
		15490	20.56	25.95	46.51	54	-7.49	AVG
	*	20720	33.71	4.98	38.69	74	-35.31	PK
		25900	34.43	10.72	45.15	68.2	-23.05	PK
		31080	32.27	13.27	45.54	68.2	-22.66	PK
		36260	36.11	13.44	49.55	68.2	-18.65	PK
		39664	37.33	17.53	54.86	74	-19.14	PK
Vertical	*	39664	27.49	17.53	45.02	54	-8.98	AVG
		10360	31.97	19.97	51.94	68.2	-16.26	PK
		14485	28.04	27.98	56.02	74	-17.98	PK
		14485	19.77	27.98	47.75	54	-6.25	AVG
		15385	29.28	26.22	55.5	74	-18.5	PK
	*	15385	20.45	26.22	46.67	54	-7.33	AVG
		20720	32.79	4.98	37.77	74	-36.23	PK
		25900	33.99	10.72	44.71	68.2	-23.49	PK
		31080	33.79	13.27	47.06	68.2	-21.14	PK
		36260	35.72	13.44	49.16	68.2	-19.04	PK
		39880	37.63	17.9	55.53	74	-18.47	PK
		39880	27.79	17.9	45.69	54	-8.31	AVG


TX, 802.11a - Emission (Ch 36)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 36)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 36)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 36)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Mode	802.11a - Emission	Channel	44
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10440	30.53	20.28	50.81	68.2	-17.39	PK
		14485	29.16	27.98	57.14	74	-16.86	PK
		14485	20.89	27.98	48.87	54	-5.13	AVG
		15550	29.23	25.7	54.93	74	-19.07	PK
		15550	20.4	25.7	46.1	54	-7.9	AVG
	*	20880	33.73	5.19	38.92	74	-35.08	PK
	*	26100	34.81	10.69	45.5	68.2	-22.7	PK
	*	31320	32.36	14.24	46.6	74	-27.4	PK
	*	36540	36.85	12.59	49.44	68.2	-18.76	PK
		39568	37.43	17.38	54.81	74	-19.19	PK
		39568	27.59	17.38	44.97	54	-9.03	AVG
Vertical	*	10440	30.82	20.28	51.1	68.2	-17.1	PK
		14485	28.81	27.98	56.79	74	-17.21	PK
		14485	20.54	27.98	48.52	54	-5.48	AVG
		15430	29.16	26.08	55.24	74	-18.76	PK
		15430	20.33	26.08	46.41	54	-7.59	AVG
	*	20880	33.26	5.19	38.45	74	-35.55	PK
	*	26100	34.4	10.69	45.09	68.2	-23.11	PK
	*	31320	32.41	14.24	46.65	74	-27.35	PK
	*	36540	36.49	12.59	49.08	68.2	-19.12	PK
		39880	37.37	17.9	55.27	74	-18.73	PK
		39880	27.53	17.9	45.43	54	-8.57	AVG


TX, 802.11a - Emission (Ch 44)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 44)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 44)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 44)

Radiated Spurious Emission, Vertical




Mode	802.11a - Emission	Channel	48
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10480	31.44	20.38	51.82	68.2	-16.38	PK
		14485	29.46	27.98	57.44	74	-16.56	PK
		14485	21.19	27.98	49.17	54	-4.83	AVG
		15355	28.36	26.36	54.72	74	-19.28	PK
		15355	19.53	26.36	45.89	54	-8.11	AVG
	*	20960	34.11	5.28	39.39	74	-34.61	PK
	*	26200	34.77	10.75	45.52	68.2	-22.68	PK
	*	31440	32.81	13.67	46.48	74	-27.52	PK
	*	36680	37.16	12.83	49.99	68.2	-18.21	PK
		39520	37.78	17.31	55.09	74	-18.91	PK
		39520	27.94	17.31	45.25	54	-8.75	AVG
Vertical	*	10480	31.74	20.38	52.12	68.2	-16.08	PK
		14470	29.14	27.97	57.11	68.2	-11.09	PK
		14470	20.87	27.97	48.84	54	-5.16	AVG
		15475	29.51	25.98	55.49	74	-18.51	PK
		15475	20.68	25.98	46.66	54	-7.34	AVG
	*	20960	33.03	5.28	38.31	74	-35.69	PK
	*	26200	34.98	10.75	45.73	68.2	-22.47	PK
	*	31440	32.37	13.67	46.04	74	-27.96	PK
	*	36680	38.26	12.83	51.09	68.2	-17.11	PK
		39376	37.59	17.29	54.88	74	-19.12	PK
		39376	27.75	17.29	45.04	54	-8.96	AVG


TX, 802.11a - Emission (Ch 48)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 48)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 48)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 48)

Radiated Spurious Emission, Vertical




Mode	802.11a - Emission	Channel	52
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10520	32.31	20.42	52.73	68.2	-15.47	PK
		14500	28.69	28	56.69	68.2	-11.51	PK
		14500	20.42	28	48.42	54	-5.58	AVG
		15310	28.3	26.6	54.9	68.2	-13.3	PK
		15310	19.47	26.6	46.07	54	-7.93	AVG
	*	21040	33.2	5.42	38.62	74	-35.38	PK
		26300	34.8	10.86	45.66	68.2	-22.54	PK
		31560	33.34	13.28	46.62	74	-27.38	PK
		36820	37.57	13.12	50.69	68.2	-17.51	PK
		38992	38.78	16.66	55.44	74	-18.56	PK
Vertical	*	38992	28.94	16.66	45.6	54	-8.4	AVG
		10520	30.78	20.42	51.2	68.2	-17	PK
		14470	28.81	27.97	56.78	68.2	-11.42	PK
		14470	20.54	27.97	48.51	54	-5.49	AVG
		15505	28.78	25.9	54.68	74	-19.32	PK
	*	15505	19.95	25.9	45.85	54	-8.15	AVG
		21040	34.32	5.42	39.74	74	-34.26	PK
		26300	34.64	10.86	45.5	68.2	-22.7	PK
		31560	32.84	13.28	46.12	74	-27.88	PK
		36820	39.9	13.12	53.02	68.2	-15.18	PK
		39016	38.72	16.72	55.44	74	-18.56	PK
		39016	28.88	16.72	45.6	54	-8.4	AVG


TX, 802.11a - Emission (Ch 52)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 52)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 52)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 52)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Mode	802.11a - Emission	Channel	60
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10600	30.2	20.32	50.52	74	-23.48	PK
		14500	28.65	28	56.65	68.2	-11.55	PK
		14500	20.38	28	48.38	54	-5.62	AVG
		15325	28.67	26.53	55.2	68.2	-13	PK
		15325	19.84	26.53	46.37	54	-7.63	AVG
	*	21200	33.6	5.69	39.29	74	-34.71	PK
		26500	33.53	11.14	44.67	68.2	-23.53	PK
		31800	32.84	12.89	45.73	68.2	-22.47	PK
		37100	36.32	13.59	49.91	68.2	-18.29	PK
		39304	37.91	17.31	55.22	74	-18.78	PK
Vertical	*	39304	28.07	17.31	45.38	54	-8.62	AVG
		10600	30.67	20.32	50.99	74	-23.01	PK
		14470	28.88	27.97	56.85	68.2	-11.35	PK
		14470	20.61	27.97	48.58	54	-5.42	AVG
		15460	30.04	26.02	56.06	74	-17.94	PK
	*	15460	21.21	26.02	47.23	54	-6.77	AVG
		21200	33.24	5.69	38.93	74	-35.07	PK
		26500	34.05	11.14	45.19	68.2	-23.01	PK
		31800	32.65	12.89	45.54	68.2	-22.66	PK
		37100	37.39	13.59	50.98	68.2	-17.22	PK
		39760	37.78	17.67	55.45	74	-18.55	PK
		39760	27.94	17.67	45.61	54	-8.39	AVG


TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 60)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1