


Mode	802.11a - Emission	Channel	64
------	--------------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	10640	30.83	20.24	51.07	74	-22.93	PK
		14485	28.12	27.98	56.1	74	-17.9	PK
		14485	19.85	27.98	47.83	54	-6.17	AVG
		15370	28.73	26.29	55.02	74	-18.98	PK
		15370	19.9	26.29	46.19	54	-7.81	AVG
	*	21280	33.89	5.83	39.72	74	-34.28	PK
	*	26600	34.18	11.15	45.33	68.2	-22.87	PK
	*	31920	34.07	12.66	46.73	68.2	-21.47	PK
	*	37240	37.53	13.62	51.15	68.2	-17.05	PK
		39999	37.51	18.14	55.65	74	-18.35	PK
Vertical		39999	27.67	18.14	45.81	54	-8.19	AVG
	*	10640	31.76	20.24	52	74	-22	PK
		14470	28.79	27.97	56.76	68.2	-11.44	PK
		14470	20.52	27.97	48.49	54	-5.51	AVG
		15340	29.27	26.45	55.72	68.2	-12.48	PK
		15340	20.44	26.45	46.89	54	-7.11	AVG
	*	21280	33.3	5.83	39.13	74	-34.87	PK
	*	26600	33.53	11.15	44.68	68.2	-23.52	PK
	*	31920	33.76	12.66	46.42	68.2	-21.78	PK
	*	37240	36.65	13.62	50.27	68.2	-17.93	PK
		39688	37.85	17.56	55.41	74	-18.59	PK
		39688	28.01	17.56	45.57	54	-8.43	AVG


TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 64)

Radiated Spurious Emission, Vertical



Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Mode	802.11a - Emission	Channel	100
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11000	30.97	20.45	51.42	74	-22.58	PK
		14485	28.61	27.98	56.59	74	-17.41	PK
		14485	20.34	27.98	48.32	54	-5.68	AVG
		15445	29.89	26.05	55.94	74	-18.06	PK
		15445	21.06	26.05	47.11	54	-6.89	AVG
	*	16500	34.03	5.32	39.35	68.2	-28.85	PK
	*	22000	33.42	6.26	39.68	68.2	-28.52	PK
	*	27500	33.51	10.61	44.12	68.2	-24.08	PK
	*	33000	34.5	12.63	47.13	68.2	-21.07	PK
	*	38500	37.4	15.29	52.69	68.2	-15.51	PK
		39712	38.03	17.59	55.62	74	-18.38	PK
		39712	28.19	17.59	45.78	54	-8.22	AVG
Vertical	*	11000	31.62	20.45	52.07	74	-21.93	PK
		14500	28.26	28	56.26	68.2	-11.94	PK
		14500	19.99	28	47.99	54	-6.01	AVG
		15430	29.1	26.08	55.18	74	-18.82	PK
		15430	20.27	26.08	46.35	54	-7.65	AVG
	*	16500	34.57	5.32	39.89	68.2	-28.31	PK
	*	22000	33.44	6.26	39.7	68.2	-28.5	PK
	*	27500	33.46	10.61	44.07	68.2	-24.13	PK
	*	33000	33.93	12.63	46.56	68.2	-21.64	PK
	*	38500	37.73	15.29	53.02	68.2	-15.18	PK
		39640	37.9	17.49	55.39	74	-18.61	PK
		39640	28.06	17.49	45.55	54	-8.45	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 100)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 100)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 100)

Radiated Spurious Emission, Horizontal







TX, 802.11a - Emission (Ch 100)

Radiated Spurious Emission, Vertical







Mode	802.11a - Emission	Channel	116
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11160	31.62	20.54	52.16	74	-21.84	PK
		14485	28.19	27.98	56.17	74	-17.83	PK
		14485	19.92	27.98	47.9	54	-6.1	AVG
		15760	30.23	25.32	55.55	74	-18.45	PK
		15760	21.4	25.32	46.72	54	-7.28	AVG
	*	16740	32.44	5.27	37.71	68.2	-30.49	PK
		22320	33.48	6.93	40.41	74	-33.59	PK
		27900	32.93	10.83	43.76	68.2	-24.44	PK
		33480	35.64	12.47	48.11	68.2	-20.09	PK
		39928	37.28	18	55.28	74	-18.72	PK
Vertical	*	39928	27.44	18	45.44	54	-8.56	AVG
		11160	33.08	20.54	53.62	74	-20.38	PK
		14470	28.12	27.97	56.09	68.2	-12.11	PK
		14470	19.85	27.97	47.82	54	-6.18	AVG
		15340	28.89	26.45	55.34	68.2	-12.86	PK
	*	15340	20.06	26.45	46.51	54	-7.49	AVG
		16740	32.72	5.27	37.99	68.2	-30.21	PK
		22320	33.16	6.93	40.09	74	-33.91	PK
		27900	32.95	10.83	43.78	68.2	-24.42	PK
		33480	35.14	12.47	47.61	68.2	-20.59	PK
		39712	37.24	17.59	54.83	74	-19.17	PK
		39712	27.4	17.59	44.99	54	-9.01	AVG







Mode	802.11a - Emission	Channel	140
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11400	30.73	20.96	51.69	74	-22.31	PK
		14485	29.31	27.98	57.29	74	-16.71	PK
		14485	21.04	27.98	49.02	54	-4.98	AVG
		15370	28.38	26.29	54.67	74	-19.33	PK
		15370	19.55	26.29	45.84	54	-8.16	AVG
	*	17100	33.65	5.43	39.08	68.2	-29.12	PK
	*	22800	33.12	8	41.12	74	-32.88	PK
	*	28500	32.71	11.24	43.95	68.2	-24.25	PK
	*	34200	33.78	12.33	46.11	68.2	-22.09	PK
		39760	37.93	17.67	55.6	74	-18.4	PK
Vertical		39760	28.09	17.67	45.76	54	-8.24	AVG
	*	11400	31.64	20.96	52.6	74	-21.4	PK
		14500	29.55	28	57.55	68.2	-10.65	PK
		14500	21.28	28	49.28	54	-4.72	AVG
		15385	29.14	26.22	55.36	74	-18.64	PK
		15385	20.31	26.22	46.53	54	-7.47	AVG
	*	17100	33.56	5.43	38.99	68.2	-29.21	PK
	*	22800	33.04	8	41.04	74	-32.96	PK
	*	28500	32.32	11.24	43.56	68.2	-24.64	PK
	*	34200	33.98	12.33	46.31	68.2	-21.89	PK
		39016	39.73	16.72	56.45	74	-17.55	PK
		39016	29.89	16.72	46.61	54	-7.39	AVG



Mode	802.11a - Emission	Channel	144
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	30.4	21.19	51.59	74	-22.41	PK
		14485	29.31	27.98	57.29	74	-16.71	PK
		14485	21.04	27.98	49.02	54	-4.98	AVG
		15370	28.38	26.29	54.67	74	-19.33	PK
		15370	19.55	26.29	45.84	54	-8.16	AVG
	*	17160	34.95	5.31	40.26	68.2	-27.94	PK
	*	22880	33.26	8.2	41.46	74	-32.54	PK
	*	28600	32.94	11.31	44.25	68.2	-23.95	PK
	*	34320	33.23	12.19	45.42	68.2	-22.78	PK
		39880	37.66	17.9	55.56	74	-18.44	PK
		39880	27.82	17.9	45.72	54	-8.28	AVG
Vertical	*	11440	31.16	21.19	52.35	74	-21.65	PK
		14500	29.55	28	57.55	68.2	-10.65	PK
		14500	21.28	28	49.28	54	-4.72	AVG
		15385	29.14	26.22	55.36	74	-18.64	PK
		15385	20.31	26.22	46.53	54	-7.47	AVG
	*	17160	34.21	5.31	39.52	68.2	-28.68	PK
	*	22880	33.91	8.2	42.11	74	-31.89	PK
	*	28600	32.54	11.31	43.85	68.2	-24.35	PK
	*	34320	33.94	12.19	46.13	68.2	-22.07	PK
		39592	38.64	17.42	56.06	74	-17.94	PK
		39592	28.8	17.42	46.22	54	-7.78	AVG



Mode	802.11a - Emission	Channel	149
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11490	33.45	21.49	54.94	74	-19.06	PK
		11490	27.45	21.49	48.94	54	-5.06	AVG
		14470	28.62	27.97	56.59	68.2	-11.61	PK
		14470	20.35	27.97	48.32	54	-5.68	AVG
		15400	28.92	26.14	55.06	74	-18.94	PK
		15400	20.09	26.14	46.23	54	-7.77	AVG
	*	17235	35.11	5.15	40.26	68.2	-27.94	PK
	*	22980	33.47	8.46	41.93	74	-32.07	PK
	*	28725	33.46	11.41	44.87	68.2	-23.33	PK
	*	34470	35.83	12.02	47.85	68.2	-20.35	PK
		38968	39.37	16.58	55.95	74	-18.05	PK
		38968	29.53	16.58	46.11	54	-7.89	AVG
Vertical	*	2650	56	-1.65	54.35	68.2	-13.85	PK
		11490	34.64	21.49	56.13	74	-17.87	PK
		11490	28.68	21.49	50.17	54	-3.83	AVG
		14485	27.87	27.98	55.85	74	-18.15	PK
		14485	19.6	27.98	47.58	54	-6.42	AVG
		15310	29.26	26.6	55.86	68.2	-12.34	PK
		15310	20.43	26.6	47.03	54	-6.97	AVG
	*	17235	34.78	5.15	39.93	68.2	-28.27	PK
	*	22980	32.7	8.46	41.16	74	-32.84	PK
	*	28725	32.91	11.41	44.32	68.2	-23.88	PK
	*	34470	36.62	12.02	48.64	68.2	-19.56	PK
		39544	37.89	17.34	55.23	74	-18.77	PK
		39544	28.05	17.34	45.39	54	-8.61	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 149)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 149)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 149)

Radiated Spurious Emission, Horizontal



TX, 802.11a - Emission (Ch 149)

Radiated Spurious Emission, Vertical



Mode	802.11a - Emission	Channel	157
------	--------------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11570	32.2	21.26	53.46	74	-20.54	PK
		14500	28.01	28	56.01	68.2	-12.19	PK
		14500	19.74	28	47.74	54	-6.26	AVG
		15370	29.57	26.29	55.86	74	-18.14	PK
		15370	20.74	26.29	47.03	54	-6.97	AVG
	*	17355	34.82	4.91	39.73	68.2	-28.47	PK
	*	23140	33.24	8.82	42.06	68.2	-26.14	PK
	*	28925	33.01	11.63	44.64	68.2	-23.56	PK
	*	34710	36.03	12.17	48.2	68.2	-20	PK
		39280	37.92	17.31	55.23	74	-18.77	PK
		39280	28.08	17.31	45.39	54	-8.61	AVG
Vertical		11570	35.41	21.26	56.67	74	-17.33	PK
		11570	30.41	21.26	51.67	54	-2.33	AVG
		14470	28.37	27.97	56.34	68.2	-11.86	PK
		14470	20.1	27.97	48.07	54	-5.93	AVG
		15385	29.02	26.22	55.24	74	-18.76	PK
		15385	20.19	26.22	46.41	54	-7.59	AVG
	*	17355	35.06	4.91	39.97	68.2	-28.23	PK
	*	23140	33.9	8.82	42.72	68.2	-25.48	PK
	*	28925	33.79	11.63	45.42	68.2	-22.78	PK
	*	34710	35.69	12.17	47.86	68.2	-20.34	PK
		39616	37.6	17.46	55.06	74	-18.94	PK
		39616	27.76	17.46	45.22	54	-8.78	AVG

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Horizontal




TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Vertical




TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Horizontal







TX, 802.11a - Emission (Ch 157)

Radiated Spurious Emission, Vertical



Mode	802.11a - Emission	Channel	165
------	--------------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11650	31.18	20.98	52.16	74	-21.84	PK
		14500	29.5	28	57.5	68.2	-10.7	PK
		14500	21.23	28	49.23	54	-4.77	AVG
		15415	29.92	26.1	56.02	74	-17.98	PK
		15415	21.09	26.1	47.19	54	-6.81	AVG
	*	17475	34.41	4.66	39.07	68.2	-29.13	PK
	*	23300	33.33	9.16	42.49	68.2	-25.71	PK
	*	29125	33.23	11.97	45.2	68.2	-23	PK
	*	34950	35.35	12.05	47.4	68.2	-20.8	PK
		39304	38.42	17.31	55.73	74	-18.27	PK
Vertical		39304	28.58	17.31	45.89	54	-8.11	AVG
	*	11650	30.97	20.98	51.95	74	-22.05	PK
		14470	28.07	27.97	56.04	68.2	-12.16	PK
		14470	19.8	27.97	47.77	54	-6.23	AVG
		15565	29.56	25.63	55.19	74	-18.81	PK
		15565	20.73	25.63	46.36	54	-7.64	AVG
	*	17475	34.26	4.66	38.92	68.2	-29.28	PK
	*	23300	33.36	9.16	42.52	68.2	-25.68	PK
	*	29125	33.31	11.97	45.28	68.2	-22.92	PK
	*	34950	35.34	12.05	47.39	68.2	-20.81	PK
		39016	38.65	16.72	55.37	74	-18.63	PK
		39016	28.81	16.72	45.53	54	-8.47	AVG




Mode	802.11ac(VHT20)	Channel	36
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5090.3	41.99	18.57	60.56	74	-13.44	PK
		5142.8	30.92	18.54	49.46	54	-4.54	AVG
	@	5180	89.89	18.31	108.2	N/A	N/A	PK
	@	5180	82.76	18.31	101.07	N/A	N/A	AVG
Vertical		5090.3	30.99	18.57	49.56	54	-4.44	AVG
		5116.55	42.97	18.61	61.58	74	-12.42	PK
	@	5180	87.74	18.31	106.05	N/A	N/A	PK
	@	5180	79.51	18.31	97.82	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	44
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5077	43.9	18.45	62.35	74	-11.65	PK
		5114.8	30.81	18.62	49.43	54	-4.57	AVG
	@	5220	89.64	18.15	107.79	N/A	N/A	PK
	@	5220	83.53	18.15	101.68	N/A	N/A	AVG
Vertical		5105	30.8	18.64	49.44	54	-4.56	AVG
		5135.8	42.02	18.56	60.58	74	-13.42	PK
	@	5220	86.31	18.15	104.46	N/A	N/A	PK
	@	5220	79.57	18.15	97.72	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	48
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5074.2	42.73	18.42	61.15	74	-12.85	PK
		5110.25	30.79	18.63	49.42	54	-4.58	AVG
	@	5240	91.91	18.13	110.04	N/A	N/A	PK
	@	5240	83.6	18.13	101.73	N/A	N/A	AVG
Vertical		5090.3	31.04	18.57	49.61	54	-4.39	AVG
		5112	42.35	18.63	60.98	74	-13.02	PK
	@	5240	88.18	18.13	106.31	N/A	N/A	PK
	@	5240	80.37	18.13	98.5	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	52
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	93.58	18.1	111.68	N/A	N/A	PK
	@	5260	84.72	18.1	102.82	N/A	N/A	AVG
		5450.7	40.75	18.63	59.38	74	-14.62	PK
		5454.9	28.44	18.67	47.11	54	-6.89	AVG
Vertical	@	5260	88.54	18.1	106.64	N/A	N/A	PK
	@	5260	81.4	18.1	99.5	N/A	N/A	AVG
		5457.3	39.49	18.68	58.17	74	-15.83	PK
		5459.7	28.37	18.7	47.07	54	-6.93	AVG


TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT20)	Channel	60
------	-----------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	94.06	17.97	112.03	N/A	N/A	PK
	@	5300	85.17	17.97	103.14	N/A	N/A	AVG
		5455.5	28.37	18.67	47.04	54	-6.96	AVG
		5459.7	39.73	18.7	58.43	74	-15.57	PK
Vertical	@	5300	88.98	17.97	106.95	N/A	N/A	PK
	@	5300	82.27	17.97	100.24	N/A	N/A	AVG
		5392.2	40.41	18.12	58.53	74	-15.47	PK
		5459.7	28.61	18.7	47.31	54	-6.69	AVG




Mode	802.11ac(VHT20)	Channel	64
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	84.95	17.91	102.86	N/A	N/A	AVG
		5350.8	30.02	17.83	47.85	54	-6.15	AVG
Vertical	@	5320	81.83	17.91	99.74	N/A	N/A	AVG
		5455.2	28.48	18.67	47.15	54	-6.85	AVG

TX, 802.11ac(VHT20) (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 64)
Band Edge (Average), Vertical




Mode	802.11ac(VHT20)	Channel	100
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5454.6	39.69	18.67	58.36	74	-15.64	PK
		5459.85	29.79	18.7	48.49	54	-5.51	AVG
		5469.3	45.72	18.77	64.49	68.2	-3.71	PK
	@	5500	95.1	18.98	114.08	N/A	N/A	PK
	@	5500	86.31	18.98	105.29	N/A	N/A	AVG
Vertical		5438.5	39.57	18.53	58.1	74	-15.9	PK
		5458.8	28.78	18.68	47.46	54	-6.54	AVG
		5469.65	41.47	18.77	60.24	68.2	-7.96	PK
	@	5500	87.7	18.98	106.68	N/A	N/A	PK
	@	5500	80.28	18.98	99.26	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 100)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 100)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 100)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 100)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	116
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5428	40.15	18.43	58.58	74	-15.42	PK
		5451.1	28.55	18.64	47.19	54	-6.81	AVG
		5465.45	39.27	18.73	58	68.2	-10.2	PK
	@	5580	94.41	18.74	113.15	N/A	N/A	PK
	@	5580	86.07	18.74	104.81	N/A	N/A	AVG
		5738.8	40.07	18.94	59.01	68.2	-9.19	PK
Vertical		5431.15	39.64	18.46	58.1	74	-15.9	PK
		5459.5	28.3	18.69	46.99	54	-7.01	AVG
		5464.75	39.05	18.73	57.78	68.2	-10.42	PK
	@	5580	90.48	18.74	109.22	N/A	N/A	PK
	@	5580	81.49	18.74	100.23	N/A	N/A	AVG
		5729.7	40.61	18.88	59.49	68.2	-8.71	PK


TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 116)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	140
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5443.05	40.13	18.56	58.69	74	-15.31	PK
		5456	28.48	18.68	47.16	54	-6.84	AVG
		5465.8	38.82	18.73	57.55	68.2	-10.65	PK
	@	5700	93.57	18.67	112.24	N/A	N/A	PK
	@	5700	85.31	18.67	103.98	N/A	N/A	AVG
		5725.15	48.27	18.85	67.12	68.2	-1.08	PK
Vertical		5454.95	40.15	18.67	58.82	74	-15.18	PK
		5458.45	28.52	18.68	47.2	54	-6.8	AVG
		5460.9	39.35	18.71	58.06	68.2	-10.14	PK
	@	5700	90.42	18.67	109.09	N/A	N/A	PK
	@	5700	81.75	18.67	100.42	N/A	N/A	AVG
		5730.05	42.1	18.88	60.98	68.2	-7.22	PK


TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 140)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	149
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5541.5	41.88	18.85	60.73	68.2	-7.47	PK
		5696	44.58	18.67	63.25	102.25	-39	PK
	@	5745	97.41	18.99	116.4	N/A	N/A	PK
Vertical		5602	41.01	18.68	59.69	68.2	-8.51	PK
		5695.5	44.05	18.67	62.72	101.88	-39.16	PK
	@	5745	93.49	18.99	112.48	N/A	N/A	PK

TX, 802.11ac(VHT20) (Ch 149)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 149)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	157
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5553.5	41.54	18.83	60.37	68.2	-7.83	PK
		5691	41.06	18.66	59.72	98.56	-38.84	PK
		5785	96.29	19.19	115.48	N/A	N/A	PK
		5903	40.16	19.85	60.01	84.44	-24.43	PK
		5932.5	40.79	19.76	60.55	68.2	-7.65	PK
Vertical	@	5536	40.61	18.87	59.48	68.2	-8.72	PK
		5665	40.25	18.64	58.89	79.33	-20.44	PK
		5785	93.96	19.19	113.15	N/A	N/A	PK
		5921	40.01	19.8	59.81	71.15	-11.34	PK
		5947.5	41.1	19.71	60.81	68.2	-7.39	PK

TX, 802.11ac(VHT20) (Ch 157)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 157)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	165
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	97.1	19.44	116.54	N/A	N/A	PK
		5875	52.7	19.74	72.44	105.2	-32.76	PK
		5955.5	41.81	19.72	61.53	68.2	-6.67	PK
Vertical	@	5825	91.59	19.44	111.03	N/A	N/A	PK
		5880.5	42.91	19.76	62.67	101.11	-38.44	PK
		5996.5	40.82	19.84	60.66	68.2	-7.54	PK

TX, 802.11ac(VHT20) (Ch 165)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 165)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	38
------	-----------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5098.35	42.21	18.65	60.86	74	-13.14	PK
		5147.35	31.14	18.53	49.67	54	-4.33	AVG
	@	5190	87.49	18.24	105.73	N/A	N/A	PK
	@	5190	79.22	18.24	97.46	N/A	N/A	AVG
Vertical		5101.5	30.83	18.65	49.48	54	-4.52	AVG
		5140	42.8	18.55	61.35	74	-12.65	PK
	@	5190	79.74	18.24	97.98	N/A	N/A	PK
	@	5190	71.76	18.24	90	N/A	N/A	AVG




Mode	802.11ac(VHT40)	Channel	46
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5083.65	42.22	18.51	60.73	74	-13.27	PK
		5096.6	30.87	18.63	49.5	54	-4.5	AVG
	@	5230	86.83	18.15	104.98	N/A	N/A	PK
	@	5230	78.72	18.15	96.87	N/A	N/A	AVG
Vertical		5088.55	30.96	18.56	49.52	54	-4.48	AVG
		5122.15	42.12	18.6	60.72	74	-13.28	PK
	@	5230	79.8	18.15	97.95	N/A	N/A	PK
	@	5230	72.34	18.15	90.49	N/A	N/A	AVG


TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Average), Horizontal



TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT40) (Ch 46)
Band Edge (Peak), Vertical

