



Mode	802.11ac(VHT40)	Channel	54
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	87.03	18.06	105.09	N/A	N/A	PK
	@	5270	78.86	18.06	96.92	N/A	N/A	AVG
		5432.1	40.11	18.47	58.58	74	-15.42	PK
		5457.6	28.51	18.69	47.2	54	-6.8	AVG
Vertical	@	5270	81.55	18.06	99.61	N/A	N/A	PK
	@	5270	73.1	18.06	91.16	N/A	N/A	AVG
		5430	39.37	18.45	57.82	74	-16.18	PK
		5459.9	28.41	18.7	47.11	54	-6.89	AVG


TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 54)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	62
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	87.64	17.95	105.59	N/A	N/A	PK
	@	5310	78.61	17.95	96.56	N/A	N/A	AVG
		5455.8	40.6	18.67	59.27	74	-14.73	PK
		5458.8	28.56	18.68	47.24	54	-6.76	AVG
Vertical	@	5310	80.91	17.95	98.86	N/A	N/A	PK
	@	5310	72.76	17.95	90.71	N/A	N/A	AVG
		5442.3	39.92	18.56	58.48	74	-15.52	PK
		5456.7	28.49	18.68	47.17	54	-6.83	AVG


TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 62)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT40)	Channel	102
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5425.2	40.2	18.41	58.61	74	-15.39	PK
		5458.8	30.04	18.68	48.72	54	-5.28	AVG
		5469.65	44.31	18.77	63.08	68.2	-5.12	PK
	@	5510	87.91	18.95	106.86	N/A	N/A	PK
	@	5510	80.42	18.95	99.37	N/A	N/A	AVG
Vertical		5451.1	39.47	18.64	58.11	74	-15.89	PK
		5459.85	28.51	18.7	47.21	54	-6.79	AVG
		5464.05	38.94	18.72	57.66	68.2	-10.54	PK
	@	5510	82.21	18.95	101.16	N/A	N/A	PK
	@	5510	76.21	18.95	95.16	N/A	N/A	AVG




Mode	802.11ac(VHT40)	Channel	110
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5449.35	40.39	18.62	59.01	74	-14.99	PK
		5459.5	29.9	18.69	48.59	54	-5.41	AVG
		5465.1	40.55	18.73	59.28	68.2	-8.92	PK
	@	5550	92.41	18.83	111.24	N/A	N/A	PK
	@	5550	84.62	18.83	103.45	N/A	N/A	AVG
		5739.5	39.97	18.95	58.92	68.2	-9.28	PK
Vertical		5420.3	40.12	18.36	58.48	74	-15.52	PK
		5459.15	28.88	18.68	47.56	54	-6.44	AVG
		5469.3	39.9	18.77	58.67	68.2	-9.53	PK
	@	5550	88.91	18.83	107.74	N/A	N/A	PK
	@	5550	82.06	18.83	100.89	N/A	N/A	AVG
		5738.8	40.37	18.94	59.31	68.2	-8.89	PK


TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 110)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	134
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5452.15	39.75	18.64	58.39	74	-15.61	PK
		5452.15	28.64	18.64	47.28	54	-6.72	AVG
		5466.5	40	18.74	58.74	68.2	-9.46	PK
	@	5670	91.5	18.65	110.15	N/A	N/A	PK
	@	5670	83.84	18.65	102.49	N/A	N/A	AVG
		5730.75	46.11	18.88	64.99	68.2	-3.21	PK
Vertical		5451.8	28.45	18.64	47.09	54	-6.91	AVG
		5456.35	39.35	18.68	58.03	74	-15.97	PK
		5469.3	38.87	18.77	57.64	68.2	-10.56	PK
	@	5670	89.65	18.65	108.3	N/A	N/A	PK
	@	5670	81.99	18.65	100.64	N/A	N/A	AVG
		5735.3	41.83	18.91	60.74	68.2	-7.46	PK


TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 134)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	151
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5557	41.8	18.81	60.61	68.2	-7.59	PK
		5695.5	52.68	18.67	71.35	101.88	-30.53	PK
	@	5755	93.57	19.05	112.62	N/A	N/A	PK
Vertical		5548.5	40.61	18.84	59.45	68.2	-8.75	PK
		5700	42.51	18.67	61.18	105.2	-44.02	PK
	@	5755	87.94	19.05	106.99	N/A	N/A	PK

TX, 802.11ac(VHT40) (Ch 151)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 151)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	159
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	93.04	19.24	112.28	N/A	N/A	PK
		5877.5	43.88	19.75	63.63	103.34	-39.71	PK
		5941.5	41.27	19.72	60.99	68.2	-7.21	PK
Vertical	@	5795	87.28	19.24	106.52	N/A	N/A	PK
		5903.5	40.37	19.85	60.22	84.07	-23.85	PK
		5958.5	40.22	19.73	59.95	68.2	-8.25	PK




Mode	802.11ac(VHT80)	Channel	42
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5145.95	32.2	18.53	50.73	54	-3.27	AVG
		5147	42.46	18.53	60.99	74	-13.01	PK
	@	5210	83.74	18.16	101.9	N/A	N/A	PK
	@	5210	76.03	18.16	94.19	N/A	N/A	AVG
Vertical		5087.85	30.9	18.55	49.45	54	-4.55	AVG
		5122.85	42.31	18.6	60.91	74	-13.09	PK
	@	5210	77.7	18.16	95.86	N/A	N/A	PK
	@	5210	69.54	18.16	87.7	N/A	N/A	AVG




Mode	802.11ac(VHT80)	Channel	58
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	83.33	18.01	101.34	N/A	N/A	PK
	@	5290	79.03	18.01	97.04	N/A	N/A	AVG
		5350.2	29.91	17.82	47.73	54	-6.27	AVG
		5354.4	44	17.86	61.86	74	-12.14	PK
Vertical	@	5290	79.03	18.01	97.04	N/A	N/A	PK
	@	5290	71.79	18.01	89.8	N/A	N/A	AVG
		5438.7	40.08	18.53	58.61	74	-15.39	PK
		5459.7	28.57	18.7	47.27	54	-6.73	AVG



Mode	802.11ac(VHT80)	Channel	106
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5457.4	46.38	18.68	65.06	74	-8.94	PK
		5458.8	34.55	18.68	53.23	54	-0.77	AVG
		5468.95	45.72	18.76	64.48	68.2	-3.72	PK
	@	5530	85.18	18.89	104.07	N/A	N/A	PK
	@	5530	77.76	18.89	96.65	N/A	N/A	AVG
Vertical		5434.65	40.62	18.49	59.11	74	-14.89	PK
		5457.4	30.1	18.68	48.78	54	-5.22	AVG
		5469.3	39.17	18.77	57.94	68.2	-10.26	PK
	@	5530	79.59	18.89	98.48	N/A	N/A	PK
	@	5530	71.6	18.89	90.49	N/A	N/A	AVG




Mode	802.11ac(VHT80)	Channel	122
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5406.65	45.1	18.23	63.33	74	-10.67	PK
		5456.7	34.22	18.68	52.9	54	-1.1	AVG
		5465.1	48.49	18.73	67.22	68.2	-0.98	PK
	@	5610	90.03	18.66	108.69	N/A	N/A	PK
	@	5610	82.32	18.66	100.98	N/A	N/A	AVG
		5731.45	48.51	18.89	67.4	68.2	-0.8	PK
Vertical		5449.7	40.2	18.63	58.83	74	-15.17	PK
		5459.15	29.99	18.68	48.67	54	-5.33	AVG
		5466.85	39.18	18.74	57.92	68.2	-10.28	PK
	@	5610	84.12	18.66	102.78	N/A	N/A	PK
	@	5610	76.95	18.66	95.61	N/A	N/A	AVG
		5726.55	42.71	18.86	61.57	68.2	-6.63	PK


TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Average), Vertical



TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT80) (Ch 122)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT80)	Channel	155
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5638.5	48.06	18.64	66.7	68.2	-1.5	PK
		5686.5	64.18	18.67	82.85	95.24	-12.39	PK
		5775	88.99	19.14	108.13	N/A	N/A	PK
		5878	55.03	19.75	74.78	102.97	-28.19	PK
		5930	44.55	19.77	64.32	68.2	-3.88	PK
Vertical	@	5643.5	42.36	18.63	60.99	68.2	-7.21	PK
		5681	58.39	18.66	77.05	91.18	-14.13	PK
		5775	83.36	19.14	102.5	N/A	N/A	PK
		5875.5	50.34	19.74	70.08	104.83	-34.75	PK
		5931.5	45.38	19.76	65.14	68.2	-3.06	PK

TX, 802.11ac(VHT80) (Ch 155)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT80) (Ch 155)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5093.1	42.01	18.6	60.61	74	-13.39	PK
		5098	30.83	18.63	49.46	54	-4.54	AVG
	@	5180	87.9	18.31	106.21	N/A	N/A	PK
	@	5180	80.61	18.31	98.92	N/A	N/A	AVG
Vertical		5089.6	30.89	18.57	49.46	54	-4.54	AVG
		5110.95	41.72	18.63	60.35	74	-13.65	PK
	@	5180	80.24	18.31	98.55	N/A	N/A	PK
	@	5180	72.39	18.31	90.7	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5111.3	30.79	18.62	49.41	54	-4.59	AVG
		5125.3	42.1	18.58	60.68	74	-13.32	PK
	@	5220	88.62	18.15	106.77	N/A	N/A	PK
	@	5220	80.71	18.15	98.86	N/A	N/A	AVG
Vertical		5101.5	30.77	18.65	49.42	54	-4.58	AVG
		5137.2	41.66	18.55	60.21	74	-13.79	PK
	@	5220	81.13	18.15	99.28	N/A	N/A	PK
	@	5220	73.46	18.15	91.61	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5092.4	42.33	18.6	60.93	74	-13.07	PK
		5096.95	30.92	18.64	49.56	54	-4.44	AVG
	@	5240	88.04	18.13	106.17	N/A	N/A	PK
	@	5240	80.15	18.13	98.28	N/A	N/A	AVG
Vertical		5069.3	42.67	18.38	61.05	74	-12.95	PK
		5088.2	30.84	18.56	49.4	54	-4.6	AVG
	@	5240	80.99	18.13	99.12	N/A	N/A	PK
	@	5240	76.79	18.13	94.92	N/A	N/A	AVG



Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	90.35	18.1	108.45	N/A	N/A	PK
	@	5260	81.49	18.1	99.59	N/A	N/A	AVG
		5409.3	39.6	18.26	57.86	74	-16.14	PK
		5452.8	28.42	18.66	47.08	54	-6.92	AVG
Vertical	@	5260	84.29	18.1	102.39	N/A	N/A	PK
	@	5260	75.7	18.1	93.8	N/A	N/A	AVG
		5430.6	40.16	18.45	58.61	74	-15.39	PK
		5451.9	28.52	18.64	47.16	54	-6.84	AVG




Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	90.3	17.97	108.27	N/A	N/A	PK
	@	5300	80.89	17.97	98.86	N/A	N/A	AVG
		5434.8	40.66	18.49	59.15	74	-14.85	PK
		5457.6	28.48	18.69	47.17	54	-6.83	AVG
Vertical	@	5300	83.82	17.97	101.79	N/A	N/A	PK
	@	5300	75.89	17.97	93.86	N/A	N/A	AVG
		5448.9	39.79	18.62	58.41	74	-15.59	PK
		5458.5	28.44	18.68	47.12	54	-6.88	AVG


TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	90.17	17.91	108.08	N/A	N/A	PK
	@	5320	80.89	17.91	98.8	N/A	N/A	AVG
		5449.2	39.99	18.62	58.61	74	-15.39	PK
		5457.9	28.58	18.69	47.27	54	-6.73	AVG
Vertical	@	5320	83.02	17.91	100.93	N/A	N/A	PK
	@	5320	74.64	17.91	92.55	N/A	N/A	AVG
		5457.6	28.44	18.69	47.13	54	-6.87	AVG
		5458.8	39.69	18.68	58.37	74	-15.63	PK


TX, 802.11ax(HE20) (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 64)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 64)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 64)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5429.4	39.58	18.45	58.03	74	-15.97	PK
		5459.15	29.31	18.68	47.99	54	-6.01	AVG
		5466.85	40.3	18.74	59.04	68.2	-9.16	PK
	@	5500	91.25	18.98	110.23	N/A	N/A	PK
	@	5500	83.82	18.98	102.8	N/A	N/A	AVG
Vertical		5401.05	40.41	18.19	58.6	74	-15.4	PK
		5452.85	28.42	18.66	47.08	54	-6.92	AVG
		5469.65	39.79	18.77	58.56	68.2	-9.64	PK
	@	5500	85.43	18.98	104.41	N/A	N/A	PK
	@	5500	79.46	18.98	98.44	N/A	N/A	AVG




Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5451.1	39.44	18.64	58.08	74	-15.92	PK
		5459.5	28.49	18.69	47.18	54	-6.82	AVG
		5464.05	39.22	18.72	57.94	68.2	-10.26	PK
	@	5580	91.31	18.74	110.05	N/A	N/A	PK
	@	5580	83.78	18.74	102.52	N/A	N/A	AVG
		5732.5	40.16	18.9	59.06	68.2	-9.14	PK
Vertical		5450.4	40.18	18.63	58.81	74	-15.19	PK
		5459.85	28.47	18.7	47.17	54	-6.83	AVG
		5467.2	39.68	18.75	58.43	68.2	-9.77	PK
	@	5580	89.21	18.74	107.95	N/A	N/A	PK
	@	5580	80.78	18.74	99.52	N/A	N/A	AVG
		5730.05	40.28	18.88	59.16	68.2	-9.04	PK


TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5439.9	40.46	18.54	59	74	-15	PK
		5452.85	28.61	18.66	47.27	54	-6.73	AVG
		5467.2	39.81	18.75	58.56	68.2	-9.64	PK
	@	5700	91	18.67	109.67	N/A	N/A	PK
	@	5700	82.37	18.67	101.04	N/A	N/A	AVG
		5725	41.17	18.85	60.02	68.2	-8.18	PK
Vertical		5451.8	40.06	18.64	58.7	74	-15.3	PK
		5459.5	28.46	18.69	47.15	54	-6.85	AVG
		5470	38.86	18.77	57.63	68.2	-10.57	PK
	@	5700	87.43	18.67	106.1	N/A	N/A	PK
	@	5700	79.58	18.67	98.25	N/A	N/A	AVG
		5727.95	40.33	18.88	59.21	68.2	-8.99	PK


TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5631	40.28	18.65	58.93	68.2	-9.27	PK
		5690.5	41.09	18.66	59.75	98.2	-38.45	PK
	@	5745	94.65	18.99	113.64	N/A	N/A	PK
Vertical		5564	40.52	18.78	59.3	68.2	-8.9	PK
		5696	41.53	18.67	60.2	102.25	-42.05	PK
	@	5745	92.75	18.99	111.74	N/A	N/A	PK

**TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Horizontal**




**TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Vertical**



Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5535.5	40.99	18.87	59.86	68.2	-8.34	PK
		5661.5	40.22	18.64	58.86	76.74	-17.88	PK
		5785	94.44	19.19	113.63	N/A	N/A	PK
		5897.5	40.97	19.84	60.81	88.51	-27.7	PK
		6025.5	40.76	19.89	60.65	68.2	-7.55	PK
Vertical	@	5570	40.25	18.77	59.02	68.2	-9.18	PK
		5693.5	40.25	18.66	58.91	100.41	-41.5	PK
		5785	92.31	19.19	111.5	N/A	N/A	PK
		5911.5	41.37	19.82	61.19	78.16	-16.97	PK
		5973.5	41.04	19.78	60.82	68.2	-7.38	PK



Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	94.11	19.44	113.55	N/A	N/A	PK
		5921.5	41.1	19.79	60.89	70.78	-9.89	PK
		5935.5	40.12	19.76	59.88	68.2	-8.32	PK
Vertical	@	5825	90.86	19.44	110.3	N/A	N/A	PK
		5895.5	41.17	19.84	61.01	89.99	-28.98	PK
		5972	41.12	19.77	60.89	68.2	-7.31	PK

**TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Horizontal**



**TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Vertical**

