













2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	16.479	/	Pass
		5200	/	/	1	16.537	/	Pass
		5240	/	/	1	16.566	/	Pass
		5745	/	/	1	16.363	/	Pass
		5785	/	/	1	16.377	/	Pass
		5825	/	/	1	16.414	/	Pass
802.11n (HT20)	SISO	5180	/	/	1	17.619	/	Pass
		5200	/	/	1	17.611	/	Pass
		5240	/	/	1	17.705	/	Pass
		5745	/	/	1	17.557	/	Pass
		5785	/	/	1	17.572	/	Pass
		5825	/	/	1	17.566	/	Pass
802.11ac (VHT20)	SISO	5180	/	/	1	17.576	/	Pass
		5200	/	/	1	17.621	/	Pass
		5240	/	/	1	17.614	/	Pass
		5745	/	/	1	17.584	/	Pass
		5785	/	/	1	17.548	/	Pass
		5825	/	/	1	17.580	/	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	18.806	/	Pass
		5200	SU	/	1	18.871	/	Pass
		5240	SU	/	1	18.785	/	Pass
		5745	SU	/	1	18.825	/	Pass
		5785	SU	/	1	18.893	/	Pass
		5825	SU	/	1	18.740	/	Pass

2.1.2 26dB BW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	25.470	/	Pass
		5200	/	/	1	24.801	/	Pass
		5240	/	/	1	25.992	/	Pass
802.11n (HT20)	SISO	5180	/	/	1	21.506	/	Pass
		5200	/	/	1	21.099	/	Pass
		5240	/	/	1	21.848	/	Pass
802.11ac (VHT20)	SISO	5180	/	/	1	20.843	/	Pass
		5200	/	/	1	21.850	/	Pass
		5240	/	/	1	21.012	/	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	20.960	/	Pass
		5200	SU	/	1	21.714	/	Pass
		5240	SU	/	1	21.454	/	Pass

2.1.3 6dB BW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	6dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5745	/	/	1	15.690	>=0.5	Pass
		5785	/	/	1	16.340	>=0.5	Pass
		5825	/	/	1	16.060	>=0.5	Pass
802.11n (HT20)	SISO	5745	/	/	1	16.574	>=0.5	Pass
		5785	/	/	1	17.536	>=0.5	Pass
		5825	/	/	1	15.779	>=0.5	Pass
802.11ac (VHT20)	SISO	5745	/	/	1	15.935	>=0.5	Pass
		5785	/	/	1	14.821	>=0.5	Pass
		5825	/	/	1	17.571	>=0.5	Pass
802.11ax (HEW20)	SISO	5745	SU	/	1	16.815	>=0.5	Pass
		5785	SU	/	1	14.514	>=0.5	Pass
		5825	SU	/	1	15.112	>=0.5	Pass

2.2 Test Graph

2.2.1 OBW

