































4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	0.55	<=11	Pass
		5200	/	/	0.70	<=11	Pass
		5240	/	/	0.65	<=11	Pass
802.11n (HT20)	SISO	5180	/	/	-1.08	<=11	Pass
		5200	/	/	-1.05	<=11	Pass
		5240	/	/	-0.80	<=11	Pass
802.11ac (VHT20)	SISO	5180	/	/	0.76	<=11	Pass
		5200	/	/	-0.62	<=11	Pass
		5240	/	/	-1.07	<=11	Pass
802.11ax (HEW20)	SISO	5180	SU	/	-1.19	<=11	Pass
		5200	SU	/	-0.66	<=11	Pass
		5240	SU	/	-1.42	<=11	Pass

4.1.2 PSD-Band3

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/500kHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5745	/	/	2.68	<=30	Pass
		5785	/	/	-1.87	<=30	Pass
		5825	/	/	1.65	<=30	Pass
802.11n (HT20)	SISO	5745	/	/	0.10	<=30	Pass
		5785	/	/	0.03	<=30	Pass
		5825	/	/	0.00	<=30	Pass
802.11ac (VHT20)	SISO	5745	/	/	-1.27	<=30	Pass
		5785	/	/	-1.06	<=30	Pass
		5825	/	/	-1.27	<=30	Pass
802.11ax (HEW20)	SISO	5745	SU	/	-1.23	<=30	Pass
		5785	SU	/	-1.26	<=30	Pass
		5825	SU	/	-1.27	<=30	Pass

4.2 Test Graph

4.2.1 PSD

