


















4.2.2 PSD-Band3














5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	LV	5179.940	5150 to 5250	Pass
						NV	5180.080	5150 to 5250	Pass
						HV	5179.920	5150 to 5250	Pass
					-30	NV	5179.980	5150 to 5250	Pass
					-20	NV	5179.940	5150 to 5250	Pass
					-10	NV	5179.960	5150 to 5250	Pass
					0	NV	5179.960	5150 to 5250	Pass
					10	NV	5180.020	5150 to 5250	Pass
					30	NV	5179.980	5150 to 5250	Pass
					40	NV	5179.980	5150 to 5250	Pass
					50	NV	5180.000	5150 to 5250	Pass
		5200	/	/	20	LV	5199.940	5150 to 5250	Pass
						NV	5200.060	5150 to 5250	Pass
						HV	5200.000	5150 to 5250	Pass
					-30	NV	5200.000	5150 to 5250	Pass
					-20	NV	5199.960	5150 to 5250	Pass
					-10	NV	5199.980	5150 to 5250	Pass
					0	NV	5200.000	5150 to 5250	Pass
					10	NV	5199.960	5150 to 5250	Pass
					30	NV	5199.940	5150 to 5250	Pass
					40	NV	5199.980	5150 to 5250	Pass
					50	NV	5200.000	5150 to 5250	Pass
		5240	/	/	20	LV	5240.000	5150 to 5250	Pass
						NV	5240.040	5150 to 5250	Pass
						HV	5239.980	5150 to 5250	Pass
					-30	NV	5240.000	5150 to 5250	Pass
					-20	NV	5240.000	5150 to 5250	Pass
					-10	NV	5239.980	5150 to 5250	Pass
					0	NV	5240.020	5150 to 5250	Pass
					10	NV	5240.020	5150 to 5250	Pass
					30	NV	5240.040	5150 to 5250	Pass
					40	NV	5239.960	5150 to 5250	Pass
					50	NV	5240.000	5150 to 5250	Pass
		5745	/	/	20	LV	5745.000	5725 to 5850	Pass
						NV	5745.000	5725 to 5850	Pass
						HV	5745.020	5725 to 5850	Pass
					-30	NV	5744.980	5725 to 5850	Pass
					-20	NV	5744.960	5725 to 5850	Pass
					-10	NV	5744.940	5725 to 5850	Pass
					0	NV	5744.940	5725 to 5850	Pass
					10	NV	5745.000	5725 to 5850	Pass
					30	NV	5745.000	5725 to 5850	Pass
					40	NV	5744.960	5725 to 5850	Pass
					50	NV	5744.960	5725 to 5850	Pass

802.11n (HT20)	SISO	5785	/	/	20	LV	5785.000	5725 to 5850	Pass
						NV	5785.000	5725 to 5850	Pass
						HV	5785.000	5725 to 5850	Pass
					-30	NV	5785.000	5725 to 5850	Pass
					-20	NV	5785.000	5725 to 5850	Pass
					-10	NV	5785.000	5725 to 5850	Pass
					0	NV	5785.000	5725 to 5850	Pass
					10	NV	5785.000	5725 to 5850	Pass
					30	NV	5785.000	5725 to 5850	Pass
					40	NV	5785.000	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
		5825	/	/	20	LV	5825.000	5725 to 5850	Pass
						NV	5825.060	5725 to 5850	Pass
						HV	5825.020	5725 to 5850	Pass
					-30	NV	5825.060	5725 to 5850	Pass
					-20	NV	5825.000	5725 to 5850	Pass
					-10	NV	5825.020	5725 to 5850	Pass
					0	NV	5825.040	5725 to 5850	Pass
					10	NV	5825.040	5725 to 5850	Pass
					30	NV	5825.000	5725 to 5850	Pass
					40	NV	5825.020	5725 to 5850	Pass
					50	NV	5825.080	5725 to 5850	Pass
		5180	/	/	20	LV	5179.980	5150 to 5250	Pass
						NV	5179.980	5150 to 5250	Pass
						HV	5180.040	5150 to 5250	Pass
					-30	NV	5179.960	5150 to 5250	Pass
					-20	NV	5179.940	5150 to 5250	Pass
					-10	NV	5179.980	5150 to 5250	Pass
					0	NV	5180.000	5150 to 5250	Pass
					10	NV	5180.020	5150 to 5250	Pass
					30	NV	5179.980	5150 to 5250	Pass
					40	NV	5180.020	5150 to 5250	Pass
					50	NV	5180.000	5150 to 5250	Pass
		5200	/	/	20	LV	5200.020	5150 to 5250	Pass
						NV	5200.000	5150 to 5250	Pass
						HV	5199.960	5150 to 5250	Pass
					-30	NV	5199.940	5150 to 5250	Pass
					-20	NV	5199.960	5150 to 5250	Pass
					-10	NV	5200.040	5150 to 5250	Pass
					0	NV	5200.060	5150 to 5250	Pass
					10	NV	5200.000	5150 to 5250	Pass
					30	NV	5199.960	5150 to 5250	Pass
					40	NV	5200.000	5150 to 5250	Pass
					50	NV	5199.980	5150 to 5250	Pass
		5240	/	/	20	LV	5239.980	5150 to 5250	Pass
						NV	5240.060	5150 to 5250	Pass
						HV	5239.980	5150 to 5250	Pass
					-30	NV	5239.940	5150 to 5250	Pass
					-20	NV	5239.960	5150 to 5250	Pass
					-10	NV	5240.020	5150 to 5250	Pass
					0	NV	5240.040	5150 to 5250	Pass
					10	NV	5240.020	5150 to 5250	Pass
					30	NV	5239.980	5150 to 5250	Pass
					40	NV	5240.000	5150 to 5250	Pass
					50	NV	5240.020	5150 to 5250	Pass
		5745	/	/	20	LV	5745.000	5725 to 5850	Pass
						NV	5745.000	5725 to 5850	Pass

802.11ac (VHT20)	SISO	5785	/	/		HV	5745.000	5725 to 5850	Pass
					-30	NV	5745.020	5725 to 5850	Pass
					-20	NV	5745.020	5725 to 5850	Pass
					-10	NV	5745.000	5725 to 5850	Pass
					0	NV	5745.020	5725 to 5850	Pass
					10	NV	5745.040	5725 to 5850	Pass
					30	NV	5745.040	5725 to 5850	Pass
					40	NV	5745.020	5725 to 5850	Pass
		5825	/	/	50	NV	5745.020	5725 to 5850	Pass
					20	LV	5785.000	5725 to 5850	Pass
						NV	5784.980	5725 to 5850	Pass
						HV	5784.960	5725 to 5850	Pass
					-30	NV	5784.940	5725 to 5850	Pass
					-20	NV	5784.960	5725 to 5850	Pass
					-10	NV	5785.000	5725 to 5850	Pass
					0	NV	5784.980	5725 to 5850	Pass
		5180	/	/	10	NV	5784.960	5725 to 5850	Pass
					30	NV	5785.000	5725 to 5850	Pass
					40	NV	5784.940	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
					20	LV	5824.980	5725 to 5850	Pass
						NV	5824.960	5725 to 5850	Pass
						HV	5824.900	5725 to 5850	Pass
					-30	NV	5824.980	5725 to 5850	Pass
		5200	/	/	-20	NV	5824.980	5725 to 5850	Pass
					-10	NV	5824.980	5725 to 5850	Pass
					0	NV	5824.960	5725 to 5850	Pass
					10	NV	5824.940	5725 to 5850	Pass
					30	NV	5825.000	5725 to 5850	Pass
					40	NV	5825.000	5725 to 5850	Pass
					50	NV	5824.980	5725 to 5850	Pass
		5240	/	/	20	LV	5179.980	5150 to 5250	Pass
						NV	5179.980	5150 to 5250	Pass
						HV	5179.980	5150 to 5250	Pass
					-30	NV	5180.000	5150 to 5250	Pass
					-20	NV	5179.960	5150 to 5250	Pass
					-10	NV	5179.940	5150 to 5250	Pass
					0	NV	5179.900	5150 to 5250	Pass
					10	NV	5179.940	5150 to 5250	Pass
		5200	/	/	30	NV	5179.900	5150 to 5250	Pass
					40	NV	5179.980	5150 to 5250	Pass
					50	NV	5179.980	5150 to 5250	Pass
					20	LV	5199.980	5150 to 5250	Pass
						NV	5199.960	5150 to 5250	Pass
						HV	5199.900	5150 to 5250	Pass
					-30	NV	5199.960	5150 to 5250	Pass
					-20	NV	5199.940	5150 to 5250	Pass
		5240	/	/	-10	NV	5199.940	5150 to 5250	Pass
					0	NV	5199.980	5150 to 5250	Pass
					10	NV	5199.940	5150 to 5250	Pass
					30	NV	5199.980	5150 to 5250	Pass
					40	NV	5199.960	5150 to 5250	Pass
					50	NV	5199.980	5150 to 5250	Pass
					20	LV	5240.000	5150 to 5250	Pass
						NV	5239.980	5150 to 5250	Pass
						HV	5240.020	5150 to 5250	Pass
					-30	NV	5239.980	5150 to 5250	Pass

802.11ax (HEW20)	SISO	5745	/	/	-20	NV	5239.980	5150 to 5250	Pass
					-10	NV	5239.960	5150 to 5250	Pass
					0	NV	5240.000	5150 to 5250	Pass
					10	NV	5239.980	5150 to 5250	Pass
					30	NV	5240.040	5150 to 5250	Pass
					40	NV	5239.980	5150 to 5250	Pass
					50	NV	5239.900	5150 to 5250	Pass
					20	LV	5744.960	5725 to 5850	Pass
						NV	5745.020	5725 to 5850	Pass
						HV	5745.020	5725 to 5850	Pass
					-30	NV	5744.940	5725 to 5850	Pass
					-20	NV	5745.000	5725 to 5850	Pass
					-10	NV	5745.040	5725 to 5850	Pass
					0	NV	5744.980	5725 to 5850	Pass
					10	NV	5744.980	5725 to 5850	Pass
					30	NV	5744.960	5725 to 5850	Pass
					40	NV	5744.980	5725 to 5850	Pass
					50	NV	5744.980	5725 to 5850	Pass
		5785	/	/	20	LV	5784.900	5725 to 5850	Pass
						NV	5784.900	5725 to 5850	Pass
						HV	5784.980	5725 to 5850	Pass
					-30	NV	5784.940	5725 to 5850	Pass
					-20	NV	5784.940	5725 to 5850	Pass
					-10	NV	5784.960	5725 to 5850	Pass
					0	NV	5784.920	5725 to 5850	Pass
					10	NV	5785.000	5725 to 5850	Pass
					30	NV	5785.000	5725 to 5850	Pass
					40	NV	5784.960	5725 to 5850	Pass
					50	NV	5784.980	5725 to 5850	Pass
		5825	/	/	20	LV	5824.980	5725 to 5850	Pass
						NV	5824.960	5725 to 5850	Pass
						HV	5824.960	5725 to 5850	Pass
					-30	NV	5824.940	5725 to 5850	Pass
					-20	NV	5824.960	5725 to 5850	Pass
					-10	NV	5824.880	5725 to 5850	Pass
					0	NV	5824.980	5725 to 5850	Pass
					10	NV	5824.960	5725 to 5850	Pass
					30	NV	5824.920	5725 to 5850	Pass
					40	NV	5824.940	5725 to 5850	Pass
					50	NV	5824.980	5725 to 5850	Pass
		5180	SU	/	20	LV	5179.980	5150 to 5250	Pass
						NV	5179.980	5150 to 5250	Pass
						HV	5180.020	5150 to 5250	Pass
					-30	NV	5179.980	5150 to 5250	Pass
					-20	NV	5179.980	5150 to 5250	Pass
					-10	NV	5179.980	5150 to 5250	Pass
					0	NV	5179.900	5150 to 5250	Pass
					10	NV	5179.980	5150 to 5250	Pass
					30	NV	5180.000	5150 to 5250	Pass
		5200	SU	/	40	NV	5179.980	5150 to 5250	Pass
					50	NV	5179.980	5150 to 5250	Pass
					20	LV	5199.880	5150 to 5250	Pass
						NV	5199.960	5150 to 5250	Pass
						HV	5200.000	5150 to 5250	Pass
					-30	NV	5199.980	5150 to 5250	Pass
					-20	NV	5200.000	5150 to 5250	Pass
					-10	NV	5199.920	5150 to 5250	Pass

		5240	SU	/	0	NV	5200.000	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5199.920	5150 to 5250	Pass
					40	NV	5199.960	5150 to 5250	Pass
					50	NV	5199.960	5150 to 5250	Pass
					20	LV	5239.960	5150 to 5250	Pass
						NV	5239.960	5150 to 5250	Pass
						HV	5239.960	5150 to 5250	Pass
					-30	NV	5240.000	5150 to 5250	Pass
					-20	NV	5240.020	5150 to 5250	Pass
					-10	NV	5239.960	5150 to 5250	Pass
		5745	SU	/	0	NV	5240.020	5150 to 5250	Pass
					10	NV	5240.020	5150 to 5250	Pass
					30	NV	5239.980	5150 to 5250	Pass
					40	NV	5240.020	5150 to 5250	Pass
					50	NV	5240.060	5150 to 5250	Pass
					20	LV	5744.980	5725 to 5850	Pass
						NV	5745.000	5725 to 5850	Pass
						HV	5744.960	5725 to 5850	Pass
					-30	NV	5745.000	5725 to 5850	Pass
					-20	NV	5744.980	5725 to 5850	Pass
					-10	NV	5745.020	5725 to 5850	Pass
		5785	SU	/	0	NV	5744.940	5725 to 5850	Pass
					10	NV	5745.000	5725 to 5850	Pass
					30	NV	5744.980	5725 to 5850	Pass
					40	NV	5744.980	5725 to 5850	Pass
					50	NV	5744.980	5725 to 5850	Pass
					20	LV	5785.020	5725 to 5850	Pass
						NV	5785.020	5725 to 5850	Pass
						HV	5785.000	5725 to 5850	Pass
					-30	NV	5784.960	5725 to 5850	Pass
					-20	NV	5785.020	5725 to 5850	Pass
					-10	NV	5785.040	5725 to 5850	Pass
		5825	SU	/	0	NV	5784.940	5725 to 5850	Pass
					10	NV	5785.000	5725 to 5850	Pass
					30	NV	5785.040	5725 to 5850	Pass
					40	NV	5784.960	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
					20	LV	5825.040	5725 to 5850	Pass
						NV	5825.000	5725 to 5850	Pass
						HV	5825.020	5725 to 5850	Pass
					-30	NV	5824.960	5725 to 5850	Pass
					-20	NV	5824.960	5725 to 5850	Pass
					-10	NV	5824.920	5725 to 5850	Pass
					0	NV	5825.000	5725 to 5850	Pass
					10	NV	5825.000	5725 to 5850	Pass
					30	NV	5825.020	5725 to 5850	Pass
					40	NV	5824.920	5725 to 5850	Pass
					50	NV	5824.980	5725 to 5850	Pass

6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5180	5240	0.0127	11.04
5745	5825	0.0164	12.16

*** End of Report ***